

Subject Index of Volume 471

Acetylene

On pentaorganostiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Aldehyde

On pentaorganostiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Alkoxide

Linear vs. bent M–O–R bonds in d⁰ metal alkoxides: X-ray crystal structure of (C₅Me₅)Ta(S'Bu)₃(OⁿBu) and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

Alkyne

Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241

Allene

Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1:\eta^2$ -allenyl diruthenium system Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1:\eta^2$ -C(Ph)=C=CH₂). Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1:\eta^1$ -PhC=C(C(EtS)N(H)ⁿBu)CH₂) (S.M. Breckridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211

On pentaorganostiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Allyl

C–O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π -allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6

Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-WCl₂(Ph₂PMe)₂(CO)(NCH₂–CH=CH₂)] (G.D. Forster and G. Hogarth), 161

AM1 calculations

Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43

Amine

Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221

Antimony

On pentaorganostiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Arene

Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C via (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6 -arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229

Arsenic, Sulfur

Neue FeAsS-Käfigstrukturen aus [Cp⁺Fe(CO)₂]₂ (Cp⁺ = C₅Me₄Et) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

Bipyridine

Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Bis(phosphite)

Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

π -Bonding

Mössbauer spectroscopy of (benzylideneacetone)Fe(CO)₂L complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

Borate

Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4

Bridging ligand

Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1:\eta^2$ -allenyl diruthenium system Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1:\eta^2$ -C(Ph)=C=CH₂). Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1:\eta^1$ -PhC=C(C(EtS)N(H)ⁿBu)CH₂) (S.M. Breckridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211

Cyclometallated compounds of palladium(II) with diphosphines.

The X-ray crystal structure of [{Pd[2,3,4-(MeO)₃C₆-HC(H)=NCy]}₂ $\mu\text{-Ph}_2\text{PC}(\text{=CH}_2)\text{PPh}_2\text{Cl}_2$] (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters Cp₂Cr₂($\mu\text{-SCMe}_3$)₂($\mu_4\text{-S}$)W₂($\mu\text{-I}$)₂(CO)₄(NO)₂ and Cp₂Cr₂($\mu_3\text{-S}$)₂($\mu\text{-SCMe}_3$)₂W(SCMe₃)(NO) (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Butyl

The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Cage compound

Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

Carbonyl

Cyclopentaannulation of podocarpic acid derivatives via (η^6 -arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133

Mössbauer spectroscopy of (benzylideneacetone)Fe(CO)₂L complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitowitch), 165

Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

Structure of carbonylchloro(η^1 -cyclopentadienyl) (methylidiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-WCl₂(Ph₂PM₂)₂(CO)(NCH₂-CH=CH₂)] (G.D. Forster and G. Hogarth), 161

Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

Cation

Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4

Charge transfer

Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Chiral metallocenophanes

Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87

Chloride

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5 -C₅H₄ ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97

Chromium

Cyclopentaannulation of podocarpic acid derivatives via (η^6 -arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters Cp₂Cr₂(μ -SCMe₃)₂(μ_4 -S)W₂(μ -I)₂(CO)₄(NO)₂ and Cp₂Cr₂(μ_3 S)₂(μ -SCMe₃)₂W(SCMe₃)(NO) (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Neue FeAsS-Käfigstrukturen aus $[Cp^+Fe(CO)_2]_2$ ($Cp^+ = C_5Me_4Et$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C via (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149

Cluster

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters Cp₂Cr₂(μ -SCMe₃)₂(μ_4 -S)W₂(μ -I)₂(CO)₄(NO)₂ and Cp₂Cr₂(μ_3 S)₂(μ -SCMe₃)₂W(SCMe₃)(NO) (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Cobalt

Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohrman, K. Thiele and M.J. Went), 241

Copper

Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene] (Binap-P₂N₂). Crystal structure of [Ag(Binap-P₂N₂)][BF₄] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277

Correlation spectroscopy

Two-dimensional ¹³C,¹⁹⁹Hg correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35

Crystal structure

A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen), 9

Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1:\eta^2$ -allenyl diruthenium system Ru₂(CO)₆(μ -PPh₂)($\mu\text{-}\eta^1:\eta^2$ -C(Ph)=C=CH₂). Dimetallocycles via C-C, C-N and C-S bond forming reactions and the X-ray structure of Ru₂(CO)₆(μ -PPh₂)($\mu\text{-}\eta^1:\eta^1$ -PhC=C(C(EtS)N(H)^tBu)CH₂) (S.M. Breckridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211

Formation of an endo-type nine-membered metallocycle via insertion of diphenylacetylene into the σ (Pd-Csp², ferrocene) bond. X-Ray crystal structure of [Pd{{(C₆H₅-C=C-C₆H₅)₂(η^5 -C₅H₄)-CH=N-}·CH₂-C₆H₅}Fe(η^5 -C₅H₅)Cl] · CH₂Cl₂ (C. López, X. Solans and D. Tramuns), 265

Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87

Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex fac-[PdMe₃{tris(pyrazol-1-yl)borate}] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Carty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8

Structure of carbonylchloro(η^1 -cyclopentadienyl) (methylidiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273

Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of [(Me₂Sn[O(S)P(OEt)₂]₂O)₂ and [^tBu₂Sn(μ -OH)(O(S)P(OEt)₂)]₂ (V.B. Mokal, V.K. Jain and E.R.T. Tiekkink), 53

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-WCl₂(Ph₂PM₂)₂(CO)(NCH₂-CH=CH₂)] (G.D. Forster and G. Hogarth), 161

Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene] (Binap-P₂N₂). Crystal structure of [Ag(Binap-P₂N₂)][BF₄] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277

Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl (B. Moasser, C. Gross and W.L. Gladfelter), 201

- Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63
- Cyclic germoxane**
- Photochemical reactions of germoxanes: generation of germyl and germyloxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47
- Cyclometallation**
- Cyclometallated compounds of palladium(II) with diphosphines. The X-ray crystal structure of $[(\text{Pd}[2,3,4-(\text{MeO})_3\text{C}_6-\text{HC}(\text{H})=\text{NCy}]_2(\mu-\text{Ph}_2\text{PC}=\text{CH}_2)\text{PPh}_2]\text{Cl}_2$ (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259
- Cyclopalladation**
- Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the $\sigma(\text{Pd}-\text{Csp}^2$, ferrocene) bond. X-Ray crystal structure of $[\text{Pd}\{\{(\text{C}_6\text{H}_5-\text{C}=\text{C}_6\text{H}_5)_2(\eta^5-\text{C}_5\text{H}_3)-\text{CH}=\text{N}-\text{CH}_2-\text{C}_6\text{H}_5\}\text{Fe}(\eta^5-\text{C}_5\text{H}_5)\}\text{Cl}]\cdot\text{CH}_2\text{Cl}_2$ (C. López, X. Solans and D. Tramuns), 265
- Cyclopentaannulation**
- Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
- Cyclopentadienide**
- The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19
- Cyclopentadienyl**
- Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of $[\text{Ru}(\text{C}=\text{CPhN}=\text{NC}_6\text{H}_4\text{OMe}-4)(\text{PPh}_3)_2(\eta^5-\text{C}_5\text{H}_5)]\text{BF}_4\cdot\text{CH}_2\text{Cl}_2$ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193
- Structure of carbonylchloro(η^1 -cyclopentadienyl) (methyldiphenylphosphine)platinum (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273
- Cyclopentenone**
- Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241
- Digermoxane**
- Photochemical reactions of germoxanes: generation of germyl and germyloxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47
- Diolefin**
- π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249
- Diterpenoid**
- Cyclopentaannulation of podocarpic acid derivatives *via* (η^6 -arene)tricarbonylchromium(0) complexes; ring D modification (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133
- Electrochemistry**
- The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Oppromolla, L. Pardi, C. Janiak and M.D. Rausch), 171
- Electronic**
- Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157
- Electron spin resonance**
- Radical cations from trialkylsilanes: a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43
- Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71
- Equilibria**
- On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1
- Ferrocene**
- The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Oppromolla, L. Pardi, C. Janiak and M.D. Rausch), 171
- Ferrocenylacetylidyne**
- Oxidized Fe^{II} ferrocenylacetylidyne complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179
- Fluorine**
- On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1
- Fluxionality**
- Coordination of primary amine ligands to an allyl ruthenium(IV) centre (J.W. Steed and D.A. Tocher), 221
- Reactions of $(\eta^5-\text{C}_5\text{Me}_5)\text{Ta}(\text{PMe}_3)(\text{H})_2(\eta^2\text{-CHPM}_2)$ with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105
- Formamido**
- Reactions of $(\eta^5-\text{C}_5\text{Me}_5)\text{Ta}(\text{PMe}_3)(\text{H})_2(\eta^2\text{-CHPM}_2)$ with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105
- Functionalization**
- Ring A modification of podocarpic acid derivatives: functionalization and cyclopentaannulation of ring C *via* (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
- Germanium**
- Photochemical reactions of germoxanes: generation of germyl and germyloxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47
- Group 14**
- Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4
- Hardness**
- On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1

Heterocumulenes

Reactions of $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\text{PMe}_3)(\text{H})_2(\eta^2\text{-CHPMe}_2)$ with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105

Homolysis

Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47

Hydrogen bonding

A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen), 69

Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Imide

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-WCl₂(Ph₂PMe)₂(CO)(NCH₂-CH=CH₂)₂] (G.D. Forster and G. Hogarth), 161

Imine

Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene] (Binap-P₂N₂). Crystal structure of [Ag(Binap-P₂N₂)₂]BF₄] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277

Infrared spectroscopy

Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Iridium

π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

Iron

Carbon–selenium bond cleavage in the double butterfly complex $[(\text{CO})_6\text{Fe}_2(\mu\text{-Se})_2]_2(\text{C}(\text{Ph})-\text{C}(\text{H}))$ and the synthesis and X-ray structural analysis of its dppe-substituted derivative (P. Mathur, Md.M. Hossain and M.F. Mahon), 185

Mössbauer spectroscopy of (benzylideneacetone)Fe(CO)₂L complexes with L = CO, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

Neue FeAsS-Käfigstrukturen aus $[\text{Cp}^+\text{Fe}(\text{CO})_2]_2$ ($\text{Cp}^+ = \text{C}_5\text{Me}_4\text{Et}$) und Realgar (H. Brunner, L. Poll, J. Wachter und B. Nuber), 117

Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179

The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6 -arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229

Isocyanate

Reactions of $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\text{PMe}_3)(\text{H})_2(\eta^2\text{-CHPMe}_2)$ with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum (V.C. Gibson and T.P. Kee), 105

Lanthanides

Lanthanocene ($\text{Ln} = \text{Pr}^{\text{III}}, \text{Yb}^{\text{III}}$) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87

Lanthanoid

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing $\eta^5\text{-C}_5\text{H}_4$ ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97

Lanthanum

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing $\eta^5\text{-C}_5\text{H}_4$ ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97

Lead

On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1

Lithium

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IX. Eine ungewöhnliche Koordinationsgeometrie des Platin(II) in dem homoleptischen Metallacyclopentankomplex $[\text{Li}(\text{PMDETA})_2\text{Pt}-(\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2)_2]$ (H.-O. Fröhlich, R. Wyrwa, H. Görts und U. Pieper), 23

The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Lutetium

New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing $\eta^5\text{-C}_5\text{H}_4$ ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97

Macrocycle

Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohrman, K. Thiele and M.J. Went), 241

Magnesium

On pentaorganylstiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77

Mercury

Interaction of methyl- and phenyl-mercury(II) with the tripod ligand tris(2-dimethylaminoethyl)amine (C.A. Ghilardi, S. Middollini, A. Orlandini and A. Vacca), 29

Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39

Two-dimensional ^{13}C , ^{199}Hg correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35

Metallacycle

Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1\text{:}\eta^2\text{-allenyl}$ diruthenium system $\text{Ru}_2(\text{CO})_6(\mu\text{-PPh}_2)(\mu\text{-}\eta^1\text{:}\eta^2\text{-C}(\text{Ph})=\text{C}=\text{CH}_2)$. Dimetallocycles via C–C, C–N and C–S bond forming reactions and the X-ray structure of $\text{Ru}_2(\text{CO})_6(\mu\text{-PPh}_2)(\mu\text{-}\eta^1\text{:}\eta^1\text{-PhC=C(C(EtS)N(H)'Bu)CH}_2)$ (S.M. Breckridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211

Metallation

Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the $\sigma(\text{Pd-Csp}^2, \text{ferrocene})$ bond. X-Ray crystal structure of $[\text{Pd}((\text{C}_6\text{H}_5\text{-C=C-C}_6\text{H}_5)_2(\eta^5\text{-C}_5\text{H}_3)\text{-CH=N-CH}_2\text{-C}_6\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}]\cdot\text{CH}_2\text{Cl}_2$ (C. López, X. Solans and D. Tramuns), 265

Metallocenes

- Lanthanocene ($\text{Ln} = \text{Pr}^{\text{III}}, \text{Yb}^{\text{III}}$) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87
 Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179
 Mixed-valence complex
 Oxidized Fe^{II} ferrocenylacetylide complexes. A novel type of mixed-valence complex (M. Sato, Y. Hayashi, H. Shintate, M. Katada and S. Kawata), 179

Molecular orbital calculations

- Linear vs. bent $\text{M}-\text{O}-\text{R}$ bonds in d^0 metal alkoxides: X-ray crystal structure of $(\text{C}_5\text{Me}_5)_2\text{Ta}(\text{S}^{\text{IV}}\text{Bu})_3(\text{O}^{\text{V}}\text{Bu})$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

- Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71

Molybdenum

- Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

- π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

Mössbauer spectroscopy

- Mössbauer spectroscopy of (benzylideneacetone) $\text{Fe}(\text{CO})_2\text{L}$ complexes with $\text{L} = \text{CO}$, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

- Vibrational and ^{119}Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Multidentate ligands

- Synthesis and reactivity of N,N' -bis [*o*-(diphenylphosphino)benzylidene]-2,2'-diimino-1,1'-binaphthylene (Binap- P_2N_2). Crystal structure of $[\text{Ag}(\text{Binap-}\text{P}_2\text{N}_2)]\text{[BF}_4^-$] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277

Nitrosyl

- Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $\text{Cp}_2\text{Cr}_2(\mu-\text{SCMe}_3)_2(\mu_4\text{-S})\text{W}_2(\mu\text{-I})_2(\text{CO})_4(\text{NO})_2$ and $\text{Cp}_2\text{Cr}_2(\mu_3\text{-S})_2(\mu-\text{SCMe}_3)_2\text{W}(\text{SCMe}_3)(\text{NO})$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Nuclear magnetic resonance

- π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

- On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1

- Tin/mercury exchange in 1,2-distannyln-1-alkenes and 1-silyl-2-stannyln-1-alkenes (T.N. Mitchell and B. Kowall), 39

- Two-dimensional $^{13}\text{C}, ^{199}\text{Hg}$ correlation: a new NMR method for characterisation of organomercury compounds (T. Fäcke and S. Berger), 35

Oxidation

- Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV)

dation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8

Oxidative addition

- C-O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π -allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6

Palladium

Cyclometallated compounds of palladium(II) with diphosphines.

The X-ray crystal structure of $[(\text{Pd}[2,3,4-(\text{MeO})_3\text{C}_6\text{H}(\text{CH}=\text{NCy})_2](\mu-\text{Ph}_2\text{PC}(\text{=CH}_2)\text{PPh}_2)\text{Cl}_2]$ (J.M. Vila, M. Gayoso, J.I. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259

Formation of an endo-type nine-membered metallocycle via insertion of diphenylacetylene into the $\sigma(\text{Pd-Csp}^2, \text{ferrocene})$ bond. X-Ray crystal structure of $[\text{Pd}(\{\{(\text{C}_6\text{H}_5)_2\text{C}=\text{C-C}_6\text{H}_5\}_2(\eta^5\text{-C}_5\text{H}_5)-\text{CH}=\text{N}-\text{CH}_2\text{-C}_6\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}]\cdot\text{CH}_2\text{Cl}_2$ (C. López, X. Solans and D. Tramuns), 265

Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex $\text{fac-}[\text{PdMe}_3\text{tris(pyrazol-1-yl)borate}]$ formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8

Pauson-Khand reaction

Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241

Phosphine

C-O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex. Isolation of (π -allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6

Mössbauer spectroscopy of (benzylideneacetone) $\text{Fe}(\text{CO})_2\text{L}$ complexes with $\text{L} = \text{CO}$, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

Synthesis and molecular structure of the organometallic allylimido complex $[\text{cis,trans-WCl}_2(\text{Ph}_2\text{PMe})_2(\text{CO})(\text{NCH}_2\text{CH}=\text{CH}_2)]$ (G.D. Forster and G. Hogarth), 161

The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6 -arene)ruthenium(II) centres (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229

Phosphite

Mössbauer spectroscopy of (benzylideneacetone) $\text{Fe}(\text{CO})_2\text{L}$ complexes with $\text{L} = \text{CO}$, phosphites and phosphines. An analysis of ligand effects (E.J.S. Vichi, E. Stein and E.B. Saitovitch), 165

Photochemistry

Photochemical reactions of germoxanes: generation of germyl and germoxy radicals (K. Mochida, S. Mori, C. Yoshizawa, S. Tokura, M. Wakasa and H. Hayashi), 47

Platinum

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. IX. Eine ungewöhnliche Koordinationsgeometrie des Platin(II) in dem homoleptischen Metallacyclopentankomplex $[\text{Li}(\text{PMDETA})_2\text{Pt}-(\text{CH}_2\text{-CH}_2\text{CH}_2\text{CH}_2)_5\text{H}_2\text{O}]$ (H. Fröhlich, R. Wywra, H. Görsl und U.

- Oxidation of organoplatinum(II) and -palladium(II) complexes by water.** The X-ray structure of the trimethylpalladium(IV) complex *fac*-[PdMe₃(tris(pyrazol-1-yl)borate)] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Carty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8
- Structure of carbonylchloro(η^1 -cyclopentadienyl) (methyldiphenylphosphine)platinum** (R.J. Cross, L.J. Farrugia and K.E.A. Kuma), 273
- Podocarpic acid derivatives**
- Ring A modification of podocarpic acid derivatives:** functionalization and cyclopentaannulation of ring C *via* (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
- Polydentate**
- Interaction of methyl- and phenyl-mercury(II) with the tripod ligand tris(2-dimethylaminoethyl)amine** (C.A. Ghilardi, S. Midollini, A. Orlandini and A. Vacca), 29
- Potassium**
- The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion** (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19
- Praseodymium**
- Lanthanocene (Ln = Pr^{III}, Yb^{III}) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands** (J. Gräper, R.D. Fischer and G. Paolucci), 87
- Radical cations**
- Radical cations from trialkylsilanes:** a computational study of structures and energetics (C. Glidewell and C.J. Rhodes), 43
- Structures and energetics of radical cations containing tributyltin fragments: a PM3 study** (C. Glidewell and C.J. Rhodes), 71
- Raman spectroscopy**
- Vibrational and ¹¹⁹Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV)** (D. Tudela), 63
- Rare earth metals**
- New dinuclear bis(cyclopentadienyl)lanthanoid chlorides containing η^5 -C₅H₄ ligands linked by a metal-coordinated 2,6-dimethylenepyridyl unit** (G. Paolucci, R. D'Ippolito, C. Ye, C. Qian, J. Gräper and D.R. Fischer), 97
- Ring A modification**
- Ring A modification of podocarpic acid derivatives:** functionalization and cyclopentaannulation of ring C *via* (η^6 -arene)tricarbonylchromium(0) complexes (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 149
- Ruthenium**
- Chemistry of polynuclear allenyl complexes: the $\mu\text{-}\eta^1\text{:}\eta^2\text{-allenyl}$ diruthenium system Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1\text{:}\eta^2\text{-C(Ph)}$ =C-CH₂)**. Dimetallocycles via C-C, C-N and C-S bond forming reactions and the X-ray structure of Ru₂(CO)₆($\mu\text{-PPh}_2$)($\mu\text{-}\eta^1\text{:}\eta^1\text{-PhC=C(C(EtS)N(H)^tBu)CH}_2$)₂ (S.M. Breckridge, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio and E. Sappa), 211
- C-O bond cleavage and oxidative addition of allyl carboxylate to ruthenium(0) complex.** Isolation of (π -allyl)(trifluoroacetato)tris(triethylphosphine)ruthenium(II) (S. Komiya, T. Kabasawa, K. Yamashita, M. Hirano and A. Fukuoka), C6
- Coordination of primary amine ligands to an allyl ruthenium(IV) centre** (J.W. Steed and D.A. Tocher), 221
- Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes;** X-ray structure of [Ru(C=CPhN=NC₆H₄OMe-4)(PPh₃)₂(η -C₅H₅)][BF₄]·CH₂Cl₂ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193
- Synthesis, structure, and oxidation-induced dimerization of a chelating bis(phosphite) Ruthenium carbonyl** (B. Moasser, C. Gross and W.L. Gladfelter), 201
- The hemilabile behaviour of alkyl diphenylphosphinoacetate ligands promoting the reversible coordination of small molecules on (η^6 -arene)ruthenium(II) centres** (B. Demerseman, C. Renouard, R. Le Lagadec, M. Gonzalez, P. Crochet and P.H. Dixneuf), 229
- Second harmonic generation**
- Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [Ru(C=CPhN=NC₆H₄OMe-4)(PPh₃)₂(η -C₅H₅)][BF₄]·CH₂Cl₂ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193**
- Selenium**
- Carbon–selenium bond cleavage in the double butterfly complex $[(CO)_6Fe_2(\mu\text{-Se})_2_2(C(Ph)\text{-C(H)})]$ and the synthesis and X-ray structural analysis of its dppe-substituted derivative** (P. Mathur, Md.M. Hossain and M.F. Mahon), 185
- Silicon**
- On pentaorganostiborane. III. Regio- and diastereoselective additions of acetylenic and allenic organoantimony compounds to aldehydes** (L.-J. Zhang, X.-S. Mo and Y.-Z. Huang), 77
- Radical cations from trialkylsilanes: a computational study of structures and energetics** (C. Glidewell and C.J. Rhodes), 43
- Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes** (T.N. Mitchell and B. Kowall), 39
- Silver**
- Synthesis and reactivity of *N,N'*-bis [*o*-(diphenylphosphino)benzylidene-2,2'-diimino-1,1'-binaphthylene] (Binap-P₂N₂)**. Crystal structure of [Ag(Binap-P₂N₂)][BF₄] (W.-K. Wong, J.-X. Gao, W.-T. Wong, W.C. Cheng and C.-M. Che), 277
- Solvatochromism**
- Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls** (S. Bokorny, J.A. Connor and H. Kaspar), 157
- Solvochromatic properties**
- Organometallic materials for non-linear optics. Second harmonic generation by (aryldiazovinylidene)ruthenium complexes; X-ray structure of [Ru(C=CPhN=NC₆H₄OMe-4)(PPh₃)₂(η -C₅H₅)][BF₄]·CH₂Cl₂ (I.R. Whittall, M.P. Cifuentes, M.J. Costigan, M.G. Humphrey, S.C. Goh, B.W. Skelton and A.H. White), 193**
- Steroid synthesis**
- Cyclopentaannulation of podocarpic acid derivatives *via* (η^6 -arene)tricarbonylchromium(0) complexes; ring D modification** (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 133
- Tantalum**
- Linear *vs.* bent M–O–R bonds in d⁰ metal alkoxides: X-ray crystal structure of (C₅Me₅)Ta(S^tBu)₃(OⁿBu) and EHMO analysis** (K. Tatsumi, A. Tahara and A. Nakamura), 111
- Reactions of (η^5 -C₅Me₅)Ta(PMe₃)(H)₂(η^2 -CHPMe₂) with heterocumulenes and the interconversion of tautomeric formamido complexes of tantalum** (V.C. Gibson and T.P. Kee), 105

Thermodynamics

The effects of t-butyl substituents on the thermodynamic stability of the cyclopentadienide ion (T. Kinoshita, N. Murata, R. Fujita, Y. Yanagi and K. Takeuchi), 19

Thioether

Preparation of cyclic and acyclic thioethers via hexacarbonyldicobalt alkyne complexes (G.F. Mohmand, K. Thiele and M.J. Went), 241

Thiolate

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $\text{Cp}_2\text{Cr}_2(\mu-\text{SCMe}_3)_2(\mu_4\text{-S})\text{W}_2(\mu\text{-I})_2(\text{CO})_4(\text{NO})_2$ and $\text{Cp}_2\text{Cr}_2(\mu_3\text{S})_2(\mu-\text{SCMe}_3)_2\text{W}(\text{SCMe}_3)(\text{NO})$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Linear vs. bent M–O–R bonds in d⁰ metal alkoxides: X-ray crystal structure of $(\text{C}_5\text{Me}_5)\text{Ta}(\text{S}^t\text{Bu})_3(\text{O}^n\text{Bu})$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

Thiophosphate

Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $[(\text{Me}_2\text{Sn}\{\text{O}(\text{S})\text{P}(\text{OEt})_2\})_2\text{O}]_2$ and $[(^t\text{Bu}_2\text{Sn}(\mu\text{-OH})\{\text{O}(\text{S})\text{P}(\text{OEt})_2\})_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekkink), 53

Tin

A reinvestigation of the crystal structure of the organotin complex formed in the reaction of butyltin trichloride with 1-(2-methyl-2,3-dihydrobenzothiazol-2-yl)-propan-2-one (W. Chen), 69

On the relationship of the equilibrium constants of exchange reactions involving HX-acids and their organometallic derivatives L_nMX with the absolute and chemical hardness of corresponding anions and cations (A.S. Peregudov, E.M. Rokhлина and D.N. Kravtsov), C1

Structures and energetics of radical cations containing tributyltin fragments: a PM3 study (C. Glidewell and C.J. Rhodes), 71

Synthesis and characterization of diorganotin diethylphosphorothioates. Crystal structures of $[(\text{Me}_2\text{Sn}\{\text{O}(\text{S})\text{P}(\text{OEt})_2\})_2\text{O}]_2$ and $[(^t\text{Bu}_2\text{Sn}(\mu\text{-OH})\{\text{O}(\text{S})\text{P}(\text{OEt})_2\})_2$ (V.B. Mokal, V.K. Jain and E.R.T. Tiekkink), 53

Tin/mercury exchange in 1,2-distannyl-1-alkenes and 1-silyl-2-stannyl-1-alkenes (T.N. Mitchell and B. Kowall), 39

Trialkyltin cation in solution (M. Kira, T. Oyamada and H. Sakurai), C4

Vibrational and ¹¹⁹Sn Mössbauer spectra and X-ray crystal structure of ammonium tetrafluorodimethylstannate(IV) (D. Tudela), 63

Transition metals general

Transition metal complexes in the chemistry of vinylcyclopropanes (R.I. Khusnutdinov and U.M. Dzhemilev), 1

Tungsten

Complexes of polyhydro-2,2'-bipyridines with molybdenum and tungsten carbonyls (S. Bokorny, J.A. Connor and H. Kaspar), 157

Formation of antiferromagnetic heteronuclear thiolate and sulfide bridged complexes. II. Synthesis, magnetic properties, and molecular structures of the clusters $\text{Cp}_2\text{Cr}_2(\mu-\text{SCMe}_3)_2(\mu_4\text{-S})\text{W}_2(\mu\text{-I})_2(\text{CO})_4(\text{NO})_2$ and $\text{Cp}_2\text{Cr}_2(\mu_3\text{S})_2(\mu-\text{SCMe}_3)_2\text{W}(\text{SCMe}_3)(\text{NO})$ (I.L. Eremenko, H. Berke, A.A.H. Van der Zeijden, B.I. Kolobkov and V.M. Novotortsev), 123

Synthesis and molecular structure of the organometallic allylimido complex [*cis,trans*-WC₁₂(Ph₂PM_e)₂(CO)(NCH₂CH=CH₂)] (G.D. Forster and G. Hogarth), 161

Vinylcyclopropane

Transition metal complexes in the chemistry of vinylcyclopropanes (R.I. Khusnutdinov and U.M. Dzhemilev), 1

Water

Oxidation of organoplatinum(II) and -palladium(II) complexes by water. The X-ray structure of the trimethylpalladium(IV) complex *fac*-[PdMe₃{tris(pyrazol-1-yl)borate}] formed on oxidation of a dimethylpalladium(II) reagent (A.J. Canty, R.T. Honeyman, A.S. Roberts, P.R. Traill, R. Colton, B.W. Skelton and A.H. White), C8

X-ray diffraction

Carbon–selenium bond cleavage in the double butterfly complex $\{[(\text{CO})_6\text{Fe}_2(\mu\text{-Se})_2]_2(\text{C}(\text{Ph})=\text{C}(\text{H}))\}$ and the synthesis and X-ray structural analysis of its dppe-substituted derivative (P. Mathur, Md.M. Hossain and M.F. Mahon), 185

Cyclometallated compounds of palladium(II) with diphosphines.

The X-ray crystal structure of $[\{\text{Pd}[2,3,4-(\text{MeO})_3\text{C}_6\text{H}(\text{C}=\text{N}\text{Cy})_2(\mu\text{-Ph}_2\text{PC}(\text{=CH}_2)\text{PPh}_2)\text{Cl}_2\}]$ (J.M. Vila, M. Gayoso, J.J. Fernandez, J.M. Ortigueira, A. Fernandez, N.A. Bailey and H. Adams), 259

Formation of an endo-type nine-membered metallocycle *via* insertion of diphenylacetylene into the $\sigma(\text{Pd}-\text{Csp}^2\text{-ferrocene})$ bond. X-Ray crystal structure of $[\text{Pd}\{((\text{C}_6\text{H}_5-\text{C}=\text{C-C}_6\text{H}_5)_2(\eta^5\text{-C}_5\text{H}_3)\text{-CH}=\text{N}-\text{CH}_2\text{-C}_6\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}\} \cdot \text{CH}_2\text{Cl}_2$ (C. López, X. Solans and D. Tramuns), 265

Linear vs. bent M–O–R bonds in d⁰ metal alkoxides: X-ray crystal structure of $(\text{C}_5\text{Me}_5)\text{Ta}(\text{S}^t\text{Bu})_3(\text{O}^n\text{Bu})$ and EHMO analysis (K. Tatsumi, A. Tahara and A. Nakamura), 111

π -Olefin-Iridium-Komplexe. XIX. Synthese, Struktur und Reaktivität von Bis(dien)iridium-benzyl-, -cyclopropyl-, -vinyl- und -cyclopentadienyl-Komplexen (J. Müller, C. Friedrich, P.E. Gaede, S. Sodemann und K. Qiao), 249

The redox behaviour of ferrocene derivatives. VI. Benzylferrocenes. The crystal structure of decabenzylferrocenium tetrafluoroborate (P. Zanello, A. Cinquantini, S. Mangani, G. Oppromolla, L. Pardi, C. Janiak and M.D. Rausch), 171

Ytterbium

Lanthanocene ($\text{Ln} = \text{Pr}^{\text{III}}, \text{Yb}^{\text{III}}$) chlorides involving tetramethyl-disiloxane-interlinked cyclopentadienyl ligands (J. Gräper, R.D. Fischer and G. Paolucci), 87

Book Reviews

Energetics of Organometallic Species. J.A. Martinho Simões (ed.), NATO ASI Series, Mathematical and Physical Sciences, Vol. 367, Kluwer Academic Publishers (G.J. Leigh), C12

Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edn., Sn Organotin Compounds, Part 20 (Colin Eaborn), C13

Macmillan's Chemical and Physical Data, A.M. James and M.P. Lord, The Macmillan Press Ltd., London and Basingstoke (G.J. Leigh), C11

Ylates and Imines of Phosphorus. A.W. Johnson (with special contributions from W.C. Kaska, K.A.O. Starzewski, and D.A. Dixon) (M.F. Lappert), C11