

Subject Index of Volume 491

Acylphosphonate

Lanthanoid-metal-mediated reaction of acylphosphonates: evidence for the formation of an acyllanthanoid complex (Y. Taniguchi, N. Fujii, K. Takaki and Y. Fujiwara), 173

Alkene

Cyclodimethylsilethenes (Me₂SiCH=CH)_n (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

Some novelties in the chemistry of organomagnesium compounds with zirconium complexes (U.M. Dzhemilev, R.M. Sultanov and R.G. Gaimaldinov), 1

Alkenyl derivatives

Syntheses of carbene and alkenyl derivatives of palladium. Solid-state structures of {(Me₂NCS₂)Pd(PEt₃)[η¹-C(N(CH₃)₂)(CH₃)₂CH₃]}BPh₄ and {(Me₂NCS₂)Pd(PEt₃)[η¹-C(NHC(CH₃)₂CH₃)]PF₆·Et₂O} (D.L. Reger and J.E. Collins), 159

Alkoxide

Synthesis and properties of amido- and alkoxopalladium(II) complexes with tmeda (*N,N,N',N'*-tetramethylethylenediamine) ligand (Y.-J. Kim, J.-C. Choi and K. Osakada), 97

Alkyne

Double hydrostannylation of terminal alkynes in the presence of thiol (J.-C. Meurice, M. Vallier, S. André, M. Ratier and J.-G. Duboudin), C5

Alkyne complexes

Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram (H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf), 267

Allylruthenium(IV)

Single component ruthenium(IV) catalysts for the ring-opening polymerization of norbornene (S. Wache, W.A. Herrmann, G. Artus, O. Nuyken and D. Wolf), 181

Aluminium

Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones (G.A. Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky), 127

Amide

Metallkomplexe mit biologisch wichtigen Liganden. LXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amidon von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan und W. Beck), 203

Synthesis and properties of amido- and alkoxopalladium(II) complexes with tmeda (*N,N,N',N'*-tetramethylethylenediamine) ligand (Y.-J. Kim, J.-C. Choi and K. Osakada), 97

Amine complexes

Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of [TaCp*Cl₄(CN-2,6-Me₂C₆H₃)] (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121

Aminocarbonyl complexes

Chromium–carbon multiple bonds: aminocarbonyl complexes of chromium bearing isocyanide ligands (A.C. Filippou, C. Mehnert, K.M.A. Wanninger and M. Kleine), 47

Amphiphilic carbene complexes

Amphiphilie kationischer η²-Phosphinocarbenkomplexe des Wolframs (J. Ostermeier, W. Hiller und F.R. Kreißl), 283

Arsenic

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylen in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83

Asymmetric hydroformylation

Asymmetric hydroformylation of styrene catalysed by platinum–tin complexes with chiral bis-binaphthophosphole ligands (S. Gladiali, D. Fabbri and L. Kollár), 91

Atropisomeric ligands

Asymmetric hydroformylation of styrene catalysed by platinum–tin complexes with chiral bis-binaphthophosphole ligands (S. Gladiali, D. Fabbri and L. Kollár), 91

Benzamidinato

Mono-η-cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelman and M.L.H. Green), 153

Benzene

Benzene migration and isomer interconversion in Ru₅C(CO)₁₂-(C₆H₆): Comparison of solution and isolation matrix phenomena (D.B. Brown, P.J. Dyson, B.F.G. Johnson and D. Parker), 189

Bis(trimethylsilyl)phosphanide

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylen in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83

Bridging ligand

Synthesis of dimanganese complexes containing mixed bridging phosphido ligands; crystal structures of [Mn₂(μ-PPh₂)(μ-PPhMn(CO)₃(CO)₈)] and [Mn₂(μ-PPhH)(μ-PPhCOMe)(CO)₈] (L. Manojlovic-Muir, K.W. Muir, M.C. Jennings, M.J. Mays, G.A. Solan and K.W. Woulfe), 255

C₆₀

New organometallic complexes of buckminsterfullerene having π-bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169

Cadmium

Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones (G.A.

- Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky, 127
- Calcium**
Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylene in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83
- Carbene**
Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $\text{RhCl}(\text{L}^{\text{R}})_3$ and $[\text{RhCl}(\text{COD})\text{L}^{\text{R}}]$ ($\text{L}^{\text{R}} = \text{CN}(\text{Me})-\overline{\text{C}}(\text{CH}_3)_4\text{CNMe-}o$) and the preparation and X-ray structures of the enetetramine L_2^{R} and its salt $[\text{L}_2^{\text{R}}][\text{BF}_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), C7
Syntheses of carbene and alkenyl derivatives of palladium. Solid-state structures of $\{(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)[\eta^1\text{-C}(\text{N}(\text{CH}_3)_2\text{C}(\text{CH}_3)_3)\text{CH}_3]\}\text{BPh}_4$ and $\{(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)[\eta^1\text{-C}(\text{NHC}(\text{CH}_3)_3\text{CH}_3)]\}\text{PF}_6 \cdot \text{Et}_2\text{O}$ (D.L. Reger and J.E. Collins), 159
- Carbonyl**
Benzene migration and isomer interconversion in $\text{Ru}_5\text{C}(\text{CO})_{12}$ - (C_6H_6) : Comparison of solution and isolation matrix phenomena (D.B. Brown, P.J. Dyson, B.F.G. Johnson and D. Parker), 189
Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyl tungsten. Crystal structure of $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{W}(\mu\text{-CO})_2\text{Rh}(\text{PPh}_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plancq), 275
The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247
- Catalysis**
Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[\text{H}_4\text{Ru}_4(\text{CO})_{12}]$, $[\text{H}_2\text{Ru}_4(\text{CO})_{13}]$, $[\text{H}_2\text{FeRu}_3(\text{CO})_{13}]$ and $[\text{Fe}_2\text{Ru}(\text{CO})_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111
Some novelties in the chemistry of organomagnesium compounds with zirconium complexes (U.M. Dzhemilev, R.M. Sultanov and R.G. Gaimaldinov), 1
Zum Mechanismus der Heck-Reaktion: Katalysator-Deaktivierung durch PC-Bindungsbruch (W.A. Herrmann, C. Broßmer, K. Öfele, M. Beller und H. Fischer), C1
- Chirality**
Dynamic stereochemistry in the titanocene series with central and planar chirality. X-Ray structure and relative configuration of the racemic form (m.p. 186°C) of $[(\eta^5\text{-1-Me-2-}^i\text{PrC}_5\text{H}_3)(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(2,6\text{-Me}_2\text{C}_6\text{H}_3\text{O})\text{Cl}]$ (J. Besançon, J. Szymoniak, C. Moïse, L. Toupet and B. Trimaille), 31
- Chiral phospholes**
Asymmetric hydroformylation of styrene catalysed by platinum-tin complexes with chiral bis-binaphthophosphole ligands (S. Gladiali, D. Fabbri and L. Kollár), 91
- Chromium**
Chromium-carbon multiple bonds: aminocarbene complexes of chromium bearing isocyanide ligands (A.C. Filippou, C. Mehnert, K.M.A. Wanninger and M. Kleine), 47
- Clusters**
Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[\text{H}_4\text{Ru}_4(\text{CO})_{12}]$, $[\text{H}_2\text{Ru}_4(\text{CO})_{13}]$, $[\text{H}_2\text{FeRu}_3(\text{CO})_{13}]$ and $[\text{Fe}_2\text{Ru}(\text{CO})_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111
Reaction of the $[\text{H}_2\text{Ru}_3\text{Rh}(\text{CO})_{12}]^-$ cluster anion with PPh_3 : synthesis and structural characterization of $\text{H}_2\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PPh}_3)$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 195
- Cobalt**
Metallkomplexe mit biologisch wichtigen Liganden. LXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amidinen von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan und W. Beck), 203
- Copper**
Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyl tungsten. Crystal structure of $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{W}(\mu\text{-CO})_2\text{Rh}(\text{PPh}_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plancq), 275
- Copper(I) chloride**
Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263
- Crystal structure**
Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $\text{RhCl}(\text{L}^{\text{R}})_3$ and $[\text{RhCl}(\text{COD})\text{L}^{\text{R}}]$ ($\text{L}^{\text{R}} = \text{CN}(\text{Me})-\overline{\text{C}}(\text{CH}_3)_4\text{CNMe-}o$) and the preparation and X-ray structures of the enetetramine L_2^{R} and its salt $[\text{L}_2^{\text{R}}][\text{BF}_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), C7
Reaction of the $[\text{H}_2\text{Ru}_3\text{Rh}(\text{CO})_{12}]^-$ cluster anion with PPh_3 : synthesis and structural characterization of $\text{H}_2\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PPh}_3)$ (H.J. Kakkonen, M. Ahlgrèn, J. Pursiainen and T.A. Pakkanen), 195
Reactions of benzoilmethylenetriphenylphosphorane with mercury(II) halides: spectral and structural characterization of $[(\text{C}_6\text{H}_5)_3\text{PCHCO}_6\text{H}_5 \cdot \text{HgCl}_2]_2 \cdot 2\text{CH}_3\text{OH}$ and $[(\text{C}_6\text{H}_5)_3\text{PCHCO}_6\text{H}_5 \cdot \text{HgI}_2]_2$ (M. Kalyanasundari, K. Panchanatheswaran, W.T. Robinson and H. Wen), 103
Synthesis and properties of amido- and alkoxopalladium(II) complexes with tmeda (*N,N,N',N'*-tetramethylethylenediamine) ligand (Y.-J. Kim, J.-C. Choi and K. Osakada), 97
Synthesis of dimanganese complexes containing mixed bridging phosphido ligands; crystal structures of $[\text{Mn}_2(\mu\text{-PPh}_2)(\mu\text{-PPhMn}(\text{CO})_5)(\text{CO})_8]$ and $[\text{Mn}_2(\mu\text{-PPhH})(\mu\text{-PPhCOMe})(\text{CO})_8]$ (L. Manojlovic-Muir, K.W. Muir, M.C. Jennings, M.J. Mays, G.A. Solan and K.W. Woulfe), 255
Synthesis of monomercured N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-C}_4\text{H}_3\text{NClO})\text{CH}_3\text{HgCl}$, $(2\text{-C}_4\text{H}_3\text{NClO})\text{CH}_3)_2\text{Hg}$ and $\text{Ru}(2\text{-C}_4\text{H}_3\text{NSO})[\text{O}]\text{Ph}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219
The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247
Über Metallalkyl- und Arylverbindungen. LIV. Neue Triphenylmethyl-Verbindungen des Kaliums: $[\text{KCPh}_3(\text{PMDTA})]$, $[\text{KCPh}_3(\text{DIGLYM})]_n$ und $[\text{KCPh}_3(\text{THF})]_n$ (H. Viebrock, T. Panther, U. Behrens und E. Weiss), 19
- Cyano complexes**
Synthesis of organic heterocycles via multicomponent reactions with cyano transition metal complexes (D. Rieger, S.D. Lotz,

- U. Kernbach, C. André, J. Bertran-Nadal and W.P. Fehlhammer), 135
- Cyclobutenylidene complexes**
Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram (H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf), 267
- Cyclohexadienes**
Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[H_4Ru_4(CO)_{12}]$, $[H_2Ru_4(CO)_{13}]$, $[H_2FeRu_3(CO)_{13}]$ and $[Fe_2Ru(CO)_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111
- Cyclometallation**
Some novelties in the chemistry of organomagnesium compounds with zirconium complexes (U.M. Dzhemilcv, R.M. Sultanov and R.G. Gaimaldinov), 1
- η -Cyclopentadienyl**
Mono- η -cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelmann and M.L.H. Green), 153
- Dinuclear complexes**
Oxidation of palladium(I) dimers: formation and X-ray crystal structure of $[(Me_3P)_2Pd(\mu-OH)_2Pd(PMe_3)_2](CF_3SO_3)_2$ (G. Pieri, M. Pasquali, P. Leoni and U. Englert), 27
- Dithiocarbamates**
Syntheses of carbene and alkenyl derivatives of palladium. Solid-state structures of $\{(Me_2NCS_2)Pd(PEt_3)\}[\eta^1-C(N(CH_3)_3)C(CH_3)_3]BPh_4$ and $\{(Me_2NCS_2)Pd(PEt_3)\}[\eta^1-C(NHC(CH_3)_3)CH_3]PF_6 \cdot Et_2O$ (D.L. Reger and J.E. Collins), 159
- Double hydrostannation**
Double hydrostannation of terminal alkynes in the presence of thiol (J.-C. Meurice, M. Vallier, S. André, M. Ratier and J.-G. Duboudin), C5
- DTA-investigation**
Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. XII. Synthese, NMR-spektroskopische Untersuchung und Kristallstruktur von $[Li(TMEDA)]_2Ni-\{\underbrace{CH_2CMe_2CMe_2CH_2}_L\}_2$ 1 —vergleichende DTA-Untersuchungen von 1 und unsubstituierten Nickelacyclopentan-Komplexen der Zusammensetzung $[LiL_x]_2Ni-\{\underbrace{CH_2CH_2CH_2CH_2}_L\}_2$ (L = TMEDA, THF, d_8 -THF) (R. Wyrwa, H.-O. Fröhlich und H. Görls), 41
- Electrochemistry**
Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11
- Electron transfer**
Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones (G.A. Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky), 127
- Enetetramine**
Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $RhCl(L^R)_3$ and $[RhCl(COD)L^R]$ $\{L^R = \underline{C(NMe)-C(CH_3)_4CNMe-o}\}$ and the preparation and X-ray structures of the enetetramine L^R_2 and its salt $[L^R_2][BF_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), C7
- Ferrocene ligand**
Reactivity of a (Fe-NO)-(Fe-NO₃) system in the presence of a ferrocene-ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP₂): crystal structures of $[(Fe(NO)_2-Cl)_2(\mu-FcP_2)]$ and $[Fe(NO)_2(FcP_2)]$ (V. Munyejabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61
- Fluxionality**
Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyl tungsten. Crystal structure of $(\eta^5-C_5Me_5)(CO)W(\mu-CO)_2Rh(PPh_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plancq), 275
- Fullerene**
New organometallic complexes of buckminsterfullerene having π -bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169
- Hafnium**
Mono- η -cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelmann and M.L.H. Green), 153
- Half-sandwich complexes**
Metallkomplexe mit biologisch wichtigen Liganden. LXXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amidinen von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan und W. Beck), 203
- Heck reaction**
Zum Mechanismus der Heck-Reaktion: Katalysator-Deaktivierung durch PC-Bindungsbruch (W.A. Herrmann, C. Broßmer, K. Öfele, M. Beller und H. Fischer), C1
- Hydrogenation**
Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[H_4Ru_4(CO)_{12}]$, $[H_2Ru_4(CO)_{13}]$, $[H_2FeRu_3(CO)_{13}]$ and $[Fe_2Ru(CO)_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111
- 2-Hydroxyimino carboxylic acid**
Metallkomplexe mit biologisch wichtigen Liganden. LXXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amidinen von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan und W. Beck), 203
- Imido complexes**
Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[TaCp^*Cl_4(CN-2,6-Me_2C_6H_3)]$ (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121
- Indenes**
Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11
- Indenyl**
The formation and molecular structure of $[Na(THF)_6][(\eta^5-C_9H_7)_3Pr(\mu-Cl)Pr(\eta^5-C_9H_7)_3]$ (Z. Ye, S. Wang, D. Kong and X. Huang), 57

Infrared spectroscopy

The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247

Iridium

Metallkomplexe mit biologisch wichtigen Liganden. LXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(III) mit Amidinen von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan und W. Beck), 203

Iron

Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[\text{H}_4\text{Ru}_4(\text{CO})_{12}]$, $[\text{H}_2\text{Ru}_4(\text{CO})_{13}]$, $[\text{H}_2\text{FeRu}_3(\text{CO})_{13}]$ and $[\text{Fe}_2\text{Ru}(\text{CO})_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111

Reactivity of a $(\text{Fe}-\text{NO})-(\text{Fe}-\text{NO}_3)$ system in the presence of a ferrocene-ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP_2): crystal structures of $[\{\text{Fe}(\text{NO})_2\text{-Cl}\}_2(\mu\text{-FcP}_2)]$ and $[\text{Fe}(\text{NO})_2(\text{FcP}_2)]$ (V. Munyejabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61

Synthesis and crystal structure of $[(\text{CO})_6\text{Fe}_2(\mu\text{-SeCH}_3)_2]$ (P. Mathur, R. Trivedi, M. Hossain Md., S.S. Tavale and V.G. Puranik), 291

Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11

The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247

Iron-copper bonds

Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263

Iron pentacarbonyl

Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263

Iron tetracarbonyl

Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263

Isocyanides

Chromium-carbon multiple bonds: aminocarbyne complexes of chromium bearing isocyanide ligands (A.C. Filippou, C. Mehnert, K.M.A. Wanninger and M. Kleine), 47

Isomerization

Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263

Isonitrile complexes

Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[\text{TaCp}^*\text{Cl}_4(\text{CN}-2,6\text{-Me}_2\text{C}_6\text{H}_3)]$ (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121

Macrocycla

Cyclodimethylsilethenes $(\text{Me}_2\text{SiCH}=\text{CH})_n$ (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

Magnesium

Some novelties in the chemistry of organomagnesium compounds with zirconium complexes (U.M. Dzhemilev, R.M. Sultanov and R.G. Gaimaldinov), 1

Manganese

Synthesis of dimanganese complexes containing mixed bridging phosphido ligands; crystal structures of $[\text{Mn}_2(\mu\text{-PPh}_2)(\mu\text{-PPhMn}(\text{CO})_3(\text{CO})_8)]$ and $[\text{Mn}_2(\mu\text{-PPhH})(\mu\text{-PPhCOMe})(\text{CO})_8]$ (L. Manojlovic-Muir, K.W. Muir, M.C. Jennings, M.J. Mays, G.A. Solan and K.W. Woulfe), 255

Mechanism of deactivation

Zum Mechanismus der Heck-Reaktion: Katalysator-Deaktivierung durch PC-Bindungsbruch (W.A. Herrmann, C. Broßmer, K. Öfele, M. Beller und H. Fischer), C1

Mercury

Reactions of benzoylmethylcetriphenylphosphorane with mercury(II) halides: spectral and structural characterization of $[(\text{C}_6\text{H}_5)_3\text{PCHCO}_6\text{H}_5 \cdot \text{HgCl}_2]_2 \cdot 2\text{CH}_3\text{OH}$ and $[(\text{C}_6\text{H}_5)_3\text{PCHCO}_6\text{H}_5 \cdot \text{HgI}_2]_2$ (M. Kalyanasundari, K. Pancharatheswaran, W.T. Robinson and H. Wen), 103

Synthesis of monomercurated N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{CH}_3)_2\text{HgCl}$, $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{CH}_3)_2\text{Hg}$ and $\text{Ru}(2\text{-C}_4\text{H}_3\text{NSO}[\text{O}]\text{Ph}(\text{S}_2\text{CNMe}_2)\text{CO}(\text{PPh}_3))$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219

Metal-fullerene complex

New organometallic complexes of buckminsterfullerene having π -bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169

Metallocenes

Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11

Methyl

Cyclodimethylsilethenes $(\text{Me}_2\text{SiCH}=\text{CH})_n$ (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

Molecular structure

The formation and molecular structure of $[\text{Na}(\text{THF})_6][(\eta^5\text{-C}_9\text{H}_7)_3\text{Pr}(\mu\text{-Cl})\text{Pr}(\eta^5\text{-C}_9\text{H}_7)_3]$ (Z. Ye, S. Wang, D. Kong and X. Huang), 57

Molybdenum

Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231

Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11

Multicomponent reaction

Synthesis of organic heterocycles via multicomponent reactions with cyano transition metal complexes (D. Rieger, S.D. Lotz, U. Kernbach, C. André, J. Bertran-Nadal and W.P. Fehlhammer), 135

Multiple bonds

Chromium-carbon multiple bonds: aminocarbyne complexes of chromium bearing isocyanide ligands (A.C. Filippou, C. Mehnert, K.M.A. Wanninger and M. Kleine), 47

Nickel

New organometallic complexes of buckminsterfullerene having π -bonded nickel, palladium, or platinum with triorganophos-

- phite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169
- Nickelacyclopentanes**
- Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. XII. Synthese, NMR-spektroskopische Untersuchung und Kristallstruktur von $[\text{Li}(\text{TMEDA})_2\text{Ni}(\text{CH}_2\text{CMe}_2\text{CMe}_2\text{CH}_2)_2]_1$ —vergleichende DTA-Untersuchungen von **1** und unsubstituierten Nickelacyclopentan-Komplexen der Zusammensetzung $[\text{LiL}_x]_2\text{Ni}(\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2)_2$ (L = TMEDA, THF, d_8 -THF) (R. Wyrwa, H.-O. Fröhlich und H. Görls), 41
- Niobium**
- Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231
- Nitrato complex**
- Reactivity of a (Fe–NO)–(Fe–NO₃) system in the presence of a ferrocene–ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP₂): crystal structures of $[\{\text{Fe}(\text{NO})_2\text{-Cl}\}_2(\mu\text{-FcP}_2)]$ and $[\text{Fe}(\text{NO})_2(\text{FcP}_2)]$ (V. Munyejabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61
- Nitrosyl**
- Reactivity of a (Fe–NO)–(Fe–NO₃) system in the presence of a ferrocene–ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP₂): crystal structures of $[\{\text{Fe}(\text{NO})_2\text{-Cl}\}_2(\mu\text{-FcP}_2)]$ and $[\text{Fe}(\text{NO})_2(\text{FcP}_2)]$ (V. Munyejabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61
- The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247
- Norbornene**
- Single component ruthenium(IV) catalysts for the ring-opening polymerization of norbornene (S. Wache, W.A. Herrmann, G. Artus, O. Nuyken and D. Wolf), 181
- O-quinones**
- Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones (G.A. Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky), 127
- Organic heterocycles**
- Synthesis of organic heterocycles via multicomponent reactions with cyano transition metal complexes (D. Rieger, S.D. Lotz, U. Kernbach, C. André, J. Bertran-Nadal and W.P. Fehlhammer), 135
- Organopotassium compounds**
- Über Metallalkyl- und Arylverbindungen. LIV. Neue Triphenylmethyl-Verbindungen des Kaliums: $[\text{KPh}_3(\text{PMDTA})]$, $[\text{KPh}_3(\text{DIGLYM})]_n$ und $[\text{KPh}_3(\text{THF})]_n$ (H. Viebrock, T. Panther, U. Behrens und E. Weiss), 19
- Osmium**
- Synthesis of monomercurated N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{-CH}_3)\text{HgCl}$, $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{CH}_3)_2\text{Hg}$ and $\text{Ru}(2\text{-C}_4\text{H}_3\text{NSO}[\text{O}]\text{Ph}(\text{S}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3))$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219
- Oxidation**
- Reactivity of a (Fe–NO)–(Fe–NO₃) system in the presence of a ferrocene–ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP₂): crystal structures of $[\{\text{Fe}(\text{NO})_2\text{-Cl}\}_2(\mu\text{-FcP}_2)]$ and $[\text{Fe}(\text{NO})_2(\text{FcP}_2)]$ (V. Munyejabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61
- Palladium**
- New organometallic complexes of buckminsterfullerene having π -bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169
- Oxidation of palladium(I) dimers: formation and X-ray crystal structure of $[(\text{Me}_3\text{P})_2\text{Pd}(\mu\text{-OH})_2\text{Pd}(\text{PMe}_3)_2](\text{CF}_3\text{SO}_3)_2$ (G. Pieri, M. Pasquali, P. Leoni and U. Englert), 27
- Syntheses of carbene and alkenyl derivatives of palladium. Solid-state structures of $\{(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)(\eta^1\text{-C}(\text{N}(\text{CH}_3)\text{C}(\text{CH}_3)_3)\text{CH}_3)\}\text{BPh}_4$ and $\{(\text{Me}_2\text{NCS}_2)\text{Pd}(\text{PEt}_3)(\eta^1\text{-C}(\text{NHC}(\text{CH}_3)_3)\text{CH}_3)\}\text{PF}_6 \cdot \text{Et}_2\text{O}$ (D.L. Reger and J.E. Collins), 159
- Synthesis and properties of amido- and alkoxopalladium(II) complexes with tmeda (*N,N,N',N'*-tetramethylethylenediamine) ligand (Y.-J. Kim, J.-C. Choi and K. Osakada), 97
- Zum Mechanismus der Heck-Reaktion: Katalysator-Deaktivierung durch PC-Bindungsbruch (W.A. Herrmann, C. Broßmer, K. Öfele, M. Beller und H. Fischer), C1
- Pentamethylcyclopentadienyl**
- Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyl tungsten. Crystal structure of $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{W}(\mu\text{-CO})_2\text{Rh}(\text{PPh}_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plancq), 275
- Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[\text{TaCp}^*\text{Cl}_4(\text{CN-2,6-Me}_2\text{C}_6\text{H}_3)]$ (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121
- Phosphane complexes**
- Stereospezifische Umlagerung von P-halogensubstituierten Phosphorylid-Komplexen in Phosphan-Komplexe (H. Fischer, J. Schmid und J. Riede), 71
- Phosphido**
- Synthesis of dimanganese complexes containing mixed bridging phosphido ligands; crystal structures of $[\text{Mn}_2(\mu\text{-PPh}_2)(\mu\text{-PPhMn}(\text{CO})_3(\text{CO})_8)]$ and $[\text{Mn}_2(\mu\text{-PPhH})(\mu\text{-PPhCOMe})(\text{CO})_8]$ (L. Manojlovic-Muir, K.W. Muir, M.C. Jennings, M.J. Mays, G.A. Solan and K.W. Woulfe), 255
- Phosphino carbene complexes**
- Amphiphilie kationischer η^2 -Phosphinocarbenkomplexe des Wolframs (J. Ostermeier, W. Hiller und F.R. Kreißl), 283
- Phosphorus**
- Lanthanoid-metal-mediated reaction of acylphosphonates: evidence for the formation of an acyllanthanoid complex (Y. Taniguchi, N. Fujii, K. Takaki and Y. Fujiwara), 173
- Photolysis**
- Benzene migration and isomer interconversion in $\text{Ru}_5\text{C}(\text{CO})_{12}\text{-}(\text{C}_6\text{H}_6)$: Comparison of solution and isolation matrix phenomena (D.B. Brown, P.J. Dyson, B.F.G. Johnson and D. Parker), 189
- Platinum**
- New organometallic complexes of buckminsterfullerene having π -bonded nickel, palladium, or platinum with triorganophosphite ligands, and their characterisation (F.J. Brady, D.J. Cardin and M. Domin), 169
- Platinum catalysts**
- Asymmetric hydroformylation of styrene catalysed by platinum-tin complexes with chiral bis-binaphthophosphole ligands (S. Gladiali, D. Fabbri and L. Kollár), 91
- Polymerization**
- Single component ruthenium(IV) catalysts for the ring-opening polymerization of norbornene (S. Wache, W.A. Herrmann, G. Artus, O. Nuyken and D. Wolf), 181

Praseodymium

The formation and molecular structure of $[\text{Na}(\text{THF})_6][(\eta^5\text{-C}_9\text{H}_7)_3\text{Pr}(\mu\text{-Cl})\text{Pr}(\eta^5\text{-C}_9\text{H}_7)_3]$ (Z. Ye, S. Wang, D. Kong and X. Huang), 57

Propargylic derivatives

Double hydrostannation of terminal alkynes in the presence of thiol (J.-C. Meurice, M. Vallier, S. André, M. Ratier and J.-G. Duboudin), C5

Pyrrole

Synthesis of monomercurated N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{-CH}_3)\text{HgCl}$, $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{CH}_3)_2\text{Hg}$ and $\text{Ru}(2\text{-C}_4\text{H}_3\text{NSO}[\text{O}]\text{PhXS}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219

Rhodium

Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyl tungsten. Crystal structure of $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{W}(\mu\text{-CO})_2\text{Rh}(\text{PPh}_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plançq), 275

Carbene complexes. XXIV. Preparation and characterization of two enetetramine-derived carbenerhodium(I) chloride complexes $\text{RhCl}(\text{L}^R)_3$ and $[\text{RhCl}(\text{COD})\text{L}^R]$ ($\text{L}^R = \text{CN}(\text{Me})\text{-}\overline{\text{C}}(\text{CH}_2)_4\text{CNMe-o}$) and the preparation and X-ray structures of the enetetramine L_2^R and its salt $[\text{L}_2^R][\text{BF}_4]_2$ (E. Çetinkaya, P.B. Hitchcock, H. Küçükbay, M.F. Lappert and S. Al-Juaid), C7

Reaction of the $[\text{H}_2\text{Ru}_3\text{Rh}(\text{CO})_{12}]^-$ cluster anion with PPh_3 : synthesis and structural characterization of $\text{H}_2\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PPh}_3)$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 195

Ring opening

Single component ruthenium(IV) catalysts for the ring-opening polymerization of norbornene (S. Wache, W.A. Herrmann, G. Artus, O. Nuyken and D. Wolf), 181

Ruthenium

Benzene migration and isomer interconversion in $\text{Ru}_5\text{C}(\text{CO})_{12}\text{-}(\text{C}_6\text{H}_6)$: Comparison of solution and isolation matrix phenomena (D.B. Brown, P.J. Dyson, B.F.G. Johnson and D. Parker), 189

Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231

Metal carbonyl clusters in homogeneous catalysis. Hydrogenation and isomerization of cyclic dienes in the presence of $[\text{H}_4\text{Ru}_4(\text{CO})_{12}]$, $[\text{H}_2\text{Ru}_4(\text{CO})_{13}]$, $[\text{H}_2\text{FeRu}_3(\text{CO})_{13}]$ and $[\text{Fe}_2\text{Ru}(\text{CO})_{12}]$. Identification of organometallic products and a discussion of their role (M. Castiglioni, R. Giordano and E. Sappa), 111

Metallkomplexe mit biologisch wichtigen Liganden. LXXVI. Halbsandwichkomplexe von Cobalt(III), Iridium(III) und Ruthenium(II) mit Amidinen von 2-Hydroxyiminocarbonsäuren (R. Lampeka, R. Bergs, R. Fernández de Bobadilla, K. Polborn, S. Mihan and W. Beck), 203

Reaction of the $[\text{H}_2\text{Ru}_3\text{Rh}(\text{CO})_{12}]^-$ cluster anion with PPh_3 : synthesis and structural characterization of $\text{H}_2\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PPh}_3)$ (H.J. Kakkonen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 195

Synthesis of monomercurated N-protected pyrroles and the use of these compounds as pyrrolyl group transfer reagents to ruthenium and osmium. Crystal structures of $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{-CH}_3)\text{HgCl}$, $(2\text{-C}_4\text{H}_3\text{NC}[\text{O}]\text{CH}_3)_2\text{Hg}$ and $\text{Ru}(2\text{-C}_4\text{H}_3\text{NSO}[\text{O}]\text{PhXS}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219

$[\text{O}]\text{PhXS}_2\text{CNMe}_2)(\text{CO})(\text{PPh}_3)$ (G.R. Clark, M.M.P. Ng, W.R. Roper and L.J. Wright), 219

Samarium

Lanthanoid-metal-mediated reaction of acylphosphonates: evidence for the formation of an acyllanthanoid complex (Y. Taniguchi, N. Fujii, K. Takaki and Y. Fujiwara), 173

Selenium

Synthesis and crystal structure of $[(\text{CO})_6\text{Fe}_2(\mu\text{-SeCH}_3)_2]$ (P. Mathur, R. Trivedi, M. Hossain Md., S.S. Tavale and V.G. Puranik), 291

Silane

Cyclodimethylsilethenes $(\text{Me}_2\text{SiCH}=\text{CH})_n$ (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

Silicon

Cyclodimethylsilethenes $(\text{Me}_2\text{SiCH}=\text{CH})_n$ (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

Solvation effects

Über Metallalkyl- und Arylverbindungen. LIV. Neue Triphenylmethyl-Verbindungen des Kaliums: $[\text{KPh}_3(\text{PMDTA})]$, $[\text{KPh}_3(\text{DIGLYM})]_n$ und $[\text{KPh}_3(\text{THF})]_n$ (H. Viebrock, T. Panther, U. Behrens und E. Weiss), 19

Stannylene

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylen in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83

Stereospecific rearrangement

Stereospezifische Umlagerung von P-halogensubstituierten Phosphorylid-Komplexen in Phosphan-Komplexe (H. Fischer, J. Schmid und J. Riede), 71

Supernucleophile

Isomerization of 1-alkenes using the $\text{Na}_2\text{Fe}(\text{CO})_4/\text{CuCl}$ and $\text{Na}_2\text{Fe}(\text{CO})_4/\text{BrCH}_2\text{CH}_2\text{Br}$ reagent systems (M. Rama Reddy and M. Periasamy), 263

Synthesis

Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram (H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf), 267

Oxidation of palladium(I) dimers: formation and X-ray crystal structure of $[(\text{Me}_3\text{P})_2\text{Pd}(\mu\text{-OH})_2\text{Pd}(\text{PMe}_3)_2](\text{CF}_3\text{SO}_3)_2$ (G. Pieri, M. Pasquali, P. Leoni and U. Englert), 27

Tantalum

Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[\text{TaCp}^*\text{Cl}_4(\text{CN-2,6-Me}_2\text{C}_6\text{H}_3)]$ (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121

Technetium

Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231

Thiol

Double hydrostannation of terminal alkynes in the presence of thiol (J.-C. Meurice, M. Vallier, S. André, M. Ratier and J.-G. Duboudin), C5

Tin

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylen in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83

The X-ray crystal structures of $\text{ClPh}_2\text{SnFe}(\text{CO})_3(\text{NO})$ and $\text{Ph}_3\text{SnFe}(\text{CO})_3(\text{NO})$ and a re-investigation of the IR spectra of $\text{XR}_2\text{SnFe}(\text{CO})_3(\text{NO})$ species (M. Kay, K.M. Mackay and B.K. Nicholson), 247

Titanium

Dynamic stereochemistry in the titanocene series with central and planar chirality. X-Ray structure and relative configuration of the racemic form (m.p. 186°C) of $[(\eta^5\text{-1-Me-2-}^i\text{PrC}_5\text{H}_3)(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(2,6\text{-Me}_2\text{C}_6\text{H}_3\text{O})\text{Cl}]$ (J. Besançon, J. Szymoniak, C. Moïse, L. Toupet and B. Trimaille), 31

Mono- η -cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelman and M.L.H. Green), 153

Titanocene

Dynamic stereochemistry in the titanocene series with central and planar chirality. X-Ray structure and relative configuration of the racemic form (m.p. 186°C) of $[(\eta^5\text{-1-Me-2-}^i\text{PrC}_5\text{H}_3)(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(2,6\text{-Me}_2\text{C}_6\text{H}_3\text{O})\text{Cl}]$ (J. Besançon, J. Szymoniak, C. Moïse, L. Toupet and B. Trimaille), 31

Triphenylmethyl carbanion

Über Metallalkyl- und Arylverbindungen. LIV. Neue Triphenylmethyl-Verbindungen des Kaliums: $[\text{KPh}_3(\text{PMDTA})]$, $[\text{KPh}_3(\text{DIGLYM})]_n$ und $[\text{KPh}_3(\text{THF})]_n$ (H. Viebrock, T. Panther, U. Behrens und E. Weiss), 19

Tungsten

Amphiphilie kationischer η^2 -Phosphinocarbenkomplexe des Wolframs (J. Ostermeier, W. Hiller und F.R. Kreißl), 283

Binuclear complexes of rhodium or copper with pentamethylcyclopentadienyltricarbonyltungsten. Crystal structure of $(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})\text{W}(\mu\text{-CO})_2\text{Rh}(\text{PPh}_3)_2$ (W.E. Lindsell, K.J. McCullough and S. Plancq), 275

Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram (H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf), 267

Stereospezifische Umlagerung von P-halogensubstituierten Phosphorylid-Komplexen in Phosphan-Komplexe (H. Fischer, J. Schmid und J. Riede), 71

Synthesis and properties of novel substituted 4,5,6,7-tetrahydroindenes and selected metal complexes (R.N. Austin, T.J. Clark, T.E. Dickson, C.M. Killian, T.A. Nile, D.J. Schabacker and A.T. McPhail), 11

Vinyl

Cyclodimethylsilylenes $(\text{Me}_2\text{SiCH=CH})_n$ (M.G. Voronkov, O.G. Yarosh and G.Yu. Turkina), 215

X-ray diffraction

Dynamic stereochemistry in the titanocene series with central and planar chirality. X-Ray structure and relative configuration of the racemic form (m.p. 186°C) of $[(\eta^5\text{-1-Me-2-}^i\text{PrC}_5\text{H}_3)(\eta^5\text{-C}_5\text{H}_5)\text{Ti}(2,6\text{-Me}_2\text{C}_6\text{H}_3\text{O})\text{Cl}]$ (J. Besançon, J. Szymoniak, C. Moïse, L. Toupet and B. Trimaille), 31

Monopentamethylcyclopentadienyl isocyanide, amine and imido tantalum(V) complexes. X-ray crystal structure of $[\text{TaCp}^*\text{Cl}_4(\text{CN-2,6-Me}_2\text{C}_6\text{H}_3)]$ (M. Gómez, P. Gómez-Sal, M.P. Nicolás and P. Royo), 121

Oxidation of palladium(I) dimers: formation and X-ray crystal structure of $[(\text{Me}_3\text{P})_2\text{Pd}(\mu\text{-OH})_2\text{Pd}(\text{PMe}_3)_2](\text{CF}_3\text{SO}_3)_2$ (G. Pieri, M. Pasquali, P. Leoni and U. Englert), 27

Reactivity of a $(\text{Fe-NO})\text{-}(\text{Fe-NO}_3)$ system in the presence of a ferrocene-ferricinium group tethered nearby via a ferrocenyl phosphine linkage (FcP_2) : crystal structures of $[(\text{Fe}(\text{NO})_2\text{-Cl})_2(\mu\text{-FcP}_2)]$ and $[\text{Fe}(\text{NO})_2(\text{FcP}_2)]$ (V. Muneyjabo, J.-P. Damiano, M. Postel, C. Bensimon and J.L. Roustan), 61

Reaktivität von Magnesium- und Calcium-bis[bis(trimethylsilyl)phosphanid] gegenüber Bis[bis(trimethylsilyl)amino]stannylene in Toluollösung (M. Westerhausen, M.M. Enzelberger und W. Schwarz), 83

X-ray structure

Beiträge zur Chemie organometallischer metallacyclischer Nebengruppenmetallverbindungen. XII. Synthese, NMR-spektroskopische Untersuchung und Kristallstruktur von $[\text{Li}(\text{TMEDA})]_2\text{Ni}(\text{-CH}_2\text{CMe}_2\text{CMe}_2\text{CH}_2)_2$ **1** —vergleichende DTA-Untersuchungen von **1** und unsubstituierten Nickelacyclopentan-Komplexen der Zusammensetzung $[\text{LiL}_x]_2\text{-Ni}(\text{-CH}_2\text{CH}_2\text{CH}_2\text{CH}_2)_2$ (L = TMEDA, THF, $d_8\text{-THF}$) (R. Wyrwa, H.-O. Fröhlich und H. Görls), 41

Ein einfacher Syntheseweg für Cyclobutenylidenwolfram-Komplexe—Struktur von Pentacarbonyl(phenylacetylen)wolfram (H. Fischer, H.-P. Volkland, A. Früh und R. Stumpf), 267

Ylide

Reactions of benzoylmethylenetriphosphorane with mercury(II) halides: spectral and structural characterization of $[(\text{C}_6\text{H}_5)_3\text{PCHCOC}_6\text{H}_5 \cdot \text{HgCl}_2]_2 \cdot 2\text{CH}_3\text{OH}$ and $[(\text{C}_6\text{H}_5)_3\text{PCHCOC}_6\text{H}_5 \cdot \text{HgI}_2]_2$ (M. Kalyanasundari, K. Panchanatheswaran, W.T. Robinson and H. Wen), 103

Ylide complexes

Stereospezifische Umlagerung von P-halogensubstituierten Phosphorylid-Komplexen in Phosphan-Komplexe (H. Fischer, J. Schmid und J. Riede), 71

Ytterbium

Lanthanoid-metal-mediated reaction of acylphosphonates: evidence for the formation of an acyllanthanoid complex (Y. Taniguchi, N. Fujii, K. Takaki and Y. Fujiwara), 173

Yttrium

Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231

Ziegler-Natta

Mono- η -cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelman and M.L.H. Green), 153

Zinc

Reaction on the addition of some organometallic compounds to 3,6-di-*tert*-butyl-*o*-benzoquinone: new *o*-quinones (G.A. Abakumov, V.K. Cherkasov, L.G. Abakumova, V.I. Nevodchikov, N.O. Druzhkov, N.P. Makarenko and Ju.A. Kursky), 127

Zirconium

Lone-pair ligand effects on the oxidative addition of methane to second-row transition metal complexes (P.E.M. Siegbahn), 231

Mono- η -cyclopentadienyl-benzamidinato chloro compounds of titanium, zirconium and hafnium (R. Gómez, R. Duchateau, A.N. Chernega, J.H. Teuben, F.T. Edelman and M.L.H. Green), 153

Some novelties in the chemistry of organomagnesium compounds with zirconium complexes (U.M. Dzhemilev, R.M. Sultanov and R.G. Gaimaldinov), 1