



ELSEVIER

Journal of Organometallic Chemistry 498 (1995) C34–C40

Journal  
of Organo  
metallic  
Chemistry

## Subject Index of Volume 498

### Acetals

Direct synthesis of acetals by rhodium catalysed hydroformylation of alkenes in the presence of orthoformate (K. Soulantica, S. Sirol, S. Koinis, G. Pneumatikakis and Ph. Kalck), C10

### Alkylidene complexes

Formation and X-ray structure of the  $\mu$ -alkylidene complex  $\text{Fe}_2(\text{CO})_8(\mu-\eta^3, \eta^3\text{CH}=\text{CHPh}_2)$  upon deoxygenation of  $\text{Fe}_2(\text{CO})_8(\mu-\eta^2, \eta^2\text{C}(\text{O})(\text{CH}=\text{CHPh}_2))$  with methyl lithium (S. Bernès, R.A. Toscano, A.C. Cano, O.G. Mellado, C. Alvarez-Toledano, H. Rudler and J.-C. Daran), 15

### Alkyne

Alkyne-niobium(I) complexes with functionalized alkynes: synthesis, structure and reactivity (D. Rodewald, C. Schulzke and D. Rehder), 29

### Alkynyl(vinyl) complexes

Reactions of  $[\text{RuH}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  and  $[\text{Ru}(\eta^2\text{-C}_2\text{-Ph}_2)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  with terminal alkynes: synthesis and characterization of new five- and six-coordinate bis(alkynyl) and alkynyl(vinyl) derivatives of ruthenium(II) (C. Bohanna, M.A. Esteruelas, J. Herrero, A.M. López and L.A. Oro), 199

### Allyl complexes

Reactions of  $[\text{RuH}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  and  $[\text{Ru}(\eta^2\text{-C}_2\text{-Ph}_2)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  with terminal alkynes: synthesis and characterization of new five- and six-coordinate bis(alkynyl) and alkynyl(vinyl) derivatives of ruthenium(II) (C. Bohanna, M.A. Esteruelas, J. Herrero, A.M. López and L.A. Oro), 199

### Aminocarbyne complexes

Metal–carbon multiple bonds: novel syntheses and reactions of aminocarbyne complexes of tungsten (B. Lungwitz and A.C. Filippou), 91

### Aminoferrocenes

Schiff bases derived from aminomethylferrocene and their cyclopallated derivatives (R. Bosque, C. López and J. Sales), 147

### Antimony

Recognition of linear and bent forms of solid  $\mu$ -oxo-bis(iodotriphenylantimony(V))  $(\text{Ph}_3\text{SbI})_2\text{O}$  (M.J. Taylor, L.-J. Baker, C.E.F. Rickard and P.W.J. Surman), C14

### Arene $\pi$ -complexes

Arenetetracobaltnonacarbonyls as  $\pi$ -arene complexes and clusters (V.S. Kaganovich and M.I. Rybinskaya), 155

### Arsinic

2-Diphenylarsino-, 2-diphenylphosphinyl-, and 2-triphenylstannyl-derivatives of methyl 4,6-O-benzylidene-2-deoxy- $\alpha$ -D-al-topyranoside. Crystal structure of the phosphinyl derivative (M.A. Brown, P.J. Cox, R.A. Howie, O.A. Melvin, O.J. Taylor and J.L. Wardell), 275

### Benzotriazole

Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)-borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251

### Bis(alkynyl) complexes

Reactions of  $[\text{RuH}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  and  $[\text{Ru}(\eta^2\text{-C}_2\text{-Ph}_2)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  with terminal alkynes: synthesis and characterization of new five- and six-coordinate bis(alkynyl) and alkynyl(vinyl) derivatives of ruthenium(II) (C. Bohanna, M.A. Esteruelas, J. Herrero, A.M. López and L.A. Oro), 199

### Boron

Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109

Diastereomers of the carborane sandwich complex *commo*-[3,3-Fe(4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>)<sub>2</sub>]; crystal structure of *meso*-[Fe(C<sub>2</sub>B<sub>9</sub>-H<sub>10</sub>SMe<sub>2</sub>)<sub>2</sub>] (Y.-K. Yan, D.M.P. Mingos and D.J. Williams), 267

II. 1,3-Dipolar cycloadditions to unsaturated boronic esters. Synthesis of borylated 2-isoxazolines. Conversion of some cycloadducts to 5-hydroxy-2-isoxazolines, 5-hydroxymethyl-2-isoxazolines and isoxazoles (M. Jazouli, S. Baba, B. Carboni, R. Carrié and M. Soufiaoui), 229

Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251

### Carbon dioxide complexes

Electrochemical and chemical reduction of niobocene dichlorides in the presence of carbon dioxide (S. Elkrami, Y. Mourad, Y. Mugnier, A. Antiñolo, I. Del Hierro, S. García-Yuste, A. Otero, M. Fajardo, H. Brunner, G. Gehart, J. Wachter and J. Amaudrut), 165

### Carbonyl

Alkyne-niobium(I) complexes with functionalized alkynes: synthesis, structure and reactivity (D. Rodewald, C. Schulzke and D. Rehder), 29

Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1

Regiocontrol switching in C–C bond formation during decomplexation of a tricarbonyl( $\eta^4$ -cyclohexadiene)iron complex (M. Balázs and G.R. Stephenson), C17

Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters ( $\mu_3\text{-CPh})\text{FeCoMo}(\text{CO})_8(\text{RCOCp})\text{H}$  (R = H, CH<sub>3</sub> or C<sub>2</sub>H<sub>5</sub>O) derived from the clusters ( $\mu_3\text{-CPh})\text{Co}_2\text{Mo}(\text{CO})_8(\text{RCOCp})$  (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119

Synthesis, characterization and X-ray structure of Rh<sub>6</sub>(CO)<sub>10</sub>( $\mu_3\text{-CO})_4(\eta^4\text{-C}_6\text{H}_8$ ) (P.J. Dyson, S.L. Ingham, B.F.G. Johnson and A.J. Blake), 237

Synthesis, X-ray structure and coordination to Mn(CO)<sub>3</sub>(bipy)<sup>+</sup> of the cyclotriphosphazenes N<sub>3</sub>P<sub>3</sub>(OC<sub>5</sub>H<sub>4</sub>N-2)<sub>6</sub> and N<sub>3</sub>P<sub>3</sub>(OC<sub>5</sub>H<sub>4</sub>-N-4)<sub>6</sub> (G.A. Carriedo, P. Gómez Elipe, F.J. García Alonso, L. Fernández-Catuxo, M.R. Díaz and S. García Granda), 207

### Carbonyls

Reactions of [Fe<sub>3</sub>(CO)<sub>12</sub>] with asymmetrically substituted alkynes. I. Chemical relationships between the [Fe<sub>3</sub>(CO)<sub>9</sub>( $\mu_3\text{-}\eta^2\text{-C}_2\text{RR}'$ )]

- and the carboxylato complexes  $[\text{Fe}_2(\text{CO})_6(\text{RC}_2\text{R}'(\text{COO}))]$ . The splitting of a water molecule into its components favoured by TLC materials (G. Gervasio and E. Sappa), 73
- Carborane**  
Diastereomers of the carborane sandwich complex *commo*-[3,3-Fe{4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>}, crystal structure of *meso*-[Fe(C<sub>2</sub>B<sub>9</sub>-H<sub>10</sub>SMe<sub>2</sub>)<sub>2</sub>] (Y.-K. Yan, D.M.P. Mingos and D.J. Williams), 267
- Carboxylate complexes**  
Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Funioli and F. Marchetti), C20  
Structure and catalytic activity of phosphine-substituted ruthenium carbonyl carboxylates (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 177
- Carbyne**  
Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der W≡C-Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63
- Catalysis**  
Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109  
Direct synthesis of acetals by rhodium catalysed hydroformylation of alkenes in the presence of orthoformate (K. Soulantica, S. Sirol, S. Koinis, G. Pneumatiakakis and Ph. Kalck), C10  
Ruthenium carbonyl carboxylate complexes with nitrogen-containing ligands. III. Catalytic activity in hydrogenation (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 187  
Structure and catalytic activity of phosphine-substituted ruthenium carbonyl carboxylates (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 177
- Catalyst preparation**  
Mechanistic studies of the activation and the decomposition of [Rh<sub>2</sub>Cl<sub>2</sub>(CO)<sub>4</sub>] in organometallic chemical vapour deposition (P. Serp, R. Feurer, R. Moranco, P. Kalck, J.-C. Daran and J. Vaisserman), 41
- C–C bond formation**  
Regiocontrol switching in C–C bond formation during decomplexation of a tricarbonyl( $\eta^4$ -cyclohexadiene)iron complex (M. Balázs and G.R. Stephenson), C17
- Chalcogen**  
Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Chelate**  
Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)-borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251
- Chirality**  
Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters ( $\mu_3\text{-CPh}$ )FeCoMo(CO)<sub>8</sub>(RCOCp)H (R = H, CH<sub>3</sub> or C<sub>2</sub>H<sub>5</sub>O) derived from the clusters ( $\mu_3\text{-CPh}$ )Co<sub>2</sub>Mo(CO)<sub>8</sub>-(RCOCp) (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119  
Synthesis of planar-chiral cobaltincinium complexes (N. Komatsuzaki, M. Uno, K. Shirai, T. Tanaka, M. Sawada and S. Takahashi), 53
- Chromium**  
Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priermeier und P. Kiprof), 1
- Cluster**  
Labile coordination of bis(diphenylphosphinomethyl)phenylphosphine in di- and trinuclear palladium and platinum complexes containing *ortho*-substituted aromatic isocyanide (Y. Yamamoto, T. Tanase, H. Ukaji, M. Hasegawa, T. Igoshi and K. Yoshimura), C23
- Reactions of [Fe<sub>3</sub>(CO)<sub>12</sub>] with asymmetrically substituted alkynes. I. Chemical relationships between the [Fe<sub>3</sub>(CO)<sub>9</sub>( $\mu_3\text{-}\eta^2\text{-C}_2\text{RR}'$ )] and the carboxylato complexes [Fe<sub>3</sub>(CO)<sub>6</sub>(RC<sub>2</sub>R'(COO))]. The splitting of a water molecule into its components favoured by TLC materials (G. Gervasio and E. Sappa), 73  
Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters ( $\mu_3\text{-CPh}$ )FeCoMo(CO)<sub>8</sub>(RCOCp)H (R = H, CH<sub>3</sub> or C<sub>2</sub>H<sub>5</sub>O) derived from the clusters ( $\mu_3\text{-CPh}$ )Co<sub>2</sub>Mo(CO)<sub>8</sub>-(RCOCp) (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119
- Cobalt**  
Synthesis of planar-chiral cobaltincinium complexes (N. Komatsuzaki, M. Uno, K. Shirai, T. Tanaka, M. Sawada and S. Takahashi), 53  
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 6. Reactions of diorganotin(IV) dinitrates with M(3MeO-sal1,3pn) [M = Ni, Co or Zn; H<sub>2</sub>3MeO-sal1,3pn = *N,N'*-bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke, D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ni Cholchúin and M. O'Gara), 241
- Cobalt clusters**  
Arenetetracobaltonacarbonyls as  $\pi$ -arene complexes and clusters (V.S. Kaganovich and M.I. Rybinskaya), 155
- Coinage metals**  
Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109
- Cryptates**  
Cyclic voltammetry of cryptands and cryptates containing the ferrocene unit (C.D. Hall and S.Y.F. Chu), 221
- Crystal structure**  
2,6-Bis[(dimethylamino)methyl]phenylsodium: the first trimeric organosodium compound (R. Den Besten, L. Brandsma, A.L. Spek, J.A. Kanters and N. Veldman), C6  
2-Diphenylarsino-, 2-diphenylphosphinyl-, and 2-triphenylstannyl-derivatives of methyl 4,6-O-benzylidene-2-deoxy- $\alpha$ -D-altropyranoside. Crystal structure of the phosphinyl derivative (M.A. Brown, P.J. Cox, R.A. Howie, O.A. Melvin, O.J. Taylor and J.L. Wardell), 275  
Diastereomers of the carborane sandwich complex *commo*-[3,3-Fe{4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>}<sub>2</sub>}; crystal structure of *meso*-[Fe(C<sub>2</sub>B<sub>9</sub>-H<sub>10</sub>SMe<sub>2</sub>)<sub>2</sub>] (Y.-K. Yan, D.M.P. Mingos and D.J. Williams), 267
- Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik** (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priermeier und P. Kiprof), 1  
Recognition of linear and bent forms of solid  $\mu$ -oxo-bis[iodotriphenylantimony(V)](Ph<sub>3</sub>SbI)<sub>2</sub>O (M.J. Taylor, L.-J. Baker, C.E.F. Rickard and P.W.J. Surman), C14  
Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of [W(CO)<sub>3</sub>( $\eta^2\text{-pymS}$ )<sub>2</sub>] (pymS = pyrimidine-2-thionate) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthorne and K.M. Abdul Malik), 257  
Synthese, Struktur und Eigenschaften von Grignard-Verbindungen mit *N,N*-Dimethylaminoethyl-substituierten Cyclopentadienyl-Systemen (P. Jutzi, J. Kleimeier, T. Redeker, H.-G. Stammle und B. Neumann), 85  
Synthesis, characterization and X-ray structure of Rh<sub>6</sub>(CO)<sub>10</sub>( $\mu_3\text{-CO}_4(\eta^4\text{-C}_6\text{H}_8)$ ) (P.J. Dyson, S.L. Ingham, B.F.G. Johnson and A.J. Blake), 237  
Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 6. Reactions of diorganotin(IV) dinitrates with M(3MeO-sal1,3pn) [M = Ni, Co or Zn; H<sub>2</sub>3MeO-sal1,3pn = *N,N'*-bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke,

- D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ní Cholchúin and M. O'Gara), 241
- Cyclic voltammetry**
- Cyclic voltammetry of cryptands and cryptates containing the ferrocene unit (C.D. Hall and S.Y.F. Chu), 221
- Cycloaddition**
- II. 1,3-Dipolar cycloadditions to unsaturated boronic esters. Synthesis of borylated 2-isoxazolines. Conversion of some cycloadducts to 5-hydroxy-2-isoxazolines, 5-hydroxymethyl-2-isoxazolines and isoxazoles (M. Jazouli, S. Baba, B. Carboni, R. Carrié and M. Soufiaoui), 229
- Cyclodextrin**
- Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1
- $\beta$ -cyclodextrin dimer**
- Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1
- Cyclohexa-1,3-diene**
- Synthesis, characterization and X-ray structure of  $\text{Rh}_6(\text{CO})_{10}(\mu_3\text{-CO})_4(\eta^4\text{-C}_6\text{H}_8)$  (P.J. Dyson, S.L. Ingham, B.F.G. Johnson and A.J. Blake), 237
- Cyclohexadiene**
- Regiocontrol switching in C-C bond formation during decomplexation of a tricarbonyl( $\eta^4$ -cyclohexadiene)iron complex (M. Balázs and G.R. Stephenson), C17
- Cyclopalladation**
- Schiff bases derived from aminomethylferrocene and their cyclopallated derivatives (R. Bosque, C. López and J. Sales), 147
- Cyclopentadienyl**
- Synthese, Struktur und Eigenschaften von Grignard-Verbindungen mit *N,N*-Dimethylaminoethyl-substituierten Cyclopentadienyl-Systemen (P. Jutzi, J. Kleimeier, T. Redeker, H.-G. Stammmer und B. Neumann), 85
- Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters ( $\mu_3\text{-CPh})\text{FeCoMo}(\text{CO})_8(\text{RCOCp})\text{H}$  ( $\text{R} = \text{H}, \text{CH}_3$  or  $\text{C}_2\text{H}_5\text{O}$ ) derived from the clusters ( $\mu_3\text{-CPh})\text{Co}_2\text{Mo}(\text{CO})_8$ - $(\text{RCOCp})$  (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119
- Synthesis of planar-chiral cobalttinium complexes (N. Komatsuzaki, M. Uno, K. Shirai, T. Tanaka, M. Sawada and S. Takahashi), 53
- Dibenzylideneacetone**
- Formation and X-ray structure of the  $\mu$ -alkylidene complex  $\text{Fe}_2(\text{CO})_6(\mu-\eta^3, \eta^3\text{-C}(\text{CH}=\text{CHPh})_2)$  upon deoxygenation of  $\text{Fe}_2(\text{CO})_8(\mu-\eta^2, \eta^2\text{-C}(\text{O})(\text{CH}=\text{CHPh})_2)$  with methyl lithium (S. Bernès, R.A. Toscano, A.C. Cano, O.G. Mellado, C. Alvarez-Toledano, H. Rudler and J.-C. Daran), 15
- Dimethylaminoethyltetramethylcyclopentadienyl**
- Der 1-Dimethylaminoethyl-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Chemie von Nickel, Palladium und Platin; Molekülsstruktur von  $[(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Ni}(\text{CO})]_2$  (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammmer), 127
- Dynamics**
- Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Dynamic structures**
- Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priemer und P. Kiprof), 1
- Effects of TLC**
- Reactions of  $[\text{Fe}_3(\text{CO})_{12}]$  with asymmetrically substituted alkynes. I. Chemical relationships between the  $[\text{Fe}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}_2\text{RR}')]$  and the carboxylato complexes  $[\text{Fe}_2(\text{CO})_6\{\text{RC}_2\text{R}'(\text{COO})\}]$ . The splitting of a water molecule into its components favoured by TLC materials (G. Gervasio and E. Sappa), 73
- Electrochemical synthesis**
- Electrochemical synthesis of cyclic alkylsilanes (V. Jouikov and V. Krasnov), 213
- Electrochemistry**
- Electrochemical and chemical reduction of niobocene dichlorides in the presence of carbon dioxide (S. Elkrami, Y. Mourad, Y. Mugnier, A. Antíñolo, I. Del Hierro, S. García-Yuste, A. Otero, M. Fajardo, H. Brunner, G. Gehart, J. Wachter and J. Amaudrut), 165
  - Electrochemical synthesis of cyclic alkylsilanes (V. Jouikov and V. Krasnov), 213
- Ferrocene**
- Cyclic voltammetry of cryptands and cryptates containing the ferrocene unit (C.D. Hall and S.Y.F. Chu), 221
- Fluxionality**
- Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251
- Grignard compounds**
- Synthese, Struktur und Eigenschaften von Grignard-Verbindungen mit *N,N*-Dimethylaminoethyl-substituierten Cyclopentadienyl-Systemen (P. Jutzi, J. Kleimeier, T. Redeker, H.-G. Stammmer und B. Neumann), 85
- Group 10**
- Labile coordination of bis(diphenylphosphinomethyl)phenylphosphine in di- and trinuclear palladium and platinum complexes containing *ortho*-substituted aromatic isocyanide (Y. Yamamoto, T. Tanase, H. Ukaji, M. Hassegawa, T. Igoshi and K. Yoshimura), C23
- Group 16**
- Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Heterocyclic carbenes**
- Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priemer und P. Kiprof), 1
- Hexacations**
- Synthesis, X-ray structure and coordination to  $\text{Mn}(\text{CO})_3(\text{bipy})^+$  of the cyclotriphosphazenes  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-2)_6$  and  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-4)_6$  (G.A. Carriedo, P. Gómez Elipe, F.J. García Alonso, L. Fernández-Catuxo, M.R. Díaz and S. García Granda), 207
- Hindered ligands**
- Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Homogeneous**
- Ruthenium carbonyl carboxylate complexes with nitrogen-containing ligands. III. Catalytic activity in hydrogenation (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 187
- Hydrides**
- Hydrogenolysis of tetra(allyl)tungsten in the presence of tertiary phosphines: synthesis of tris(dmpm)tungsten (0) (R.U. Kirss), 171
- Hydrido complexes**
- Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Fornaioli and F. Marchetti), C20
- Hydroboration**
- Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109

## Hydroformylation

Direct synthesis of acetals by rhodium catalysed hydroformylation of alkenes in the presence of orthoformate (K. Soulantica, S. Sirol, S. Koinis, G. Pneumatikakis and Ph. Kalck), C10

## Hydrogenation

Hydrogenolysis of tetra(allyl)tungsten in the presence of tertiary phosphines: synthesis of tris(dmmp)tungsten (0) (R.U. Kirss), 171  
Ruthenium carbonyl carboxylate complexes with nitrogen-containing ligands. III. Catalytic activity in hydrogenation (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 187

## Hydrogenolysis

Hydrogenolysis of tetra(allyl)tungsten in the presence of tertiary phosphines: synthesis of tris(dmmp)tungsten (0) (R.U. Kirss), 171

## Imine

Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109

## Inclusion compound

Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1

## Iron

Diastereomers of the carborane sandwich complex *commo*-[3,3-Fe<sub>2</sub>(4-(Me<sub>2</sub>S)-1,2-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>)<sub>2</sub>]; crystal structure of *meso*-[Fe(C<sub>2</sub>B<sub>9</sub>-H<sub>10</sub>SM<sub>2</sub>)<sub>2</sub>] (Y.-K. Yan, D.M.P. Mingos and D.J. Williams), 267

Formation and X-ray structure of the  $\mu$ -alkylidene complex Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ - $\eta^3$ ,  $\eta^3$ -C(CH=CHPh)<sub>2</sub>) upon deoxygenation of Fe<sub>2</sub>(CO)<sub>8</sub>( $\mu$ - $\eta^2$ ,  $\eta^2$ -C(O)(CH=CHPh)<sub>2</sub>) with methyl lithium (S. Bernès, R.A. Toscano, A.C. Cano, O.G. Mellado, C. Alvarez-Toledano, H. Rudler and J.-C. Daran), 15

Oxidatively induced coupling of fluorenyl ligands in 9-methylfluorenyliron complexes (L.N. Novikova, B.A. Mazurchik, N.A. Ustynyuk, Y.F. Oprunenko, V.Y. Rochev and V.G. Bekeshev), 25

Reactions of [Fe<sub>3</sub>(CO)<sub>12</sub>] with asymmetrically substituted alkynes. I. Chemical relationships between the [Fe<sub>3</sub>(CO)<sub>9</sub>( $\mu_3$ - $\eta^2$ -C<sub>2</sub>RR')]<sup>+</sup> and the carboxylato complexes [Fe<sub>2</sub>(CO)<sub>6</sub>(RC<sub>2</sub>R'(COO))]. The splitting of a water molecule into its components favoured by TLC materials (G. Gervasio and E. Sappa), 73

Regiocontrol switching in C-C bond formation during decomplexation of a tricarbonyl( $\eta^4$ -cyclohexadiene)iron complex (M. Balázs and G.R. Stephenson), C17

Schiff bases derived from aminomethylferrocene and their cyclopallated derivatives (R. Bosque, C. López and J. Sales), 147

## Iron cryptands

Cyclic voltammetry of cryptands and cryptates containing the ferrocene unit (C.D. Hall and S.Y.F. Chu), 221

## Isoxazoles

II. 1,3-Dipolar cycloadditions to unsaturated boronic esters. Synthesis of borylated 2-isoxazolines. Conversion of some cycloadducts to 5-hydroxy-2-isoxazolines, 5-hydroxymethyl-2-isoxazolines and isoxazoles (M. Jazouli, S. Baba, B. Carboni, R. Carrié and M. Soufiaoui), 229

## 2-Isoxazolines

II. 1,3-Dipolar cycloadditions to unsaturated boronic esters. Synthesis of borylated 2-isoxazolines. Conversion of some cycloadducts to 5-hydroxy-2-isoxazolines, 5-hydroxymethyl-2-isoxazolines and isoxazoles (M. Jazouli, S. Baba, B. Carboni, R. Carrié and M. Soufiaoui), 229

## Ketene

Formation and X-ray structure of the  $\mu$ -alkylidene complex Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ - $\eta^3$ ,  $\eta^3$ -C(CH=CHPh)<sub>2</sub>) upon deoxygenation of Fe<sub>2</sub>(CO)<sub>8</sub>( $\mu$ - $\eta^2$ ,  $\eta^2$ -C(O)(CH=CHPh)<sub>2</sub>) with methyl lithium (S.

Bernès, R.A. Toscano, A.C. Cano, O.G. Mellado, C. Alvarez-Toledano, H. Rudler and J.-C. Daran), 15

## Magnesium

Synthese, Struktur und Eigenschaften von Grignard-Verbindungen mit *N,N*-Dimethylaminoethyl-substituierten Cyclopentadienyl-Systemen (P. Jutzi, J. Kleimeier, T. Redeker, H.-G. Stammmer und B. Neumann), 85

## Manganese

Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1

Synthesis, X-ray structure and coordination to Mn(CO)<sub>3</sub>(bipy)<sup>+</sup> of the cyclotriphosphazenes N<sub>3</sub>P<sub>3</sub>(OC<sub>5</sub>H<sub>4</sub>N-2)<sub>6</sub> and N<sub>3</sub>P<sub>3</sub>(OC<sub>5</sub>H<sub>4</sub>-N-4)<sub>6</sub> (G.A. Carriedo, P. Gómez Elipe, F.J. García Alonso, L. Fernández-Catuxo, M.R. Díaz and S. García Granda), 207

## Molybdenum

Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priermeier und P. Kiprof), 1

Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der W≡C-Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63

## Molybdenum(II)

Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of [W(CO)<sub>3</sub>( $\eta^2$ -pymS)<sub>2</sub>] (pymS = pyrimidine-2-thionate) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthouse and K.M. Abdul Malik), 257

## Mössbauer spectroscopy

Oxidatively induced coupling of fluorenyl ligands in 9-methylfluorenyliron complexes (L.N. Novikova, B.A. Mazurchik, N.A. Ustynyuk, Y.F. Oprunenko, V.Y. Rochev and V.G. Bekeshev), 25

## Multiple bonds

Metal–carbon multiple bonds: novel syntheses and reactions of aminocarbyne complexes of tungsten (B. Lungwitz and A.C. Filippou), 91

## N-donors

Ruthenium carbonyl carboxylate complexes with nitrogen-containing ligands. III. Catalytic activity in hydrogenation (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 187

## Nickel

Der 1-Dimethylaminoethyl-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Chemie von Nickel, Palladium und Platin; Molekülsstruktur von [(C<sub>5</sub>Me<sub>4</sub>CH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>)Ni(CO)]<sub>2</sub> (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammmer), 127

Transition-metal Schiff-base complexes as ligands in tin chemistry.

Part 6. Reactions of diorganotin(IV) dinitrates with M(3MeO-sal1,3pn) [M = Ni, Co or Zn; H<sub>2</sub>3MeO-sal1,3pn = *N,N*'-bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke, D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ni Cholchúin and M. O'Gara), 241

## Niobium

Alkyne-niobium(I) complexes with functionalized alkynes: synthesis, structure and reactivity (D. Rodewald, C. Schulzke and D. Rehder), 29

Electrochemical and chemical reduction of niobocene dichlorides in the presence of carbon dioxide (S. Elkrami, Y. Mourad, Y. Mugnier, A. Antíñolo, I. Del Hierro, S. Garcia-Yuste, A. Otero,

- M. Fajardo, H. Brunner, G. Gehart, J. Wachter and J. Amaudrut), 165
- Nuclear magnetic resonances**
- Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Optical resolution**
- Synthesis of planar-chiral cobalticinium complexes (N. Komatsuzaki, M. Uno, K. Shirai, T. Tanaka, M. Sawada and S. Takahashi), 53
- Organometallic chemical vapour deposition**
- Mechanistic studies of the activation and the decomposition of  $[\text{Rh}_2\text{Cl}_2(\text{CO})_4]$  in organometallic chemical vapour deposition (P. Serp, R. Feurer, R. Morano, P. Kalck, J.-C. Daran and J. Vaisserman), 41
- Oxidation**
- Metal–carbon multiple bonds: novel syntheses and reactions of aminocarbene complexes of tungsten (B. Lungwitz and A.C. Filippou), 91
- Oxidative addition**
- Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Funioli and F. Marchetti), C20
- Oxygen insertion**
- Oxygen insertion into palladium–arene bonds by iodosylbenzene (R. Bhawmick, H. Biswas and P. Bandyopadhyay), 81
- Oxygen ligand**
- Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der  $\text{W}\equiv\text{C}$ -Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63
- Palladium**
- Der 1-Dimethylaminoethyl-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Chemie von Nickel, Palladium und Platin; Molekülstruktur von  $[(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Ni}(\text{CO})]_2$  (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammle), 127
- Labile coordination of bis(diphenylphosphinomethyl)phenylphosphine in di- and trinuclear palladium and platinum complexes containing *ortho*-substituted aromatic isocyanide (Y. Yamamoto, T. Tanase, H. Ukaji, M. Hasegawa, T. Igoshi and K. Yoshimura), C23
- Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der  $\text{W}\equiv\text{C}$ -Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63
- Oxygen insertion into palladium–arene bonds by iodosylbenzene (R. Bhawmick, H. Biswas and P. Bandyopadhyay), 81
- Schiff bases derived from aminomethylferrocene and their cyclopallated derivatives (R. Bosque, C. López and J. Sales), 147
- Pentadienyl**
- Preparation and properties of inclusion compound of cyclopentadienylmanganese tricarbonyl complex with a  $\beta$ -cyclodextrin dimer (L. Song, Q. Meng and X. You), C1
- Pentamethylcyclopentadienyl complex**
- Synthesis and some reactivity of pentamethylcyclopentadienylruthenium complexes with an  $\text{SnCl}_3$  ligand. X-Ray crystal structure of  $[(\text{C}_5\text{Me}_5)_2\text{Ru}(\text{SnCl}_3)(\text{COD})]$  (B. Moreno, S. Sabo-Etienne, F. Dahan and B. Chaudret), 139
- Phenylantimony(V) halides**
- Recognition of linear and bent forms of solid  $\mu$ -oxo-bis[iodotriphenylantimony(V)]( $\text{Ph}_3\text{SbI}_2\text{O}$ ) (M.J. Taylor, L.-J. Baker, C.E.F. Rickard and P.W.J. Surman), C14
- Phosphaalkyne**
- Alkyne-niobium(I) complexes with functionalized alkynes: synthesis, structure and reactivity (D. Rodewald, C. Schulzke and D. Rehder), 29
- Phosphazene**
- Synthesis, X-ray structure and coordination to  $\text{Mn}(\text{CO})_3(\text{bipy})^+$  of the cyclotriphosphazenes  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-2)_6$  and  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-4)_6$  (G.A. Carriedo, P. Gómez Elipe, F.J. García Alonso, L. Fernández-Catuxo, M.R. Díaz and S. García Granda), 207
- Phosphine complexes**
- Structure and catalytic activity of phosphine-substituted ruthenium carbonyl carboxylates (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 177
- Phosphines**
- Coinage metal-catalyzed hydroboration of imines (R.T. Baker, J.C. Calabrese and S.A. Westcott), 109
- Hydrogenolysis of tetra(allyl)tungsten in the presence of tertiary phosphines: synthesis of tris(dmpm)tungsten (0) (R.U. Kirss), 171
- Phosphorus**
- 2-Diphenylarsino-, 2-diphenylphosphinyl-, and 2-triphenylstannyl-derivatives of methyl 4,6-O-benzylidene-2-deoxy- $\alpha$ -D-alopyranoside. Crystal structure of the phosphinyl derivative (M.A. Brown, P.J. Cox, R.A. Howie, O.A. Melvin, O.J. Taylor and J.L. Wardell), 275
- Platin**
- Der 1-Dimethylaminoethyl-2,3,4,5-tetramethylcyclopentadienyl-Ligand in der Chemie von Nickel, Palladium und Platin; Molekülstruktur von  $[(\text{C}_5\text{Me}_4\text{CH}_2\text{CH}_2\text{NMe}_2)\text{Ni}(\text{CO})]_2$  (P. Jutzi, T. Redeker, B. Neumann und H.-G. Stammle), 127
- Platinum**
- Labile coordination of bis(diphenylphosphinomethyl)phenylphosphine in di- and trinuclear palladium and platinum complexes containing *ortho*-substituted aromatic isocyanide (Y. Yamamoto, T. Tanase, H. Ukaji, M. Hasegawa, T. Igoshi and K. Yoshimura), C23
- Pyranosides**
- 2-Diphenylarsino-, 2-diphenylphosphinyl-, and 2-triphenylstannyl-derivatives of methyl 4,6-O-benzylidene-2-deoxy- $\alpha$ -D-alopyranoside. Crystal structure of the phosphinyl derivative (M.A. Brown, P.J. Cox, R.A. Howie, O.A. Melvin, O.J. Taylor and J.L. Wardell), 275
- Pyridine**
- Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Funioli and F. Marchetti), C20
- Synthesis, X-ray structure and coordination to  $\text{Mn}(\text{CO})_3(\text{bipy})^+$  of the cyclotriphosphazenes  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-2)_6$  and  $\text{N}_3\text{P}_3(\text{OC}_5\text{H}_4\text{N}-4)_6$  (G.A. Carriedo, P. Gómez Elipe, F.J. García Alonso, L. Fernández-Catuxo, M.R. Díaz and S. García Granda), 207
- Pyridine-2-thionate**
- Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of  $[\text{W}(\text{CO})_3(\eta^2\text{-pymS})_2]$  (pymS = pyrimidine-2-thionate) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthouse and K.M. Abdul Malik), 257
- Pyrimidine-2-thionate**
- Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of  $[\text{W}(\text{CO})_3(\eta^2\text{-pymS})_2]$  (pymS = pyrimidine-2-thionate) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthouse and K.M. Abdul Malik), 257
- Reactions**
- Reactions of  $[\text{RuH}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  and  $[\text{Ru}(\eta^2\text{-C}_2\text{Ph}_2)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  with terminal alkynes: synthesis and character-

- ization of new five- and six-coordinate bis(alkynyl) and alkynyl(vinyl) derivatives of ruthenium(II) (C. Bohanna, M.A. Esteruelas, J. Herrero, A.M. López and L.A. Oro), 199
- Reactions with unsymmetric acetylenes**
- Reactions of  $[\text{Fe}_3(\text{CO})_{12}]$  with asymmetrically substituted alkynes. I. Chemical relationships between the  $[\text{Fe}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-C}_2\text{RR}')]$  and the carboxylato complexes  $[\text{Fe}_2(\text{CO})_6(\text{RC}_2\text{R}'\text{(COO)})]$ . The splitting of a water molecule into its components favoured by TLC materials (G. Gervasio and E. Sappa), 73
- Reduction**
- Electrochemical and chemical reduction of niobocene dichlorides in the presence of carbon dioxide (S. Elkrami, Y. Mourad, Y. Mugnier, A. Antíñolo, I. Del Hierro, S. García-Yuste, A. Otero, M. Fajardo, H. Brunner, G. Gehart, J. Wachter and J. Amaudrut), 165
- Rhodium**
- Direct synthesis of acetals by rhodium catalysed hydroformylation of alkenes in the presence of orthoformate (K. Soulantica, S. Sirol, S. Koinis, G. Pneumatikakis and Ph. Kalck), C10
- Mechanistic studies of the activation and the decomposition of  $[\text{Rh}_2\text{Cl}_2(\text{CO})_4]$  in organometallic chemical vapour deposition (P. Serp, R. Feurer, R. Moránchó, P. Kalck, J.-C. Daran and J. Vaisserman), 41
- Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)-borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251
- Synthesis, characterization and X-ray structure of  $\text{Rh}_6(\text{CO})_{10}(\mu_3\text{-CO})_4(\eta^4\text{-C}_6\text{H}_8)$  (P.J. Dyson, S.L. Ingham, B.F.G. Johnson and A.J. Blake), 237
- Ruthenium**
- Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Funioli and F. Marchetti), C20
- Reactions of  $[\text{RuH}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  and  $[\text{Ru}(\eta^2\text{-C}_2\text{-Ph}_2)(\text{CO})(\text{P}^i\text{Pr}_3)_2]$  with terminal alkynes: synthesis and characterization of new five- and six-coordinate bis(alkynyl) and alkynyl(vinyl) derivatives of ruthenium(II) (C. Bohanna, M.A. Esteruelas, J. Herrero, A.M. López and L.A. Oro), 199
- Structure and catalytic activity of phosphine-substituted ruthenium carbonyl carboxylates (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 177
- Synthesis and some reactivity of pentamethylcyclopentadienyl-ruthenium complexes with an  $\text{SnCl}_3$  ligand. X-Ray crystal structure of  $[(\text{C}_5\text{Me}_5)_2\text{Ru}(\text{SnCl}_3)(\text{COD})]$  (B. Moreno, S. Sabo-Etienne, F. Dahan and B. Chaudret), 139
- Ruthenium: Carbonyl complexes**
- Ruthenium carbonyl carboxylate complexes with nitrogen-containing ligands. III. Catalytic activity in hydrogenation (P. Frediani, M. Bianchi, A. Salvini, R. Guarducci, L.C. Carluccio and F. Piacenti), 187
- Schiff bases**
- Schiff bases derived from aminomethylferrocene and their cyclopallated derivatives (R. Bosque, C. López and J. Sales), 147
- Transition-metal Schiff-base complexes as ligands in tin chemistry.**
- Part 6. Reactions of diorganotin(IV) dinitrates with  $\text{M}(\text{3MeO-sal1,3pn})$  [ $\text{M} = \text{Ni, Co or Zn}$ ;  $\text{H}_2\text{3MeO-sal1,3pn} = N,N'$ -bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke, D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ní Cholchúin and M. O'Gara), 241
- Seven-coordinate**
- Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of  $[\text{W}(\text{CO})_3(\eta^2\text{-pymS})_2]$  ( $\text{pymS} = \text{pyrimidine-2-thionate}$ ) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthouse and K.M. Abdul Malik), 257
- Silicon**
- Electrochemical synthesis of cyclic alkylsilanes (V. Joukov and V. Krasnov), 213
- $\text{SnCl}_3^-$  as a ligand
- Synthesis and some reactivity of pentamethylcyclopentadienyl-ruthenium complexes with an  $\text{SnCl}_3$  ligand. X-Ray crystal structure of  $[(\text{C}_5\text{Me}_5)_2\text{Ru}(\text{SnCl}_3)(\text{COD})]$  (B. Moreno, S. Sabo-Etienne, F. Dahan and B. Chaudret), 139
- Sodium**
- 2,6-Bis[(dimethylamino)methyl]phenylsodium: the first trimeric organosodium compound (R. Den Besten, L. Brandsma, A.L. Spek, J.A. Kanters and N. Veldman), C6
- Stiboxane**
- Recognition of linear and bent forms of solid  $\mu$ -oxo-bis[iodotriphenylantimony(V)]  $(\text{Ph}_3\text{SbI})_2\text{O}$  (M.J. Taylor, L.-J. Baker, C.E.F. Rickard and P.W.J. Surman), C14
- Sulphonato complexes**
- Hydridosulphonato, hydridocarboxylato and cationic hydrido complexes of carbonylpyridine ruthenium(II) (G. Fachinetti, T. Funioli and F. Marchetti), C20
- Synthesis**
- II. 1,3-Dipolar cycloadditions to unsaturated boronic esters. Synthesis of borylated 2-isoxazolines. Conversion of some cycloadducts to 5-hydroxy-2-isoxazolines, 5-hydroxymethyl-2-isoxazolines and isoxazoles (M. Jazouli, S. Baba, B. Carboni, R. Carrié and M. Soufiaoui), 229
- Tellurium**
- Molecular dynamics of sterically hindered dihalo- and diacyloxydiaryltelluranes (Y. Takaguchi, H. Fujihara and N. Furukawa), 49
- Thiocarbonyl**
- Poly(azolyl)chelate chemistry. V. Synthesis of bis(benzotriazolyl)-borato complexes of rhodium(I) (S. Anderson, A. Harman and A.F. Hill), 251
- Tin**
- 2-Diphenylarsino-, 2-diphenylphosphinyl-, and 2-triphenylstannylderivatives of methyl 4,6-O-benzylidene-2-deoxy- $\alpha$ -D-altropyranoside. Crystal structure of the phosphinyl derivative (M.A. Brown, P.J. Cox, R.A. Howie, O.A. Melvin, O.J. Taylor and J.L. Wardell), 275
- Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 6. Reactions of diorganotin(IV) dinitrates with  $\text{M}(\text{3MeO-sal1,3pn})$  [ $\text{M} = \text{Ni, Co or Zn}$ ;  $\text{H}_2\text{3MeO-sal1,3pn} = N,N'$ -bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke, D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ní Cholchúin and M. O'Gara), 241
- Unusual reactivity of tritylcyclopentadienylmetal derivatives. Molecular structure of  $\text{Ph}_3\text{CC}_5\text{H}_4\text{SnMe}_3$  and  $\text{Ph}_3\text{CC}_5\text{H}_4\text{TiCl}_3$  (K.A. Rufanov, A.V. Churakov, N.B. Kazennova, G.P. Brusova, D.A. Lemenovskii and L.G. Kuz'mina), 37
- Titanium**
- Unusual reactivity of tritylcyclopentadienylmetal derivatives. Molecular structure of  $\text{Ph}_3\text{CC}_5\text{H}_4\text{SnMe}_3$  and  $\text{Ph}_3\text{CC}_5\text{H}_4\text{TiCl}_3$  (K.A. Rufanov, A.V. Churakov, N.B. Kazennova, G.P. Brusova, D.A. Lemenovskii and L.G. Kuz'mina), 37
- Transition metal**
- Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters  $(\mu_3\text{-CPh})\text{FeCoMo}(\text{CO})_8(\text{RCOCp})\text{H}$  ( $\text{R} = \text{H, CH}_3$  or  $\text{C}_2\text{H}_5\text{O}$ ) derived from the clusters  $(\mu_3\text{-CPh})\text{Co}_2\text{Mo}(\text{CO})_8(\text{RCOCp})\text{H}$  (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119
- Triphosphine**
- Labile coordination of bis(diphenylphosphinomethyl)phenylphosphine in di- and trinuclear palladium and platinum complexes containing

- ortho*-substituted aromatic isocyanide (Y. Yamamoto, T. Tanase, H. Ukaji, M. Hasegawa, T. Igoshi and K. Yoshimura), C23
- Tripodal ligand
- Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der W=C-Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63
- Tungsten
- Heterocyclische Carbene IV. Metallkomplexe mit heterocyclischen Carben-Liganden: Synthese, Struktur, Strukturdynamik (K. Öfele, W.A. Herrmann, D. Mihalios, M. Elison, E. Herdtweck, T. Priemer und P. Kiprof), 1
- Hydrogenolysis of tetra(allyl)tungsten in the presence of tertiary phosphines: synthesis of tris(dmpm)tungsten (0) (R.U. Kirss), 171
- Metal–carbon multiple bonds: novel syntheses and reactions of aminocarbene complexes of tungsten (B. Lungwitz and A.C. Filippou), 91
- Oxidationsreaktionen von Molybdän- und Wolframcarbonyl-Carbinkomplexen. Koordination der W=C-Einheit an Palladium(0) aktiviert Carbonyl- und schützt Carbinliganden bei der Synthese von Wolfram(VI)-Chlorocarbinkomplexen (W. Kläui, T. Hardt, H.-J. Schulte und H. Hamers), 63
- Tungsten(II)
- Seven-coordinate complexes of molybdenum(II) and tungsten(II) containing pyridine-2-thionate and pyrimidine-2-thionate. Crystal structure of [W(CO)<sub>3</sub>( $\eta^2$ -pymS)<sub>2</sub>] (pymS = pyrimidine-2-thionate) (P.K. Baker, M.E. Harman, S. Hughes, M.B. Hursthouse and K.M. Abdul Malik), 257
- X-ray diffraction
- Synthesis of planar-chiral cobaltincinium complexes (N. Komatsuzaki, M. Uno, K. Shirai, T. Tanaka, M. Sawada and S. Takahashi), 53
- X-ray structure
- Mechanistic studies of the activation and the decomposition of [Rh<sub>2</sub>Cl<sub>2</sub>(CO)<sub>4</sub>] in organometallic chemical vapour deposition (P. Serp, R. Feurer, R. Moráncho, P. Kalck, J.-C. Daran and J. Vaisserman), 41
- Synthesis and some reactivity of pentamethylcyclopentadienylruthenium complexes with an SnCl<sub>3</sub> ligand. X-Ray crystal structure of [(C<sub>5</sub>Me<sub>5</sub>)Ru(SnCl<sub>3</sub>)(COD)] (B. Moreno, S. Sabo-Etienne, F. Dahan and B. Chaudret), 139
- X-ray structures
- Structure and catalytic activity of phosphine-substituted ruthenium carbonyl carboxylates (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti, S. Ianelli and M. Nardelli), 177
- XRD crystal analysis
- Synthesis and X-ray crystal structure of the chiral trimetal carbonyl clusters ( $\mu_3$ -CPh)FeCoMo(CO)<sub>8</sub>(RCOCp)H (R = H, CH<sub>3</sub> or C<sub>2</sub>H<sub>5</sub>O) derived from the clusters ( $\mu_3$ -CPh)Co<sub>2</sub>Mo(CO)<sub>8</sub>(RCOCp) (H.-P. Wu, Y.-Q. Yin, X.-Y. Huang and K.-B. Yu), 119
- Zinc
- Transition-metal Schiff-base complexes as ligands in tin chemistry. Part 6. Reactions of diorganotin(IV) dinitrates with M(3MeO-sal1,3pn) [M = Ni, Co or Zn; H<sub>2</sub>3MeO-sal1,3pn = N,N'-bis(3-methoxysalicylidene)propane-1,3-diamine] (M. Boyce, B. Clarke, D. Cunningham, J.F. Gallagher, T. Higgins, P. McArdle, M. Ní Cholchúin and M. O'Gara), 241
- Book review
- Ferrocenes. Homogeneous Catalysis, Organic Synthesis, Materials Science*, Antonio Togni and Tamio Hayashi (eds.) (P.L. Pauson)), C27