



## Subject Index of Volume 494

### Ab initio calculations

Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations (T. Müller, Y. Apeloig, I. Hemme, U. Klingebiel and M. Noltemeyer), 133

### Acyl

Mononuclear alkyl and acyl derivatives of rheniumpentacarbonyl: synthesis, characterization and properties (J.-A.M. Andersen and J.R. Moss), 105

Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand (S.-M. Lee, K.-K. Cheung and W.-T. Wong), 273

### Addition-elimination

Addition of CHSiMe<sub>3</sub> to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81

### Alkene acyloxylation

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165

### Alkyl

Mononuclear alkyl and acyl derivatives of rheniumpentacarbonyl: synthesis, characterization and properties (J.-A.M. Andersen and J.R. Moss), 105

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides, NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>EAr (E=Se, Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

### Alkylidene

Addition of CHSiMe<sub>3</sub> to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81

### Alkyne

1,2-Diethynylferrocene (U.H.F. Bunz), C8

Synthesis of [Fe<sub>2</sub>(CO)<sub>8</sub>(μ-SC<sub>2</sub>H<sub>3</sub>)(μ-CCR)] (R=CH<sub>3</sub> or C<sub>6</sub>H<sub>5</sub>) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propane. Preparation of [Fe<sub>2</sub>(CO)<sub>8</sub>(μ-S*CC*<sub>6</sub>H<sub>5</sub>)(μ-CCC<sub>6</sub>H<sub>5</sub>)] and formation of [Fe<sub>4</sub>(CO)<sub>12</sub>(μ<sub>4</sub>-S)(μ-CCC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>] (C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin), 17

### Alkyne hydrogenation kinetics

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound [Ru<sub>6</sub>(μ-H)<sub>6</sub>(μ<sub>3</sub>,η<sup>2</sup>-ampy)<sub>2</sub>(CO)<sub>14</sub>] (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera), 169

### Alkyne insertion

Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43

### Alkynes

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von {(Mo<sub>2</sub>-(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>4</sub>[(μ<sub>4</sub>-η<sup>2</sup>:2:2:2-Me<sub>3</sub>SiC≡C-C≡CSiMe<sub>3</sub>)Co<sub>2</sub>(CO)<sub>6</sub>]} (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65

### Alkynyl complexes

Synthesis and reactivity of alkynyl(silylamido)uranium complexes (D. Baudry, A. Dormond and A. Hafid), C22

### Allyl

Synthesis and fluxional behaviour of allylpalladium complexes with poly(pyrazol-1-yl)methane ligands (F.A. Jalón, B.R. Manzano, A. Otero and M.C. Rodríguez-Pérez), 179

### Allylpalladium

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75

### Aluminium

Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of [(C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)<sub>2</sub>Zr(AlCl<sub>4</sub>)](Al<sub>2</sub>Cl<sub>7</sub>) and TiCl<sub>3</sub>(OPh) (S. Troyanov, A. Pisarevsky and Y.T. Struchkov), C4

### Amination

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

### Amine

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides, NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>EAr (E=Se, Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

### Anomeric effects

Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations (T. Müller, Y. Apeloig, I. Hemme, U. Klingebiel and M. Noltemeyer), 133

### Arene

Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of [(C<sub>6</sub>H<sub>3</sub>Me<sub>3</sub>)<sub>2</sub>Zr(AlCl<sub>4</sub>)](Al<sub>2</sub>Cl<sub>7</sub>) and TiCl<sub>3</sub>(OPh) (S. Troyanov, A. Pisarevsky and Y.T. Struchkov), C4

### Aryl

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides, NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>EAr (E=Se, Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

### Asymmetric synthesis

Synthesis and some reactions of mixed (-)-menthyltin hydrides (J.C. Podestá, A.B. Chopra, G.E. Radivoy and C.A. Vitale), 11

### Asymmetry

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Mo(C<sub>6</sub>H<sub>2</sub>-(OCH<sub>2</sub>O)-2,3-CH<sub>2</sub>NMe<sub>2</sub>-6)(I)(NO)] and [(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Mo(S-C<sub>6</sub>H<sub>4</sub>CH(Me)NMe<sub>2</sub>-2)(I)(NO)] (M. Pfeffer, E.P. Urriolabeitia, A. De Cian and J. Fischer), 187

**Benzathiophene**

Preparation of bis( $\eta^6$ -2-R-benzo[*b*]thiophene)-chromium and -molybdenum (R = H, Me, SiMe<sub>3</sub>) sandwich complexes via metal vapour synthesis. Crystal structure of [Cr( $\eta^6$ -2-Me C<sub>8</sub>H<sub>5</sub>S)<sub>2</sub>] (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241

**Benzylideneamine complexes**

Cyclometallation of 3,5 disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of [Pd(3,5-F<sub>2</sub>C<sub>6</sub>H<sub>2</sub>CH=NC<sub>6</sub>H<sub>5</sub>)Br(PPh<sub>3</sub>)<sub>2</sub>] (J. Albert, J. Granell, R. Margas, J. Sales, M. Font-Bardia and X. Solans), 95

**Biaryls**

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes (R. Plik, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

**Boron**

1-Me<sub>2</sub>NH-2-CH<sub>2</sub>Cl-*clos*o-1-CB<sub>11</sub>H<sub>10</sub>. An unusual product from the insertion reaction of Me<sub>2</sub>NBCl<sub>2</sub> with Li<sub>2</sub> [7-Me<sub>3</sub>N-*nido*-7-CB<sub>10</sub>H<sub>10</sub>] (J.H. Morris, G.S. Peters and M.D. Spicer), 195

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles (M. Lucarini and G.F. Pedulli), 123

**Boron neutron capture therapy**

1-Me<sub>2</sub>NH-2-CH<sub>2</sub>Cl-*clos*o-1-CB<sub>11</sub>H<sub>10</sub>. An unusual product from the insertion reaction of Me<sub>2</sub>NBCl<sub>2</sub> with Li<sub>2</sub> [7-Me<sub>3</sub>N-*nido*-7-CB<sub>10</sub>H<sub>10</sub>] (J.H. Morris, G.S. Peters and M.D. Spicer), 195

**Carbaborane**

1-Me<sub>2</sub>NH-2-CH<sub>2</sub>Cl-*clos*o-1-CB<sub>11</sub>H<sub>10</sub>. An unusual product from the insertion reaction of Me<sub>2</sub>NBCl<sub>2</sub> with Li<sub>2</sub> [7-Me<sub>3</sub>N-*nido*-7-CB<sub>10</sub>H<sub>10</sub>] (J.H. Morris, G.S. Peters and M.D. Spicer), 195

**Carbamate complexes**

Hydrolysis of (pentamethylcyclopentadienyl)titanium(IV) carbamates. X-ray structure of [{Cp\*Ti( $\eta^2$ -O<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>( $\mu$ -O)<sub>2</sub>}] (P. Gómez-Sal, A.M. Irigoyen, A. Martín, M. Mena, M. Monge and C. Yélamos), C19

**Carbene**

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

**Carbene complexes**

Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43

Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes (L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins), 53

**Carbon disulfide**

New syntheses of [Et<sub>4</sub>N][{(C<sub>5</sub>H<sub>10</sub>NCS<sub>2</sub>)M(CO)<sub>4</sub>}] (M=Cr, Mo and W): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149

**Carbon monoxide**

Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide (M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe), 229

**Carbonyl**

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis( $\eta^4$ -1,3-dien)chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen (S. Özkar, C.G. Kreiter und M. Kotzian), 115

Mononuclear alkyl and acyl derivatives of rheniumpentacarbonyl: synthesis, characterization and properties (J.-A.M. Andersen and J.R. Moss), 105

Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters. Crystal structure of Ru<sub>3</sub>( $\mu$ -H)<sub>2</sub>[ $\mu_3$ - $\eta^2$ -(*N,C*)-4-HOC<sub>6</sub>H<sub>4</sub>-N=CMeCH](CO)<sub>9</sub>, Et<sub>2</sub>O (M.P. Cifuentes, T.P. Jeunes, M. Gray, M.G. Humphrey, B.W. Skelton and A.H. White), 267

Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand (S.-M. Lee, K.-K. Cheung and W.-T. Wong), 273

**Carbonyls**

Nitrile exchange reactions of [M<sub>2</sub>(CO)<sub>3</sub>(NCMe)<sub>2</sub>] (M = Mo or W). X-ray crystal structures of the mixed-ligand seven-coordinate complexes [W<sub>1</sub><sub>2</sub>(CO)<sub>3</sub>(NCR)(AsPh<sub>3</sub>)<sub>2</sub>] (R = Et or Ph) (P.K. Baker, M.E. Harman, M.B. Hursthouse, A.I. Karaulov, A.J. Laverty, K.M.A. Malik, D.J. Muldoon and A. Shawcross), 205

Synthesis of [Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ -SC<sub>2</sub>H<sub>5</sub>) $\times$ ( $\mu$ -CCR)] (R = CH<sub>3</sub> or C<sub>6</sub>H<sub>5</sub>) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propane. Preparation of [Fe<sub>2</sub>(CO)<sub>6</sub>( $\mu$ -SCCC<sub>6</sub>H<sub>5</sub>) $\times$ ( $\mu$ -CCC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>] and formation of [Fe<sub>4</sub>(CO)<sub>12</sub>( $\mu_4$ -S) $\times$ ( $\mu$ -CCC<sub>6</sub>H<sub>5</sub>)<sub>2</sub>] (C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin), 17

**Carborane**

1-Me<sub>2</sub>NH-2-CH<sub>2</sub>Cl-*clos*o-1-CB<sub>11</sub>H<sub>10</sub>. An unusual product from the insertion reaction of Me<sub>2</sub>NBCl<sub>2</sub> with Li<sub>2</sub> [7-Me<sub>3</sub>N-*nido*-7-CB<sub>10</sub>H<sub>10</sub>] (J.H. Morris, G.S. Peters and M.D. Spicer), 195

**Catalysis**

Katalytische Hydrierung chlorhaltiger Disilane mit Tributylstannan (U. Herzog, G. Roewer und U. Pätzold), 143

NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex RhH(diphosphite)(CO)<sub>2</sub> (A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen, N. Veldman and A.L. Spek), C15

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

**Catalytic hydrogenation**

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound [Ru<sub>6</sub>( $\mu$ -H)<sub>6</sub>( $\mu_3$ , $\eta^2$ -ampy)<sub>2</sub>(CO)<sub>14</sub>] (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera), 169

**C–H activation**

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

**Chalcogenide**

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides, NH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>EAr (E=Se, Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

**Chirality**

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165

**Chromium**

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis( $\eta^4$ -

- 1,3-dien)chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen (S. Özkar, C.G. Kreiter und M. Kotzian), 115
- Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215
- New syntheses of  $[\text{Et}_4\text{N}]^+[(\text{C}_5\text{H}_{10}\text{NCS}_2)\text{M}(\text{CO})_4]$  ( $\text{M} = \text{Cr}$ , Mo and W): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149
- Preparation of bis( $\eta^6$ -2-R-benzo[*b*]thiophene)-chromium and -molybdenum ( $\text{R} = \text{H}$ , Me, SiMe<sub>3</sub>) sandwich complexes via metal vapour synthesis. Crystal structure of  $[\text{Cr}(\eta^6\text{-2-Me C}_8\text{H}_5\text{S}_2)]$  (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241
- Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43
- Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes (L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins), 53
- Cluster**
- Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand (S.-M. Lee, K.-K. Cheung and W.-T. Wong), 273
- Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound  $[\text{Ru}_6(\mu\text{-H})_6(\mu_3\text{-}\eta^2\text{-ampy})_2(\text{CO})_{14}]$  (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Ricra), 169
- Synthesis of  $[\text{Fe}_2(\text{CO})_6(\mu\text{-SC}_2\text{H}_5)(\mu\text{-CCR})]$  ( $\text{R} = \text{CH}_3$  or  $\text{C}_6\text{H}_5$ ) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propyne. Preparation of  $[\text{Fe}_2(\text{CO})_6(\mu\text{-SCCC}_6\text{H}_5)(\mu\text{-CCC}_6\text{H}_5)]$  and formation of  $[\text{Fe}_4(\text{CO})_{12}(\mu_4\text{-S})(\mu\text{-CCC}_6\text{H}_5)_2]$  (C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin), 17
- Cobalt**
- Addition of CHSiMe<sub>3</sub> to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathiirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81
- Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von  $\{\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4[(\mu_4\text{-}\eta^{2:2:2:2}\text{-Me}_3\text{SiC}\equiv\text{C}\equiv\text{CSiMe}_3)\text{Co}_2(\text{CO})_6]\}$  (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65
- Cobaltadithiazole**
- Addition of CHSiMe<sub>3</sub> to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathiirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81
- Copper**
- Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43
- Copper-proline complex**
- On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165
- Crystal structure**
- Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-n-butylidistannoxyanes (E.R.T. Tickink, M. Gielen, A. Bouhid, M. Biesemans and R. Willem), 247
- Nitrile exchange reactions of  $[\text{MI}_2(\text{CO})_3(\text{NCMe})_2]$  ( $\text{M} = \text{Mo}$  or W). X-ray crystal structures of the mixed-ligand seven-coordinate complexes  $[\text{WI}_2(\text{CO})_3(\text{NCR})(\text{AsPh}_3)]$  ( $\text{R} = \text{Et}$  or Ph) (P.K. Baker, M.E. Harman, M.B. Hursthouse, A.I. Karaulov, A.J. Laverty, K.M.A. Malik, D.J. Muldoon and A. Shawcross), 205
- NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex RhH(diphosphite)(CO)<sub>2</sub> (A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen, N. Veldman and A.L. Spek), C15
- Preparation of bis( $\eta^6$ -2-R-benzo[*b*]thiophene)-chromium and -molybdenum ( $\text{R} = \text{H}$ , Me, SiMe<sub>3</sub>) sandwich complexes via metal vapour synthesis. Crystal structure of  $[\text{Cr}(\eta^6\text{-2-Me C}_8\text{H}_5\text{S}_2)]$  (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241
- Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters. Crystal structure of  $\text{Ru}_3(\mu\text{-H})_2[\mu_3\text{-}\eta^2\text{(N,C)-4-HOC}_6\text{H}_4\text{-N=CMeCH}_2](\text{CO})_9$ , Et<sub>2</sub>O (M.P. Cifuentes, T.P. Jeunes, M. Gray, M.G. Humphrey, B.W. Skelton and A.H. White), 267
- Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand (S.-M. Lee, K.-K. Cheung and W.-T. Wong), 273
- Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations (T. Müller, Y. Apeloig, I. Hemme, U. Klingebiel and M. Noltemeyer), 133
- Cyclometallation**
- Cyclometallation of 3,5-disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of  $[\text{Pd}(3,5\text{-F}_2\text{C}_6\text{H}_2\text{CH=NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$  (J. Albert, J. Granell, R. Margas, J. Sales, M. Font-Bardía and X. Solans), 95
- Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mo}(\text{C}_6\text{H}_2\text{-}(\text{OCH}_2\text{O})\text{-}2,3\text{-CH}_2\text{NMe}_2\text{-}6)(\text{I})(\text{NO})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mo}(\text{S-C}_6\text{H}_4\text{CH(Me)}\text{NMe}_2\text{-}2)(\text{I})(\text{NO})]$  (M. Pfeffer, E.P. Urriolabeitia, A. De Cian and J. Fischer), 187
- Cyclopentadienyl**
- Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti–Pt and Ti–Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261
- Dialkylamido complexes**
- Synthesis and characterisation of chlorobis(dialkylamido) and alkyl-bis(dialkylamido) derivatives of  $[(\eta^5\text{-C}_5\text{Me}_5)\text{MCI}_3]$  ( $\text{M} = \text{Ti}, \text{Zr}$ ) (A.M. Irigoyen, A. Martín, M. Mena, F. Palacios and C. Yélamos), 255
- Diene**
- Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis( $\eta^4$ -1,3-dien)chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen (S. Özkar, C.G. Kreiter und M. Kotzian), 115
- Dimeric**
- Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75
- Dinuclear complexes**
- Cyclometallation of 3,5-disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of  $[\text{Pd}(3,5\text{-F}_2\text{C}_6\text{H}_2\text{CH=NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$  (J. Albert, J. Granell, R. Margas, J. Sales, M. Font-Bardía and X. Solans), 95
- Diphosphite**
- NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex RhH(diphosphite)(CO)<sub>2</sub> (A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen, N. Veldman and A.L. Spek), C15

**Distannoxanes**

Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-*n*-butyldistannoxanes (E.R.T. Tiekink, M. Gielen, A. Bouhdid, M. Biesemans and R. Willem), 247

**Dithiocarbamate**

New syntheses of  $[\text{Et}_4\text{N}]^+[(\text{C}_5\text{H}_{10}\text{NCS}_2)\text{M}(\text{CO})_4]$  ( $\text{M}=\text{Cr}$ , Mo and W): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149

**Diyne**

1,2-Diethynylferrocene (U.H.F. Bunz), C8

**EHMO**

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of  $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_2(\text{CH}_3\text{CN})_6]\text{[BF}_4]_2$  with aromatic isocyanides. X-Ray crystal structures of  $[\text{Mo}_2(\mu\text{-O})(\text{RNC})_{10}]\text{[BF}_4]_2$  ( $\text{R}=2,6\text{-Me}_2\text{C}_6\text{H}_3$ ) and  $[\text{Mo}(\text{=O})\text{F}(\text{RNC})_4]\text{[BF}_4]$  ( $\text{R}=2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ) (T. Igoshi, T. Tanase and Y. Yamamoto), 37

**Electron transfer**

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles (M. Lucarini and G.F. Pedulli), 123

**Emulsion polymerization**

Organometallic complex catalysis in water. II. Water soluble organoruthenium(IV) catalysts for the emulsion polymerization of norbornene (S. Wache), 235

**Epoxides**

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

**EPR**

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles (M. Lucarini and G.F. Pedulli), 123

**Ferrocene**

1,2-Diethynylferrocene (U.H.F. Bunz), C8

**Fluxionality**

Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-*n*-butyldistannoxanes (E.R.T. Tiekink, M. Gielen, A. Bouhdid, M. Biesemans and R. Willem), 247

Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters.

Crystal structure of  $\text{Ru}_3(\mu\text{-H})_2[\mu_3\text{-}\eta^2\text{-}(\text{N},\text{C})\text{-}4\text{-HOC}_6\text{H}_4\text{-N=CMeCH}](\text{CO})_9\text{Et}_2\text{O}$  (M.P. Cifuentes, T.P. Jeynes, M. Gray, M.G. Humphrey, B.W. Skelton and A.H. White), 267

**Group 6**

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

**Group 10**

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides,  $\text{NH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{EAR}$  ( $\text{E}=\text{Se}$ , Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

**Group 16**

Synthesis and multinuclear NMR studies of 3-aminopropyl(aryl)chalcogenides,  $\text{NH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{EAR}$  ( $\text{E}=\text{Se}$ , Te), and their complexes with Pt(II) and Pd(II) (A. Khanna, A. Bala and B.L. Khandelwal), 199

**Heterobimetallics**

Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti–Pt and Ti–Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261

**Heterocycle**

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

**Hydride**

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound  $[\text{Ru}_6(\mu\text{-H})_6(\mu_3\text{-}\eta^2\text{-ampy})_2(\text{CO})_{14}]$  (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera), 169

**Hydrides**

Synthesis and some reactions of mixed (–)-menthyltin hydrides (J.C. Podestá, A.B. Chopá, G.E. Radovoy and C.A. Vitale), 11

**Hydroformylation**

NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex  $\text{RhH}(\text{diphosphite})(\text{CO})_2$  (A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen, N. Veldman and A.L. Spek), C15

**Imine**

Cyclometallation of 3,5-disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of  $[\text{Pd}(3,5\text{-F}_2\text{C}_6\text{H}_2\text{CH}=\text{NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$  (J. Albert, J. Granell, R. Moragas, J. Sales, M. Font-Bardía and X. Solans), 95

**Insertion**

New syntheses of  $[\text{Et}_4\text{N}]^+[(\text{C}_5\text{H}_{10}\text{NCS}_2)\text{M}(\text{CO})_4]$  ( $\text{M}=\text{Cr}$ , Mo and W): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149

**Insertion reactions**

Synthesis and reactivity of alkynyl(silylamido)uranium complexes (D. Baudry, A. Dormond and A. Hafid), C22

**Iodide**

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{C}_6\text{H}_2\text{-}(\text{OCH}_2\text{O})\text{-}2,3\text{-CH}_2\text{NMe}_2\text{-}6)(\text{I})(\text{NO})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{S-C}_6\text{H}_4\text{CH}(\text{Me})\text{NMe}_2\text{-}2)(\text{I})(\text{NO})]$  (M. Pfeffer, E.P. Urriolabeitia, A. De Cian and J. Fischer), 187

**Iridium**

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

**Iron**

1,2-Diethynylferrocene (U.H.F. Bunz), C8

Synthesis of  $[\text{Fe}_2(\text{CO})_6(\mu\text{-SC}_2\text{H}_5)(\mu\text{-CCR})]$  ( $\text{R}=\text{CH}_3$  or  $\text{C}_6\text{H}_5$ ) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propane. Preparation of  $[\text{Fe}_2(\text{CO})_6(\mu\text{-SCCC}_6\text{H}_5)(\mu\text{-CCC}_6\text{H}_5)]$  and formation of  $[\text{Fe}_4(\text{CO})_{12}(\mu_4\text{-S})(\mu\text{-CCC}_6\text{H}_5)_2]$  (C. Rosenberger, N. Steunou, S. Jeanmin and Y. Jeanmin), 17

**Iron particles**

Smoke suppression for poly(vinyl chloride) by iron–organic polymer systems (K. Sekigawa, H. Yasuda, H. Tamai, A. Hiwara, A. Nakamura and H. Sakai), 1

**Isocyanide**

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of  $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_2(\text{CH}_3\text{CN})_6]\text{[BF}_4]_2$  with aromatic isocyanides. X-Ray crystal structures of  $[\text{Mo}_2(\mu\text{-O})(\text{RNC})_{10}]\text{[BF}_4]_2$  ( $\text{R}=2,6\text{-Me}_2\text{C}_6\text{H}_3$ ) and  $[\text{Mo}(\text{=O})\text{F}(\text{RNC})_4]\text{[BF}_4]$  ( $\text{R}=2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ) (T. Igoshi, T. Tanase and Y. Yamamoto), 37

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

## Isomerization

Addition of  $\text{CHSiMe}_3$  to the Co–S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathiirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81

## Ketoimine

Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters. Crystal structure of  $\text{Ru}_3(\mu\text{-H})_2[\mu_3\text{-}\eta^2\text{-}(N,C)\text{-}4\text{-HOC}_6\text{H}_4\text{-N=CMeCH})(\text{CO})_9$ .  $\text{Et}_2\text{O}$  (M.P. Cifuentes, T.P. Jeynes, M. Gray, M.G. Humphrey, B.W. Skelton and A.H. White), 267

## Macrocyclic complexes

Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215

## Mercury

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

## Metal vapour synthesis

Preparation of bis( $\eta^6\text{-2-R-benz}[b]\text{thiophene}$ )-chromium and -molybdenum ( $\text{R} = \text{H}, \text{Me}, \text{SiMe}_3$ ) sandwich complexes via metal vapour synthesis. Crystal structure of  $[\text{Cr}(\eta^6\text{-2-Me C}_8\text{H}_5\text{S})_2]$  (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241

## Methylpalladium

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75

## Molybdenum

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis( $\eta^4\text{-1,3-dien}$ chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen (S. Özkar, C.G. Kreiter and M. Kotzian), 115

Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215

New syntheses of  $[\text{Et}_4\text{N}][\text{C}_5\text{H}_{10}\text{NCS}_2]\text{M}(\text{CO})_4$  ( $\text{M}=\text{Cr}, \text{Mo}$  and  $\text{W}$ ): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149

Nitrile exchange reactions of  $[\text{MI}_2(\text{CO})_3(\text{NCMe})_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ). X-ray crystal structures of the mixed-ligand seven-coordinate complexes  $[\text{WI}_2(\text{CO})_3(\text{NCR})(\text{AsPh}_3)]$  ( $\text{R} = \text{Et}$  or  $\text{Ph}$ ) (P.K. Baker, M.E. Harman, M.B. Hursthouse, A.I. Karaulov, A.J. Laverty, K.M.A. Malik, D.J. Muldoon and A. Shawcross), 205

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of  $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_2(\text{CH}_3\text{CN})_6](\text{BF}_4)_2$  with aromatic isocyanides. X-Ray crystal structures of  $[\text{Mo}_2(\mu\text{-O}(\text{RNC})_{10}\text{KBF}_4)_2$  ( $\text{R} = 2,6\text{-Me}_2\text{C}_6\text{H}_3$ ) and  $[\text{Mo}(\text{=O})\text{F}(\text{RNC})_4](\text{BF}_4)$  ( $\text{R} = 2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ) (T. Igoshi, T. Tanase and Y. Yamamoto), 37

Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide (M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe), 229

Preparation of bis( $\eta^6\text{-2-R-benz}[b]\text{thiophene}$ )-chromium and -molybdenum ( $\text{R} = \text{H}, \text{Me}, \text{SiMe}_3$ ) sandwich complexes via metal vapour synthesis. Crystal structure of  $[\text{Cr}(\eta^6\text{-2-Me C}_8\text{H}_5\text{S})_2]$  (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von  $\{\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4[(\mu_4\text{-}\eta^{2+2:2:2}\text{-Me}_3\text{SiC}=\text{C-C}\equiv\text{CSiMe}_3)\text{Co}_2(\text{CO})_6]\}$  (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{C}_6\text{H}_2\text{-}(\text{OCH}_2\text{O})\text{-}2,3\text{-CH}_2\text{NMe}_2\text{-}6)(\text{I})(\text{NO})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{S-C}_6\text{H}_4\text{CH}(\text{Me})\text{NMe}_2\text{-}2)(\text{I})(\text{NO})]$  (M. Pfeffer, E.P. Uriolabeitia, A. De Cian and J. Fischer), 187

Synthesis of heterocyclic molybdenum carbene complexes using haloalkyl-substituted epoxides (H. Adams, N.A. Bailey, C.M. Marson, L. Randall and M.J. Winter), C12

*N*-functionalization

Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215

## N–H activation

The reaction of benzene with diethylamine in the presence of an iridium(I)/mercury(II) based system: a model route for the direct amination of aromatic hydrocarbons (P. Diversi, L. Ermini, G. Ingrosso, A. Lucherini, C. Pinzino and L. Sagramora), C1

## Nitrene

Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide (M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe), 229

## Nitrile

Nitrile exchange reactions of  $[\text{MI}_2(\text{CO})_3(\text{NCMe})_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ). X-ray crystal structures of the mixed-ligand seven-coordinate complexes  $[\text{WI}_2(\text{CO})_3(\text{NCR})(\text{AsPh}_3)]$  ( $\text{R} = \text{Et}$  or  $\text{Ph}$ ) (P.K. Baker, M.E. Harman, M.B. Hursthouse, A.I. Karaulov, A.J. Laverty, K.M.A. Malik, D.J. Muldoon and A. Shawcross), 205

## Nitrosyl

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{C}_6\text{H}_2\text{-}(\text{OCH}_2\text{O})\text{-}2,3\text{-CH}_2\text{NMe}_2\text{-}6)(\text{I})(\text{NO})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{S-C}_6\text{H}_4\text{CH}(\text{Me})\text{NMe}_2\text{-}2)(\text{I})(\text{NO})]$  (M. Pfeffer, E.P. Uriolabeitia, A. De Cian and J. Fischer), 187

## NMR

Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-*n*-butyldistannoanes (E.R.T. Tiekkink, M. Gielen, A. Bouhid, M. Biesemans and R. Willem), 247

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75

## NMR spectroscopy Fluxionality

Synthesis and fluxional behaviour of allylpalladium complexes with poly(pyrazol-1-yl)methane ligands (F.A. Jalón, B.R. Manzano, A. Otero and M.C. Rodríguez-Pérez), 179

## Norbornene

Organometallic complex catalysis in water. II. Water soluble organoruthenium(IV) catalysts for the emulsion polymerization of norbornene (S. Wache), 235

## Organochalcogenide

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75

## Osmium

Synthesis and characterization of triosmium clusters containing the 2-(benzylthio)benzoyl ligand (S.-M. Lee, K.-K. Cheung and W.-T. Wong), 273

## Oxidation

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165

Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of  $[(\text{C}_6\text{H}_3\text{Me}_3)_2\text{Zr}(\text{AlCl}_4)](\text{Al}_2\text{Cl}_7)$  and  $\text{TiCl}_3(\text{OPh})$  (S. Troyanov, A. Pisarevsky and Y.T. Struchkov), C4 Oxo-bridged dinuclear complexes

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of  $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_2(\text{CH}_3\text{CN})_6](\text{BF}_4)_2$  with aromatic isocyanides. X-Ray crystal structures of  $[\text{Mo}_2(\mu-\text{O})(\text{RNC})_{10}](\text{BF}_4)_2$  ( $\text{R} = 2,6\text{-Me}_2\text{C}_6\text{H}_3$ ) and  $[\text{Mo}(\text{=O})\text{F}(\text{RNC})_4](\text{BF}_4)$  ( $\text{R} = 2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ) (T. Igoshi, T. Tanase and Y. Yamamoto), 37

 $\mu$ -Oxo complexes

Hydrolysis of (pentamethylcyclopentadienyl)titanium(IV) carbamates.

X-ray structure of  $[(\text{Cp}^*\text{Ti}(\eta^2\text{-O}_2\text{CNEt}_2))_2(\mu\text{-O})_2]$  (P. Gómez-Sal, A.M. Irigoyen, A. Martín, M. Mena, M. Monge and C. Yélamos), C19

## Palladium

Cyclometallation of 3,5 disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of  $[\text{Pd}(3,5\text{-F}_2\text{C}_6\text{H}_2\text{CH}=\text{NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$  (J. Albert, J. Granell, R. Moragas, J. Sales, M. Font-Bardía and X. Solans), 95

Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide (M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe), 229

Synthesis and characterization of dimeric organochalcogenido-bridged methylpalladium and allylpalladium complexes (A. Singhal and V.K. Jain), 75

Synthesis and fluxional behaviour of allylpalladium complexes with poly(pyrazol-1-yl)methane ligands (F.A. Jalón, B.R. Manzano, A. Otero and M.C. Rodríguez-Pérez), 179

Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti–Pt and Ti–Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261

## Partial hydrogenation

Katalytische Hydrierung chlorhaltiger Disilane mit Tributylstannan (U. Herzog, G. Roewer und U. Pätzold), 143

## Peroxide

On the stability of the copper-(S)-proline catalyst in the enantioselective allylic acyloxylation of alkenes (A. Levina, F. Hénin and J. Muzart), 165

## Platinum

Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti–Pt and Ti–Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261

## Poly(pyrazolyl)methane

Synthesis and fluxional behaviour of allylpalladium complexes with poly(pyrazol-1-yl)methane ligands (F.A. Jalón, B.R. Manzano, A. Otero and M.C. Rodríguez-Pérez), 179

## Poly(vinyl chloride)

Smoke suppression for poly(vinyl chloride) by iron–organic polymer systems (K. Sekigawa, H. Yasuda, H. Tamai, A. Hiwara, A. Nakamura and H. Sakai), 1

## Poly(vinylferrocene)

Smoke suppression for poly(vinyl chloride) by iron–organic polymer systems (K. Sekigawa, H. Yasuda, H. Tamai, A. Hiwara, A. Nakamura and H. Sakai), 1

## Pyranylidene complexes

Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes (L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins), 53

## Radical anions

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles (M. Lucarini and G.F. Pedulli), 123

## Raman spectroscopy

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes (R. Pikl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

Reductive *N*-heterocyclization

Palladium complex-catalyzed intermolecular reductive *N*-heterocyclization: novel synthesis of quinazoline derivatives from 2-nitrobenzaldehyde or 2-nitrophenyl ketones with formamide (M. Akazome, J. Yamamoto, T. Kondo and Y. Watanabe), 229

## Rhenium

Mononuclear alkyl and acyl derivatives of rheniumpentacarbonyl: synthesis, characterization and properties (J.-A.M. Andersen and J.R. Moss), 105

## Rhodium

NMR spectra and crystal structure of a regioselective hydroformylation catalyst complex  $\text{RhH}(\text{diphosphite})(\text{CO})_2$  (A. Van Rooy, P.C.J. Kamer, P.W.N.M. Van Leeuwen, N. Veldman and A.L. Spek), C15

## Ring opening

Organometallic complex catalysis in water. II. Water soluble organoruthenium(IV) catalysts for the emulsion polymerization of norbornene (S. Wache), 235

## Ruthenium

Ruthenium clusters with nitrogen ligands. IV. Double C–H activation of ketimine methyl groups on triruthenium carbonyl clusters. Crystal structure of  $\text{Ru}_3(\mu\text{-H})_2[\mu_3\text{-}\eta^2\text{-}(\text{N},\text{C})\text{-}4\text{-HOC}_6\text{H}_4\text{-N=CMeCH}](\text{CO})_9$ ,  $\text{Et}_2\text{O}$  (M.P. Cifuentes, T.P. Jeynes, M. Gray, M.G. Humphrey, B.W. Skelton and A.H. White), 267

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound  $[\text{Ru}_6(\mu\text{-H})_6(\mu_3,\eta^2\text{-ampy})_2(\text{CO})_{14}]$  (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera), 169

## Sandwich

Preparation of bis( $\eta^6$ -2-R-benzo[*b*]thiophene)-chromium and -molybdenum ( $\text{R} = \text{H, Me, SiMe}_3$ ) sandwich complexes via metal vapour synthesis. Crystal structure of  $[\text{Cr}(\eta^6\text{-2-Me C}_8\text{H}_5\text{S})_2](\text{N},\text{C})$  (N.C. Burton, F.G.N. Cloke, P.B. Hitchcock, G.O. Mepsted, C. Newton and H. Patel), 241

## Silazanes

Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations (T. Müller, Y. Apeloig, I. Hemme, U. Klingebiel and M. Noltemeyer), 133

## Silicon

Katalytische Hydrierung chlorhaltiger Disilane mit Tributylstannan (U. Herzog, G. Roewer und U. Pätzold), 143

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von  $[\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4(\mu_4\text{-}\eta^{2\cdot2\cdot2\cdot2}\text{-Me}_3\text{SiC}\equiv\text{C-C}\equiv\text{CSiMe}_3)\text{Co}_2\text{(CO)}_6]$  (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65

Tetrafluorocyclodisilazanes: synthesis, crystal structure, and molecular orbital ab initio calculations (T. Müller, Y. Apeloig, I. Hemme, U. Klingebiel and M. Noltemeyer), 133

## Silylamido complexes

Synthesis and reactivity of alkynyl(silylamido)uranium complexes (D. Baudry, A. Dormond and A. Hafid), C22

## Smoke suppression

Smoke suppression for poly(vinyl chloride) by iron–organic polymer systems (K. Sekigawa, H. Yasuda, H. Tamai, A. Hiwara, A. Nakamura and H. Sakai), 1

## Stanny azides

Ein einfaches Verfahren zur Herstellung von Organozinnaziden. Synthese und Struktur der sterisch gehinderten Stannylazide  $^1\text{Bu}_3\text{SnN}_3$  und  $^1\text{Bu}_2\text{Sn}(\text{N}_3)_2$  (D. Hänsgen, M. Jansen, C. Leben und T. Oster), 223

## Stereoselective synthesis

Preparation and some reactions of neophytin anions (J.C. Podestá, A.B. Chopra, N.N. Giagante and A.E. Zúñiga), 5

## Sulfur

Synthesis of  $[\text{Fe}_2(\text{CO})_6(\mu-\text{SC}_2\text{H}_5)(\mu-\text{CCR})]$  ( $\text{R} = \text{CH}_3$  or  $\text{C}_6\text{H}_5$ ) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propyne. Preparation of  $[\text{Fe}_2(\text{CO})_6(\mu-\text{SCCC}_6\text{H}_5)(\mu-\text{CCC}_6\text{H}_5)]$  and formation of  $[\text{Fe}_4(\text{CO})_{12}(\mu_4-\text{S})(\mu-\text{CCC}_6\text{H}_5)_2]$  (C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin), 17

## Synthesis

Ein einfaches Verfahren zur Herstellung von Organozinnaziden. Synthese und Struktur der sterisch gehinderten Stannylazide  $^1\text{Bu}_3\text{SnN}_3$  und  $^1\text{Bu}_2\text{Sn}(\text{N}_3)_2$  (D. Hänsgen, M. Jansen, C. Leben und T. Oster), 223

Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes (L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins), 53

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes (R. Píkl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

## Tetrahydroborate

An EPR study of the reaction of tetrabutylammonium borohydride with *N*-Heterocycles (M. Lucarini and G.F. Pedulli), 123

## Thermolysis

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von  $\{\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4[(\mu_4-\eta^{2:2:2:2}\text{-Me}_3\text{SiC}\equiv\text{C-C}\equiv\text{CSiMe}_3)\text{Co}_2(\text{CO})_6]\}$  (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65

## Thiirane

Addition of  $\text{CHSiMe}_3$  to the Co-S Bond of 1,2,5,3-cobaltadithiazole. Formation and reactions of stereoisomeric cobaltathiirane complexes (Y. Mori, M. Takehara, T. Sugiyama, M. Kajitani, T. Akiyama, M. Yamasaki and A. Sugimori), 81

## Thiobutyrolactone

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes (R. Píkl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

## Thiolate

Synthesis of  $[\text{Fe}_2(\text{CO})_6(\mu-\text{SC}_2\text{H}_5)(\mu-\text{CCR})]$  ( $\text{R} = \text{CH}_3$  or  $\text{C}_6\text{H}_5$ ) and reactivity with electron-rich molecules, triphenylphosphine, diphenylacetylene, ethylthio(phenyl)ethyne and (diethylamino)propyne. Preparation of  $[\text{Fe}_2(\text{CO})_6(\mu-\text{SCCC}_6\text{H}_5)(\mu-\text{CCC}_6\text{H}_5)]$  and formation of  $[\text{Fe}_4(\text{CO})_{12}(\mu_4-\text{S})(\mu-\text{CCC}_6\text{H}_5)_2]$  (C. Rosenberger, N. Steunou, S. Jeannin and Y. Jeannin), 17

Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti-Pt and Ti-Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261

## Thiono-benzonaphthopyranones

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium complexes (R. Píkl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

## Thionolactones

Synthesis and vibrational spectra of thiobutyrolactone and thiono-benzonaphthopyranones and their cyclopentadienyl ruthenium com-

plexes (R. Píkl, W. Kiefer, I. Reuther, W.A. Schenk, B. Schöner, O. Schupp and G. Bringmann), 89

## Tin

Crystal structure of the dimeric bis(*p*-fluoro- and pentafluorophenylacetato)tetra-*n*-butyldistannoxanes (E.R.T. Tiekink, M. Gielen, A. Bouhdid, M. Biesemans and R. Willem), 247

Ein einfaches Verfahren zur Herstellung von Organozinnaziden. Synthese und Struktur der sterisch gehinderten Stannylazide  $^1\text{Bu}_3\text{SnN}_3$  und  $^1\text{Bu}_2\text{Sn}(\text{N}_3)_2$  (D. Hänsgen, M. Jansen, C. Leben und T. Oster), 223

Preparation and some reactions of neophytin anions (J.C. Podestá, A.B. Chopra, N.N. Giagante and A.E. Zúñiga), 5

Synthesis and some reactions of mixed (–)-menthyltin hydrides (J.C. Podestá, A.B. Chopra, G.E. Radivoj and C.A. Vitale), 11

## Titanium

Hydrolysis of (pentamethylcyclopentadieny)titanium(IV) carbamates.

X-ray structure of  $[(\text{Cp}^*\text{Ti}(\eta^2\text{-O}_2\text{CNEt}_2)_2)(\mu\text{-O})_2]$  (P. Gómez-Sal, A.M. Irigoyen, A. Martín, M. Mena, M. Monge and C. Yélamos), C19

Synthesis and characterisation of chlorobis(dialkylamido) and alkylbis(dialkylamido) derivatives of  $[(\eta^5\text{-C}_5\text{Me}_5)\text{MCl}_3](\text{M} = \text{Ti}, \text{Zr})$  (A.M. Irigoyen, A. Martín, M. Mena, F. Palacios and C. Yélamos), 255

Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of  $[(\text{C}_6\text{H}_3\text{Me}_3)_2\text{Zr}(\text{AlCl}_4)](\text{Al}_2\text{Cl}_7)$  and  $\text{TiCl}_3(\text{OPh})$  (S. Troyanov, A. Pisarevsky and Y.T. Struchkov), C4

Thiolate derivatives of bis(diphenylphosphinocyclopentadienyl)-titanium Ti-Pt and Ti-Pd heterobimetallic compounds (E. Delgado, J. Forniés, E. Hernández, E. Lalinde, N. Mansilla and M.T. Moreno), 261

## Transmetalation

Synthesis and characterization of asymmetric C,N-cyclometallated complexes of Mo(II). X-ray crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{C}_6\text{H}_2(\text{OCH}_2\text{O})_2\text{-3-CH}_2\text{NMe}_2\text{-6})(\text{I})(\text{NO})]$  and  $[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{S-C}_6\text{H}_4\text{CH}(\text{Me})\text{NMe}_2\text{-2})(\text{I})(\text{NO})]$  (M. Pfeffer, E.P. Uriolabeitia, A. De Cian and J. Fischer), 187

## Tungsten

Gehinderte Ligandbewegungen in Übergangsmetallkomplexen XLV. Struktur und dynamisches Verhalten von *cis*-Dicarbonyl-bis( $\eta^4$ -1,3-dien)chrom(0)-, -molybdän(0)- und -wolfram(0)-Komplexen (S. Özkar, C.G. Kreiter und M. Kotzian), 115

Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215

New syntheses of  $[\text{Et}_4\text{N}][(\text{C}_5\text{H}_{10}\text{NCS}_2)\text{M}(\text{CO})_4]$  ( $\text{M} = \text{Cr}, \text{Mo}$  and  $\text{W}$ ): Insertion reaction of carbon disulfide into the metal–nitrogen bond (K.-H. Yih, S.-C. Chen, Y.-C. Lin, G.-H. Lee and Y. Wang), 149

Nitrile exchange reactions of  $[\text{MI}_2(\text{CO})_3(\text{NCMe})_2]$  ( $\text{M} = \text{Mo}$  or  $\text{W}$ ). X-ray crystal structures of the mixed-ligand seven-coordinate complexes  $[\text{WI}_2(\text{CO})_3(\text{NCR})(\text{AsPh}_3)]$  ( $\text{R} = \text{Et}$  or  $\text{Ph}$ ) (P.K. Baker, M.E. Harman, M.B. Hursthouse, A.I. Karaulov, A.J. Lavery, K.M.A. Malik, D.J. Muldoon and A. Shawcross), 205

Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcarbene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43

Synthese, Koordinationsverhalten und Thermolyse alkinylfunktionalisierter Übergangsmetall-Komplexe; Kristallstruktur von  $\{\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4[(\mu_4-\eta^{2:2:2:2}\text{-Me}_3\text{SiC}\equiv\text{C-C}\equiv\text{CSiMe}_3)\text{Co}_2(\text{CO})_6]\}$  (H. Lang, S. Blau, G. Rheinwald und L. Zsolnai), 65

## Uranium

Synthesis and reactivity of alkynyl(silylamido)uranium complexes (D. Baudry, A. Dormond and A. Hafid), C22

## Water-soluble organometallic catalysts

Organometallic complex catalysis in water. II. Water soluble organoruthenium(IV) catalysts for the emulsion polymerization of norbornene (S. Wache), 235

## X-ray diffraction

$1\text{-Me}_2\text{NH}\text{-2-CH}_2\text{Cl-closo-1-CB}_{11}\text{H}_{10}$ . An unusual product from the insertion reaction of  $\text{Me}_2\text{NCl}_2$  with  $\text{Li}_2[7\text{-Me}_3\text{N-nido-7-CB}_{10}\text{H}_{10}]$  (J.H. Morris, G.S. Peters and M.D. Spicer), 195

Hydrolysis of (pentamethylcyclopentadienyl)titanium(IV) carbamates. X-ray structure of  $[(\text{Cp}^*\text{Ti}(\eta^2\text{-O}_2\text{CNEt}_2))_2(\mu\text{-O})_2]$  (P. Gómez-Sal, A.M. Irigoyen, A. Martín, M. Mena, M. Monge and C. Yélamos), C19

Novel oxo-bridged dinuclear molybdenum(II) complexes: reaction of  $[\text{Mo}_2(\text{O}_2\text{CCH}_3)_2(\text{CH}_3\text{CN})_6](\text{BF}_4)_2$  with aromatic isocyanides. X-Ray crystal structures of  $[\text{Mo}_2(\mu\text{-O})(\text{RNC})_{10}](\text{BF}_4)_2$  ( $\text{R} = 2,6\text{-Me}_2\text{C}_6\text{H}_3$ ) and  $[\text{Mo}(\text{=O})\text{F}(\text{RNC})_4](\text{BF}_4)$  ( $\text{R} = 2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ) (T. Igoshi, T. Tanase and Y. Yamamoto), 37

## X-ray structure

Cyclometallation of 3,5 disubstituted *N*-benzylideneamines by palladium(II). Synthesis and X-ray crystal structure of  $[\text{Pd}(3,5\text{-F}_2\text{C}_6\text{H}_2\text{CH=NC}_6\text{H}_5)\text{Br}(\text{PPh}_3)_2]$  (J. Albert, J. Granell, R. Margas, J. Sales, M. Font-Bardia and X. Solans), 95

Ein einfaches Verfahren zur Herstellung von Organozinnaziden. Synthese und Struktur der sterisch gehinderten Stannyiazide  ${}^1\text{Bu}_3\text{SnN}_3$  und  ${}^1\text{Bu}_2\text{Sn}(\text{N}_3)_2$  (D. Hänssgen, M. Jansen, C. Leben und T. Oster), 223

Reaction of aminocarbene complexes of chromium and tungsten. 6. Rearrangements of and insertions of alkynes into aziridinylcar-

bene complexes (B. Denise, A. Parlier, H. Rudler and J. Vaissermann), 43

Synthesis, characterization, reactivity, and catalytic hydrogenation activity of the hexanuclear hexahydrido carbonyl cluster compound  $[\text{Ru}_6(\mu\text{-H})_6(\mu_3,\eta^2\text{-ampy})_2(\text{CO})_{14}]$  (Hampy = 2-amino-6-methylpyridine) (J.A. Cabeza, I. Del Río, J.M. Fernández-Colinas, A. Llamazares and V. Riera), 169

## X-ray structures

Modes of complexation of non-substituted and substituted tetraaza-macrocycles with Group 6 metal carbonyls. X-ray structure of  $[(\text{permethylcyclam})\text{Mo}(\text{CO})_4]$  (V. Patinec, J.-J. Yaouanc, J.-C. Clément, H. Handel, H. Des Abbayes and M.M. Kubicki), 215

Reaction of ethyl 3,3-diethoxyacrylate with Fischer alkoxyalkynyl transition metal carbene complexes (L. Jordi, F. Camps, S. Ricart, J.M. Viñas, J.M. Moretó, M. Mejias and E. Molins), 53

## Zirconium

Synthesis and characterisation of chlorobis(dialkylamido) and alkylbis(dialkylamido) derivatives of  $[(\eta^5\text{-C}_5\text{Me}_5)\text{MCl}_3](\text{M} = \text{Ti}, \text{Zr})$  (A.M. Irigoyen, A. Martín, M. Mena, F. Palacios and C. Yélamos), 255

Synthesis of arene Ti and Zr complexes and their reactivity towards air: crystal structure of  $[(\text{C}_6\text{H}_3\text{Me}_3)_2\text{Zr}(\text{AlCl}_4)](\text{Al}_2\text{Cl}_7)$  and  $\text{TiCl}_3(\text{OPh})$  (S. Troyanov, A. Pisarevsky and Y.T. Struchkov), C4

## Book reviews

*Cluster molecules of the p-block elements* C. E. Housecroft (P.D. Lickiss), C24

*The Mechanisms of Reactions at Transition Metal Sites* R.A. Henderson (D.A. Brown), C24