

## Subject Index of Volume 486

### Ab initio

Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

### Ab-initio calculations

A theoretical approach to the molecular structure of vinylstanane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45

### Acetylacetonate

Radiolytic synthesis and characterization of  $[\text{Ru}^{\text{II}}(\text{acac})_2(\text{CO})\text{L}]$  (L = MeOH, EtOH or  $\text{Pr}^{\text{i}}\text{OH}$ ) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283

### Acyl compound

Reactivity of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_3]\text{PF}_6^-$  molecular structure of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_2(\text{C}(\text{O})\text{Me})]$  (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

### Addition-protonation

Addition-protonation reactions of  $(\eta^6\text{-arene})\text{tricarboxylchromium}(0)$  complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

### Adducts

Amine adducts of bis(trifluoromethyl)borane,  $(\text{CF}_3)_2\text{BH}$ , crystal and molecular structure of  $(\text{CF}_3)_2\text{BH} \cdot \text{NMe}_2\text{CH}_2\text{Ph}$  (D.J. Brauer and G. Pawelke), 129

### Allyltrimethylsilane

Etude de la réactivité de l'allyltriméthylsilane avec les cétones  $\alpha$ -cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

### Aluminium

Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands  $\text{omtaa}^{2-}$  ( $\text{H}_2\text{omtaa} = 2,3,6,8,11,12,15,17\text{-octamethyl-5,14-dihydro-(H}_2\text{imtaa} = 6,8,15,17\text{-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo}[a,h]\text{cyclotetradecene}$ ), and the crystal structure of  $[\text{MeGa}(\text{omtaa})]$  (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237

### Amino Donor Ligands

Cyclische Amine als intramolekulare Hilfsliganden in  $\pi$ -Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291

### Aminomethylphosphines

Zerivalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex  $[\text{Pd}(\text{PhCH}=\text{CHCO}=\text{CHPh})\{(\text{C}_6\text{H}_{11})_2\text{-PCH}_2\}_2\text{NMe}]$  (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171

### Ansa-bridging

Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

### Antimony

Antimony. Annual review covering the year 1991 (L.D. Freedman and G.O. Doak), 1

### Arene complexes

Addition-protonation reactions of  $(\eta^6\text{-arene})\text{tricarboxylchromium}(0)$  complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

### Aryl

Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

### Aryl iodides

Synthesis of benzophenone by carbonylation of iodobenzene with  $[\text{Bu}_3\text{N}][\text{HFe}(\text{CO})_4]$  (J.-J. Brunet and A. El Zaizi), 275

### Benzophenone

Synthesis of benzophenone by carbonylation of iodobenzene with  $[\text{Bu}_3\text{N}][\text{HFe}(\text{CO})_4]$  (J.-J. Brunet and A. El Zaizi), 275

### Biological activity

Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51

### Bipyridine

Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

### Bis(trifluoromethyl)borane

Amine adducts of bis(trifluoromethyl)borane,  $(\text{CF}_3)_2\text{BH}$ , crystal and molecular structure of  $(\text{CF}_3)_2\text{BH} \cdot \text{NMe}_2\text{CH}_2\text{Ph}$  (D.J. Brauer and G. Pawelke), 129

## Bridging thiolate

Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes  $[\text{Mo}_2\text{Cp}_2(\mu\text{-H})(\mu\text{-ER})(\text{CO})_4]$  (E = S, R = Me, <sup>1</sup>Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétilion, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183

## Carbene complex

The first chiral racemic Fischer-type aminocarbene complex bearing a C<sub>2</sub> symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

## Carbon monoxide

Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

## Carbonyl

Addition-protonation reactions of ( $\eta^6$ -arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[\text{Fe}(\text{CO})_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109

Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

## Carbonylation

Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

Synthesis of benzophenone by carbonylation of iodobenzene with  $[\text{Bu}_3\text{N}][\text{HFe}(\text{CO})_4]$  (J.-J. Brunet and A. El Zaizi), 275

## Catalysis

Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

## Chromium

Addition-protonation reactions of ( $\eta^6$ -arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199

Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic  $\pi$ -hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

The first chiral racemic Fischer-type aminocarbene complex bearing a C<sub>2</sub> symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

## Cluster

Synthesis and X-ray crystal structure of the heterometallic platinum-mercury cluster  $[\{\text{Pt}_4(\mu\text{-CO})_4(\text{PMe}_2\text{Ph})_4\}(\mu_3\text{-HgI})_2]$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

## Cobalt

A convenient electrosynthesis of new complexes  $[\text{Sn}(\text{Co}(\text{CO})_3\text{-PR}_3)_4]$  and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co<sup>II</sup>, Ni<sup>II</sup> and Cu<sup>II</sup> complexes. ESR properties of Co<sup>II</sup> and Cu<sup>II</sup> complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217

## Copper

Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co<sup>II</sup>, Ni<sup>II</sup> and Cu<sup>II</sup> complexes. ESR properties of Co<sup>II</sup> and Cu<sup>II</sup> complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95

<sup>53</sup>Cr NMR

Characterization of manganese sandwich complexes by <sup>55</sup>Mn NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255

## Crystal structure

Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*<sup>2-</sup> ( $\text{H}_2\text{omtaa} = 2,3,6,8,11,12,15,17$ -octamethyl-5,14-dihydro-( $\text{H}_2\text{tmtaa} = 6,8,15,17$ -tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a,h*]cyclotetradecene), and the crystal structure of  $[\text{MeGa}(\text{omtaa})]$  (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237

Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes  $[\text{Mo}_2\text{Cp}_2(\mu\text{-H})(\mu\text{-ER})(\text{CO})_4]$  (E = S, R = Me, <sup>1</sup>Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétilion, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183

Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

Synthesis and properties of 1,3- and 1,4- $\{(\eta^5\text{-C}_6\text{H}_6)\text{Mn}(\text{CO})_3\}_2\text{-C}_5\text{H}_4$ : molecular structure of  $[(\mu\text{-}\eta^5\text{:}\eta^5\text{:}\eta^5\text{-C}_{17}\text{H}_{13})(\text{CH}_3)\text{-Mn}_2\text{W}(\text{CO})_9]$  (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211

Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkyllithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

Zeravalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzyl-

- deneacetone complex [Pd(PhCH=CHCO=CHPh)((C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>-PCH<sub>2</sub>)<sub>2</sub>NMe)] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171
- Cycloheptadienyl  
Reaction of tricarbonyl(η<sup>6</sup>-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
- Cycloheptatriene  
Reaction of tricarbonyl(η<sup>6</sup>-cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
- Cyclohexadienyl  
Reactivity of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)<sub>3</sub>]PF<sub>6</sub>: molecular structure of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)<sub>2</sub>-(C(O)Me)] (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141  
Synthesis and properties of 1,3- and 1,4-((η<sup>5</sup>-C<sub>6</sub>H<sub>6</sub>)Mn(CO)<sub>3</sub>)<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>: molecular structure of [(μ-η<sup>5</sup>:η<sup>5</sup>:η<sup>5</sup>-C<sub>17</sub>H<sub>15</sub>)(CH<sub>3</sub>)Mn<sub>2</sub>W(CO)<sub>9</sub>] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
- Cyclopentadienyl  
Cyclische Amine als intramolekulare Hilfsliganden in π-Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291  
Der (N,N-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287  
Synthesis and properties of 1,3- and 1,4-((η<sup>5</sup>-C<sub>6</sub>H<sub>6</sub>)Mn(CO)<sub>3</sub>)<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>: molecular structure of [(μ-η<sup>5</sup>:η<sup>5</sup>:η<sup>5</sup>-C<sub>17</sub>H<sub>15</sub>)(CH<sub>3</sub>)Mn<sub>2</sub>W(CO)<sub>9</sub>] (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211  
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155  
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylthiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31
- 2D EXSY NMR  
Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D <sup>119</sup>Sn EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263
- Diazabutadiene  
Synthesis, magnetic susceptibility and X-ray crystal structure of (tBuNCHCHN<sup>t</sup>Bu)<sub>3</sub>Yb (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
- Dibenzylideneacetone  
Zerovalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex [Pd(PhCH=CHCO=CHPh)((C<sub>6</sub>H<sub>11</sub>)<sub>2</sub>-PCH<sub>2</sub>)<sub>2</sub>NMe)] (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171
- 1,3-Diketones  
The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163
- Dinuclear diphosphine complexes  
Heterobimetallic Group 6-rhodium complexes III. [M(CO)<sub>3</sub>(NN)-(dppm-P)] (M = Mo, W; NN = phen or bpy) as P-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
- Diphenylphosphinemethane  
Heterobimetallic Group 6-rhodium complexes III. [M(CO)<sub>3</sub>(NN)-(dppm-P)] (M = Mo, W; NN = phen or bpy) as P-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
- Dithioether  
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylthiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31
- Electrochemistry  
A convenient electrosynthesis of new complexes [Sn(Co(CO)<sub>3</sub>-PR<sub>3</sub>)<sub>4</sub>] and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123  
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co<sup>II</sup>, Ni<sup>II</sup> and Cu<sup>II</sup> complexes. ESR properties of Co<sup>II</sup> and Cu<sup>II</sup> complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95  
Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylthiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31
- Electrospray mass spectrometry  
Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic π-hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243
- EPR  
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear Co<sup>II</sup>, Ni<sup>II</sup> and Cu<sup>II</sup> complexes. ESR properties of Co<sup>II</sup> and Cu<sup>II</sup> complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95
- Esters  
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51
- Fluxional behavior  
Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes [Mo<sub>2</sub>Cp<sub>2</sub>(μ-H)(μ-ER)(CO)<sub>4</sub>] (E = S, R = Me, <sup>t</sup>Bu, Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183
- 3-(2-furanyl)-2-propenoic acid  
Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51
- Gallium  
Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*<sup>2-</sup> (H<sub>2</sub>*omtaa* = 2,3,6,8,11,12,15,17-octamethyl-5,14-dihydro-(H<sub>2</sub>*tmtaa* = 6,8,15,17-tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a,h*]cyclotetradecene), and the crystal structure of [MeGa(*omtaa*)] (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237
- Halogen exchange  
Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D <sup>119</sup>Sn EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263

## Hartree-Fock

A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45

## Heterobimetallic complexes

Heterobimetallic Group 6-rhodium complexes III.  $[M(CO)_3(NN)-(dppm-P)]$  ( $M = Mo, W$ ;  $NN = phen$  or  $bpy$ ) as *P*-donor in  $M-Rh$  complexes (M. Cano, P. Ovejero and J.V. Heras), 63

## Heterobimetallics

Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

Synthesis and X-ray crystal structure of the heterometallic platinum-mercury cluster  $\{[Pt_4(\mu-CO)_4(PMe_2Ph)_4](\mu_3-HgI)_2\}$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37

## Hydride

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 217

Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57

## Hydride ligands

Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes  $[Mo_2Cp_2(\mu-H)(\mu-ER(CO)_4)]$  ( $E = S, R = Me, ^iBu, Bz$ , or  $Ph$ ;  $E = Se, R = Ph$ ) (P. Schollhammer, F.Y. Pétilon, R. Pichon, S. Poder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183

 $\pi$ -Hydrocarbon complexes

Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic  $\pi$ -hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

## Indenyl

Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-silacyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgren and T. Pakkanen), 193

## Indenyl compounds

Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

## Insertion

Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21

## Intramolecular cyclization

The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163

## Ion cyclotron resonance

Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[Fe(CO)_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109

## Ion/molecule reactions

Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[Fe(CO)_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109

## Iron

Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[Fe(CO)_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109

Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic  $\pi$ -hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

## Isocyanide

Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21

## Kinetics

The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249

## Lewis acids

Etude de la réactivité de l'allyltriméthylsilane avec les cétones  $\alpha$ -cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

## Lithium

Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkylolithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

## Macrocycles

Group 13 tetraazamacrocyclic complexes. The synthesis and characterisation of the monomethyl- and dimethyl-aluminium(III) and gallium(III) complexes of the two tetraazamacrocyclic ligands *omtaa*<sup>2-</sup> ( $H_2omtaa = 2,3,6,8,11,12,15,17$ -octamethyl-5,14-dihydro- $(H_2tmtaa = 6,8,15,17$ -tetramethyl-5,14-dihydro-5,9,14,18-tetraaza-dibenzo[*a,h*]cyclotetradecene), and the crystal structure of  $[MeGa(omtaa)]$  (J.C. Cannadine, W. Errington, P. Moore, M.G.H. Wallbridge, E. Nield and D. Fenn), 237

## Magnesium

Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkylolithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

## Magnetic susceptibility

Synthesis, magnetic susceptibility and X-ray crystal structure of  $(^iBuNCHCHN^iBu)_3Yb$  (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177

## Maleonitriledithiolate

Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylthiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

## Manganese

Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147

Reaction of tricarbonyl( $\eta^6$ -cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135

Reactivity of  $[(1,2,3,4-tetrahydronaphthalene)Mn(CO)_3]PF_6$ : molecular structure of  $[(1,2,3,4-tetrahydronaphthalene)Mn(CO)_2-C(O)Me]$  (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

- Synthesis and properties of 1,3- and 1,4- $\{(\eta^5\text{-C}_6\text{H}_6)\text{Mn}(\text{CO})_2\text{-C}_3\text{H}_4\}$ : molecular structure of  $[(\mu\text{-}\eta^5\text{:}\eta^5\text{:}\eta^5\text{-C}_{17}\text{H}_{13})(\text{CH}_3)\text{-Mn}_2\text{W}(\text{CO})_9]$  (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
- Manganese sandwich complexes**  
 Characterization of manganese sandwich complexes by  $^{55}\text{Mn}$  NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255
- Mass spectroscopy**  
 Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[\text{Fe}(\text{CO})_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109
- Mechanism**  
 The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249
- Mercury**  
 Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster  $\{[\text{Pt}_4(\mu\text{-CO})_4(\text{PMe}_2\text{Ph})_4]\{\mu_3\text{-HgI}_2\}\}$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
- Metal**  
 Synthesis, magnetic susceptibility and X-ray crystal structure of  $(^t\text{BuNCHCHN}^t\text{Bu})_3\text{Yb}$  (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
- Metal carbonyl anions**  
 Chemistry of coordinatively unsaturated and electron deficient carbonyl metallate ions. Gas phase reactions of  $[\text{Fe}(\text{CO})_2]^-$  with alcohols (I.K. Gregor and R.C. Gregor), 109  
 Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
- Metallocene**  
 Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155
- Metallocenes**  
 Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193
- Michael addition**  
 The first chiral racemic Fischer-type aminocarbene complex bearing a  $\text{C}_2$  symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279
- $^{55}\text{Mn}$  NMR  
 Characterization of manganese sandwich complexes by  $^{55}\text{Mn}$  NMR spectroscopy (B. Wrackmeyer, T. Hofmann and M. Herberhold), 255
- Molybdenocene**  
 Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155
- Molybdenum**  
 Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic  $\pi$ -hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243  
 Heterobimetallic Group 6-rhodium complexes III.  $[\text{M}(\text{CO})_3(\text{NN})\text{-}(\text{dppm-}P)]$  (M = Mo, W; NN = phen or bpy) as *P*-donor in *M*–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
- Reactions of di- and poly-nuclear complexes. 13. Synthesis, structure and fluxional behaviour of hydrido- and thiolato- or selenato-bridged complexes  $[\text{Mo}_2\text{Cp}_2(\mu\text{-H})(\mu\text{-ER})(\text{CO})_4]$  (E = S, R = Me,  $^t\text{Bu}$ , Bz, or Ph; E = Se, R = Ph) (P. Schollhammer, F.Y. Pétillon, R. Pichon, S. Pöder-Guillou, J. Talarmin, K.W. Muir and S.E. Girdwood), 183
- Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115
- Nickel**  
 Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear  $\text{Co}^{\text{II}}$ ,  $\text{Ni}^{\text{II}}$  and  $\text{Cu}^{\text{II}}$  complexes. ESR properties of  $\text{Co}^{\text{II}}$  and  $\text{Cu}^{\text{II}}$  complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95
- NMR**  
 Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51  
 Synthese und Charakterisierung von Poly(dialkylsilylen-comethylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- NMR-spectroscopy**  
 Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster  $\{[\text{Pt}_4(\mu\text{-CO})_4(\text{PMe}_2\text{Ph})_4]\{\mu_3\text{-HgI}_2\}\}$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
- NMR-study**  
 Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57
- N,N*-dimethylaminoethylcyclopentadienyl titanium complexes  
 Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287
- N,N*-dimethylaminoethylcyclopentadienyl zirconium complexes  
 Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287
- Nucleophilic addition**  
 Reactivity of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_3]\text{PF}_6$ : molecular structure of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_2\text{-}(\text{C}(\text{O})\text{Me})]$  (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141
- Olefinated**  
 Reaction of tricarbonyl( $\eta^6$ -cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
- Organoantimony**  
 Antimony. Annual review covering the year 1991 (L.D. Freedman and G.O. Doak), 1
- Organotin**  
 Organotin esters of 3-(2-furanyl)-2-propenoic acid: their characterization and biological activity (M. Danish, H.G. Alt, A. Badshah, S. Ali, M. Mazhar and Nazar-ul-Islam), 51
- Oxidative addition**  
 Reactions of dicobalt octa(isocyanide) with 2-bromoacetophenone (Y. Yamamoto, T. Tanase and K. Sugano), 21
- Palladium**  
 Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

- Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259
- Zerivalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex  $[\text{Pd}(\text{PhCH}=\text{CHCO}=\text{CHPh})\{(\text{C}_6\text{H}_{11})_2\text{-PCH}_2\}_2\text{NMe}]$  (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171
- Palladium catalysis  
The palladium-catalyzed intramolecular cyclization of alkadienyl-substituted 1,3-diketones (R. Goddard, G. Hopp, P.W. Jolly, C. Krüger, R. Mynott and C. Wirtz), 163
- Pentacarbonyliron  
Synthesis of benzophenone by carbonylation of iodobenzene with  $[\text{Bu}_4\text{N}][\text{HFe}(\text{CO})_4]$  (J.-J. Brunet and A. El Zaizi), 275
- Phosphide  
Phosphido bridged heterodinuclear (Mn/Fe, Mn/Cr, Mn/W) complexes (J.T. Lin, A.C. Yeh, Y.C. Chou, T.Y.R. Tsai and Y.S. Wen), 147
- Phosphine  
A convenient electro-synthesis of new complexes  $[\text{Sn}(\text{Co}(\text{CO})_3\text{-PR}_3)_4]$  and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123
- Phosphine complexes  
A convenient electro-synthesis of new complexes  $[\text{Sn}(\text{Co}(\text{CO})_3\text{-PR}_3)_4]$  and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123
- Phosphonium  
Reaction of tricarbonyl( $\eta^6$ -cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
- Platinum  
Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster  $\{[\text{Pt}_4(\mu\text{-CO})_4(\text{PMe}_2\text{Ph})_4](\mu_3\text{-HgI})_2\}$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
- Zerivalent palladium and platinum complexes of aminomethylphosphines. Crystal structure of the palladium(0) dibenzylideneacetone complex  $[\text{Pd}(\text{PhCH}=\text{CHCO}=\text{CHPh})\{(\text{C}_6\text{H}_{11})_2\text{-PCH}_2\}_2\text{NMe}]$  (J. Fawcett, R.D.W. Kemmitt, D.R. Russell and O. Serindag), 171
- Podocarpic acid  
Addition–protonation reactions of ( $\eta^6$ -arene)tricarbonylchromium(0) complexes of podocarpic acid derivatives: synthesis of steroidal alicyclic skeletons (R.C. Cambie, P.S. Rutledge, R.J. Stevenson and P.D. Woodgate), 199
- Poly(Carbosilanes)  
Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- Poly(dialkenylsilylene-co-methylene)  
Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- Polymetallic  
Synthesis and properties of 1,3- and 1,4- $\{(\eta^5\text{-C}_6\text{H}_6)\text{Mn}(\text{CO})_3\}_2\text{-C}_5\text{H}_4$ : molecular structure of  $[(\mu\text{-}\eta^5\text{:}\eta^5\text{:}\eta^5\text{-C}_{17}\text{H}_{15})(\text{CH}_3)_2\text{-Mn}_2\text{W}(\text{CO})_9]$  (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211
- Precursor  
Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- Preparation  
Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155
- Pyrazoles  
Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole-*N*<sup>2</sup>)dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105
- Pyrazoline complexes  
Electrochemical reduction of 1,10-bis(1-phenyl-3-methyl-5-hydroxy-4-pyrazolyl)-1,10-decanedione. Characterization of its electrogenerated mononuclear  $\text{Co}^{\text{II}}$ ,  $\text{Ni}^{\text{II}}$  and  $\text{Cu}^{\text{II}}$  complexes. ESR properties of  $\text{Co}^{\text{II}}$  and  $\text{Cu}^{\text{II}}$  complexes (A. Louati, A. Kuncaka, M. Gross, C. Hauptmann, M. Bernard, J.-J. André and J.-P. Brunette), 95
- Pyrolysis  
Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- Radiolysis  
Radiolytic synthesis and characterization of  $[\text{Ru}^{\text{II}}(\text{acac})_2(\text{CO})\text{L}]$  (L = MeOH, EtOH or Pr<sup>i</sup>OH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283
- Reaction mechanism  
Etude de la réactivité de l'allyltriméthylsilane avec les cétones  $\alpha$ -cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69
- Reduction  
Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57
- Rhodium  
Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217
- Rhodium–Group 6 complexes  
Heterobimetallic Group 6–rhodium complexes III.  $[\text{M}(\text{CO})_3(\text{NN})\text{-}(\text{dppm-}P)]$  (M = Mo, W; NN = phen or bpy) as *P*-donor in M–Rh complexes (M. Cano, P. Ovejero and J.V. Heras), 63
- Ruthenium  
Radiolytic synthesis and characterization of  $[\text{Ru}^{\text{II}}(\text{acac})_2(\text{CO})\text{L}]$  (L = MeOH, EtOH or Pr<sup>i</sup>OH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283
- Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylidithiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31
- Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgrén, J. Pursiainen and T.A. Pakkanen), 217
- Si–C-fibres  
Synthese und Charakterisierung von Poly(dialkenylsilylen-co-methylenen) als Grundmaterialien von SiC-Fasern (W. Habel, A. Oelschläger und P. Sartori), 267
- Silacyclopentyl  
Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diyl)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis[inden-1,1-diyl]-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diyl)-1-sila-cyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193

## Silicon

Etude de la réactivité de l'allyltriméthylsilane avec les cétones  $\alpha$ -cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249

## Silylene

The reactions of silylenes on the chemically activated silica surface (Yu.V. Razskazovskii, M.V. Roginskaya and M.Ya. Mel'nikov), 249

## Solvatochromism

Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

## Solvent

Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

## Stereochemistry

The first chiral racemic Fischer-type aminocarbene complex bearing a  $C_2$  symmetry amine: stereochemical characteristics and application to Michael addition reactions (C. Baldoli, P. Del Buttero, E. Licandro, S. Maiorana, A. Papagni and A. Zanotti-Gerosa), 279

## Structure

Cyclische Amine als intramolekulare Hilfsliganden in  $\pi$ -Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291

## Synthesis

P-H-funktionelle Zirkonocen-Phosphido-Komplexe—Synthese und Molekülstruktur von  $cis\text{-}[\text{Cp}'_2\text{Zr}(\mu\text{-PHR})_2]$  ( $\text{Cp}' = \text{C}_5\text{H}_4\text{Me}$ ,  $\text{R} = \text{C}_4\text{H}_9$  ( $t\text{-Bu}$ ),  $\text{C}_{10}\text{H}_{15}$  ( $\text{Ad}$ )) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229

Radiolytic synthesis and characterization of  $[\text{Ru}^{\text{II}}(\text{acac})_2(\text{CO})\text{L}]$  ( $\text{L} = \text{MeOH}$ ,  $\text{EtOH}$  or  $\text{Pr}^i\text{OH}$ ) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283

Synthesis of benzophenone by carbonylation of iodobenzene with  $[\text{Bu}^n\text{N}][\text{HFe}(\text{CO})_4]$  (J.-J. Brunet and A. El Zaizi), 275

## Tetrahydronaphthalene

Reactivity of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_3]\text{PF}_6$ : molecular structure of  $[(1,2,3,4\text{-tetrahydronaphthalene})\text{Mn}(\text{CO})_2\text{-}(\text{C}(\text{O})\text{Me})]$  (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141

## Tetrahydrothiophene

Tetrahydrothiophene derivatives of metal carbonyl clusters (T. Teppana, S. Jääskeläinen, M. Ahlgren, J. Pursiainen and T.A. Pakkanen), 217

## Theoretical study

A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45

## Tin

A convenient electrosynthesis of new complexes  $[\text{Sn}\{\text{Co}(\text{CO})_3\text{-PR}_3\}_4]$  and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole- $N^2$ )dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105

Study of halogen exchanges in (Z)-1-[2-(Bromochlorophenylstannyl)vinyl]-1-cyclohexanol by 2D  $^{119}\text{Sn}$  EXSY NMR (F. Kayser, M. Biesemans, F. Fu, H. Pan, M. Gielen and R. Willem), 263

Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57

## Titanium

Cyclische Amine als intramolekulare Hilfsliganden in  $\pi$ -Komplexen des Titans (W.A. Herrmann, M.J.A. Morawietz, T. Priermeier und K. Mashima), 291

Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287

Etude de la réactivité de l'allyltriméthylsilane avec les cétones  $\alpha$ -cyclopropaniques en présence de tétrachlorure de titane (H. Monti, M. Afshari et G. Léandri), 69

## Triazine

Synthetic and theoretical MO calculational studies of lithiotriazine intermediates produced during alkylolithium-induced cyclotrimerisation reactions of organic nitriles, and comparison of their structures with that of a methylmagnesiatriazine derivative (D.R. Armstrong, K.W. Henderson, M. MacGregor, R.E. Mulvey, M.J. Ross, W. Clegg and P.A. O'Neil), 79

## Tungsten

Comparison of electrospray mass spectrometry with other soft ionization techniques for the characterisation of cationic  $\pi$ -hydrocarbon organometallic complexes (L.A.P. Kane-Maguire, R. Kanitz and M.M. Sheil), 243

Heterobimetallic Group 6-rhodium complexes III.  $[\text{M}(\text{CO})_3(\text{NN})\text{-}(\text{dppm-}P)]$  ( $\text{M} = \text{Mo}$ ,  $\text{W}$ ;  $\text{NN} = \text{phen}$  or  $\text{bpy}$ ) as *P*-donor in  $\text{M-Rh}$  complexes (M. Cano, P. Ovejero and J.V. Heras), 63

Solvatochromism in substituted 2,2'-bipyridinetetracarbonyl-metal complexes of chromium, molybdenum and tungsten (P.N.W. Baxter and J.A. Connor), 115

Synthesis and properties of 1,3- and 1,4- $(\eta^5\text{-C}_6\text{H}_6)_2\text{Mn}(\text{CO})_3\text{-C}_5\text{H}_4$ : molecular structure of  $[(\mu\text{-}\eta^5\text{:}\eta^5\text{:}\eta^5\text{-C}_{17}\text{H}_{15})(\text{CH}_3)_2\text{-Mn}_2\text{W}(\text{CO})_9]$  (J.-A. Kim, T.-M. Chung, Y.K. Chung, J.-H. Jung and S.W. Lee), 211

## Tungstenocene

Synthesis of mixed-ring indenyl analogues of tungstenocene (I.S. Gonçalves and C.C. Romão), 155

## Vapour synthesis

Synthesis, magnetic susceptibility and X-ray crystal structure of  $(^1\text{BuNCHCHN}^1\text{Bu})_3\text{Yb}$  (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177

## Vinylstannane

A theoretical approach to the molecular structure of vinylstannane and some structural isomers (A. Márquez, J. Anguiano, G. González and J. Fernández Sanz), 45

## Vinylstannanes

Vinylstannanes: synthesis and characterization (T. Janati, J.-C. Guillemin and M. Soufiaoui), 57

## Visible spectra

Synthesis, spectral and electrochemical aspects of maleonitriledithiolate and dibenzylthiomaleonitrile complexes of cyclopentadienylruthenium(II) (R. Prasad), 31

## Water

Palladium catalyzed carbonylation of iodoarenes in aqueous solubilized systems (A.V. Cheprakov, N.V. Ponomareva and I.P. Beletskaya), 297

Palladium-catalyzed arylation of styrene and acrylic acid in water (N.A. Bumagin, V.V. Bykov, L.I. Sukhomlinova, T.P. Tolstaya and I.P. Beletskaya), 259

## Water-soluble phosphines

A convenient electrosynthesis of new complexes  $[\text{Sn}\{\text{Co}(\text{CO})_3\text{-PR}_3\}_4]$  and their spectroscopic characterization (K.-B. Riether, S. Pellegrini, A. Mortreux and E. Monflier), 123

- X-ray**  
 Amine adducts of bis(trifluoromethyl)borane,  $(CF_3)_2BH$ , crystal and molecular structure of  $(CF_3)_2BH \cdot NMe_2CH_2Ph$  (D.J. Brauer and G. Pawelke), 129  
 Synthesis, magnetic susceptibility and X-ray crystal structure of  $(^1BuNCHCHN^1Bu)_3Yb$  (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
- X-ray structure**  
 Dichlorodialkyltin complexes with 4-bromopyrazole. The crystal structure of bis(4-bromopyrazole- $N^2$ )dichlorodimethyltin(IV) (U. Casellato, R. Graziani, V. Peruzzo and G. Plazzogna), 105  
 P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese und Molekülstruktur von cis-[Cp'Zr( $\mu$ -PHR)]<sub>2</sub> (Cp' = C<sub>5</sub>H<sub>4</sub>Me, R = C<sub>4</sub>H<sub>9</sub> (<sup>1</sup>Bu), C<sub>10</sub>H<sub>15</sub> (Ad)) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229  
 Radiolytic synthesis and characterization of [Ru<sup>II</sup>(acac)<sub>2</sub>(CO)L] (L = MeOH, EtOH or Pr<sup>1</sup>OH) (H. Remita, M.E. Brik, J.C. Daran and M.O. Delcourt), 283  
 Reactivity of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)<sub>3</sub>]PF<sub>6</sub>: molecular structure of [(1,2,3,4-tetrahydronaphthalene)Mn(CO)<sub>2</sub>-(C(O)Me)] (T.-Y. Lee, S.S. Lee, Y.K. Chung and S.W. Lee), 141  
 Synthesis and X-ray crystal structure of the heterometallic platinum–mercury cluster  $\{[Pt_4(\mu-CO)_4(PMe_2Ph)_4](\mu_3-HgI)_2\}$  (K.-H. Dahmen, D. Imhof, L.M. Venanzi, T. Gerfin and V. Gramlich), 37
- Ylide**  
 Reaction of tricarbonyl( $\eta^6$ -cycloheptatriene)manganese cation with phosphorus ylides (S.-g. Lee, Y.K. Chung, T.-S. Yoon and W. Shin), 135
- Ytterbium**  
 Synthesis, magnetic susceptibility and X-ray crystal structure of  $(^1BuNCHCHN^1Bu)_3Yb$  (M.N. Bochkarev, A.A. Trifonov, F.G.N. Cloke, C.I. Dalby, P.T. Matsunaga, R.A. Andersen, H. Schumann, J. Loebel and H. Hemling), 177
- Zirconium**  
 Der (*N,N*-Dimethylaminoethyl)cyclopentadienyl-Ligand in der Komplexchemie von Titan und Zirkon (P. Jutzi und J. Kleimeier), 287  
 Synthesis and characterization of *ansa*-[1,1-bis(inden-1,1-diy)-1-silacyclopentane]zirconium dichlorides. Crystal structures of *meso*- and *racemic*-[1,1-bis(inden-1,1-diy)-1-silacyclopentane]-dichlorozirconium and *racemic*-[1,1-bis(4,5,6,7-tetrahydroinden-1,1-diy)-1-sila-cyclopentane]dichlorozirconium (H.J.G. Luttikhedde, R.P. Leino, J.H. Näsman, M. Ahlgrén and T. Pakkanen), 193
- Zirconocene–phosphidocomplexes**  
 P–H-funktionelle Zirkonocen–Phosphido-Komplexe—Synthese und Molekülstruktur von cis-[Cp'Zr( $\mu$ -PHR)]<sub>2</sub> (Cp' = C<sub>5</sub>H<sub>4</sub>Me, R = C<sub>4</sub>H<sub>9</sub> (<sup>1</sup>Bu), C<sub>10</sub>H<sub>15</sub> (Ad)) (E. Hey-Hawkins, S. Kurz, J. Sieler und G. Baum), 229
- Book Reviews**  
*Bioinorganic Chemistry*, I. Bertini, H.B. Gray, S.J. Lippard and J.S. Valentine (G.J. Leigh), C3  
*Organosilicon Chemistry: From Molecules to Materials*, N. Auner and J. Weis (Eds.) (C. Eaborn), C1  
*Oxygenates by Homologation or CO Hydrogenation with Metal Complexes*, G. Braca (Ed.) (E. Drent), C1  
*The Organometallic Chemistry of the Transition Metals*, R.H. Crabtree (G.J. Leigh), C2