



Subject Index of Volume 490

Alcohol

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Di-phenylphosphino-4-hydroxy-tetrahydrofuranen mit $[\text{Rh}(\text{COD})_2\text{BF}_4]$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

Alkenylhydrazinocarbene complexes

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

Alkyl

Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209

Alkyne hydrosilylation

Bis(di-*t*-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex $(\text{dtbpm})\text{Rh}[\text{Si}(\text{OEt})_3](\text{PMe}_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51

Alkynes

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

Alkynyl

Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179

Allenylidene complexes

Addition von Phosphanen an das C_α -Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

Allyl

Bis(di-*t*-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex $(\text{dtbpm})\text{Rh}[\text{Si}(\text{OEt})_3](\text{PMe}_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51

Ambiphilicity

The cobaloximes *trans*-bis(dimethylglyoxime)(R) Co^{III} , R = *n*- $\text{C}_{14}\text{H}_{29}$ or *n*- $\text{C}_{15}\text{H}_{31}$. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

Amino acid complexes

Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a *C,N*-cyclometallated group as an ancillary ligand (R. Navarro, J. García,

E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35

Aminoalkyne

Photochemische Reaktionen von Übergangsmetall–Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl- η^5 -2,4-dimethyl-2,4-penta-dien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5 -7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125

Arsenic

The first example of α -organoseleno arsonium ylides and its Wittig-type reaction (Z.-Z. Huang, X. Huang and Y.-Z. Huang), C23

Aryl halide

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Benzyl

Bis(di-*t*-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex $(\text{dtbpm})\text{Rh}[\text{Si}(\text{OEt})_3](\text{PMe}_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51

Binuclear complexes

Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11

Borane

Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Boron

Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Carbene complexes

Homoleptic carbene complexes VI. Bis(1,1'-methylene-3,3'-dialkyl-diimidazolin-2,2'-diylidene)palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brüdgam), 149

Carbonyl

The coordinatively unsaturated cluster cations $[\text{Pt}_3(\text{M}(\text{CO}))_3(\mu-\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]^+$ ($\text{M} = \text{Re}, \text{Mn}$) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1

Catalysis

Bis(di-*t*-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex

- (dtbpm)Rh[Si(OEt)₃](PMe₃) (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51
- C–C bond formation
- Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiβ), 133
- C–C-coupling
- Photochemische Reaktionen von Übergangsmetall- Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl- η^5 -2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5 -7-Dimethylamino-N-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiβ), 125
- Chalcogenide
- Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds Fe₂(CO)₆(μ -SeCH₂Te) and Fe₂(CO)₆(μ -SCH₂Te) (P. Mathur, B. Manimaran, M.M. Hosain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173
- Chalcogen–tin coordination
- Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type Me₂Sn(X)CH₂CH₂P(E)Ph₂ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45
- Chromium
- Addition von Phosphanen an das C_α-Atom von Allenyleniden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221
- Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in [(CO)₅CrNCN(C₂H₅)₂] (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29
- Hydrazinocarben-Metallkomplexe—Synthese aus Allenyleniden-komplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229
- Cluster
- The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111
- ¹³C NMR
- ¹³C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249
- Cobaloximes
- The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = n-C₁₄H₂₉ or n-C₁₅H₃₁. Surprising ambiphilic nature observed in the molecular packing of the longest n-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20
- Cobalt
- The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = n-C₁₄H₂₉ or n-C₁₅H₃₁. Surprising ambiphilic nature observed in the molecular packing of the longest n-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20
- The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27
- Conformational disorder
- Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in [(CO)₅CrNCN(C₂H₅)₂] (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29
- Copolymers
- Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32
- Copper
- Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179
- Crown ethers
- Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143
- Crystal structure
- Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243
- Insertion reaction of isocyanide into the Pt–C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of Cl(Et₃P)₂Pt-C(=NC₆H₄OMe-p)C₄H₂SC (=NC₆H₄OMe-p)Pt(PEt₃)₂Cl · CH₂Cl₂ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonogashira, T. Adachi and T. Yoshida), 117
- Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes PdX(C₄H₈)₂{(pz)₃BH} (X = OH, Cl, Br, I). The crystal structure of the hydroxoplatinum(IV) complex Pt(OH)Me₂{(pz)₃BH}, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18
- Photochemical reaction of W(CO)₆ with SnCl₄. II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), [WCl₄(OPPh₃)₂] (T. Szymańska-Buzar and T. Głowiąk), 203
- Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189
- Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds Fe₂(CO)₆(μ -SeCH₂Te) and Fe₂(CO)₆(μ -SCH₂Te) (P. Mathur, B. Manimaran, M.M. Hosain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173
- The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = n-C₁₄H₂₉ or n-C₁₅H₃₁. Surprising ambiphilic nature observed in the molecular packing of the longest n-alkyl organometallic compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20
- Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155
- (Z)-1-[2-(Triarylstannyl)vinyl]-1-cycloheptanols: synthesis, characterization, halodemettallation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekkink, F. Kayser, M. Biesemans, I. Verbruggen, R. Willem and M. Gielen), 163
- Cyanamide complex
- Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-[Pt(CF₃)(NCNEt₂)(PPh₃)₂]BF₄ (M.F.C. Guedes da Silva, E.M.P.R.P.

- Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89
- Cyanoguanidine complex**
- Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-[Pt(CF₃)-(NCNEt₂)(PPh₃)₂][BF₄] (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89
- (5 + 2, 3 + 2)-Cycloadditions
- Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiβ), 133
- Cyclohexadienyl**
- Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiβ), 133
- Cyclometallated**
- Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a C,N-cyclometallated group as an ancillary ligand (R. Navarro, J. García, E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35
- Cyclopentadienyl**
- Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189
- Cyclopropanation**
- Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239
- Dialkylstannanes**
- Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14
- Dimerization**
- [2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1
- 1,3-dioxa-2-stannolanes**
- Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14
- Diphosphine**
- The coordinatively unsaturated cluster cations [Pt₃(M(CO)₃)₃(μ -Ph₂PCH₂PPh₂)₃]⁺ (M = Re, Mn) (J. Xiao, E. Kristof, J.J. Vittal and R.J. Puddephatt), 1
- Electrochemistry**
- Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-N,O ligand (D. Lucas, Y. Mugnier, A. Antíñolo, A. Otero, S. García-Yuste and M. Fajardo), 7
- Epoxidation**
- Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239
- EPR**
- Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) com-
- plexes containing an ArNO-N,O ligand (D. Lucas, Y. Mugnier, A. Antíñolo, A. Otero, S. García-Yuste and M. Fajardo), 7
- Ethene**
- Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32
- Ferrocene**
- ¹³C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249
- Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243
- Fluxionality**
- M(CO)₄ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)pyridine (L¹) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L²): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83
- Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155
- Free carbenes**
- Homoleptic carbene complexes VI. Bis{1,1'-methylene-3,3'-dialkyl-diimidazolin-2,2'-diylidene}palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brügmann), 149
- Fused zwitterionic heterocycles**
- Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197
- Gadolinium**
- Syntheses and crystal structures of (C₈H₈)Nd(C₅H₉C₅H₄)(THF)₂ and [(C₈H₈)Gd(C₅H₉C₄H₄(THF))](C₈H₈)Gd(C₅H₉C₅H₄(THF)₂] (J. Jin, X. Zhuang, Z. Jin and W. Chen), C8
- Germanium**
- Synthesis and crystal structure of the organogermanium complex of ytterbium [(Ph₂Ge)₄Yb(THF)₄]⁺·4THF with a five-membered Ge₄Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29
- Heterometallic cycle**
- Synthesis and crystal structure of the organogermanium complex of ytterbium [(Ph₂Ge)₄Yb(THF)₄]⁺·4THF with a five-membered Ge₄Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29
- Hydrido complexes**
- Synthesis of Re-Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11
- Hydrogenation**
- Zur Komplexbildung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit [Rh-(COD)₂]BF₄ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213
- Hydrogen bonding**
- The cobaloximes *trans*-bis(dimethylglyoxime)(R)Co^{III}, R = *n*-C₁₄H₂₉ or *n*-C₁₅H₃₁. Surprising ambiphilic nature observed in the molecular packing of the longest *n*-alkyl organometallic

compound to be structurally characterized (E.J. Starr, S.A. Bourne, M.R. Caira and J.R. Moss), C20

Hydroxoplatinum

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)((pz)_3BH)$ ($X = OH, Cl, Br, I$). The crystal structure of the hydroxoplatinum(IV) complex $Pt(OH)Me_2((pz)_3BH)$, formed by use of water as an oxidant (A.J. Carty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

Hydroxyalkyl phosphines

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[Rh(COD)_2]BF_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

Imidazole

The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang and C.P. Cheng), 111

Imine

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Intramolecular

Multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $Me_2Sn(X)CH_2CH_2P(E)Ph_2$ ($X = Halogen$, $E = Chalcogen$) (T.N. Mitchell and B. Godry), 45

Iridium

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Iron

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Reaction of an iron–lithium complex with tolane and the structure of dilithiumtetraphenylbutadiene formed (T.A. Bazhenova, A.F. Shestakov, A.E. Shilov, M.Yu. Antipin, K.A. Lyssenko and Yu.T. Struchkov), 71

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $Fe_2(CO)_6(\mu-SeCH_2Te)$ and $Fe_2(CO)_6(\mu-SCH_2Te)$ (P. Mathur, B. Manimaran, M.M. Hosain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale and J.F. McAleer), 143

Isocyanide

Insertion reaction of isocyanide into the Pt–C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of $Cl(Et_3P)_2PtC(=NC_6H_4OMe-p)Pt(PEt_3)_2Cl \cdot CH_2Cl_2$ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonoogashira, T. Adachi and T. Yoshida), 117

Lithium

Reaction of an iron–lithium complex with tolane and the structure of dilithiumtetraphenylbutadiene formed (T.A. Bazhenova, A.F. Shestakov, A.E. Shilov, M.Yu. Antipin, K.A. Lyssenko and Yu.T. Struchkov), 71

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Manganese

Photochemische Reaktionen von Übergangsmetall–Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl- η^5 -2,4-dimethyl-2,4-penta-dien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5 -7-Dimethylamino-N-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiβ), 125

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiβ), 133

The coordinatively unsaturated cluster cations $[Pt_3(M(CO)_3)(\mu-Ph_2PCH_2PPh_2)_3]^+$ ($M = Re, Mn$) (J. Xiao, E. Kristof, J.J. Vittal und R.J. Puddephatt), 1

Mechanism

Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau und P.G. Taylor), 75

Mercury

^{13}C NMR spectra of cyclomercurated ferrocenylimines: substituent effects and conformations in the ferrocenes (Y.J. Wu, S.Q. Huo, L. Yang and C.X. Du), 249

Crystal structures of anil of benzoylferrocene and its derivative of mercury: specific arrangement of the ferrocenyl and phenyl groups around the C=N bond (S.Q. Huo, Y. Zhu and Y.J. Wu), 243

Metalaheterocumulene

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(CO)_5CrNCN(C_2H_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer und D. Reindl), 29

Metal clusters

The coordinatively unsaturated cluster cations $[Pt_3(M(CO)_3)(\mu-Ph_2PCH_2PPh_2)_3]^+$ ($M = Re, Mn$) (J. Xiao, E. Kristof, J.J. Vittal und R.J. Puddephatt), 1

Metallacycle

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $PdX(C_4H_8)((pz)_3BH)$ ($X = OH, Cl, Br, I$). The crystal structure of the hydroxoplatinum(IV) complex $Pt(OH)Me_2((pz)_3BH)$, formed by use of water as an oxidant (A.J. Carty, S.D. Fritsche, H. Jin, B.W. Skelton und A.H. White), C18

Metathesis

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Molecular switches

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale und J.F. McAleer), 143

Molybdenum

$M(CO)_4$ ($M = Mo$ or W) complexes of 2,6-bis(methylthiomethyl)pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard und K.G. Orrell), 83

M multinuclear magnetic resonance

M multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $\text{Me}_2\text{Sn}(\text{X})\text{CH}_2\text{CH}_2\text{P}(\text{E})\text{Ph}_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

N neodymium

Syntheses and crystal structures of $(\text{C}_8\text{H}_8)\text{Nd}(\text{C}_5\text{H}_9\text{C}_5\text{H}_4)(\text{THF})_2$ and $[(\text{C}_8\text{H}_8)\text{Gd}(\text{C}_5\text{H}_9\text{C}_4\text{H}_4(\text{THF})_2](\text{C}_8\text{H}_8)\text{Gd}(\text{C}_5\text{H}_9\text{C}_5\text{H}_4(\text{THF})_2)$ (J. Jin, X. Zhuang, Z. Jin and W. Chen), C8

N neutron structure

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(\text{CO})_5\text{CrNCN}(\text{C}_2\text{H}_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29

N nickel

[2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

N niobium

Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-N,O ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7

N nitrosobenzene complexes

Reactivity of niobocene dihalogenides toward nitroso derivatives. EPR and IR characterization of the first niobium(IV) complexes containing an ArNO-N,O ligand (D. Lucas, Y. Mugnier, A. Antiñolo, A. Otero, S. Garcia-Yuste and M. Fajardo), 7

NMR

$(\text{Z})\text{-1-[2-(Triarylstannylyvinyl]-1-cycloheptanols: synthesis, characterization, halodemetalation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekkink, F. Kayser, M. Biesmans, I. Verbruggen, R. Willem and M. Gielen)}, 163$

N nuclear magnetic resonance

$\text{M}(\text{CO})_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)-pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83

Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[\text{Rh}(\text{COD})_2]\text{BF}_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

N nucleophilic addition

Addition von Phosphanen an das C_α -Atom von Allenyleniden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

O oxidation

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $\text{PdX}(\text{C}_4\text{H}_8)(\text{pz})_3$

$\text{H}\}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxo-platinum(IV) complex $\text{Pt}(\text{OH})\text{Me}_2[(\text{pz})_3\text{BH}]$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

O oxidative addition

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

P palladium

Metal complexes of biologically important ligands: synthesis of amino acidato complexes of Pd^{II} containing a *C,N*-cyclometallated group as an ancillary ligand (R. Navarro, J. García, E.P. Urriolabeitia, C. Cativiela and M.D. Diaz-de-Villegas), 35

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $\text{PdX}(\text{C}_4\text{H}_8)(\text{pz})_3\text{BH}$ (X = OH, Cl, Br, I). The crystal structure of the hydroxo-platinum(IV) complex $\text{Pt}(\text{OH})\text{Me}_2[(\text{pz})_3\text{BH}]$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

P pentadienyl

Photochemische Reaktionen von Übergangsmetall–Organyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C–C-Verknüpfung von Tricarbonyl- η^5 -2,4-dimethyl-2,4-penta-dien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5 -7-Dimethylamino-*N*-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiß), 125

P phenolato complexes

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrCl}(\text{OC}_6\text{H}_4\text{PPh}_2)]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{OC}_6\text{H}_4\text{PPh}_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

P phosphane complexes

Addition von Phosphanen an das C_α -Atom von Allenyleniden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

P phospharuthenocenes

Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon and R.M. Matos), 155

P phosphine

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[\text{Rh}(\text{COD})_2]\text{BF}_4$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

P phosphinophenolato complexes

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrCl}(\text{OC}_6\text{H}_4\text{PPh}_2)]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{OC}_6\text{H}_4\text{PPh}_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

P phosphorus

M multinuclear magnetic resonance studies on intramolecular chalcogen–tin coordination in compounds of the type $\text{Me}_2\text{Sn}(\text{X})\text{CH}_2\text{CH}_2\text{P}(\text{E})\text{Ph}_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

P photochemical reactions

Photochemische Reaktionen von Übergangsmetall-Organyl-Komplexen mit Olefinen. XII. Photochemisch induzierte [5 + 2, 3 + 2]-Cycloadditionen von Alkinen an Tricarbonyl- η^5 -cyclohexadienyl-mangan (C.G. Kreiter, C. Fiedler, W. Frank und G.J. Reiß), 133

Photochemistry

Photochemische Reaktionen von Übergangsmetall-Organanyl-Komplexen mit Olefinen. XI. Photochemisch induzierte C-C-Verknüpfung von Tricarbonyl- η^5 -2,4-dimethyl-2,4-pentadien-1-yl-mangan mit 1-Dimethylamino-2-propin—Synthese eines η^5 -7-Dimethylamino-N-2,4-heptadien-1-yl-Chelatkomplexes (C.G. Kreiter, E.-C. Koch, W. Frank und G.J. Reiβ), 125

Platinum

Insertion reaction of isocyanide into the Pt-C bonds of 2,5-thienylene-bridged diplatinum complexes and 2-thienyl platinum complexes: molecular structure of $\text{Cl}(\text{Et}_3\text{P})_2\text{Pt}(\text{C}=\text{NC}_6\text{H}_4\text{OMe}-p)\text{C}_4\text{H}_2\text{SC}$ ($=\text{NC}_6\text{H}_4\text{OMe}-p$) $\text{Pt}(\text{PEt}_3)_2\text{Cl} \cdot \text{CH}_2\text{Cl}_2$ (K. Onitsuka, K. Murakami, K. Matsukawa, K. Sonogashira, T. Adachi und T. Yoshida), 117

Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*-[Pt(CF₃)₂(NCNEt₂)(PPh₃)₂][BF₄]⁻ (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo und G. Bombieri), 89

Synthesis of novel platinum-silver and platinum-copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín und M.T. Moreno), 179

The coordinatively unsaturated cluster cations $[\text{Pt}_3(\text{M}(\text{CO}))_3(\mu-\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]^+$ ($\text{M} = \text{Re}, \text{Mn}$) (J. Xiao, E. Kristof, J.J. Vittal und R.J. Puddephatt), 1

Polyferrocene

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale und J.F. McAleer), 143

Polymers

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Polynuclear

Synthesis of novel platinum-silver and platinum-copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín und M.T. Moreno), 179

Potassium complexes

Towards conformationally dependent redox-responsive molecular switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale und J.F. McAleer), 143

Propene

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Pyridine

The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang und C.P. Cheng), 111

Racemisation

Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau und P.G. Taylor), 75

Rearrangement

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

Redox couples

Towards conformationally dependent redox-responsive molecular

switches. New polyferrocene bis benzo crown ether receptors (P.D. Beer, C.G. Crane, J.P. Danks, P.A. Gale und J.F. McAleer), 143

Reduction

Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Rhenium

Synthesis of Re-Ru heterobimetallic polyhydride complexes.

Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lughan und R. Mathieu), 11

The coordinatively unsaturated cluster cations $[\text{Pt}_3(\text{M}(\text{CO}))_3(\mu-\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]^+$ ($\text{M} = \text{Re}, \text{Mn}$) (J. Xiao, E. Kristof, J.J. Vittal und R.J. Puddephatt), 1

The reaction of tetrahydridododecacarbonyltetrarhenium(0) with pyridine and some nitrogen-containing bases (S.R. Wang und C.P. Cheng), 111

Rhodium

Bis(di-t-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh-Si or Rh-H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex $(\text{dtbpm})\text{Rh}[\text{Si}(\text{OEt})_3](\text{PMe}_3)$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede und M.U. Schmidt), 51

The vinylation of aryl iodides catalysed by Co, Rh and Ir complexes (S. Iyer), C27

Zur Komplexierung von enantiomerenreinen *cis*- und *trans*-3-Diphenylphosphino-4-hydroxy-tetrahydrofuranen mit $[\text{Rh}(\text{COD})_2]\text{BF}_4^-$ (A. Börner, A. Kless, J. Holz, W. Baumann, A. Tillack und R. Kadyrov), 213

Ruthenium

Complexation and aromatization of α,β -unsaturated cyclic ketones by $\text{Ru}(\text{H}_2\text{O})_6^{2+}$ and $(\text{Bz})\text{Ru}(\text{H}_2\text{O})_3^{2+}$: molecular structure of $(\eta^6\text{-Tosylate})(\eta^5\text{-hydroxycyclopentadienyl})\text{Ru}$ and of $(\eta^6\text{-Tosylate})(\eta^6\text{-1,4-dihydroxy-2,3,5,6-tetramethylbenzene})\text{Ru}$ (U. Koelle, Chr. Weißschädel und U. Englert), 101

Synthesis of Re-Ru heterobimetallic polyhydride complexes.

Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lughan und R. Mathieu), 11

Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon und R.M. Matos), 155

Ruthenocene

Tri-, penta-, and hexa-phospha ruthenocenes (P.B. Hitchcock, J.F. Nixon und R.M. Matos), 155

Selenium

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $\text{Fe}_2(\text{CO})_6(\mu\text{-SeCH}_2\text{Te})$ and $\text{Fe}_2(\text{CO})_6(\mu\text{-SCH}_2\text{Te})$ (P. Mathur, B. Manimaran, M.M. Hosseini, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana und M.M. Bhadbhade), 173

The first example of α -organoseleno arsonium ylides and its Wittig-type reaction (Z.-Z. Huang, X. Huang und Y.-Z. Huang), C23

Silicon

Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell und B. Kowall), 239

Nucleophile-assisted racemisations of halosilanes — kinetic studies (A.R. Bassindale, J.C.-Y. Lau und P.G. Taylor), 75

Silver

Synthesis of novel platinum-silver and platinum-copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín und M.T. Moreno), 179

Spiro-metallacycles

Homoleptic carbene complexes VI. Bis{1,1'-methylene-3,3'-dialkyl-diimidazolin-2,2'-diylidene}palladium chelate complexes by the free carbene route (W.P. Fehlhammer, T. Bliss, U. Kernbach and I. Brüdgam), 149

Stanny

Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209

Synthesis

Une méthode simple et efficace de préparation des dihydrures organostanniques (H. Deleuze et B. Maillard), C14

Tellurium

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $\text{Fe}_2(\text{CO})_6(\mu\text{-SeCH}_2\text{Te})$ and $\text{Fe}_2(\text{CO})_6(\mu\text{-SCH}_2\text{Te})$ (P. Mathur, B. Manimaran, M.M. Hosain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

Tin

Cyclopropanation and epoxidation of 1,2-distannylalkenes and 1-silyl-2-stannylalkenes (T.N. Mitchell and B. Kowall), 239

Multinuclear magnetic resonance studies on intramolecular chalcogen-tin coordination in compounds of the type $\text{Me}_2\text{Sn}(\text{X})\text{CH}_2\text{CH}_2\text{P}(\text{E})\text{Ph}_2$ (X = Halogen, E = Chalcogen) (T.N. Mitchell and B. Godry), 45

Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[\text{WCl}_4(\text{OPPh}_3)_2]$ (T. Szymańska-Buzar and T. Głowiąk), 203

Synthesis of mixed organotin compounds via dialkylstannyl derivatives of sulphomaleic anhydride (V.I. Shcherbakov, I.P. Malysheva and R.P. Zakharova), 209

(Z)-1-[2-(Triarylstannyl)vinyl]-1-cycloheptanols: synthesis, characterization, halodemetalation and crystal structures (F. Fu, H. Li, D. Zhu, Q. Fang, H. Pan, E.R.T. Tiekkink, F. Kayser, M. Biesemans, I. Verbruggen, R. Willem and M. Gielen), 163

Titanium

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrCl}(\text{OC}_6\text{H}_4\text{PPh}_2)]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{OC}_6\text{H}_4\text{PPh}_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

Titanocenes

Untersuchungen von Polymerisations- und Metathesereaktionen, XXII. Darstellung und katalytische Reaktionen von substituierten Titanocendichloriden (H. Lang, S. Blau, A. Muth, K. Weiss und U. Neugebauer), C32

Triphenylphosphine oxide

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[\text{WCl}_4(\text{OPPh}_3)_2]$ (T. Szymańska-Buzar and T. Głowiąk), 203

Tungsten

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

$\text{M}(\text{CO})_4$ (M = Mo or W) complexes of 2,6-bis(methylthiomethyl)pyridine (L^1) and 2,6-bis(*p*-tolylthiomethyl)pyridine (L^2): a dynamic NMR study (E.W. Abel, E.S. Blackwall, M.L. Creber, P.J. Heard and K.G. Orrell), 83

Tungsten(IV)

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[\text{WCl}_4(\text{OPPh}_3)_2]$ (T. Szymańska-Buzar and T. Głowiąk), 203

Unsaturated cyclic ketones

Complexation and aromatization of α,β -unsaturated cyclic ketones by $\text{Ru}(\text{H}_2\text{O})_6^{2+}$ and $(\text{Bz})\text{Ru}(\text{H}_2\text{O})_5^{2+}$: molecular structure of $(\eta^6\text{-Tosylate})(\eta^5\text{-hydroxycyclopentadienyl})\text{Ru}$ and of $(\eta^6\text{-Tosylate})(\eta^1\text{-1,4-dihydroxy-2,3,5,6-tetramethylbenzene})\text{Ru}$ (U. Koelle, Chr. Weißschädel and U. Englert), 101

Water

Oxidation reactions using water, hydrogen peroxide and halogens to give pallad(IV)cyclopentane complexes $\text{PdX}(\text{C}_4\text{H}_8\text{-}\{\text{pz}\}_3\text{BH})$ (X = OH, Cl, Br, I). The crystal structure of the hydroxoplatinum(IV) complex $\text{Pt}(\text{OH})\text{Me}_2\{\text{pz}\}_3\text{BH}$, formed by use of water as an oxidant (A.J. Canty, S.D. Fritsche, H. Jin, B.W. Skelton and A.H. White), C18

X-ray diffraction

Novel rearrangements of fused zwitterionic heterocyclic systems (B. Wrackmeyer, S. Kerschl, H.E. Maisel and W. Milius), 197

Photochemical reaction of $\text{W}(\text{CO})_6$ with SnCl_4 . II. Synthesis and X-ray structure of tetrachlorobis(triphenylphosphine oxide)tungsten(IV), $[\text{WCl}_4(\text{OPPh}_3)_2]$ (T. Szymańska-Buzar and T. Głowiąk), 203

Reactions of nickelocene with methyl-, ethyl- and vinyl-lithium compounds. Hydrogen elimination and cyclopentadienyl ring hydrogenation (S. Pasynkiewicz, W. Buchowicz, J. Popławska, A. Pietrzykowski and J. Zachara), 189

Syntheses and properties of cyanamide and cyanoguanidine complexes of platinum(II). X-Ray structure of *trans*- $[\text{Pt}(\text{CF}_3\text{-NCNEt}_2)(\text{PPh}_3)_2]\text{[BF}_4\text{]}$ (M.F.C. Guedes da Silva, E.M.P.R.P. Branco, Y. Wang, J.J.R.F. Da Silva, A.J.L. Pombeiro, R. Bertani, R.A. Michelin, M. Mozzon, F. Benetollo and G. Bombieri), 89

Synthesis and characterisation of the methylene-inserted mixed-chalcogenide compounds $\text{Fe}_2(\text{CO})_6(\mu\text{-SeCH}_2\text{Te})$ and $\text{Fe}_2(\text{CO})_6(\mu\text{-SCH}_2\text{Te})$ (P. Mathur, B. Manimaran, M.M. Hosain, R. Shanbag, J. Murthy, I.S. Saranathan, C.V.V. Satyanarayana and M.M. Bhadbhade), 173

Synthesis of novel platinum–silver and platinum–copper complexes with bridging alkynyl ligands (J. Forniés, E. Lalinde, A. Martín and M.T. Moreno), 179

X-ray structure

Bis(di-*t*-butylphosphino)methane complexes of rhodium: homogeneous alkyne hydrosilylation by catalyst-dependent alkyne insertion into Rh–Si or Rh–H bonds. Molecular structures of the dimer $[(\text{dtbpm})\text{RhCl}]_2$ and of the silyl complex $(\text{dtbpm})\text{Rh}[\text{Si}(\text{OEt})_3]\text{[PMe}_3]$ (P. Hofmann, C. Meier, W. Hiller, M. Heckel, J. Riede and M.U. Schmidt), 51

Chemical bonding in metalaheterocumulene complexes: II. Demonstration of a temperature dependant conformational disorder of the methyl groups in $[(\text{CO})_5\text{CrNCN}(\text{C}_2\text{H}_5)_2]$ (M.-N. Ohnet, A. Spasojevic-de Biré, N.Q. Dao, P. Schweiss, J.-M. Kiat, P. Gregoire, H. Fischer and D. Reindl), 29

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrCl}(\text{OC}_6\text{H}_4\text{PPh}_2)]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{OC}_6\text{H}_4\text{PPh}_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

Synthesis of Re–Ru heterobimetallic polyhydride complexes. Study of the influence of ligands bonded to the monometallic precursors on the nature of the isolated binuclear complexes (I. Moldes, S. Nefedov, N. Lugan and R. Mathieu), 11

X-ray structure analysis

Hydrazinocarben-Metallkomplexe—Synthese aus Allenylidenkomplexen und Hydrazinen, Umlagerung und Cyclisierung (H. Fischer und G. Roth), 229

Ylide complexes

Addition von Phosphanen an das C_α-Atom von Allenyliden(pentacarbonyl)chrom und Umlagerung in Phosphan-Komplexe (H. Fischer, D. Reindl, C. Troll und F. Leroux), 221

Ytterbium

Synthesis and crystal structure of the organogermanium complex of ytterbium $[(\text{Ph}_2\text{Ge})_4\text{Yb}(\text{THF})_4] \cdot 4\text{THF}$ with a five-membered Ge₄Yb cycle (L.N. Bochkarev, V.M. Makarov, L.N. Zakharov, G.K. Fukin, A.I. Yanovsky and Y.T. Struchkov), C29

Zinc

[2 + 2] Dimerization of norbornadiene and its derivatives in the presence of nickel complexes and zinc metal (D.-J. Huang and C.-H. Cheng), C1

Zirconium

Synthesis of 2-(diphenylphosphino)phenolato- and 2-(diphenylphosphinomethyl)-4-methylphenolato complexes of titanium and zirconium. X-ray characterization of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrCl}(\text{OC}_6\text{H}_4\text{PPh}_2)]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{OC}_6\text{H}_4\text{PPh}_2)_2]$ (L. Miquel, M. Basso-Bert, R. Choukroun, R. Madhouni, B. Eichhorn, M. Sanchez, M.-R. Mazières and J. Jaud), 21

Book reviews

American Chemical Society Advances in Chemistry Series, Vol. 238 Photosensitive Metal-Organic Systems — Mechanistic Principles and Applications, Charles Katal and Nick Serpone (Eds.) (M. Poliakoff), C37

Catalytic Asymmetric Synthesis, I. Ojima (Ed.) (S. Caddick), C37
Iron Compounds in Organic Synthesis, A.J. Pearson (R.M.G. Roberts), C37

Organometallics in Synthesis: A Manual, M. Schlosser (Ed.) (C. Eaborn), C37

The Chemistry of the Copper and Zinc Triads, A.J. Welch and S.K. Chapman (Eds.) (C. Eaborn), C37