



ELSEVIER

Subject Index of Volume 493

Acetylide

Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55

Adducts

Syntheses and structural studies of two adducts of cationocene, $[CdCp_2\text{TMEDA}]$ and $[CdCp_2\text{PMDTA}]$ (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Alkyl

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(Ti(\eta^5-C_5H_5)(\mu-\text{PPPh}_2))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)]$ and $[(Zr(\eta^5-C_5H_5)(\mu-\text{C}\equiv\text{CSiMe}_3))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Synthesis and spectroscopic properties of $Re(R)(CO)_3(\alpha\text{-diimine})$ (R = alkyl; α -diimine = $R'\text{-pyCa}$, $R'\text{-DAB}$) complexes. Crystal structure of $Re(Me)(CO)_3(^1\text{Pr-DAB})$ (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Alkylidyne

Reactions of the alkylidyne cluster $[Os_3(\mu-\text{H})_2(CO)_9(\mu_3-\text{CNC}_5H_4-\text{CH}=\text{CH}_2)]$. Crystal structures of $[Os_3(\mu-\text{H})_2(CO)_9(\mu_3-\text{CNC}_5H_4-\text{CH}=\text{CH}_2)]$, $[Os_3(\mu-\text{H})_2(CO)_9(\mu_3-\text{CNC}_5H_4-\mu-\eta^2-\text{CH}=\text{CH})Os_3(\mu-\text{H})(CO)_{10}]$ and $[Os_3(\mu-\text{H})_2(CO)_9(\mu_3-\text{CNC}_5H_4-\text{C}(\text{O})\text{CH}_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Alkyne

Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

Alkynyl

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(Ti(\eta^5-C_5H_5)(\mu-\text{PPPh}_2))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)]$ and $[(Zr(\eta^5-C_5H_5)(\mu-\text{C}\equiv\text{CSiMe}_3))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Allenyl

Synthesis and structure of cationic η^3 -allenyl/propargyl palladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19

Aluminium

Reaktionen von $(Cp'\text{AlCl}_2)_2$ und $(Cp^*\text{AlCl}_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von $(Cp'(\text{Ph})\text{AlCl})_2$ und $[Cp'(\text{Cl})\text{AlN}(\text{H})^1\text{Bu}]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69

Aminoalanes

Reaktionen von $(Cp'\text{AlCl}_2)_2$ und $(Cp^*\text{AlCl}_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von

$(Cp'(\text{Ph})\text{AlCl})_2$ und $[Cp'(\text{Cl})\text{AlN}(\text{H})^1\text{Bu}]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69

Ammirophosphine

From phosphaimines to phosphanes via transient iminozirconio-phosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133

Anticancer

The crystal structure of butylchlorobis(8-quinolinolate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13

Antimony

The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189

Antitumour activity

Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Arsenic

Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino- α -D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199

Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. $O(C_6H_4)_2\text{AsS}_2\text{CN}(\text{CH}_2\text{CH}_2)_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. García-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61

Synthesis and X-ray crystal structure of $(p\text{-CH}_3\text{C}_6\text{H}_4)_3\text{As}=\text{N}-\text{S}_3\text{N}_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101

The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189

Bis(amino)phosphine azide complexes

Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P. Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95

Boron

Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91

The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, $CF_3(R)\text{BNMe}_2$: crystal and molecular structure of $CF_3(\text{Et})(\text{NCCH}_2)\text{B}\cdot\text{NHMe}_2$ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167

Boronate

Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropyl-

- pylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91
- Boronic acid**
- Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91
- Cadmium**
- Syntheses and structural studies of two adducts of cadmocene, $[CdCp_2\text{TMEDA}]$ and $[CdCp_2\text{PMDETA}]$ (TMEDA = $\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2$, PMDETA = $(\text{Me}_2\text{NCH}_2\text{CH}_2)_2\text{NMe}$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
- Cadmocene**
- Syntheses and structural studies of two adducts of cadmocene, $[CdCp_2\text{TMEDA}]$ and $[CdCp_2\text{PMDETA}]$ (TMEDA = $\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2$, PMDETA = $(\text{Me}_2\text{NCH}_2\text{CH}_2)_2\text{NMe}$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
- Carbamate**
- Solvolytic kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvari and P. Sohár), 267
- Carbene complexes**
- Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113
- Carbohydrate**
- Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino- α -D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199
- Carbonyl**
- Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25
- Reactions of the alkylidyne cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$, $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-}\mu\text{-}\eta^2\text{-CH=CH})\text{Os}_3(\mu\text{-H})(\text{CO})_{10}]$ and $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-C(O)CH}_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229
- Carboxylate complexes**
- Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
- Carbonylation**
- Oxidative addition of cationic (η^6 -chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22
- Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83
- Catalysis**
- Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6
- Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal-Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55
- Oxidative addition of cationic (η^6 -chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22
- Catalyst**
- Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
- Cationic Co(II) catalysts**
- Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6
- C-C bond formation**
- Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C-C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1
- Chirality**
- First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
- Chloroarene**
- Oxidative addition of cationic (η^6 -chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22
- Chromatography**
- Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91
- Cluster**
- $\text{In}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit $\text{In}_4\text{Se}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit In_4Se_4 -Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
- Reactions of the alkylidyne cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$, $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-}\mu\text{-}\eta^2\text{-CH=CH})\text{Os}_3(\mu\text{-H})(\text{CO})_{10}]$ and $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-C(O)CH}_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229
- Cobalt**
- Electronic structure of $[\text{CpCoMe}_2\text{SiC}_4\text{H}_4]$, photoelectron and MSX_α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guilhouzo), 41
- Cobalt compounds**
- Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113
- Crystal structure**
- Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
- Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

- Crystal structures of the solvates *trans*-[RhCl₂(MeOH)C₆H₃-2,6-(CH₂PCy₂)₂]. 0.41CH₂Cl₂ and *trans*-[RhCl₂·(EtOH)C₆H₃-2,6-(CH₂PCy₂)₂]. H₂O. Factors influencing the reactions of C₆H₄-1,3-(CH₂PR₂)₂ with RhCl₃ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243
- Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25
- Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of [Yb(η^5 -C₅H₄SiMe₃)₂(μ -Cl)]₂ (M.-R. Spirlet and J. Goffart), 149
- Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
- Reactions of the alkylidyne cluster [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-CH=CH₂)]. Crystal structures of [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-CH=CH₂)], [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄- μ - η^2 -CH=CH)Os₃(μ -H)(CO)₁₀] and [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-C(O)CH₃)] (W.-Y. Wong, S. Chan and W.-T. Wong), 229
- Regioselectivity in metallation reactions of 2-(2'-naphthyl)pyridine: 1'- versus 3'-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2'-pyridinyl)naphthyl-C^{3,N}]palladium (A. Ford, E. Sinn and S. Woodward), 215
- Synthese und Kristallstruktur des ersten dimeren Silaamidids (I). Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223
- Syntheses and structural studies of two adducts of cadmocene, [CdCp₂.TMEDA] and [CdCp₂.PMDETA] (TMEDA = Me₂NCH₂CH₂NMe₂, PMDETA = (Me₂NCH₂CH₂)₂NMe) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
- Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino- α -D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199
- Synthesis and spectroscopic properties of Re(R)(CO)₃(α -diimine) (R = alkyl; α -diimine = R'-pyCa, R'-DAB) complexes. Crystal structure of Re(Me)(CO)₃(ⁱPr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
- Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91
- The crystal structure of butylchlorobis(8-quinolinolate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
- The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, CF₃(R)BNMe₂: crystal and molecular structure of CF₃(Et)(NCCH₂)B·NHMe₂ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167
- Crystal structures
- Reaktionen von (Cp'AlCl₂)₂ und (Cp^{*}AlCl₂)₂ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp'(Ph)AlCl₂) und [Cp'(Cl)AlN(H)ⁱBu]₂ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
- Cyclometallation
- Regioselectivity in metallation reactions of 2-(2'-naphthyl)pyridine: 1'- versus 3'-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2'-pyridinyl)naphthyl-C^{3,N}]palladium (A. Ford, E. Sinn and S. Woodward), 215
- Cyclopentadienyl
- First optically active organometallic free radical in the cyclooctatetraene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
- Reaktionen von (Cp'AlCl₂)₂ und (Cp^{*}AlCl₂)₂ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp'(Ph)AlCl₂) und [Cp'(Cl)AlN(H)ⁱBu]₂ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
- Redox-induced activation of C-H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustyryuk), 181
- Deltacyclenes
- Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6
- Diamine complexes
- Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
- Diethyltin complex
- Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107
- Diimine
- Synthesis and spectroscopic properties of Re(R)(CO)₃(α -diimine) (R = alkyl; α -diimine = R'-pyCa, R'-DAB) complexes. Crystal structure of Re(Me)(CO)₃(ⁱPr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
- Dilithiation
- Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
- Dimerization
- Synthese und Kristallstruktur des ersten dimeren Silaamidids (I). Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223
- Dimetallation
- Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
- Dithiocarbamates
- Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. O(C₆H₄)₂AsS₂CN(CH₂CH₂)₂, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61
- Early transition metals
- Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn T.D. Tilley and A.L. Rheingold), 83
- Electrochemistry
- Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

- Redox-induced activation of C–H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181**
- Electrogenerated bases**
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27
- Epoxidation**
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
- Fulvalene**
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-PPPh}_2))_2\{\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4\text{)}\}]$ and $[(\text{Zr}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-C}\equiv\text{CSiMe}_3))_2\{\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4\text{)}\}]$ (A. Cano, T. Cuena, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
- Fulvene**
Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163
- Gallium**
The first volatile Di(organogallio) transition metal Carbonylates: *cis*-(CO)₄Fe{Ga(CH₂)₃NMe₂}(R)₂ (R = ¹Bu or C₆H₅), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139
- Germanium**
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of Ln[GeAr₃]₂ [Ar = C₆H₄(2-CH₂NMe₂); Ln = Sm, Yb] and the crystal structure of an unusual μ -(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47
- Group 13**
Reaktionen von (Cp'AlCl₂)₂ und (Cp^{*}AlCl₂)₂ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp'(Ph)AlCl)₂ und [Cp'(Cl)AlN(H)¹Bu]₂ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
- Group 15**
Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. O(C₆H₄)₂AsS₂CN(CH₂CH₂)₂, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. García-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61
- Heterocubane**
 $\text{In}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit In₄-Tetraeder und In₄Se₄{C(SiMe₃)₃}₄ mit In₄Se₄-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
- Heterometallic complexes**
Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
- Homo-Diels-Alder-reaction**
Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6
- ¹H, ²⁹Si NMR, gas chromatography-mass spectroscopy
Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33
- Hydrocarbyl complexes**
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ -hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129
- Hydrogen bonding**
The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of MH₄(dppe)₂ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275
- Iminozirconiophosphoranes**
From phosphainimes to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
- Indium**
 $\text{In}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit In₄-Tetraeder und In₄Se₄{C(SiMe₃)₃}₄ mit In₄Se₄-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
- Infrared spectroscopy**
The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of MH₄(dppe)₂ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275
- Iridium**
Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
- Iron**
Acetylenic derivatives of Fe₂(CO)₆(μ -Se₂): synthesis and spectroscopic characterization of [(CO)₆Fe₂(μ -SeC(H)=C(H)Se)] and [(CO)₆Fe₂Se₂](μ -C(H)-C(H)) (P. Mathur, A.K. Dash, Md.M. Hossain and C.V.V. Satyanarayana), 257
- Formation of Mo, W, Fe and Ru di(metal σ -acetylides) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9
- Insertion of methylene group into Fe–Te bond: synthesis and characterization of (CO)₃Fe(μ -CH₂)Te₂ (P. Mathur, B. Manimaran, Md.M. Hossain, C.V.V. Satyanarayana, V.G. Puranik and S.S. Tavale), 251
- Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
- The first volatile Di(organogallio) transition metal Carbonylates: *cis*-(CO)₄Fe{Ga(CH₂)₃NMe₂}(R)₂ (R = ¹Bu or C₆H₅), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139
- Kinetics**
Solvolytic kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvari and P. Sohár), 267
- Lanthanide**
Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of [Yb($\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3$)₂(μ -Cl)]₂ (M.-R. Spirlet and J. Goffart), 149
- Lanthanides**
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of Ln[GeAr₃]₂ [Ar = C₆H₄(2-CH₂NMe₂); Ln = Sm, Yb] and the crystal structure of an unusual μ -(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Lanthanum

Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Lithium

Cheating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $\text{Ln}[\text{GeAr}_3]_2$ [$\text{Ar} = \text{C}_6\text{H}_4(2\text{-CH}_2\text{NMe}_2)$; $\text{Ln} = \text{Sm}$, Yb] and the crystal structure of an unusual μ -(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271

Low-pressure carbonylation

Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[\text{MOCl}_4]^-$ and $[\text{MO}_4]^-$: the technetium(I) and rhenium(I) complexes $[\text{NEt}_4]_2[\text{MCl}_3(\text{CO})_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119

Main group elements

The crystal structure of butylchlorobis(8-quinolinolate)tin(IV) (E. Kellő, V. Vrábel, J. Holeček and J. Sivý), 13

Manganese

First optically active organometallic free radical in the cyanotrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221

Oxidative addition of cationic (η^6 -chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Mercury

Regioselectivity in metallation reactions of 2-(2'-naphthyl)pyridine: 1'- versus 3'-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2'-pyridinyl)naphthyl-C^{3,N}]palladium (A. Ford, E. Sinn and S. Woodward), 215

Metal carbylanions

The first volatile Di(organogallio) transition metal Carbonylates: cis -(CO)₄Fe{Ga(CH₂)₃NMe₂}(R)₂ (R = ¹Bu or C₆H₅), Precursors for Gallium Rich Thin Fe-Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139

Metal carbyns

Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[\text{MOCl}_4]^-$ and $[\text{MO}_4]^-$: the technetium(I) and rhenium(I) complexes $[\text{NEt}_4]_2[\text{MCl}_3(\text{CO})_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119

Metallacycles

Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Metallocene

Syntheses and structural studies of two adducts of cadmocene, [CdCp₂.TMEDA] and [CdCp₂.PMDTA] (TMEDA = Me₂NCH₂CH₂NMe₂, PMDETA = (Me₂NCH₂CH₂)₂NMe) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Metallocenes

Redox-induced activation of C-H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181

MOCVD

The assessment of some Sb-Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189

The first volatile Di(organogallio) transition metal Carbonylates: cis -(CO)₄Fe{Ga(CH₂)₃NMe₂}(R)₂ (R = ¹Bu or C₆H₅), Precursors for Gallium Rich Thin Fe-Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139

Molybdenum

Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal-Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55

Formation of Mo, W, Fe and Ru di(metal σ -acetylidyde) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal-carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of MH₄(dppe)₂ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

MSX _{α} calculations

Electronic structure of [CpCoMe₂SiC₄H₄], photoelectron and MSX _{α} studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guilouzo), 41

Neodymium

Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Niobium

Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

NMR-spectroscopy

Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

Olefin complexes

Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Orthometallation

Crystal structures of the solvates *trans*-[RhCl₂(MeOH)C₆H₃-2,6-(CH₂PCy₂)₂]₂·0.41CH₂Cl₂ and *trans*-[RhCl₂(EtOH)(C₆H₃-2,6-(CH₂PCy₂)₂]₂·H₂O. Factors influencing the reactions of C₆H₄-1,3-(CH₂PR₂)₂ with RhCl₃ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243

Osmium

Reactions of the alkylidyne cluster $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$. Crystal structures of $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-CH=CH}_2)]$, $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-}\mu\text{-}\eta^2\text{-CH=CH})\text{Os}_3(\mu\text{-H})(\text{CO})_{10}]$ and $[\text{Os}_3(\mu\text{-H})_2(\text{CO})_9(\mu_3\text{-CNC}_5\text{H}_4\text{-C(O)CH}_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Oxidative addition

Oxidative addition of cationic (η^6 -chloroarene)tricarbonyl manganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Palladium

Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C-C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1

Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal-Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55

Oxidative addition of cationic (η^6 -chloroarene)tricarbonyl manganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Regioselectivity in metallation reactions of 2-(2'-naphthyl)pyridine: 1'- versus 3'-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2'-pyridinyl)naphthyl-C³,N]palladium (A. Ford, E. Sinn and S. Woodward), 215

Synthesis and structure of cationic η^3 -allenyl/propargylpalladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19

Pentafluorophenyl

Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Peralkylated niobocene

Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

Permethylated cyclosilanes

Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33

PE spectrum

Electronic structure of $[\text{CpCoMe}_2\text{SiC}_4\text{H}_4]$, photoelectron and MSX _{α} studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guilhouzo), 41

Phenoxyarsine

Synthesis and structural characterization of phenoxyarsin-10-yl dithiocarbamates, $\text{O}(\text{C}_6\text{H}_4)_2\text{AsS}_2\text{CN}(\text{CH}_2\text{CH}_2)_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61

Phosphainime

From phosphainimes to phosphanes via transient iminozirconio-phosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133

 μ -Phosphanido

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-PPPh}_2))_2\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4)]$ and $[(\text{Zr}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-C}\equiv\text{CSiMe}_3))_2\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4)]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Phosphorimines

From phosphainimes to phosphanes via transient iminozirconio-phosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133

Photoelectron spectroscopy

Synthesis and spectroscopic properties of $\text{Re}(\text{R})(\text{CO})_3(\alpha\text{-diimine})$ (R = alkyl; $\alpha\text{-diimine}$ = $\text{R}'\text{-pyCa}$, $\text{R}'\text{-DAB}$) complexes. Crystal structure of $\text{Re}(\text{Me})(\text{CO})_3(^{\text{i}}\text{Pr}\text{-DAB})$ (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Platinum

Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C-C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Redox-induced activation of C-H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181

Polysilane

Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Porphyrin

Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143

Potassium tert-butylate

Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33

Preparations

Formation of Mo, W, Fe and Ru di(metal σ -acetylide) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal-carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9

Propargyl

Synthesis and structure of cationic η^3 -allenyl/propargylpalladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19

Protonation

The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of

- MH₄(dppe)₂** (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275
- Pyrazolylborate complexes**
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ -hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129
- Quinolate**
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
- Radical**
First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
- Raman spectroscopy**
Synthesis and spectroscopic properties of Re(R)(CO)₃(α -diimine) (R = alkyl; α -diimine = R'-pyCa, R'-DAB) complexes. Crystal structure of Re(Me)(CO)₃(^tPr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
- Reactivity**
Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P. Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95
- Synthesis and reactivity of hydrotris(pyrazolyl)borate σ -hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129
- Rhenium**
Metal carbonyl syntheses. XXII. Low pressure carbonylation of [MOCl₄]⁻ and [MO₄]⁻: the technetium(I) and rhenium(I) complexes [NEt₄]₂[MCl₃(CO)₃] (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119
- Synthesis and spectroscopic properties of Re(R)(CO)₃(α -diimine) (R = alkyl; α -diimine = R'-pyCa, R'-DAB) complexes. Crystal structure of Re(Me)(CO)₃(^tPr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
- Rhodium**
Crystal structures of the solvates *trans*-[RhCl₂(MeOH)(C₆H₃-2,6-(CH₂PCy₂)₂)]. 0.41CH₂Cl₂ and *trans*-[RhCl₂(EtOH)(C₆H₃-2,6-(CH₂PCy₂)₂)]. H₂O. Factors influencing the reactions of C₆H₄-1,3-(CH₂PR₂)₂ with RhCl₃ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243
- Synthesis, characterization and some reactions of [(diene)Rh(μ -OSiMe₃)₂] (B. Marciniec and P. Krzyżanowski), 261
- Ruthenium**
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
- Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55
- Formation of Mo, W, Fe and Ru di(metal σ -acetylide) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9
- Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
- Sacrificial magnesium anode**
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27
- Salt elimination**
Reaktionen von (Cp'AlCl₂)₂ und (Cp^{*}AlCl₂)₂ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp'(Ph)AlCl₂)₂ und [Cp'(Cl)AlN(H)^tBu]₂ (S. Schulz, H.W. Roesky, M. Noltmeyer und H.-G. Schmidt), 69
- Samarium**
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of Ln[GeAr₃]₃ [Ar = C₆H₄(2-CH₂NMe₂); Ln = Sm, Yb] and the crystal structure of an unusual μ -(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47
- Selenium**
Acetylenic derivatives of Fe₂(CO)₆(μ -Se₂): synthesis and spectroscopic characterization of [(CO)₆Fe₂{ μ -SeC(H)=C(H)Se}] and [(CO)₆Fe₂Se₂]₂ μ -C(H)-C(H)] (P. Mathur, A.K. Dash, Md.M. Hossain and C.V.V. Satyanarayana), 257
- In₄{CSiMe₃}₃₄ mit In₄Tetraeder und In₄Se₄{C(SiMe₃)₃}₄ mit In₄Se₄-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
- Silaamidine**
Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223
- Silicon**
Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
- Solvolytic kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvari and P. Sohár), 267
- Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223
- Synthesis, characterization and some reactions of [(diene)Rh(μ -OSiMe₃)₂] (B. Marciniec and P. Krzyżanowski), 261
- Silyl**
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83
- Silyl enol ethers**
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27
- SINDO calculations**
Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113
- Solvatochromism**
Reactions of the alkylidyne cluster [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-CH=CH₂)]. Crystal structures of [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-CH=CH₂)], [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄- μ - η ²-CH=CH)Os₃(μ -H)(CO)₁₀] and [Os₃(μ -H)₂(CO)₉(μ ₃-CNC₅H₄-C(O)CH₃)] (W.-Y. Wong, S. Chan and W.-T. Wong), 229
- Solvolytic**
Solvolytic kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvari and P. Sohár), 267
- Stannyl**
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Stereoselective synthesis

Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27

Sulfur

Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271

First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221

Synthesis

Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C-C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesuaro), 1

Synthesis and reactivity of hydrotris(pyrazolyl)borate σ -hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Technetium

Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[\text{MOCl}_4]^-$ and $[\text{MO}_4]^-$: the technetium(I) and rhenium(I) complexes $[\text{NEt}_4]_2[\text{MCl}_3(\text{CO})_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119

Tellurium

Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271

Insertion of methylene group into Fe-Te bond: synthesis and characterization of $((\text{CO})_3\text{Fe}(\mu\text{-CH}_2)\text{Te})_2$ (P. Mathur, B. Manimaran, Md.M. Hossain, C.V.V. Satyanarayana, V.G. Puranik and S.S. Tavale), 251

The assessment of some Sb-Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189

Terdentate ligands

Crystal structures of the solvates *trans*- $[\text{RhCl}_2(\text{MeOH})(\text{C}_6\text{H}_3\text{-2,6-(CH}_2\text{PCy}_2)_2)]$, $0.41\text{CH}_2\text{Cl}_2$ and *trans*- $[\text{RhCl}_2(\text{EtOH})(\text{C}_6\text{H}_3\text{-2,6-(CH}_2\text{PCy}_2)_2)]\text{H}_2\text{O}$. Factors influencing the reactions of $\text{C}_6\text{H}_4\text{-1,3-(CH}_2\text{PR}_2)_2$ with RhCl_3 (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243

Tertiary arsines

Synthesis and X-ray crystal structure of $(p\text{-CH}_3\text{C}_6\text{H}_4)_3\text{As} = \text{N-S}_3\text{N}_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101

Tetrahedron

$\text{In}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit In_4 -Tetraeder und $\text{In}_4\text{Se}_4\{\text{C}(\text{SiMe}_3)_3\}_4$ mit In_4Se_4 -Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Tetramethylsilole

Electronic structure of $[\text{CpCoMe}_2\text{SiC}_4\text{H}_4]$, photoelectron and MSX α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guilouzo), 41

Thiazenes

Synthesis and X-ray crystal structure of $(p\text{-CH}_3\text{C}_6\text{H}_4)_3\text{As} = \text{N-S}_3\text{N}_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101

Thin alloy films

The first volatile Di(organogallio) transition metal Carbonylates: cis -(CO)₄Fe(Ga(CH₂)₃NMe₂)(R)₂ (R = ¹Bu or C₆H₅), Precursors for Gallium Rich Thin Fe-Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139

Thiol

Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

Thiophene diacetylides

Formation of Mo, W, Fe and Ru di(metal σ -acetylides) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal-carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9

Tin

Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107

The crystal structure of butylchlorobis(8-quinolinolate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13

Titanium

From phosphaimines to phosphanes via transient iminozirconio-phosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majral), 133

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-PPh}_2))_2(\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4))]$ and $[(\text{Zr}(\eta^5\text{-C}_5\text{H}_5)(\mu\text{-C}\equiv\text{CSiMe}_3))_2(\mu\text{-(}\eta^5\text{-C}_5\text{H}_4\text{-}\eta^5\text{-C}_5\text{H}_4))]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Tridentate phosphines

Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

Trifluoromethyl

The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, CF₃(R)BNMe₂: crystal and molecular structure of CF₃(Et)(NCCH₂)B·NHMe₂ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167

Trimethylsilyl

Solvolytic kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újsászy, B. Csákvari and P. Sohár), 267

Trinuclear

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Tungsten

Formation of Metal σ -acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), 55

Formation of Mo, W, Fe and Ru di(metal σ -acetylides) derivatives of 2,5-diethynylthiophene via palladium-catalyzed metal-carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frache), C9

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of MH₄(dppe)₂ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

Undecamethylcyclohexasilanylpotassium

Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33

Uranium

Synthesis and reactivity of hydrotris(pyrazolyl)borate σ -hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Vinyl

Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

X-ray diffraction

Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of $[Yb(\eta^5-C_5H_4SiMe_3)_2(\mu-Cl)]_2$ (M.-R. Spirlet and J. Goffart), 149

Syntheses and structural studies of two adducts of cadmocene, $[CdCp_2\text{TMEDA}]$ and $[CdCp_2\text{PMDETA}]$ (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Synthesis and X-ray crystal structure of $(p\text{-CH}_3C_6H_4)_3As = N-S_3N_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101

The crystal structure of butylchlorobis(8-quinolinolate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13

X-ray structure

Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107

$In_4[C(SiMe_3)_3]_4$ mit In_4 -Tetraeder und $In_4Se_4[C(SiMe_3)_3]_4$ mit In_4Se_4 -Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119

Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P. Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95

X-ray structures

Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Ylidic complexes

Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Ytterbium

Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [$Ar = C_6H_4(2\text{-CH}_2NMe_2)$; $Ln = Sm$, Yb] and the crystal structure of an unusual μ -(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of $[Yb(\eta^5-C_5H_4SiMe_3)_2(\mu-Cl)]_2$ (M.-R. Spirlet and J. Goffart), 149

Yttrium

Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Zirconium

From phosphaimines to phosphanes via transient iminozirconio-phosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majral), 133

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[(Ti(\eta^5-C_5H_5)(\mu\text{-PPPh}_2))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)\}]$ and $[(Zr(\eta^5-C_5H_5)(\mu\text{-C}\equiv CSiMe_3))_2\{\mu-(\eta^5-C_5H_4-\eta^5-C_5H_4)\}]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Book Reviews

Organometallic Reagents in Synthesis, Paul R. Jenkins (J.R. Hanson), C29

Sulfur Reagents in Organic Synthesis, Harcourt Brace (S.D. Cradick), C29