



## Subject Index of Volume 499

### Alcohols

Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

### Aldehyde

$\text{Co}_2(\text{CO})_8$ -Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193

Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

### Alkene

Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Sugino, A. Matsumoto, K. Nagata and Y. Ito), C1

Synthesis and crystal structure of a pentacoordinate 1,2-oxagermane (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143

### Alkenes

The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

### Alkylsilylation

Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

### Alkynes

Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

### Allene

Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

### Allylic

Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181

### Allylic inversion

Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

### Allylsilanes

Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159

### AM1 calculations

Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27

### (Amino)disilane

Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-*tert*-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

### Aryl

Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89

### Base

$\text{Et}_3\text{GeNa}-\text{YCl}_3$  complex as a new strong base (Y. Yokoyama and K. Mochida), C4

### Bis-silylation

Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Sugino, A. Matsumoto, K. Nagata and Y. Ito), C1

### Block copolymers

Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253

### Bulky ligand

Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

### Carbon monoxide

$\text{Co}_2(\text{CO})_8$ -Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193

### Carbonyl

Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex ( $\eta^5\text{C}_5\text{Me}_5\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPh}_3)$ ) (H. Hashimoto, H. Tobita and H. Ogino), 205

### Catalysis

The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

### Cerium

Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of  $[\text{Nd}(\eta\text{-C}_5\text{H}_5\text{SiMe}_3)_2\text{-1,3}]_2(\mu\text{-OMe})_2\text{Li(DME)}$  and  $[(\text{Ce}(\eta\text{-C}_5\text{H}_5\text{Bu}_2\text{-1,3})_2(\mu\text{-OMe}))_2]$  (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

### Charge transfer

Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123

## Chirality

Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167

## Chlorination

Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

## Cobalt

$\text{Co}_2(\text{CO})_8$ -Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193

## C–O cleavage

Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of  $[\text{Nd}(\eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\text{-1,3})_2(\mu\text{-OMe})_2\text{Li(DME)}]$  and  $[(\text{Ce}(\eta\text{-C}_5\text{H}_3\text{'Bu}_2\text{-1,3})_2(\mu\text{-OMe}))_2]$  (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

## Crown ether

Synthesis and crystal structure of a pentacoordinate 1,2-oxagermane (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143

## Crystal structure

Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of  $[\text{Nd}(\eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\text{-1,3})_2(\mu\text{-OMe})_2\text{Li(DME)}]$  and  $[(\text{Ce}(\eta\text{-C}_5\text{H}_3\text{'Bu}_2\text{-1,3})_2(\mu\text{-OMe}))_2]$  (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

Hepta-tert-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235

Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F. Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147

Syntheses, structures and properties of dihydroxyppermethylcyclosilanes and permethyloxahexasilanboranes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241

Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89

Synthesis and crystal structure of a pentacoordinate 1,2-oxagermane (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143

Synthesis and the electronic spectra of the first  $\beta$ -ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloi, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73

Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7

## Cycloaddition

Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43

## Cyclopentadienyl

Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of  $[\text{Nd}(\eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\text{-1,3})_2(\mu\text{-OMe})_2\text{Li(DME)}]$  and  $[(\text{Ce}(\eta\text{-C}_5\text{H}_3\text{'Bu}_2\text{-1,3})_2(\mu\text{-OMe}))_2]$  (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213

Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex ( $\eta^5$ -

$\text{C}_5\text{Me}_5$ ) $\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPPh}_2)$  (H. Hashimoto, H. Tobita and H. Ogino), 205

The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of  $(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{Me}_4\text{C}_5\text{GeCl}$  (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammle), 7

## Cyclotilanes

Syntheses, structures and properties of dihydroxyppermethylcyclosilanes and permethyloxahexasilanboranes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241

## Cyclotetrasilane

Hepta-tert-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235

Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253

## Decasilane

Synthesis, structure, and reactivity of the permethylated decasilane  $(\text{Me}_3\text{Si})_3\text{Si-SiMe}_2\text{-SiMe}_2\text{-Si}(\text{SiMe}_3)_3$  (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247

## Decomposition reactions

The different modes of decomposition of hexa-tert-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229

## Dianion

Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7

## Diazo

Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[l.m.n]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99

## Diolefins

Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155

## Dioxygen

The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173

## Electrochemistry

Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27

## Electronic spectra

Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis(diethylamino)disilane and 1,2-di-tert-butyl-1,1,2,2-tetrakis(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221

The positions of  $\lambda_{\max}$  for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11

## Ferrocene

Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167

## Fluorine

Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuboshi, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167

## Fluorocarbons

Tetrakis (perfluoropropyl)tin and other perfluoropropyltin com-

- pounds: synthesis, characterization and reactivity (D. Seyferth and F. Richter), 131
- Germanium**
- Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
  - $\text{Et}_3\text{GeNa}-\text{YCl}_3$  complex as a new strong base (Y. Yokoyama and K. Mochida), C4
  - Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
  - Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
  - Redox properties of dihalogermynes, dihalostannynes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakimov and K.P. Butin), 27
  - Synthesis and crystal structure of a pentacoordinate 1,2-oxagermanide (T. Kawashima, Y. Nishiwaki and R. Okazaki), 143
  - The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of  $(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{Me}_4\text{C}_5\text{GeCl}$  (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammmer), 7
- Germyl anion**
- $\text{Et}_3\text{GeNa}-\text{YCl}_3$  complex as a new strong base (Y. Yokoyama and K. Mochida), C4
- Germyl anions**
- Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
- Germylene**
- The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of  $(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{Me}_4\text{C}_5\text{GeCl}$  (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammmer), 7
- Germylenes**
- Redox properties of dihalogermynes, dihalostannynes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakimov and K.P. Butin), 27
- Germanium ion**
- Protonated digermyl and distannyl ethers with partial germylium and stannylium ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
- Group 14**
- Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diyne and related compounds (H. Komoriya, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
  - Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155
  - Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
  - Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
  - Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
- Heterocyclics**
- Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
- Hindered (bulky) ligands**
- Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
- Hydrosilane**
- $\text{Co}_2(\text{CO})_8$ -Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
- Hydrosilation**
- Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181
- Hydrosilylation**
- The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniak), 173
- Hyperconjugation**
- Synthesis and the electronic spectra of the first  $\beta$ -ketacycilsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
- Hypercoordination**
- Intramolecular coordination at phosphorus: donor–acceptor interaction in three- and four-coordinated phosphorus compounds (F. Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reyé), 147
- Interactions in crystals**
- Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt  $[\text{Na}^{\oplus}(\text{H}_3\text{COCH}_2\text{CH}_2\text{OCH}_3)_3][((\text{H}_3\text{C})_3\text{Si})_4\text{H}_2\text{C}_6^{\ominus}]$  (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
- Intramolecular coordination**
- The dimethylaminoethyl-tetramethylcyclopentadienyl ligand in germanium(II) chemistry: synthesis, properties and X-ray crystal structural data of  $(\text{Me}_2\text{NCH}_2\text{CH}_2)\text{Me}_4\text{C}_5\text{GeCl}$  (P. Jutzi, H. Schmidt, B. Neumann and H.-G. Stammmer), 7
- Iron**
- Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex ( $\eta^5\text{C}_5\text{Me}_5\text{Fe}_2(\text{CO})_4(\mu\text{-CO})(\mu\text{-PPH}_2)$ ) (H. Hashimoto, H. Tobita and H. Ogino), 205
- Isocyanide**
- Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Sugino, A. Matsumoto, K. Nagata and Y. Ito), C1
- Kinetics**
- Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137
- Lithium**
- Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
  - Synthesis, structure, and reactivity of the permethylated decasilane  $(\text{Me}_3\text{Si})_3\text{Si}-\text{SiMe}_2-\text{SiMe}_2-\text{Si}(\text{SiMe}_3)_3$  (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
- Lithium enolate**
- Synthesis and the electronic spectra of the first  $\beta$ -ketacycilsilanes and their lithium enolates: new insights into hyperconjugation in acyl-



- Carré, C. Chuit, R.J.P. Corriu, P. Monforte, N.K. Nayyar and C. Reye), 147
- o*-Quinodisilane  
Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35
- Radical anion salt  
Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt  $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus}]$  (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
- Regioselectivity  
Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159
- Ruthenium  
The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173
- Selenium  
Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
- Silane  
Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuboshii, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
- Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex  $(\eta^5-C_5Me_5)_2Fe_2(CO)_4(\mu-CO)(\mu-PPPh_2)$  (H. Hashimoto, H. Tobita and H. Ogino), 205
- The role of dioxygen in hydrosilylation of alkenes catalyzed by ruthenium phosphine complexes (J. Guliński, B.R. James and B. Marciniec), 173
- Silanes  
The different modes of decomposition of hexa-*t*-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229
- Silene  
Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[*l.m.n*]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99
- Silepins  
Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
- Silicon  
1:2-Adducts from Silylenes and 1,3-butadiene (K.L. Bobbitt and P.P. Gaspar), 17
- Activation of a C–O bond by reaction of a tris(cyclopentadienyl)-lanthanide complex with an alkali metal in dimethoxyethane (DME); crystal structures of  $[Nd(\eta-C_5H_3(SiMe_3)_2-1,3)_2(\mu-OMe)_2Li(DME)]$  and  $[(Ce(\eta-C_5H_3^+Bu_2-1,3)_2(\mu-OMe))_2]$  (Y.K. Gun'ko, P.B. Hitchcock and M.F. Lappert), 213
- Catalytic asymmetric hydrosilylation of 1,3-dienes with difluoro-(phenyl)silane (H. Ohmura, H. Matsuhashi, M. Tanaka, M. Kuboshii, T. Hiyama, Y. Hatanaka and K.-i. Goda), 167
- $Co_2(CO)_8$ -Catalyzed reaction of aromatic aldehydes with hydrosilanes under carbon monoxide as 1 atm: Incorporation of CO into the carbonyl carbon atom of aldehydes (N. Chatani, H. Tokuhisa, I. Kokubu, S. Fujii and S. Murai), 193
- Decomposition of bis(silyldiazomethyl)polysilanes: formation of polysilabicyclo[*l.m.n*]alkane derivatives (W. Ando, M. Sugiyama, T. Suzuki, C. Kato, Y. Arakawa and Y. Kabe), 99
- Electronic properties, polymerization, and cycloaddition of 3,4,7,8-tetragermacycloocta-1,5-diene and related compounds (H. Kondo, M. Kako, Y. Nakadaira, K. Mochida, M. Tonogaki-Kubota and T. Kobayashi), 123
- Ene preference in the reaction of allenylmethysilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155
- Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
- Hepta-*tert*-butylcyclotetrasilane: a highly crowded cyclotetrasilane (S. Kyushin, H. Sakurai and H. Matsumoto), 235
- Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt  $[Na^{\oplus}(H_3COCH_2CH_2OCH_3)_3][((H_3C)_3Si)_4H_2C_6^{\ominus}]$  (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
- Nucleophile-assisted racemizations of halosilanes: thermodynamic studies (A.R. Bassindale, J.C.-Y. Lau and P.G. Taylor), 137
- Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Suginome, A. Matsumoto, K. Nagata and Y. Ito), C1
- Photolysis of some organosilylene precursors in a molecular beam (Y. Huang, M. Sulkes and M.J. Fink), 1
- Rates of solvolysis of the compounds  $(Me_3Si)_2(Ph_2MeSi)CSiMe_2X$ ,  $X = I, OSO_2CF_3$  and OCN. Mechanistic implications (M.A.M.R. Al-Guarashi, G.A. Ayoko, C. Eaborn and P.D. Lickiss), 57
- Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181
- Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35
- Syntheses, structures and properties of dihydroxypermethylcyclosilanes and permethyloxahexasilanorbornanes (A. Spielberger, P. Gspaltl, H. Siegl, E. Hengge and K. Gruber), 241
- Synthesis and characterization of 1,9-difluoro-5-methyl-5-phenyl-10,11-dihydro-5*H*-dibenzo[b,f]silepin (J.Y. Corey, A.J. Pitts, R.E.K. Winter and N.P. Rath), 113
- Synthesis and characterization of polystyrene-block-poly(methylphenylsilylene) and polyisoprene-block-poly(methylphenylsilylene) (E. Fossum, J.A. Love and K. Matyjaszewski), 253
- Synthesis and characterization of sterically hindered diarylsilanes containing 2,4,6-trimethylphenyl and 2,4,6-tris(trifluoromethyl)-phenyl substituents. X-ray crystal structure of bis[2,4,6-tris(trifluoromethylphenyl)]fluorosilane (J. Braddock-Wilking, M. Schieser, L. Brammer, J. Huhmann and R. Shaltout), 89
- Synthesis and the electronic spectra of the first  $\beta$ -ketoacilsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
- Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
- Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
- Synthesis, structure, and reactivity of the permethylated decasilane  $(Me_3Si)_3Si-SiMe_2-SiMe_2-Si(SiMe_3)_3$  (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
- Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis(diethylamino)disilane and 1,2-di-*tert*-butyl-1,1,2,2-tetrakis(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221
- The different modes of decomposition of hexa-*t*-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229

- The positions of  $\lambda_{\max}$  for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11
- Silole**
- Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7
- Silylene**
- Redistribution reactions of hydrosilanes mediated by the unsymmetrical and homometallic phosphido-bridged complex ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)Fe<sub>2</sub>(CO)<sub>4</sub>( $\mu$ -CO)( $\mu$ -PPh<sub>2</sub>) (H. Hashimoto, H. Tobita and H. Ogino), 205
- Silylenes**
- The positions of  $\lambda_{\max}$  for some trimethylsilyl-substituted silylenes (S.G. Bott, P. Marshall, P.E. Wagenseller, Y. Wang and R.T. Conlin), 11
- Single electron reduction**
- Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt [Na<sup>+</sup>(H<sub>3</sub>COCH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>)<sub>3</sub>][((H<sub>3</sub>C)<sub>3</sub>Si)<sub>4</sub>H<sub>2</sub>C<sub>6</sub><sup>·-</sup>] (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
- Solvolysis**
- Rates of solvolysis of the compounds (Me<sub>3</sub>Si)<sub>2</sub>(Ph<sub>2</sub>MeSi)CSiMe<sub>2</sub>X, X = I, OSO<sub>2</sub>CF<sub>3</sub> and OCN. Mechanistic implications (M.A.M.R. Al-Guarnasi, G.A. Ayoko, C. Eaborn and P.D. Lickiss), 57
- Stannaneselone**
- Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
- Stannylene**
- Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
- Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
- Stannylum ion**
- Protonated digermyl and distannyl ethers with partial germlyium and stannylum ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
- Stereoselectivity**
- Aluminum chloride catalyzed stereo- and regiospecific allylsilylation of alkynes: a convenient route to silyldienes (S.H. Yeon, J.S. Han, E. Hong, Y. Do and I.N. Jung), 159
- Sylylene**
- 1 : 2-Adducts from Silylenes and 1,3-butadiene (K.L. Bobbitt and P.P. Gaspar), 17
- Tetrabutylammonium fluoride**
- Generation and reactions of metal-free trialkylgermyl anions from silylgermane and digermane (K. Mochida, H. Suzuki, M. Nanba, T. Kugita and Y. Yokoyama), 83
- Tetrakis(pentafluorophenyl)borate**
- Protonated digermyl and distannyl ethers with partial germlyium and stannylum ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
- 1,2,4,5-Tetrakis(trimethylsilyl)benzene**
- Interactions in crystals. LXXIII. The structures of 1,2,4,5-tetrakis(trimethylsilyl)benzene and of its solvent-separated radical anion salt [Na<sup>+</sup>(H<sub>3</sub>COCH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>)<sub>3</sub>][((H<sub>3</sub>C)<sub>3</sub>Si)<sub>4</sub>H<sub>2</sub>C<sub>6</sub><sup>·-</sup>] (H. Bock, M. Ansari, N. Nagel and Z. Havlas), 63
- Tin**
- Protonated digermyl and distannyl ethers with partial germlyium and stannylum ion character (J.B. Lambert, S.M. Ciro and C.L. Stern), 49
- Redox properties of dihalogermylenes, dihalostannylenes and their complexes with Lewis bases (V.Ya. Lee, A.A. Basova, I.A. Matchkarovskaya, V.I. Faustov, M.P. Egorov, O.M. Nefedov, R.D. Rakhimov and K.P. Butin), 27
- Synthesis and reactions of stannaneselone (M. Saito, N. Tokitoh and R. Okazaki), 43
- Tetrakis (perfluoropropyl)tin and other perfluoropropyltin compounds: synthesis, characterization and reactivity (D. Seyferth and F. Richter), 131
- Titanium**
- Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181
- Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
- Titanocene**
- Reactions of silanes with allylic alcohols catalyzed by titanocene derivatives: an approach to catalytic cross dehydrocoupling/co-intramolecular hydrosilation (S. Xin and J.F. Harrod), 181
- Transition metals**
- Silicon–carbon unsaturated compounds. LIV: Nickel-catalyzed reactions of 3,4-benzo-1,1,2,2-tetraethyl-1,2-disilacyclobut-3-ene with alkynes (A. Naka, S. Okazaki, M. Hayashi and M. Ishikawa), 35
- Trimethylsilyl**
- Ene preference in the reaction of allenylmethylsilanes with hetero-double bonds mediated by a Lewis acid (M. Hojo, C. Murakami, H. Aihara, K. Tomita, K. Miura and A. Hosomi), 155
- Triol**
- Palladium-*tert*-alkyl isocyanide catalyzed intramolecular bis-silylation of vicinally disubstituted alkenes (M. Sugino, A. Matsumoto, K. Nagata and Y. Ito), C1
- UV spectra**
- Synthesis and the electronic spectra of the first  $\beta$ -ketoacylsilanes and their lithium enolates: new insights into hyperconjugation in acylsilanes and their enolates (Y. Apeloig, I. Zharov, D. Bravo-Zhivotovskii, Y. Ovchinnikov and Y. Struchkov), 73
- X-ray crystallography**
- The different modes of decomposition of hexa-*t*-butylcyclotrisilane (M. Weidenbruch, E. Kroke, S. Pohl, W. Saak and H. Marsmann), 229
- X-ray diffraction**
- Synthesis and crystal structure of a pentacoordinate 1,2-oxagermanide (T. Kawashima, Y. Nishiaki and R. Okazaki), 143
- Synthesis, structure, and reactivity of the permethylated decasilane (Me<sub>3</sub>Si)<sub>3</sub>Si–SiMe<sub>2</sub>–SiMe<sub>2</sub>–Si(SiMe<sub>3</sub>)<sub>3</sub> (S.M. Whittaker, M.-C. Brun, F. Cervantes-Lee and K.H. Pannell), 247
- Synthesis, structures, and properties of novel aminodisilanes bearing bulky substituents: 1,2-bis(1,1,2-trimethylpropyl)-1,1,2,2-tetrakis-(diethylamino)disilane and 1,2-di-*tert*-butyl-1,1,2,2-tetrakis-(diethylamino)disilane (M. Unno, M. Saito and H. Matsumoto), 221
- Yttrium**
- Et<sub>3</sub>GeNa–YCl<sub>3</sub> complex as a new strong base (Y. Yokoyama and K. Mochida), C4
- Zirconium**
- Synthesis of new poly(2,4-disilapentane) oligomers via dehydrocondensation reaction using Group IV metallocene catalysts (P. Roux, J.-P. Pillot, M. Birot, J. Dunoguès and P. Lapouyade), 199
- Synthesis, solid-state structure, and reduction of 1,1-dichloro-2,3,4,5-tetramethylsilole (U. Bankwitz, H. Sohn, D.R. Powell and R. West), C7