

## Subject Index of Volume 599

- Ab initio HF/3-21G method  
Endohedral analogs of ferrocene: ab initio theoretical predictions, 18
- Alkali-metal fullerides  
Alkali-metal fullerides  $MC_{60}(THF)_x$  ( $M = Li, Na, K$ ): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, 69
- Asymmetric catalysis  
New mono- and polyazafulleroids  $C_{60}(NR)_n$  ( $n = 1, 2, 4, 6$ ) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with  $[RhCl(CO)_2]_2$ , 8
- Atom Fe  
Endohedral analogs of ferrocene: ab initio theoretical predictions, 18
- Carbon-60  
Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97
- Carbon-70  
Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97
- Catalysis  
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, 57
- Cluster  
Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97
- Cp ligand  
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to  $C_{60}$ , 32
- Crystal structure  
Fluxional processes and structural characterization of  $\mu_3\text{-}\eta^2, \eta^2, \eta^2\text{-}C_{60}$  triosmium cluster complexes,  $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2, \eta^2, \eta^2\text{-}C_{60})$  ( $n = 1, 2, 3$ ), 49
- Cyclic voltammetry  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2
- Cyclopentadiene  
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to  $C_{60}$ , 32
- Donor–acceptor dyads  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2
- Dynamic NMR  
Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97
- Electrochemistry  
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37
- Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with  $C_{60}$  and  $C_{70}$ : syntheses and electrochemical properties, 87
- Electron transfer  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2
- Endohedral clusters  
Endohedral analogs of ferrocene: ab initio theoretical predictions, 18
- Endohedral metallofullerene  
Langmuir–Blodgett films of the endohedral metallofullerene  $Dy@C_{82}$  at the air–water interface, 42  
Recent progress in the studies of endohedral metallofullerenes, 74
- EPR  
Metal-containing fullereryl radicals: generation in solution and EPR study, 28
- ESR spectroscopy  
Alkali-metal fullerides  $MC_{60}(THF)_x$  ( $M = Li, Na, K$ ): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, 69
- $\pi$ -Extended tetrathiafulvalenes  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2
- Ferrocene diphosphine ligand  
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37
- Fluorescence  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2
- Fluxional processes  
Fluxional processes and structural characterization of  $\mu_3\text{-}\eta^2, \eta^2, \eta^2\text{-}C_{60}$  triosmium cluster complexes,  $Os_3(CO)_{9-n}(PMe_3)_n(\mu_3\text{-}\eta^2, \eta^2, \eta^2\text{-}C_{60})$  ( $n = 1, 2, 3$ ), 49
- Free radical  
Metal-containing fullereryl radicals: generation in solution and EPR study, 28
- [60]Fullerene  
New mono- and polyazafulleroids  $C_{60}(NR)_n$  ( $n = 1, 2, 4, 6$ ) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with  $[RhCl(CO)_2]_2$ , 8
- Fullerene  
A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37  
Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, 57  
Metal-containing fullereryl radicals: generation in solution and EPR study, 28  
Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to  $C_{60}$ , 32
- [60]Fullerene  
New  $\pi$ -extended tetrathiafulvalence-containing fulleropyrrolidine dyads endowed with vinyl spacers, 2

## Fullerene complexes

Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97

## Fullerenes

Endohedral analogs of ferrocene: ab initio theoretical predictions, 18

Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with  $C_{60}$  and  $C_{70}$ : syntheses and electrochemical properties, 87

Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, 62

## Heterobimetallic complex

A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37

## Hydrofullerenes

Endohedral analogs of ferrocene: ab initio theoretical predictions, 18

## Iridium

Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with  $C_{60}$  and  $C_{70}$ : syntheses and electrochemical properties, 87

## Isolation

Recent progress in the studies of endohedral metallofullerenes, 74

## Langmuir–Blodgett

Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, 62

## Langmuir–Blodgett film

Langmuir–Blodgett films of the endohedral metallofullerene Dy@C<sub>82</sub> at the air–water interface, 42

## Metallofullerene

Fluxional processes and structural characterization of  $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub> triosmium cluster complexes, Os<sub>3</sub>(CO)<sub>9</sub>-*n*(PMe<sub>3</sub>)<sub>n</sub>( $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub>) (*n* = 1, 2, 3), 49

## Molecular orbital calculations

Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, 57

## Molecular orbitals

A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37

## Monoazafulleroid

New mono- and polyazafulleroids C<sub>60</sub>(NR)<sub>*n*</sub> (*n* = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [RhCl(CO)<sub>2</sub>]<sub>2</sub>, 8

## Multiple addition

Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C<sub>60</sub>, 32

## Organocopper reagent

Single-step synthesis of pentaaryl-monohydro[60]fullerenes through fivefold addition of organocopper reagent to C<sub>60</sub>, 32

## Palladium

A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37

## Phosphine

Fluxional processes and structural characterization of  $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub> triosmium cluster complexes, Os<sub>3</sub>(CO)<sub>9</sub>-*n*(PMe<sub>3</sub>)<sub>n</sub>( $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub>) (*n* = 1, 2, 3), 49

## Photophysics

Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, 62

## Platinum

Metal-containing fulleranyl radicals: generation in solution and EPR study, 28

## Polyazafulleroids

New mono- and polyazafulleroids C<sub>60</sub>(NR)<sub>*n*</sub> (*n* = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [RhCl(CO)<sub>2</sub>]<sub>2</sub>, 8

## Porphyrin

Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, 62

## Property

Recent progress in the studies of endohedral metallofullerenes, 74

## Quantum-chemical calculations

Endohedral analogs of ferrocene: ab initio theoretical predictions, 18

## Rearrangements

Computational modeling of the elemental catalysis in the Stone–Wales fullerene rearrangements, 57

## Rh complexes

New mono- and polyazafulleroids C<sub>60</sub>(NR)<sub>*n*</sub> (*n* = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [RhCl(CO)<sub>2</sub>]<sub>2</sub>, 8

## Rhodium

Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with  $C_{60}$  and  $C_{70}$ : syntheses and electrochemical properties, 87

## Ruthenium

Synthesis, electrochemistry, Langmuir–Blodgett deposition and photophysics of metal-coordinated fullerene–porphyrin dyads, 62

Triruthenium cluster complexes of  $C_{60}$  and  $C_{70}$ : carbonyl site exchange probed via triphenylphosphine ligand derivatives, 97

## Sandwich complexes

Endohedral analogs of ferrocene: ab initio theoretical predictions, 18

(2*S*,4*S*)-4-Azido-1-benzyloxycarbonyl-2-(*t*-butylaminocarbonyl)

## pyrrolidine

New mono- and polyazafulleroids C<sub>60</sub>(NR)<sub>*n*</sub> (*n* = 1, 2, 4, 6) derived from a chiral azide containing *N*- and *O*-donor groups, and reactivity with [RhCl(CO)<sub>2</sub>]<sub>2</sub>, 8

## Structure

Recent progress in the studies of endohedral metallofullerenes, 74

## Synthesis

Alkali-metal fullerides MC<sub>60</sub>(THF)<sub>*x*</sub> (M = Li, Na, K): a new solution-phase method for the preparation and characterization with ESR, UV–NIR and IR spectroscopy, 69

A new heterobimetallic palladium–[60]fullerene complex with bidentate bis-1,1'-[P]<sub>2</sub>-ferrocene ligand, 37

Recent progress in the studies of endohedral metallofullerenes, 74

## Transition metal hydrides

Exohedral mono- and bimetallic hydride complexes of rhodium and iridium with  $C_{60}$  and  $C_{70}$ : syntheses and electrochemical properties, 87

## Triosmium carbonyl cluster

Fluxional processes and structural characterization of  $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub> triosmium cluster complexes, Os<sub>3</sub>(CO)<sub>9</sub>-*n*(PMe<sub>3</sub>)<sub>n</sub>( $\mu_3$ - $\eta^2, \eta^2, \eta^2$ -C<sub>60</sub>) (*n* = 1, 2, 3), 49

- Alkenyl ligand  
Reactions of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})\text{Fe}_2(\text{CO})_6$  with  $[(\mu\text{-E})(\mu\text{-R}^1\text{E}^1)\text{Fe}_2(\text{CO})_6]^-$  (E, E<sup>1</sup> = S or Se). Synthesis and characterization of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-R}^1\text{S})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-E})$  and  $[(\mu\text{-}\eta^2\text{-PhCH=CH})\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-Se})$ , 256
- Alkyl complexes  
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyl complexes, 112
- Alkyne  
Reactions of cationic dirhodium and diiridium complexes  $[\text{Cp}^*\text{M}(\mu\text{-Cl})(\mu\text{-SPr}^i)_2\text{MCp}^*][\text{OTf}]$  (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221
- Alkyne complexes  
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, 112
- Alkyne(pentacarbonyl)chromium  
Addition of *N*-aryl imines to alkyne(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, 288
- Alkyne(pentacarbonyl)tungsten  
Addition of *N*-aryl imines to alkyne(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, 288
- Aluminum  
Alkylaluminumphosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200
- Aminocyclopentadienyl complexes  
Koordinationschemie perhalogenerter Cyclopentadiene und Alkine, XXVI. [1]. Umsetzung von lithiierten Halogenymantrenen mit N-Elektrophilen. Molekülstrukturen von  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{Cl}_4\text{-NH=N=C}_5\text{Cl}_4]$  und  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{H}_3\text{Cl}(\text{NH}_2)\text{-1,2}]$ , 247
- Azapentadienyl compounds  
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147
- Azidocyclopentadienyl complexes  
Koordinationschemie perhalogenerter Cyclopentadiene und Alkine, XXVI. [1]. Umsetzung von lithiierten Halogenymantrenen mit N-Elektrophilen. Molekülstrukturen von  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{Cl}_4\text{-NH=N=C}_5\text{Cl}_4]$  und  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{H}_3\text{Cl}(\text{NH}_2)\text{-1,2}]$ , 247
- Bis(diphenylphosphino)amine  
The reaction of  $[\text{Ru}_3(\text{CO})_{12}]$  with bis(diphenylphosphino)amine. The crystal and molecular structure of  $[\text{Ru}_3(\text{CO})_{10}(\text{dppa})]$  and  $[\text{Ru}_3(\text{CO})_8(\text{dppa})_2]$ , 313
- Bis(ferrocenyl)-1,3-diketones  
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- Bis(phosphino)amines  
Ruthenium(II) chemistry of phosphorus-based ligands,  $\text{Ph}_2\text{PN}(\text{R})\text{PPh}_2$  (R = Me or Ph) and  $\text{Ph}_2\text{PN}(\text{Ph})\text{P}(\text{E})$  (E = S or Se). Solution thermochemical study of ligand substitution reactions in the  $\text{Cp}^*\text{RuCl}(\text{COD})$  ( $\text{Cp}^* = \text{Cp}$ ,  $\text{Cp}^*$ ; COD = cyclooctadiene) system, 159
- Bridging-selenium ligand  
Reactions of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})\text{Fe}_2(\text{CO})_6$  with  $[(\mu\text{-E})(\mu\text{-R}^1\text{E}^1)\text{Fe}_2(\text{CO})_6]^-$  (E, E<sup>1</sup> = S or Se). Synthesis and characterization of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-R}^1\text{S})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-E})$  and  $[(\mu\text{-}\eta^2\text{-PhCH=CH})\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-Se})$ , 256
- Bridging-sulfur ligand  
Reactions of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})\text{Fe}_2(\text{CO})_6$  with  $[(\mu\text{-E})(\mu\text{-R}^1\text{E}^1)\text{Fe}_2(\text{CO})_6]^-$  (E, E<sup>1</sup> = S or Se). Synthesis and characterization of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-R}^1\text{S})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-E})$  and  $[(\mu\text{-}\eta^2\text{-PhCH=CH})\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-Se})$ , 256
- $\text{C}_{60}$   
Photoinduced electron-transfer reaction between  $\text{C}_{60}$  and cyclic silicon compounds, 216
- Carbosilane  
Preparation of double-layered dendritic carbosilanes, 123  
Preparation of ethynylsilane dendrimers, 208
- Catalysis  
Alkylaluminumphosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200  
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298  
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by  $[\text{Rh}(\text{NBD})(\text{PPh}_3)_2]\text{BF}_4$  in dichloromethane: a kinetic and spectroscopic investigation, 178  
 $\omega$ -Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, 275  
Synthesis, characterization and catalytic properties of metalla-cyclic zirconocene complexes, 261
- C–C coupling  
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- CF bond activation  
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of  $[\text{Os}(\text{SC}_6\text{F}_4(\text{F}-2))(\text{SC}_6\text{F}_5)_2(\text{PMe}_2\text{Ph})_2]$ ,  $[\text{Os}(\text{SC}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})]$  and  $[\text{Os}(\text{C}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})_2]$ , 170
- CH activation  
Synthesis, characterization and catalytic properties of metalla-cyclic zirconocene complexes, 261
- Chemoselectivity  
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298
- Chiral phosphanes  
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, 304
- Chromium  
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- Cluster  
Synthesis and physical properties of  $\alpha,\omega\text{-bis}[\text{Co}_2(\text{CO})_6\{\mu\text{-}\eta^2\text{:}\eta^2\text{-C}(\text{R})=\text{C}\}]$  oligothiophenes, 232
- Cobalt  
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- Complexes  
Reactions of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})\text{Fe}_2(\text{CO})_6$  with  $[(\mu\text{-E})(\mu\text{-R}^1\text{E}^1)\text{Fe}_2(\text{CO})_6]^-$  (E, E<sup>1</sup> = S or Se). Synthesis and characterization of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-R}^1\text{S})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-E})$  and  $[(\mu\text{-}\eta^2\text{-PhCH=CH})\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-Se})$ , 256
- Conducting polymers  
Synthesis and physical properties of  $\alpha,\omega\text{-bis}[\text{Co}_2(\text{CO})_6\{\mu\text{-}\eta^2\text{:}\eta^2\text{-C}(\text{R})=\text{C}\}]$  oligothiophenes, 232
- Crystal structure  
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, 135

- Facial and meridional [N–C–N]<sup>−</sup> intramolecular coordination systems: structure of *fac*-PtBrMe<sub>2</sub>{2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>}·1/2C<sub>6</sub>H<sub>6</sub> {[2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>]<sup>−</sup> = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-PtBr{2,6-(3,5-Me<sub>2</sub>pzCH<sub>2</sub>)<sub>2</sub>-C<sub>6</sub>H<sub>3</sub>}, and an alternative synthetic route to the platinum(II) [N–C–N]<sup>−</sup> kernel, 195
- Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- Koordinationschemie perhalogener Cyclopentadiene und Alkine, XXVI. [1]. Umsetzung von lithiierten Halogenymantrenen mit N-Elektrophilen. Molekülstrukturen von (OC)<sub>3</sub>Mn[η<sup>5</sup>-C<sub>5</sub>Cl<sub>4</sub>-NH-N=C<sub>5</sub>Cl<sub>4</sub>] und (OC)<sub>3</sub>Mn[η<sup>5</sup>-C<sub>5</sub>H<sub>3</sub>Cl(NH<sub>2</sub>)-1,2], 247
- Reactions of cationic dirhodium and diiridium complexes [Cp\*M(μ-Cl)(μ-SPr')<sub>2</sub>MCp\*][OTf] (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221
- Cyclic organosilicon compounds  
Photoinduced electron-transfer reaction between C<sub>60</sub> and cyclic silicon compounds, 216
- Cyclic voltammetry  
Synthesis and physical properties of α,ω-bis[Co<sub>2</sub>(CO)<sub>6</sub>{μ-η<sup>2</sup>:η<sup>2</sup>-C(R)≡C}]oligothiophenes, 232
- Cyclization  
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, 143
- Cyclopentanone  
Intramolecular Friedel–Crafts acylation of acyclic (η<sup>4</sup>-diene)-Fe(CO)<sub>3</sub> complexes, 128
- Dendrimer  
Preparation of double-layered dendritic carbosilanes, 123  
Preparation of ethynylsilane dendrimers, 208
- Diene  
Intramolecular Friedel–Crafts acylation of acyclic (η<sup>4</sup>-diene)-Fe(CO)<sub>3</sub> complexes, 128
- Dinuclear complex  
Reactions of cationic dirhodium and diiridium complexes [Cp\*M(μ-Cl)(μ-SPr')<sub>2</sub>MCp\*][OTf] (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221
- Electron-withdrawing  
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107
- Enthalpy  
Ruthenium(II) chemistry of phosphorus-based ligands, Ph<sub>2</sub>PN-(R)PPh<sub>2</sub> (R = Me or Ph) and Ph<sub>2</sub>PN(Ph)P(E)Ph<sub>2</sub> (E = S or Se). Solution thermochemical study of ligand substitution reactions in the Cp'RuCl(COD) (Cp' = Cp, Cp\*; COD = cyclooctadiene) system, 159
- Epoxide  
Alkylaluminumphosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200
- Ethylene oligomerization  
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, 143
- Ethylene polymerization  
ω-Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, 275  
Synthesis, characterization and catalytic properties of metallocyclic zirconocene complexes, 261
- Ethynyl silane  
Preparation of double-layered dendritic carbosilanes, 123
- Ethynylsilane  
Preparation of ethynylsilane dendrimers, 208
- [3]Ferrocenophane  
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, 135
- Formate complexes  
Synthesis and X-ray structures of manganese(I) and rhenium(I) formate complexes, *fac*-(CO)<sub>3</sub>(dppp)M–OC(H)O, 308
- Friedel–Crafts acylation  
Intramolecular Friedel–Crafts acylation of acyclic (η<sup>4</sup>-diene)-Fe(CO)<sub>3</sub> complexes, 128
- FTIR  
FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, 185
- Germanium  
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147
- Half-sandwich complexes  
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107
- Heterobimetallic complex  
A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, 135
- Hydroformylation  
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298
- Hydrogenation  
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by [Rh(NBD)(PPh<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub> in dichloromethane: a kinetic and spectroscopic investigation, 178
- Hydrosilation  
Preparation of ethynylsilane dendrimers, 208
- Hydrosilylation  
Preparation of double-layered dendritic carbosilanes, 123
- Insertion reaction  
Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, 112
- Intramolecular  
Intramolecular Friedel–Crafts acylation of acyclic (η<sup>4</sup>-diene)Fe(CO)<sub>3</sub> complexes, 128
- Intramolecular coordination  
Facial and meridional [N–C–N]<sup>−</sup> intramolecular coordination systems: structure of *fac*-PtBrMe<sub>2</sub>{2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>}·1/2C<sub>6</sub>H<sub>6</sub> {[2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>]<sup>−</sup> = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-PtBr{2,6-(3,5-Me<sub>2</sub>pzCH<sub>2</sub>)<sub>2</sub>-C<sub>6</sub>H<sub>3</sub>}, and an alternative synthetic route to the platinum(II) [N–C–N]<sup>−</sup> kernel, 195
- Iridium  
Reactions of cationic dirhodium and diiridium complexes [Cp\*M(μ-Cl)(μ-SPr')<sub>2</sub>MCp\*][OTf] (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221
- Iron  
Intramolecular Friedel–Crafts acylation of acyclic (η<sup>4</sup>-diene)-Fe(CO)<sub>3</sub> complexes, 128
- Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238

- Reactions of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-Cl})\text{Fe}_2(\text{CO})_6$  with  $[(\mu\text{-E})(\mu\text{-R}^1\text{E}^1)\text{Fe}_2(\text{CO})_6]^-$  (E, E<sup>1</sup> = S or Se). Synthesis and characterization of  $(\mu\text{-}\eta^2\text{-RCH=CH})(\mu\text{-R}^1\text{S})[\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-E})$  and  $[(\mu\text{-}\eta^2\text{-PhCH=CH})\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-Se})$ , 256
- Kinetics**  
Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by  $[\text{Rh}(\text{NBD})(\text{PPh}_3)_2]\text{BF}_4$  in dichloromethane: a kinetic and spectroscopic investigation, 178
- Lithium azapentadienyls**  
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147
- Manganese**  
Koordinationschemie perhalogenerter Cyclopentadiene und Alkine, XXVI. [1]. Umsetzung von lithiierten Halogenymantrenen mit N- Elektrophilen. Molekülstrukturen von  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{Cl}_4\text{-NH=N=C}_5\text{Cl}_4]$  und  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{H}_3\text{Cl}(\text{NH}_2)\text{-1,2}]$ , 247  
Synthesis and X-ray structures of manganese(I) and rhenium(I) formato complexes, *fac*-(CO)<sub>3</sub>(dppp)M–OC(H)O, 308
- Metallacycles**  
Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, 261
- Metallocene**  
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, 304
- Metallocene complexes**  
 $\omega$ -Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, 275
- Metallocenes**  
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107
- Methylenecyclopentane**  
Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, 143
- MO calculations**  
Reactions of cationic dirhodium and diiridium complexes  $[\text{Cp}^*\text{M}(\mu\text{-Cl})(\mu\text{-SPR}')_2\text{MCP}^*][\text{OTf}]$  (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221
- Mononuclear**  
Ruthenium(II) chemistry of phosphorus-based ligands,  $\text{Ph}_2\text{PN}(\text{R})\text{PPh}_2$  (R = Me or Ph) and  $\text{Ph}_2\text{PN}(\text{Ph})\text{P}(\text{E})\text{Ph}_2$  (E = S or Se). Solution thermochemical study of ligand substitution reactions in the  $\text{Cp}'\text{RuCl}(\text{COD})$  ( $\text{Cp}' = \text{Cp}, \text{Cp}^*$ ; COD = cyclooctadiene) system, 159
- N-aryl imines**  
Addition of N-aryl imines to alkyne(pentacarbonyl)chromium and tungsten — a novel route to alkenyl(amino)carbene complexes, 288
- N-functionalized cymentrenes**  
Koordinationschemie perhalogenerter Cyclopentadiene und Alkine, XXVI. [1]. Umsetzung von lithiierten Halogenymantrenen mit N- Elektrophilen. Molekülstrukturen von  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{Cl}_4\text{-NH=N=C}_5\text{Cl}_4]$  und  $(\text{OC})_3\text{Mn}[\eta^5\text{-C}_5\text{H}_3\text{Cl}(\text{NH}_2)\text{-1,2}]$ , 247
- Olefins**  
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107
- Oligothiophenes**  
Synthesis and physical properties of  $\alpha,\omega$ -bis[Co<sub>2</sub>(CO)<sub>6</sub>] $\{\mu\text{-}\eta^2\text{:}\eta^2\text{-C}(\text{R})\equiv\text{C}\}$ oligothiophenes, 232
- Opening reaction**  
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, 304
- Organometallic azapentadienes**  
Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147
- Organoplatinum**  
Facial and meridional  $[\text{N-C-N}]^-$  intramolecular coordination systems: structure of *fac*-PtBrMe<sub>2</sub>{2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>}·1/2C<sub>6</sub>H<sub>6</sub> {[2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>]}<sup>-</sup> = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-PtBr{2,6-(3,5-Me<sub>2</sub>pzCH<sub>2</sub>)<sub>2</sub>-C<sub>6</sub>H<sub>3</sub>}, and an alternative synthetic route to the platinum(II)  $[\text{N-C-N}]^-$  kernel, 195
- Osmium**  
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of  $[\text{Os}(\text{SC}_6\text{F}_4(\text{F-2}))(\text{SC}_6\text{F}_5)_2\text{-}(\text{PMe}_2\text{Ph})_2]$ ,  $[\text{Os}(\text{SC}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})]$  and  $[\text{Os}(\text{C}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})_2]$ , 170
- Oxidative addition**  
Facial and meridional  $[\text{N-C-N}]^-$  intramolecular coordination systems: structure of *fac*-PtBrMe<sub>2</sub>{2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>}·1/2C<sub>6</sub>H<sub>6</sub> {[2,6-(pzCH<sub>2</sub>)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>]}<sup>-</sup> = 2,6-(bis{(pyrazol-1-yl)-methyl}phenyl)} and *mer*-PtBr{2,6-(3,5-Me<sub>2</sub>pzCH<sub>2</sub>)<sub>2</sub>-C<sub>6</sub>H<sub>3</sub>}, and an alternative synthetic route to the platinum(II)  $[\text{N-C-N}]^-$  kernel, 195  
Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocresol)(2,2'-bipyridyl) platinum(II), 166
- Palladium**  
Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238
- Phosphines**  
Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298
- Phosphonate**  
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200
- Phosphoranes**  
Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, 304
- Photoinduced electron transfer**  
Photoinduced electron-transfer reaction between C<sub>60</sub> and cyclic silicon compounds, 216
- Platinum**  
Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocresol)(2,2'-bipyridyl) platinum(II), 166
- Platinum catalyst**  
Preparation of double-layered dendritic carbosilanes, 123  
Preparation of ethynylsilane dendrimers, 208
- Polyether**  
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200
- Polyfluorobenzothiolate**  
C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of  $[\text{Os}(\text{SC}_6\text{F}_4(\text{F-2}))(\text{SC}_6\text{F}_5)_2\text{-}(\text{PMe}_2\text{Ph})_2]$ ,  $[\text{Os}(\text{SC}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})]$  and  $[\text{Os}(\text{C}_6\text{F}_5)_2(o\text{-S}_2\text{C}_6\text{F}_4)(\text{PMe}_2\text{Ph})_2]$ , 170
- Polymerization**  
Alkylaluminophosphonate-catalyzed ring-opening homopolymerization of epichlorohydrin and propylene oxide, 200
- Polymerizations**  
The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107

## Rhenium

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238

Synthesis and X-ray structures of manganese(I) and rhenium(I) formate complexes, *fac*-(CO)<sub>3</sub>(dppp)M–OC(H)O, 308

Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, 112

## Rhodium

Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298

Mechanism of the hydrogenation of 2,5-norbornadiene catalyzed by [Rh(NBD)(PPh<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub> in dichloromethane: a kinetic and spectroscopic investigation, 178

Reactions of cationic dirhodium and diiridium complexes [Cp\*<sub>2</sub>M(μ-Cl)(μ-SPr<sup>t</sup>)<sub>2</sub>MCp\*][OTf] (M = Rh, Ir) with terminal alkynes. Comparison with the diruthenium system, 221

## Ruthenium

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238

## Ruthenium cluster

The reaction of [Ru<sub>3</sub>(CO)<sub>12</sub>] with bis(diphenylphosphino)amine. The crystal and molecular structure of [Ru<sub>3</sub>(CO)<sub>10</sub>(dppa)] and [Ru<sub>3</sub>(CO)<sub>8</sub>(dppa)<sub>2</sub>], 313

## Ruthenium(II) complexes

Ruthenium(II) chemistry of phosphorus-based ligands, Ph<sub>2</sub>PN(R)PPh<sub>2</sub> (R = Me or Ph) and Ph<sub>2</sub>PN(Ph)P(E)Ph<sub>2</sub> (E = S or Se). Solution thermochemical study of ligand substitution reactions in the Cp'RuCl(COD) (Cp' = Cp, Cp\*; COD = cyclooctadiene) system, 159

## Silicon

Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147

## Solvent effects

Solvent effects on the rate of oxidative addition of methyl iodide to di(4-thiocol) (2,2'-bipyridyl) platinum(II), 166

## Synthesis

Synthesis and X-ray structures of manganese(I) and rhenium(I) formate complexes, *fac*-(CO)<sub>3</sub>(dppp)M–OC(H)O, 308

## Thermal decomposition

FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, 185

## Thermochemistry

Ruthenium(II) chemistry of phosphorus-based ligands, Ph<sub>2</sub>PN(R)PPh<sub>2</sub> (R = Me or Ph) and Ph<sub>2</sub>PN(Ph)P(E)Ph<sub>2</sub> (E = S or Se). Solution thermochemical study of ligand substitution

reactions in the Cp'RuCl(COD) (Cp' = Cp, Cp\*; COD = cyclooctadiene) system, 159

## Thermolysis

C–F bond activation in polyfluorobenzothiolate compounds of Os(III). X-ray structures of [Os(SC<sub>6</sub>F<sub>4</sub>(F-2))(SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>-(PMe<sub>2</sub>Ph)<sub>2</sub>], [Os(SC<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(*o*-S<sub>2</sub>C<sub>6</sub>F<sub>4</sub>)(PMe<sub>2</sub>Ph)] and [Os(C<sub>6</sub>F<sub>5</sub>)<sub>2</sub>(*o*-S<sub>2</sub>C<sub>6</sub>F<sub>4</sub>)(PMe<sub>2</sub>Ph)<sub>2</sub>], 170

## Tin

Synthesis, characterization and a theoretical investigation of the formation of silicon, germanium and tin azapentadiene compounds from lithium azapentadienyls, 147

## Titanium

The formation and polymerization behavior of (pentafluorophenyl)-cyclopentadienyl titanium compounds, 107

## Tridentate podand ligand

A novel heterobimetallic complex composed of the imide-bridged [3]ferrocenophane and the tridentate palladium(II) complex, 135

## Trimethylsilylacetate

FTIR study of thermally induced transformations of trimethylsilylmethyl acetate in the temperature range 623–813 K, 185

## Tungsten

Kohlenwasserstoffverbrückte Metallkomplexe, XLVIII. Addition von Bis(ferrocenyl)-1,3-diketonen und von Metalldiketonaten an koordinierte, ungesättigte Kohlenwasserstoffe von kationischen Komplexen, 238

## Vinylpyridines

Chemoselectivity in the rhodium-catalyzed hydroformylation of 4-vinylpyridine: crucial role of phosphine ligand in promoting carbonylation instead of hydrogenation, 298

## X-ray structure

Synthesis and X-ray structures of manganese(I) and rhenium(I) formate complexes, *fac*-(CO)<sub>3</sub>(dppp)M–OC(H)O, 308

The reaction of [Ru<sub>3</sub>(CO)<sub>12</sub>] with bis(diphenylphosphino)amine. The crystal and molecular structure of [Ru<sub>3</sub>(CO)<sub>10</sub>(dppa)] and [Ru<sub>3</sub>(CO)<sub>8</sub>(dppa)<sub>2</sub>], 313

## Ylide complexes

Synthesis, X-ray crystallographic, and reactivity studies of rhenium(V) alkyne complexes, 112

## Zirconium

$\omega$ -Phenylalkyl-substituted zirconocene dichloride complexes as catalyst precursors for homogeneous ethylene polymerization, 275

Selective P–N bond cleavage in chiral triquinphosphoranes promoted by zirconocene complexes, 304

## Zirconocene complexes

Oligomerization and simultaneous cyclization of ethylene to methylenecyclopentane catalyzed by zirconocene complexes, 143

Synthesis, characterization and catalytic properties of metallacyclic zirconocene complexes, 261