

Subject index of Volume 556

Absolute configuration

Optically active transition metal compounds 113: Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands, 129

Acetylide

Synthesis of new bis(acetylide)-substituted fluorene derivatives and their bimetallic and polymeric complexes, 219

Alkoxide complex

Bis(cyclopentadienyl)lanthanoid(III) alkoxides derived from chiral alcohols with a nitrogen donor functionality: Solution NMR studies of paramagnetic complexes, 229

Alkyne complexes

Metallorganische Lewis-Säuren, LVI: Vom Bis(alkin)-Komplex $[(OC)_4Re(\eta^2\text{-MeC}\equiv\text{CMe})_2]^+BF_4^-$ zu $[(OC)_4Re(\eta^4\text{-C}_4\text{Me}_4)]^+BF_4^-$ mit rechteckigem Cyclobutadien-Liganden. Die erste beobachtbare *cis*-Bis(alkin)/Cyclobutadien-Umlagerung, 207

Alkyne coupling

Metallorganische Lewis-Säuren, LVI: Vom Bis(alkin)-Komplex $[(OC)_4Re(\eta^2\text{-MeC}\equiv\text{CMe})_2]^+BF_4^-$ zu $[(OC)_4Re(\eta^4\text{-C}_4\text{Me}_4)]^+BF_4^-$ mit rechteckigem Cyclobutadien-Liganden. Die erste beobachtbare *cis*-Bis(alkin)/Cyclobutadien-Umlagerung, 207

Aminocarbene complexes

Stereochemistry of 4-(*NH*-amino)-1-metalla-1,3-dienes ($\text{CO}_5\text{M}=\text{C(OEt)}-\text{CH}=\text{C(NHR)Ph}$ ($\text{M} = \text{Cr, W}$), 119

4-Amino-1-metalla-1,3-dienes

Stereochemistry of 4-(*NH*-amino)-1-metalla-1,3-dienes ($\text{CO}_5\text{M}=\text{C(OEt)}-\text{CH}=\text{C(NHR)Ph}$ ($\text{M} = \text{Cr, W}$), 119

Ammonium ion

Ferrocenic acid derivatives: towards rationalizing changes in the electronic and geometric structures, 11

 η^6 -Arene

Facile preparation of η^6 -*p*-cymene ruthenium diphosphine complexes. Crystal structure of $[(\eta^6\text{-}p\text{-cymene})\text{Ru}(\text{dpf})\text{Cl}]PF_6$, 151

Bis(trimethylsilyl)aminochlorosilanes

Reaktionen von Bis(trimethylsilyl)amino-substituierten Chlorsilanen $[(\text{Me}_3\text{Si})_2\text{N}]\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Darstellung von Bis(trimethylsilyl)amino-substituierten Silyllithiumverbindungen und Disilanen, 67

[Bis(trimethylsilyl)amino]disilanes

Reaktionen von Bis(trimethylsilyl)amino-substituierten Chlorsilanen $[(\text{Me}_3\text{Si})_2\text{N}]\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Darstellung von Bis(trimethylsilyl)amino-substituierten Silyllithiumverbindungen und Disilanen, 67

[Bis(trimethylsilyl)amino]silyl-lithiums

Reaktionen von Bis(trimethylsilyl)amino-substituierten Chlorsilanen $[(\text{Me}_3\text{Si})_2\text{N}]\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Darstellung von Bis(trimethylsilyl)amino-substituierten Silyllithiumverbindungen und Disilanen, 67

Carbene complexes

Stereochemistry of 4-(*NH*-amino)-1-metalla-1,3-dienes ($\text{CO}_5\text{M}=\text{C(OEt)}-\text{CH}=\text{C(NHR)Ph}$ ($\text{M} = \text{Cr, W}$), 119

Carbonylation

Catalytic carbonylation of α -(6-methoxy-2-naphthyl)ethanol to methyl esters of naproxen using $\text{PdCl}_2\text{-CuCl}_2\text{-PPh}_3$ -acid catalyst system, 239

Carbonylmеталлата

Unexpected formation of $[\text{Z-PhCF=CFRe}_2(\text{CO})_9\text{Na}$ in the reaction of $[\text{Re}(\text{CO})_5\text{Na}$ with α,β,β -trifluorostyrene, 141

Carbonyl substitution

Synthesis and solid-state isomerisation reactions of *diag-*- and *lat*-($\eta^5\text{-C}_5\text{H}_4\text{R}$) $\text{Re}(\text{CO})(\text{L})\text{X}_2$, 111

Carborane

Ferrocenyl substituted carboranes: synthesis and characterisation, 55

Carboxylate

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_3\text{CN})_2]$ with carboxylic acids: the crystal and molecular structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_4(\text{OH})\text{CO}_2)]$ and $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_5\text{COS})]$, 197

Catalyst

Investigation of dialkyltin compounds as catalysts for the synthesis of dialkyl carbonates from alkyl carbamates, 41

Chirality

Optically active transition metal compounds 113: Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands, 129

Chiral ligand

Bis(cyclopentadienyl)lanthanoid(III) alkoxides derived from chiral alcohols with a nitrogen donor functionality: Solution NMR studies of paramagnetic complexes, 229

Chromium and tungsten complexes

Stereochemistry of 4-(*NH*-amino)-1-metalla-1,3-dienes ($\text{CO}_5\text{M}=\text{C(OEt)}-\text{CH}=\text{C(NHR)Ph}$ ($\text{M} = \text{Cr, W}$), 119

Cobalt(carbonyl)(nitrosyl) complexes

Optically active transition metal compounds 113: Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands, 129

Copper

Construction of supramolecular copper architecture via tetrahedral $\text{Cu}(\text{CN})_4$ building blocks and trigonal bipyramidal $[\text{R}_3\text{Sn}]$ connecting units, 1

Crystal structure

New cyclic stannyloligosilanes, 165

Synthesis and crystal structure of a novel μ_4 -oxygen-bridged tetrานuclear organoindium complex $(\text{InEt}_2)_4(\text{di-2-pyridyl-amido})_2(\mu_4\text{-O})$, 159

Synthesis, structure and reactivity of an $(\eta^6\text{-naphthalene})\text{iron}(0)$ complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand, 89

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_3\text{CN})_2]$ with carboxylic acids: the crystal and molecular structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_4(\text{OH})\text{CO}_2)]$ and $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_5\text{COS})]$, 197

Cyanide

Construction of supramolecular copper architecture via tetrahedral $\text{Cu}(\text{CN})_4$ building blocks and trigonal bipyramidal $[\text{R}_3\text{Sn}]$ connecting units, 1

- Cyclic stannylsilanes
New cyclic stannyloligosilanes, 165
- Cyclometallated
Cyclometallated semicarbazone complexes of palladium(II). Crystal and molecular structure of $\{[\text{Pd}(\text{C}_6\text{H}_4\text{C}(\text{Et})=\text{NN}(\text{H})\text{C}(=\text{O})\text{NH}_2)_2]_2(\mu\text{-Ph}_2\text{P}(\text{CH}_2)_3\text{PPH}_2)\}[\text{ClO}_4]_2$, 21
- Reactivity of functionalised cyclometallated complexes of palladium(II). Crystal and molecular structure of $[\text{Pd}\{3\text{-}(\text{CHO})\text{C}_6\text{H}_3\text{C}(\text{H})=\text{NCy}\}(\text{Br})(\text{PEtPh}_2)]$, 31
- Cyclopentadienyl
Synthesis and solid-state isomerisation reactions of *diag-* and *lat*- $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Re}(\text{CO})(\text{L})\text{X}_2$, 111
- Dialkyl carbonates
Investigation of dialkytin compounds as catalysts for the synthesis of dialkyl carbonates from alkyl carbamates, 41
- Dialkyltin
Investigation of dialkytin compounds as catalysts for the synthesis of dialkyl carbonates from alkyl carbamates, 41
- Diphosphine
Facile preparation of η^6 -*p*-cymene ruthenium diphosphine complexes. Crystal structure of $[(\eta^6\text{-p-cymene})\text{Ru}(\text{dpf})\text{Cl}]\text{PF}_6$, 151
- di-2-Pyridylamido
Synthesis and crystal structure of a novel μ_4 -oxygen-bridged tetranuclear organoindium complex $(\text{InEt}_2)_4(\text{di-2-pyridylamido})_2(\mu_4\text{-O})$, 159
- Electronic and geometric structures
Ferrogenic acid derivatives: towards rationalizing changes in the electronic and geometric structures, 11
- Electronic structure calculations
Metallorganische Lewis-Säuren, LVI: Vom Bis(alkin)-Komplex $[(\text{OC})_4\text{Re}(\eta^2\text{-MeC}\equiv\text{CMe}_2)]^+\text{BF}_4^-$ zu $[(\text{OC})_4\text{Re}(\eta^4\text{-C}_4\text{Me}_4)]^+\text{BF}_4^-$ mit rechteckigem Cyclobutadien-Liganden. Die erste beobachtbare *cis*-Bis(alkin)/Cyclobutadien-Umlagerung, 207
- Enamines
Stereochemistry of 4-(*NH*-amino)-1-metalla-1,3-dienes $(\text{CO})_5\text{M}=\text{C}(\text{OEt})-\text{CH}=\text{C}(\text{NHR})\text{Ph}$ ($\text{M} = \text{Cr}, \text{W}$), 119
- Epimerization
Optically active transition metal compounds 113: Synthesis of chiral carbonylnitrosylcobalt complexes with four different unidentate ligands, 129
- Ferrocene
Ferrogenic acid derivatives: towards rationalizing changes in the electronic and geometric structures, 11
- 1,1'-Ferrocenediol
Neue Derivate des Ferrocenols und 1,1'-Ferrocendiols, 173
- Ferrocenol
Neue Derivate des Ferrocenols und 1,1'-Ferrocendiols, 173
- Ferrocenophanes
Neue Derivate des Ferrocenols und 1,1'-Ferrocendiols, 173
- Ferrocenyl
Ferrocenyl substituted carboranes: synthesis and characterisation, 55
- Fluorenlyl ligand
Synthesis of new bis(acetylidyne)-substituted fluorene derivatives and their bimetallic and polymeric complexes, 219
- Guanidine
Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands, 75
- 3H-Pyrrolizine
Synthesis of new elementsubstituted derivatives of 3H-pyrrolizines, 145
- Indium
Synthesis and crystal structure of a novel μ_4 -oxygen-bridged tetranuclear organoindium complex $(\text{InEt}_2)_4(\text{di-2-pyridylamido})_2(\mu_4\text{-O})$, 159
- Insertion reaction
Platin(II)-Komplexe mit schwefelfunktionalisierten Alkenylliganden, 189
- Iron(0) complex
Synthesis, structure and reactivity of an $(\eta^6\text{-naphthalene})\text{iron}(0)$ complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand, 89
- Isomerization
Synthesis and solid-state isomerisation reactions of *diag-* and *lat*- $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Re}(\text{CO})(\text{L})\text{X}_2$, 111
- Lewis-Basen
Synthese, Struktur und Eigenschaften neuer Cyclopentadienyl oxalato-Rhodiumverbindungen, 97
- Lithium
Synthesis of new elementsubstituted derivatives of 3H-pyrrolizines, 145
- Luminescence
A highly luminescent tetranuclear copper(I) cluster: structure and photophysical properties, 169
- Metal carbonyl radicals
Unexpected formation of $[\text{Z-PhCF=CFRe}_2(\text{CO})_9]\text{Na}$ in the reaction of $[\text{Re}(\text{CO})_5]\text{Na}$ with α,β,β -trifluorostyrene, 141
- Metallacycle
Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands, 75
- Metallocaboranes
Ferrocenyl substituted carboranes: synthesis and characterisation, 55
- Metallamacrocycle
A highly luminescent tetranuclear copper(I) cluster: structure and photophysical properties, 169
- α -(6-Methoxyl-2-naphthyl)ethanol
Catalytic carbonylation of α -(6-methoxyl-2-naphthyl)ethanol to methyl esters of naproxen using $\text{PdCl}_2-\text{CuCl}_2-\text{PPh}_3$ -acid catalyst system, 239
- Methyl esters of Naproxen
Catalytic carbonylation of α -(6-methoxyl-2-naphthyl)ethanol to methyl esters of naproxen using $\text{PdCl}_2-\text{CuCl}_2-\text{PPh}_3$ -acid catalyst system, 239
- Naphthalene complex
Synthesis, structure and reactivity of an $(\eta^6\text{-naphthalene})\text{iron}(0)$ complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand, 89
- NMR spectra
Bis(cyclopentadienyl)lanthanoid(III) alkoxides derived from chiral alcohols with a nitrogen donor functionality: Solution NMR studies of paramagnetic complexes, 229
- Neue Derivate des Ferrocenols und 1,1'-Ferrocendiols, 173
- Nucleophilic vinylic substitution
Unexpected formation of $[\text{Z-PhCF=CFRe}_2(\text{CO})_9]\text{Na}$ in the reaction of $[\text{Re}(\text{CO})_5]\text{Na}$ with α,β,β -trifluorostyrene, 141
- Octahedral environment
Synthesis, structure and trypanocidal activity of dibutyltin derivatives of 2-mercaptopbenzoxazole and 5-chloro-2-mercaptopbenzothiazole, 105
- Organotin
Synthesis, structure and trypanocidal activity of dibutyltin derivatives of 2-mercaptopbenzoxazole and 5-chloro-2-mercaptopbenzothiazole, 105
- Osmium
Synthesis of new bis(acetylidyne)-substituted fluorene derivatives and their bimetallic and polymeric complexes, 219

Osmium cluster

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_3\text{CN})_2]$ with carboxylic acids: the crystal and molecular structures of $[\text{Os}_3\text{H}(\text{CO})_{10}-(\text{C}_6\text{H}_4(\text{OH})\text{CO}_2)]$ and $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_5\text{COS})]$, 197

 μ_4 -Oxo-bridged

Synthesis and crystal structure of a novel μ_4 -oxygen-bridged tetrานuclear organoindium complex $(\text{InEt}_2)_4(\text{di-2-pyridylamido})_2(\mu_4\text{-O})$, 159

Palladium

Cyclometallated semicarbazone complexes of palladium(II). Crystal and molecular structure of $\{[\text{Pd}(\text{C}_6\text{H}_4\text{C}(\text{Et})=\text{NN}(\text{H})\text{C}(=\text{O})\text{NH}_2]_2(\mu\text{-Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2)\}[\text{ClO}_4]_2$, 21

Reactivity of functionalised cyclometallated complexes of palladium(II). Crystal and molecular structure of $[\text{Pd}\{3-(\text{CHO})\text{C}_6\text{H}_3\text{C}(\text{H})=\text{NCy}\}(\text{Br})(\text{PEtPh}_2)]$, 31

 $\text{PdCl}_2\text{-CuCl}_2\text{-PPh}_3$ -acid catalyst system

Catalytic carbonylation of α -(6-methoxyl-2-naphthyl)ethanol to methyl esters of naproxen using $\text{PdCl}_2\text{-CuCl}_2\text{-PPh}_3$ -acid catalyst system, 239

Phosphine complexes

Reactivity of functionalised cyclometallated complexes of palladium(II). Crystal and molecular structure of $[\text{Pd}\{3-(\text{CHO})\text{C}_6\text{H}_3\text{C}(\text{H})=\text{NCy}\}(\text{Br})(\text{PEtPh}_2)]$, 31

Platinum

Platin(II)-Komplexe mit schwefelfunktionalisierten Alkenylliganden, 189

Synthesis of new bis(acetylide)-substituted fluorene derivatives and their bimetallic and polymeric complexes, 219

Platinum group metal

Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands, 75

Radical-chain reactions

Unexpected formation of $[\text{Z-PhCF=CFRe}_2(\text{CO})_9]\text{Na}$ in the reaction of $[\text{Re}(\text{CO})_5]\text{Na}$ with α,β,β -trifluorostyrene, 141

Reaction behavior

Reaktionen von Bis(trimethylsilyl)amino-substituierten Chlorsilanen $[(\text{Me}_3\text{Si})_2\text{N}]\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Darstellung von Bis(trimethylsilyl)amino-substituierten Silyllithiumverbindungen und Disilanen, 67

Reduction of 14e complex

Synthesis, structure and reactivity of an $(\eta^6\text{-naphthalene})\text{iron}(0)$ complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand, 89

Rhenium

Synthesis and solid-state isomerisation reactions of *diag-* and *lat*- $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Re}(\text{CO})(\text{L})\text{X}_2$, 111

Unexpected formation of $[\text{Z-PhCF=CFRe}_2(\text{CO})_9]\text{Na}$ in the reaction of $[\text{Re}(\text{CO})_5]\text{Na}$ with α,β,β -trifluorostyrene, 141

Rhenium carbonyl complexes

Mettallorganische Lewis-Säuren, LVI: Vom Bis(alkin)-Komplex $[(\text{OC})_4\text{Re}(\eta^2\text{-MeC=CMe})_2]^+\text{BF}_4^-$ zu $[(\text{OC})_4\text{Re}(\eta^4\text{-C}_4\text{Me}_4)]^+\text{BF}_4^-$ mit rechteckigem Cyclobutadien-Liganden. Die erste beobachtbare *cis*-Bis(alkin)/Cyclobutadien-Umlagerung, 207

Rhodium-Komplexe

Synthese, Struktur und Eigenschaften neuer Cyclopentadienyl oxalo-Rhodiumverbindungen, 97

Ruthenacarborane

Ferroencyl substituted carboranes: synthesis and characterisation, 55

Ruthenium

Facile preparation of $\eta^6\text{-p-cymene}$ ruthenium diphosphine complexes. Crystal structure of $[(\eta^6\text{-p-cymene})\text{Ru}(\text{dpfp})\text{Cl}]\text{PF}_6$, 151

Synthesis of new bis(acetylide)-substituted fluorene derivatives and their bimetallic and polymeric complexes, 219

Semicarbazone

Cyclometallated semicarbazone complexes of palladium(II). Crystal and molecular structure of $\{[\text{Pd}(\text{C}_6\text{H}_4\text{C}(\text{Et})=\text{NN}(\text{H})\text{C}(=\text{O})\text{NH}_2]_2(\mu\text{-Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2)\}[\text{ClO}_4]_2$, 21

Silberoxalat

Synthese, Struktur und Eigenschaften neuer Cyclopentadienyl oxalo-Rhodiumverbindungen, 97

Silicon

Synthesis of new elementsubstituted derivatives of 3H-pyrrolizenes, 145

Silver oxide

Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands, 75

 ^{29}Si , ^{119}Sn -NMR spectroscopy

New cyclic stannyloligosilanes, 165

Sodium-naphthalene

Synthesis, structure and reactivity of an $(\eta^6\text{-naphthalene})\text{iron}(0)$ complex having a 1,2-bis(dicyclohexylphosphino)ethane ligand, 89

Solid-state

Synthesis and solid-state isomerisation reactions of *diag-* and *lat*- $(\eta^5\text{-C}_5\text{H}_4\text{R})\text{Re}(\text{CO})(\text{L})\text{X}_2$, 111

Supramolecular compounds

Construction of supramolecular copper architecture via tetrahedral $\text{Cu}(\text{CN})_4$ building blocks and trigonal bipyramidal $[\text{R}_3\text{Sn}]$ connecting units, 1

Synthesis

Facile preparation of $\eta^6\text{-p-cymene}$ ruthenium diphosphine complexes. Crystal structure of $[(\eta^6\text{-p-cymene})\text{Ru}(\text{dpfp})\text{Cl}]\text{PF}_6$, 151

Tetramethylcyclobutadiene

Mettallorganische Lewis-Säuren, LVI: Vom Bis(alkin)-Komplex $[(\text{OC})_4\text{Re}(\eta^2\text{-MeC=CMe})_2]^+\text{BF}_4^-$ zu $[(\text{OC})_4\text{Re}(\eta^4\text{-C}_4\text{Me}_4)]^+\text{BF}_4^-$ mit rechteckigem Cyclobutadien-Liganden. Die erste beobachtbare *cis*-Bis(alkin)/Cyclobutadien-Umlagerung, 207

Tetranuclear complex

Synthesis and crystal structure of a novel μ_4 -oxygen-bridged tetrานuclear organoindium complex $(\text{InEt}_2)_4(\text{di-2-pyridylamido})_2(\mu_4\text{-O})$, 159

Tetranuclear Cu(I) cluster

A highly luminescent tetranuclear copper(I) cluster: structure and photophysical properties, 169

Thallium

Synthesis of new elementsubstituted derivatives of 3H-pyrrolizenes, 145

Thioalkenyl complexes

Platin(II)-Komplexe mit schwefelfunktionalisierten Alkenylliganden, 189

Thioalkynes

Platin(II)-Komplexe mit schwefelfunktionalisierten Alkenylliganden, 189

Thiocarboxylate

The reaction of $[\text{Os}_3(\text{CO})_{10}(\text{CH}_3\text{CN})_2]$ with carboxylic acids: the crystal and molecular structures of $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_4\text{(OH})\text{CO}_2)]$ and $[\text{Os}_3\text{H}(\text{CO})_{10}(\text{C}_6\text{H}_5\text{COS})]$, 197

Tin

Construction of supramolecular copper architecture via tetrahedral $\text{Cu}(\text{CN})_4$ building blocks and trigonal bipyramidal $[\text{R}_3\text{Sn}]$ connecting units, 1

Synthesis of new elementsubstituted derivatives of 3H-pyrrolizenes, 145

Triazatrimethylenemethane

Organometallic complexes of platinum-group metals incorporating substituted guanidine dianion (triazatrimethylenemethane) ligands, 75

Trypanocide

Synthesis, structure and trypanocidal activity of dibutyltin derivatives of 2-mercaptopbenzoxazole and 5-chloro-2-mercaptopbenzothiazole, 105

X-ray structure

Facile preparation of η^6 -*p*-cymene ruthenium diphosphine complexes. Crystal structure of [η^6 -*p*-cymene]Ru(dppf)Cl]PF₆, 151

X-ray structure analysis

Neue Derivate des Ferrocenols und 1,1'-Ferrocendiols, 173

Optically active transition metal compounds 113: Synthesis of

chiral carbonylnitrosylcobalt complexes with four different unidentate ligands, 129

X-ray structures

Platin(II)-Komplexe mit schwefelfunktionalisierten Alkenylliganden, 189

Synthesis, structure and trypanocidal activity of dibutyltin derivatives of 2-mercaptopbenzoxazole and 5-chloro-2-mercaptopbenzothiazole, 105

Zigzag chain

A highly luminescent tetrานuclear copper(I) cluster: structure and photophysical properties, 169