



ELSEVIER

Subject index of Volume 557

4-Acyl-5-pyrazolones

Tin(IV) and organotin(IV) derivatives of novel β -diketones. III Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R(C=O)-pyrazol-5-one (R = CH₃, C₆H₅) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazol-5-ato)tin(IV), 189

Alkynes

Metallorganische Verbindungen des Kupfers: XIV Spaltung der Halogeno-Brücken in den zweikernigen Alkin-Kupfer(I)-Komplexen [CuX(η^2 -tmtch)]₂ (X = Cl, Br, I; tmtch = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin) durch die N-haltigen Lewis-Basen Ammoniak, Anilin, Pyridin und Diethylamin, 255

Allyl

The co-crystallization of Ru((R)-binap)(η^3 -Me-allyl)₂ and binap dioxide, and synthesis of Ru(Ph₂P(CH₂)₄PPh₂)(η^3 -Me-allyl)₂, 121

Amine complexes

Metallorganische Verbindungen des Kupfers: XIV Spaltung der Halogeno-Brücken in den zweikernigen Alkin-Kupfer(I)-Komplexen [CuX(η^2 -tmtch)]₂ (X = Cl, Br, I; tmtch = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin) durch die N-haltigen Lewis-Basen Ammoniak, Anilin, Pyridin und Diethylamin, 255

Aminoindenyl

Synthesis and molecular structure of *meso*-(ethylenebis-(2-dimethylamino))-1-indenyl)zirconium dichloride, 225

Anthracene

Half-sandwich complexes of niobium and tantalum bearing *o*-xylylene, anthracene, or cyclooctatetraene: crystal structures of (η^5 -C₅Me₅)Nb{*o*-(CH₂)₂C₆H₄}Cl₂, (η^5 -C₅Me₅)Ta(η^4 -anthracene)(CH₂Ph)₂, and (η^5 -C₅Me₅)Nb(η^4 -butadiene)(η^3 -cyclooctatetraene), 3

Binap

The co-crystallization of Ru((R)-binap)(η^3 -Me-allyl)₂ and binap dioxide, and synthesis of Ru(Ph₂P(CH₂)₄PPh₂)(η^3 -Me-allyl)₂, 121

2,2'-bis(diphenylphosphinomethyl)-1,1-biphenyl

Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 209

Carbonyl

Structure and reactivity of the zero-valent ruthenium complex Ru(1,2-bis(diphenylphosphino)ethane)(CO)₃ and the dicationic ruthenium dimer [Ru₂(1,2-bis(diphenylphosphino)ethane)₂(CO)₆]²⁺, 13

The chemical reactivity of phosphorus-bridging carbonyl compounds: a novel approach to homogeneous catalysis?, 29

Carbonyl compounds

Hydride abstraction from [PPN]₂[HSb{Fe(CO)₄}₃] by alkyl iodides: Synthesis and characterization of [PPN][Sb(Me)I{Fe(CO)₄}₂], 165

Chromium

Indenyl and indacenyl ligands in homo and heterobimetallic complexes, 97

Cinnamaldehyde

Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 209

cis-influence

Pyrazine bridged organodicobaloximes: a convenient one pot synthesis and *cis* influence studies, 247

Citral

Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 209

Cluster

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Complex

Calamitic organometallic liquid crystals with terminal metal. Syntheses and liquid crystal properties of dicarbonylruthenium(I) β -diketonate complexes, 159

Copper(I)

Metallorganische Verbindungen des Kupfers: XIV Spaltung der Halogeno-Brücken in den zweikernigen Alkin-Kupfer(I)-Komplexen [CuX(η^2 -tmtch)]₂ (X = Cl, Br, I; tmtch = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin) durch die N-haltigen Lewis-Basen Ammoniak, Anilin, Pyridin und Diethylamin, 255

Coupling reactions

Chelating *N*-heterocyclic carbene ligands in palladium-catalyzed heck-type reactions, 93

Crystal structure

Half-sandwich complexes of niobium and tantalum bearing *o*-xylylene, anthracene, or cyclooctatetraene: crystal structures of (η^5 -C₅Me₅)Nb{*o*-(CH₂)₂C₆H₄}Cl₂, (η^5 -C₅Me₅)Ta(η^4 -anthracene)(CH₂Ph)₂, and (η^5 -C₅Me₅)Nb(η^4 -butadiene)(η^3 -cyclooctatetraene), 3

Organogold(III) metallacyclic chemistry. Part 2. Synthesis and characterisation of the first gold(III) ureylene complexes. Crystal structures of [{C₆H₃(CH₂NMe₂)₂-(OMe)-5}Au{RNC(O)NR}] (R = Ph and C(O)Me, 229

Structure and reactivity of the zero-valent ruthenium complex Ru(1,2-bis(diphenylphosphino)ethane)(CO)₃ and the dicationic ruthenium dimer [Ru₂(1,2-bis(diphenylphosphino)ethane)₂(CO)₆]²⁺, 13

Tin(IV) and organotin(IV) derivatives of novel β -diketones. III Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R(C=O)-pyrazol-5-one (R = CH₃, C₆H₅) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazol-5-ato)tin(IV), 189

[4 + 2] cycloadditions

From 2*H*-phospholes to BIPNOR, a new efficient biphasphine for asymmetric catalysis, 117

Cyclooctatetraene

Half-sandwich complexes of niobium and tantalum bearing *o*-xylene, anthracene, or cyclooctatetraene: crystal structures of $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}\{\text{o-}(\text{CH}_2)_2\text{C}_6\text{H}_4\}\text{Cl}_2$, $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\eta^4\text{-anthracene})(\text{CH}_2\text{Ph})_2$, and $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}(\eta^4\text{-butadiene})(\eta^3\text{-cyclooctatetraene})$, 3

 β -diketone

Calamitic organometallic liquid crystals with terminal metal. Syntheses and liquid crystal properties of dicarbonylrhodium(I) β -diketonate complexes, 159

Dynamic NMR

Structure and reactivity of the zero-valent ruthenium complex $\text{Ru}(1,2\text{-bis(diphenylphosphino)ethane})(\text{CO})_3$ and the dicationic ruthenium dimer $[\text{Ru}_2(1,2\text{-bis(diphenylphosphino)ethane})_2(\text{CO})_6]^{2+}$, 13

Enantioselective catalysis

From 2*H*-phospholes to BIPNOR, a new efficient biphosphine for asymmetric catalysis, 117

Gold

Organogold(III) metallacyclic chemistry. Part 2. Synthesis and characterisation of the first gold(III) ureylene complexes. Crystal structures of $[\{\text{C}_6\text{H}_3(\text{CH}_2\text{-NMe}_2)-2-(\text{OMe})-5\}\text{Au}\{\text{RNC(O)NR}\}]$ ($\text{R} = \text{Ph}$ and C(O)Me), 229

Halogeno complexes

Metallorganische Verbindungen des Kupfers: XIV Spaltung der Halogeno-Brücken in den zweikernigen Alkin-Kupfer(I)-Komplexen $[\text{CuX}(\eta^2\text{-tmtch})_2]$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}; \text{tmtch} = 3,3,6,6\text{-Tetramethyl-1-thia-4-cycloheptin}$) durch die N-haltigen Lewis-Basen Ammoniak, Anilin, Pyridin und Diethylamin, 255

Heterobimetallics

Syntheses of polymethylene bridged early-late transition metal complexes, 263

Homogeneous catalysts

Synthesis, single crystal X-ray structure determination and NMR studies of $\text{Cp}_2\text{Fe}(\text{PPh}_3)_2\text{PtPh}_2$ and $\text{Cp}_2\text{Fe}(\text{PPh}_3)_2\text{PtI}_2$, 171

Hydride

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Hydrogenation

Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 209

Indacenyl

Indenyl and indacenyl ligands in homo and heterobimetallic complexes, 97

Indenyl

Indenyl and indacenyl ligands in homo and heterobimetallic complexes, 97

Indole systems

Functionalized ylides: new trends in organometallic chemistry, 37

Iodoalkyl

Syntheses of polymethylene bridged early-late transition metal complexes, 263

IR

Tin(IV) and organotin(IV) derivatives of novel β -diketones. III Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R(C=O)-pyrazol-5-one ($\text{R} = \text{CH}_3, \text{C}_6\text{H}_5$) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazol-5-ato)tin(IV), 189

Iron

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Ketenyl

Functionalized ylides: new trends in organometallic chemistry, 37

Ligand

Functionalized ylides: new trends in organometallic chemistry, 37

Liquid crystal

Calamitic organometallic liquid crystals with terminal metal. Syntheses and liquid crystal properties of dicarbonylrhodium(I) β -diketonate complexes, 159

Living intermediates

NMR detection of living intermediates prepared from activated $[\text{NON}]_2\text{ZrMe}_2$ ($[\text{NON}]^{2-} = [(\text{t-Bu-d}_6\text{-N-}o\text{-C}_6\text{H}_4)_2\text{O}]^{2-}$) and olefins, 69

Macropolyhedral

Macropolyhedral boron-containing cluster chemistry. $[\text{PtMe}_2(\text{PMe}_2\text{Ph})_2]$ as a cluster metallating agent. Isolation and characterisation of nineteen-vertex $[(\text{PMe}_2\text{Ph})\text{HPt-} \eta^4\text{-syn-B}_{18}\text{H}_{19}(\text{PMe}_2\text{Ph})]$ and eighteen-vertex $[(\text{PMe}_2\text{Ph})_2\text{PtS}_2\text{B}_{15}\text{H}_{14}(\text{NHCOMe})]$, 183

Meso

Synthesis and molecular structure of *meso*-(ethylenebis-(2-dimethylamino))-1-indenyl zirconium dichloride, 225

Metal-centered radicals

Structure and reactivity of the zero-valent ruthenium complex $\text{Ru}(1,2\text{-bis(diphenylphosphino)ethane})(\text{CO})_3$ and the dicationic ruthenium dimer $[\text{Ru}_2(1,2\text{-bis(diphenylphosphino)ethane})_2(\text{CO})_6]^{2+}$, 13

Metallaboranes

Macropolyhedral boron-containing cluster chemistry. $[\text{PtMe}_2(\text{PMe}_2\text{Ph})_2]$ as a cluster metallating agent. Isolation and characterisation of nineteen-vertex $[(\text{PMe}_2\text{Ph})\text{HPt-} \eta^4\text{-syn-B}_{18}\text{H}_{19}(\text{PMe}_2\text{Ph})]$ and eighteen-vertex $[(\text{PMe}_2\text{Ph})_2\text{PtS}_2\text{B}_{15}\text{H}_{14}(\text{NHCOMe})]$, 183

Metallacycle

Organogold(III) metallacyclic chemistry. Part 2. Synthesis and characterisation of the first gold(III) ureylene complexes. Crystal structures of $[\{\text{C}_6\text{H}_3(\text{CH}_2\text{-NMe}_2)-2-(\text{OMe})-5\}\text{Au}\{\text{RNC(O)NR}\}]$ ($\text{R} = \text{Ph}$ and C(O)Me), 229

Metallocene

Synthesis and molecular structure of *meso*-(ethylenebis-(2-dimethylamino))-1-indenyl zirconium dichloride, 225

Molybdenum

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Nanocomposites

Organometallic compounds as single-source precursors to nanocomposite materials: an overview, 121

Nanoparticles

Organometallic compounds as single-source precursors to nanocomposite materials: an overview, 121

N-heterocyclic

Chelating *N*-heterocyclic carbene ligands in palladium-catalyzed heck-type reactions, 93

Niobium

Half-sandwich complexes of niobium and tantalum bearing *o*-xylene, anthracene, or cyclooctatetraene: crystal structures of $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}\{\text{o-}(\text{CH}_2)_2\text{C}_6\text{H}_4\}\text{Cl}_2$, $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\eta^4\text{-anthracene})(\text{CH}_2\text{Ph})_2$, and $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}(\eta^4\text{-butadiene})(\eta^3\text{-cyclooctatetraene})$, 3

Improved synthesis of $(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_4$ compounds and the *Nujol* matrix photochemistry of $(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_4$ and $(\eta^5\text{-C}_9\text{H}_7)\text{M}(\text{CO})_4$, where M = Nb and Ta, 77

NMR

Synthesis, single crystal X-ray structure determination and NMR studies of $\text{Cp}_2\text{Fe}(\text{PPh}_2)_2\text{PtPh}_2$ and $\text{Cp}_2\text{Fe}(\text{PPh}_2)_2\text{PtI}_2$, 171
 Tin(IV) and organotin(IV) derivatives of novel β -diketones. III
 Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R($\text{C}=\text{O}$)-pyrazol-5-one ($\text{R} = \text{CH}_3$, C_6H_5) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazol-5-ato)tin(IV), 189

NON

NMR detection of living intermediates prepared from activated $[\text{NON}]^2-$ ($[\text{NON}]^2- = [(\text{t-Bu-d}_6\text{-N}-o\text{-C}_6\text{H}_4)_2\text{O}]^{2-}$) and olefins, 69

Olefins

NMR detection of living intermediates prepared from activated $[\text{NON}]^2-$ ($[\text{NON}]^2- = [(\text{t-Bu-d}_6\text{-N}-o\text{-C}_6\text{H}_4)_2\text{O}]^{2-}$) and olefins, 69

Oligomerization

The third route to the formation of the Si–O–Si-group and siloxane structures. To siloxanes through silanones, 145

Oligosiloxanes

The third route to the formation of the Si–O–Si-group and siloxane structures. To siloxanes through silanones, 145

Organodicobaloximes

Pyrazine bridged organodicobaloximes: a convenient one pot synthesis and *cis* influence studies, 247

Organometal

Calamitic organometallic liquid crystals with terminal metal. Syntheses and liquid crystal properties of dicarbonylrhodium(I) β -diketonate complexes, 159

Oxidative addition

Syntheses of polymethylene bridged early–late transition metal complexes, 263

***o*-xylylene**

Half-sandwich complexes of niobium and tantalum bearing *o*-xylylene, anthracene, or cyclooctatetraene: crystal structures of $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}\{\text{o-(CH}_2)_2\text{C}_6\text{H}_4\}\text{Cl}_2$, $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\eta^4\text{-anthracene})(\text{CH}_2\text{Ph})_2$, and $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}(\eta^4\text{-butadiene})(\eta^3\text{-cyclooctatetraene})$, 3

Palladium complexes

Chelating *N*-heterocyclic carbene ligands in palladium-catalyzed heck-type reactions, 93

Phosphorus-bridging

The chemical reactivity of phosphorus-bridging carbonyl compounds: a novel approach to homogeneous catalysis?, 29

Photochemistry

Improved synthesis of $(\eta^5\text{-CpR})\text{M}(\text{CO})_4$ compounds and the Nujol matrix photochemistry of $(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_4$ and $(\eta^5\text{-C}_9\text{H}_7)\text{M}(\text{CO})_4$, where M = Nb and Ta, 77

Structure and reactivity of the zero-valent ruthenium complex Ru(1,2-bis(diphenylphosphino)ethane)(CO)₃ and the dicationic ruthenium dimer [Ru₂(1,2-bis(diphenylphosphino)ethane)₂(CO)₆]²⁺, 13

Platinum

Macropolyhedral boron-containing cluster chemistry. [PtMe₂(PMe₂Ph)₂] as a cluster metallating agent. Isolation and characterisation of nineteen-vertex [(PMe₂Ph)HPt- η^4 -syn-B₁₈H₁₉(PMe₂Ph)] and eighteen-vertex [(PMe₂Ph)₂PtS₂B₁₅H₁₄(NHCOMe)], 183

Syntheses of polymethylene bridged early–late transition metal complexes, 263

Platinum diphosphine complexes

Synthesis, single crystal X-ray structure determination and NMR studies of $\text{Cp}_2\text{Fe}(\text{PPh}_2)_2\text{PtPh}_2$ and $\text{Cp}_2\text{Fe}(\text{PPh}_2)_2\text{PtI}_2$, 171

Polymerization

The third route to the formation of the Si–O–Si-group and siloxane structures. To siloxanes through silanones, 145

Polymethylene bridge

Syntheses of polymethylene bridged early–late transition metal complexes, 263

Polysiloxanes

The third route to the formation of the Si–O–Si-group and siloxane structures. To siloxanes through silanones, 145

Pyrazine

Pyrazine bridged organodicobaloximes: a convenient one pot synthesis and *cis* influence studies, 247

Radical chain mechanism

Hydride abstraction from $[\text{PPN}]_2[\text{HSb}\{\text{Fe}(\text{CO})_4\}_3]$ by alkyl iodides: Synthesis and characterization of $[\text{PPN}][\text{Sb}(\text{Me})\text{I}\{\text{Fe}(\text{CO})_4\}_2]$, 165

Rhodium

Indenyl and indacenyl ligands in homo and heterobimetallic complexes, 97

Ruthenium

Structure and reactivity of the zero-valent ruthenium complex Ru(1,2-bis(diphenylphosphino)ethane)(CO)₃ and the dicationic ruthenium dimer [Ru₂(1,2-bis(diphenylphosphino)ethane)₂(CO)₆]²⁺, 13

Ruthenium complex

Synthesis of novel ruthenium complexes of 2,2'-bis(diphenylphosphinomethyl)-1,1'-biphenyl and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 209

Ruthenium(II) complexes

The co-crystallization of Ru((*R*)-binap)($\eta^3\text{-Me-allyl}$)₂ and binap dioxide, and synthesis of Ru(Ph₂P(CH₂)₄PPh₂)($\eta^3\text{-Me-allyl}$)₂, 121

[1,5] sigmatropic shifts

From 2*H*-phospholes to BIPNOR, a new efficient biporphine for asymmetric catalysis, 117

Silica xerogels

Organometallic compounds as single-source precursors to nanocomposite materials: an overview, 121

Sol–gel chemistry

Organometallic compounds as single-source precursors to nanocomposite materials: an overview, 121

Structure

Metallorganische Verbindungen des Kupfers: XIV Spaltung der Halogeno-Brücken in den zweikernigen Alkin-Kupfer(I)-Komplexen $[\text{CuX}(\eta^2\text{-tmtrch})_2]$ (X = Cl, Br, I; tmtrch = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin) durch die N-haltigen Lewis-Basen Ammoniak, Anilin, Pyridin und Diethylamin, 255

Sulphur

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Syn and anti structures

Indenyl and indacenyl ligands in homo and heterobimetallic complexes, 97

Tantalum

Half-sandwich complexes of niobium and tantalum bearing *o*-xylylene, anthracene, or cyclooctatetraene: crystal structures of $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}\{\text{o-(CH}_2)_2\text{C}_6\text{H}_4\}\text{Cl}_2$, $(\eta^5\text{-C}_5\text{Me}_5)\text{Ta}(\eta^4\text{-anthracene})(\text{CH}_2\text{Ph})_2$, and $(\eta^5\text{-C}_5\text{Me}_5)\text{Nb}(\eta^4\text{-butadiene})(\eta^3\text{-cyclooctatetraene})$, 3

Improved synthesis of $(\eta^5\text{-CpR})\text{M}(\text{CO})_4$ compounds and the Nujol matrix photochemistry of $(\eta^5\text{-C}_5\text{H}_5)\text{M}(\text{CO})_4$ and $(\eta^5\text{-C}_9\text{H}_7)\text{M}(\text{CO})_4$, where M = Nb and Ta, 77

Tellurium

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Thiolato

Synthesis and structural characterisation of a mixed Mo/Fe, mixed chalcogen, PhS-bridged cluster, 219

Tin(IV) complexes

Tin(IV) and organotin(IV) derivatives of novel β -diketones. III Diorgano- and dihalotin(IV) complexes of 1,3-dimethyl-4-R(C=O)-pyrazol-5-one (R = CH₃, C₆H₅) and the crystal structure of *trans*-dicyclohexylbis(1,3-dimethyl-4-acetylpyrazol-5-ato)tin(IV), 189

Transition metal

The chemical reactivity of phosphorus-bridging carbonyl compounds: a novel approach to homogeneous catalysis?, 29

Triclinic

Synthesis, single crystal X-ray structure determination and NMR studies of Cp₂Fe(PPh₂)₂PtPh₂ and Cp₂Fe(PPh₂)₂PtI₂, 171

Tungsten

Syntheses of polymethylene bridged early-late transition metal complexes, 263

Ureylene

Organogold(III) metallacyclic chemistry. Part 2. Synthesis and characterisation of the first gold(III) ureylene complexes. Crystal structures of [{C₆H₃(CH₂-NMe₂)₂-2-(OMe)-5}Au{RNC(O)NR}] (R = Ph and C(O)Me, 229

X-ray crystal structure

The co-crystallization of Ru((R)-binap)(η^3 -Me-allyl)₂ and binap dioxide, and synthesis of Ru(Ph₂P(CH₂)₄PPh₂)(η^3 -Me-allyl)₂, 121

X-ray diffraction

Hydride abstraction from [PPN]₂[HSb{Fe(CO)₄}₃] by alkyl iodides: Synthesis and characterization of [PPN][Sb(Me)I{Fe(CO)₄}₂], 165

Synthesis, single crystal X-ray structure determination and NMR studies of Cp₂Fe(PPh₂)₂PtPh₂ and Cp₂Fe(PPh₂)₂PtI₂, 171

Ylides

Functionalized ylides: new trends in organometallic chemistry, 37