

Subject index of Volume 558

Alkenes

Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51

Alkyl complex

Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5:\eta^1:\eta^1-C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139

Alkylidene

Reaction of $CpWOS_3(CO)_{11}(\mu_3-CTol)$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71

Alkylidyne

Reaction of $CpWOS_3(CO)_{11}(\mu_3-CTol)$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71

2-Alkylindene

Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11

Alkyl substituents

Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11

Alkyne insertion

Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylazobenzenes, 91

Amide

Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular $K \cdots H(C)$ contacts, 193

ansa-Metallocene

Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181

Aryl group migration

Migration of aryl groups from silicon to carbon in α,β -epoxysilanes. A new model for hypervalent silicon study, 227

Aryl-manganese

Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon-carbon bond forming reactions, 61

Binuclear copper(I) complexes

Reaction of $[Cu_2(\mu-Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ ($Ph_2Ppypz = (2$ -diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- ($X = Cl, I, MeCO_2$ and pyrazolate), 131

Bioctahedron complexes

Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the bioctahedron complexes $M_2(\mu-PPh_2)_2(CO)_8$ ($M = Mn, Re$). Is there a neighbour group effect for the second attack?, 81

Bond activation

Remarkable regioselectivity in the reaction between $[(\eta^5-C_5Me_4H)RhCl(\mu-Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon-fluorine and -hydrogen bond activation and carbon-carbon bond formation, 209

Bridging phosphine ligand

Reaction of $[Cu_2(\mu-Ph_2Ppypz)_2(MeCN)_2](ClO_4)_2$ ($Ph_2Ppypz = (2$ -diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- ($X = Cl, I, MeCO_2$ and pyrazolate), 131

Carbazole

Reactions of platinum(0) complexes with carbazole, 189

Catalysis

Verbrückte Indenyliden-Cyclopentadienylidenkomplexe des Typs $(C_9H_5CH_2Ph-X-C_5H_4)MCl_2$ ($X = CMe_2, SiMe_2$; $M = Zr, Hf$) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph-CMe_2-C_5H_4)MCl_2$ ($M = Zr, Hf$), 111

Catalysts

Existence of an intradimeric rearrangement in monofunctional tetrabutylstannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231

Chiral-at-metal rhodium complex

Remarkable regioselectivity in the reaction between $[(\eta^5-C_5Me_4H)RhCl(\mu-Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon-fluorine and -hydrogen bond activation and carbon-carbon bond formation, 209

Chirality

Optically active transition metal compounds 114: The complexes $(\eta^3-C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3-C_{27}H_{33}N_3)M(CO)_3$ ($M = Cr, Mo, W$) containing the ligand $C_{27}H_{33}N_3 = N,N',N''$ -tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine, 213

Chromium

Optically active transition metal compounds 114: The complexes $(\eta^3-C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3-C_{27}H_{33}N_3)M(CO)_3$ ($M = Cr, Mo, W$) containing the ligand $C_{27}H_{33}N_3 = N,N',N''$ -tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine, 213

Cobalt catalysis

Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylazobenzenes, 91

Copper

Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51

Optically active transition metal compounds 114: The complexes $(\eta^3-C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3-C_{27}H_{33}N_3)M(CO)_3$ ($M = Cr, Mo, W$) containing the ligand $C_{27}H_{33}N_3 = N,N',N''$ -tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine, 213

- Coupling of 1,3-dienes
Coupling of 1,3-dienes on a triruthenium cluster: reactions of $\text{Ru}_3(\mu_3\text{-PhC}_2\text{C}\equiv\text{CPh})(\mu\text{-dppm})(\text{CO})_8$ with $\text{SiMe}_3\text{C}\equiv\text{CC}\equiv\text{CSiMe}_3$, 197
- Cross-coupling catalyst
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon-carbon bond forming reactions, 61
- Crystal structure
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(\text{KN})_2$ ring dimer with TMEDA chelation and short intramolecular $\text{K}\cdots\text{H}(\text{C})$ contacts, 193
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*- $\text{PdMe}(\text{O}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PR}_3)_2$ ($\text{R} = \text{Me}, \text{Ph}$) and $\text{PtMe}(\eta^1\text{-}O, \eta^2\text{-}C, C\text{-OC}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PMe}_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
The synthesis, solid state conductivity and X-ray crystal structure of $[\text{Fe}\{\eta^5\text{-C}_5\text{H}_5\}(E\text{-}\eta^5\text{-C}_5\text{H}_4\text{-CH}=\text{CH-}9\text{-C}_{16}\text{H}_9)]\{1,4\text{-}[(\text{CN})_2\text{C}=\text{C}]_2\text{C}_6\text{H}_4\}$, 147
- Cyclic voltammetry
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
- Cycloaddition
Addition of nitrile oxides to germyl-substituted ethylenes, 155
- Cyclometallated complex
A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103
- 1,2-Diaryldiazenes
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylzobenzenes, 91
- Diazoesters
 $\text{Cp}^*\text{Ru}(\text{II})$ and $\text{Cp}^*\text{Ru}(\text{IV})$ -catalyzed reactions of CHX with vinyl C-H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
- 2,3-Dihydrocinnoline
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylzobenzenes, 91
- Distannoxanes
Existence of an intradimeric rearrangement in monofunctional tetrabutyldistannoxanes $[\text{Bu}_4\text{Sn}_2\text{X}_2\text{O}]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
- Electrochemistry
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
- Epimerization
Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219
- α,β -Epoxy silanes
Migration of aryl groups from silicon to carbon in α,β -epoxy silanes. A new model for hypervalent silicon study, 227
- EPR
The synthesis, solid state conductivity and X-ray crystal structure of $[\text{Fe}\{\eta^5\text{-C}_5\text{H}_5\}(E\text{-}\eta^5\text{-C}_5\text{H}_4\text{-CH}=\text{CH-}9\text{-C}_{16}\text{H}_9)]\{1,4\text{-}[(\text{CN})_2\text{C}=\text{C}]_2\text{C}_6\text{H}_4\}$, 147
- Ferrocenyl
The synthesis, solid state conductivity and X-ray crystal structure of $[\text{Fe}\{\eta^5\text{-C}_5\text{H}_5\}(E\text{-}\eta^5\text{-C}_5\text{H}_4\text{-CH}=\text{CH-}9\text{-C}_{16}\text{H}_9)]\{1,4\text{-}[(\text{CN})_2\text{C}=\text{C}]_2\text{C}_6\text{H}_4\}$, 147
- Gas phase reactions
Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51
- Germanium
Addition of nitrile oxides to germyl-substituted ethylenes, 155
- Grignard reagents
Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon-carbon bond forming reactions, 61
- Hafnium
Verbrückte Indenyliden-Cyclopentadienylidenkomplexe des Typs $(\text{C}_9\text{H}_5\text{CH}_2\text{Ph-X-C}_5\text{H}_4)\text{MCl}_2$ ($\text{X} = \text{CMe}_2, \text{SiMe}_2$; $\text{M} = \text{Zr}, \text{Hf}$) als Metallocenkatalsatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(\text{C}_9\text{H}_5\text{CH}_2\text{Ph-CMe}_2\text{-C}_5\text{H}_4)\text{MCl}_2$ ($\text{M} = \text{Zr}, \text{Hf}$), 111
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $\text{Hf}(\eta^5\text{-}\eta^1\text{-}\eta^1\text{-C}_5\text{Me}_4\text{SiMe}_2\text{NCH}_2\text{CH}_2\text{OCH}_3)\text{Cl}_2$, 139
- Hexahydrotriazine ligands
Optically active transition metal compounds 114: The complexes $(\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3)\text{CuCl}_2$ and $(\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3)\text{M}(\text{CO})_3$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) containing the ligand $\text{C}_{27}\text{H}_{33}\text{N}_3 = N,N',N''\text{-tris}[(S)\text{-}1\text{'-phenylethyl}]\text{hexahydro-}1,3,5\text{-triazine}$, 213
- Hydride
Reactions of platinum(0) complexes with carbazole, 189
- Hydride complexes
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylzobenzenes, 91
- Hydrogen bonding
Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*- $\text{PdMe}(\text{O}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PR}_3)_2$ ($\text{R} = \text{Me}, \text{Ph}$) and $\text{PtMe}(\eta^1\text{-}O, \eta^2\text{-}C, C\text{-OC}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PMe}_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41
- Hydrogermylation
Addition of nitrile oxides to germyl-substituted ethylenes, 155
- Hypervalent Si species
Migration of aryl groups from silicon to carbon in α,β -epoxy silanes. A new model for hypervalent silicon study, 227
- Immobilized complex
Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235
- Indenyl
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
- Insertion
 $\text{Cp}^*\text{Ru}(\text{II})$ and $\text{Cp}^*\text{Ru}(\text{IV})$ -catalyzed reactions of CHX with vinyl C-H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
- Intramolecular bonding
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(\text{KN})_2$ ring dimer with TMEDA chelation and short intramolecular $\text{K}\cdots\text{H}(\text{C})$ contacts, 193
- Iron carbonylate anion
Reaction of $[\text{Cu}_2(\mu\text{-Ph}_2\text{Ppy})_2(\text{MeCN})_2](\text{ClO}_4)_2$ ($\text{Ph}_2\text{Ppy} = (2\text{-diphenylphosphino-}6\text{-pyrazol-}1\text{-yl})\text{pyridine}$) with $\text{Fe}(\text{CO})_4^{2-}$ and X^- ($\text{X} = \text{Cl}, \text{I}, \text{MeCO}_2$ and pyrazolate), 131

Iron dinitrosyl

Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1

Isotactic polypropylene

Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219

Isoxazolines-2

Addition of nitrile oxides to germyl-substituted ethylenes, 155

Linked amido-cyclopentadienyl ligand

Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $\text{Hf}(\eta^5\text{-}\eta^1\text{-C}_5\text{Me}_4\text{SiMe}_2\text{NCH}_2\text{CH}_2\text{OCH}_3)\text{Cl}_2$, 139

Lithium organyls

Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the biotahedron complexes $\text{M}_2(\mu\text{-PPh}_2)_2(\text{CO})_8$ (M = Mn, Re). Is there a neighbour group effect for the second attack?, 81

Manganese

Novel tridentate diamino organomanganese(II) complexes as homogeneous catalysts in manganese(II)/copper(I) catalyzed carbon-carbon bond forming reactions, 61

Mass spectrometry

Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51

Metal clusters

Reaction of $\text{CpWOS}_3(\text{CO})_{11}(\mu_3\text{-CTol})$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71

Metalocene

Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171

Metalocene complexes

Verbrückte Indenyliden-Cyclopentadienylidenkomplexe des Typs $(\text{C}_9\text{H}_5\text{CH}_2\text{Ph-X-C}_5\text{H}_4)\text{MCl}_2$ (X = CMe_2 , SiMe_2 ; M = Zr, Hf) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(\text{C}_9\text{H}_5\text{CH}_2\text{Ph-CMe}_2\text{-C}_5\text{H}_4)\text{MCl}_2$ (M = Zr, Hf), 111

Metalocenes

Comments on the paper titled: 'Error formation in ansa-zirconocene catalyzed isotactic propylene polymerization': (J. Organomet. Chem. 512 (1996) 131), 219

1-methylcytosine

A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103

Molybdenum

Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51

Optically active transition metal compounds 114: The complexes $(\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3)\text{CuCl}_2$ and $(\eta^3\text{-C}_{27}\text{H}_{33}\text{N}_3)\text{M}(\text{CO})_3$ (M = Cr, Mo, W) containing the ligand $\text{C}_{27}\text{H}_{33}\text{N}_3 = N,N',N''\text{-tris}[(S)\text{-1'-phenylethyl}]$ hexahydro-1,3,5-triazine, 213

Nitrosyls

Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1

NMR

Existence of an intradimeric rearrangement in monofunctional tetrabutylstannoxanes $[\text{Bu}_4\text{Sn}_2\text{X}_2\text{O}]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19

Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1

Nucleobase

A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103

Nucleophiles

Comparison on the selectivity of the first and second attack of selected lithium organyls as nucleophiles on the carbonyls in the biotahedron complexes $\text{M}_2(\mu\text{-PPh}_2)_2(\text{CO})_8$ (M = Mn, Re). Is there a neighbour group effect for the second attack?, 81

Nucleophilic addition

Synthesis and characterization of new bis(2-R-indenyl) zirconium dichloride complexes for the olefin polymerization, 11

Olefin chelate

$\text{Cp}^*\text{Ru(II)}$ and $\text{Cp}^*\text{Ru(IV)}$ -catalyzed reactions of CHX with vinyl C-H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163

Olefin polymerization

Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171

Olefins

Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51

Ortho-metalation

Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenzylzobenzenes, 91

Palladium

Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235

Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*- $\text{PdMe}(\text{O}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PR}_3)_2$ (R = Me, Ph) and $\text{PtMe}(\eta^1\text{-}O, \eta^2\text{-}C, C\text{-OC}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PMe}_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41

Pd(II) complex

A cyclometallated Pd(II) complex containing a cytosine model nucleobase, 103

Phenoxide

Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*- $\text{PdMe}(\text{O}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PR}_3)_2$ (R = Me, Ph) and $\text{PtMe}(\eta^1\text{-}O, \eta^2\text{-}C, C\text{-OC}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PMe}_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41

Phosphines

Supported organometallic complexes XVI: A T-silyl functionalized dppp palladium complex as a precursor for catalysis in interphases, 235

Platinum

Synthesis and structure of methylpalladium(II) and -platinum(II) complexes with 2-allylphenoxido ligands, *trans*- $\text{PdMe}(\text{O}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PR}_3)_2$ (R = Me, Ph) and $\text{PtMe}(\eta^1\text{-}O, \eta^2\text{-}C, C\text{-OC}_6\text{H}_4\text{CH}_2\text{CH}=\text{CH}_2\text{-}o)(\text{PMe}_3)$. Simple *O*-coordination and chelating coordination depending on the metal center and auxiliary phosphine ligand, 41

Platinum(0)

Reactions of platinum(0) complexes with carbazole, 189

Polymerization

Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231

- Verbrückte Indenyliiden–Cyclopentadienyliidenkomplexe des Typs $(C_9H_5CH_2Ph-X-C_5H_4)MCl_2$ ($X = CMe_2, SiMe_2$; $M = Zr, Hf$) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph-CMe_2-C_5H_4)MCl_2$ ($M = Zr, Hf$), 111
- Potassium**
Crystal structure of a heavier alkali metal diisopropylamide complex: a discrete $(KN)_2$ ring dimer with TMEDA chelation and short intramolecular $K \cdots H(C)$ contacts, 193
- Pyrazolate**
Reaction of $[Cu_2(\mu-Ph_2Ppyz)_2(MeCN)_2](ClO_4)_2$ ($Ph_2Ppyz = (2$ -diphenylphosphino-6-pyrazol-1-yl)pyridine) with $Fe(CO)_4^{2-}$ and X^- ($X = Cl, I, MeCO_2$ and pyrazolate), 131
- Rearrangement**
Existence of an intradimeric rearrangement in monofunctional tetrabutyl-distannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
- Regioselectivity**
Remarkable regioselectivity in the reaction between $[(\eta^5-C_5Me_4H)RhCl(\mu-Cl)]_2$ and $(C_6F_5)_2PCH_2CH_2P(C_6F_5)_2$: synthesis of a chiral-at-metal rhodium complex cation via carbon–fluorine and –hydrogen bond activation and carbon–carbon bond formation, 209
- Rhenium**
Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51
- Ruthenium**
 $Cp^*Ru(II)$ and $Cp^*Ru(IV)$ -catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
- Ruthenium-carbene**
 $Cp^*Ru(II)$ and $Cp^*Ru(IV)$ -catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
- Ruthenium clusters**
Coupling of 1,3-diyne on a triruthenium cluster: reactions of $Ru_3(\mu_3-PhC_2C \equiv CPh)(\mu-dppm)(CO)_8$ with $SiMe_3C \equiv CC \equiv CSiMe_3$, 197
- Semiconductor**
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5-C_5H_5\}(E-\eta^5-C_5H_4-CH=CH-9-C_{16}H_9)]\{1,4-(CN)_2C \equiv\}_2C_6H_4$, 147
- Siloxy**
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
- Solid state conductivity**
The synthesis, solid state conductivity and X-ray crystal structure of $[Fe\{\eta^5-C_5H_5\}(E-\eta^5-C_5H_4-CH=CH-9-C_{16}H_9)]\{1,4-(CN)_2C \equiv\}_2C_6H_4$, 147
- Stilbenylazobenzene**
Transition metal complexes of diazenes XLI: cobalt catalyzed addition of internal alkynes to 1,2-diaryldiazenes: formation of 2,3-dihydrocinnolines, mono- and distilbenylazobenzene, 91
- Styrene**
 $Cp^*Ru(II)$ and $Cp^*Ru(IV)$ -catalyzed reactions of CHX with vinyl C–H bonds: competition between double bond homologation and olefin cyclopropanation by alkyl diazoacetate, 163
- Sulfido ligand
Reaction of $CpWOS_3(CO)_{11}(\mu_3-CTol)$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71
- Syndiotactic polystyrene
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231
- TCNE**
Iron dinitrosyl complexes of TCNE: a synthetic, X-ray crystallographic, high field NMR and electrochemical study, 1
- Technetium**
Gas-phase reactions of Tc^+ , Re^+ , Mo^+ and Cu^+ with alkenes, 51
- Tin**
Existence of an intradimeric rearrangement in monofunctional tetrabutyl-distannoxanes $[Bu_4Sn_2X_2O]_2$ probed by multinuclear NMR spectroscopy in solution and in solid state, 19
- Titanium**
Siloxy-substituted tetramethylcyclopentadienyl and indenyl trichlorotitanium complexes for syndiospecific polymerization of styrene, 231
- Tungsten**
Optically active transition metal compounds 114: The complexes $(\eta^3-C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3-C_{27}H_{33}N_3)M(CO)_3$ ($M = Cr, Mo, W$) containing the ligand $C_{27}H_{33}N_3 = N,N',N''$ -tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine, 213
- Tungsten–triosmium**
Reaction of $CpWOS_3(CO)_{11}(\mu_3-CTol)$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71
- X-ray**
Reactions of platinum(0) complexes with carbazole, 189
- X-ray structure**
Addition of nitrile oxides to germyl-substituted ethylenes, 155
Reaction of $CpWOS_3(CO)_{11}(\mu_3-CTol)$ with H_2S : μ -alkylidene and μ_3 -alkylidyne WOS_3 cluster complexes containing a sulfido ligand, 71
Verbrückte Indenyliiden–Cyclopentadienyliidenkomplexe des Typs $(C_9H_5CH_2Ph-X-C_5H_4)MCl_2$ ($X = CMe_2, SiMe_2$; $M = Zr, Hf$) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph-CMe_2-C_5H_4)MCl_2$ ($M = Zr, Hf$), 111
- X-ray structure analysis**
Optically active transition metal compounds 114: The complexes $(\eta^3-C_{27}H_{33}N_3)CuCl_2$ and $(\eta^3-C_{27}H_{33}N_3)M(CO)_3$ ($M = Cr, Mo, W$) containing the ligand $C_{27}H_{33}N_3 = N,N',N''$ -tris[(S)-1'-phenylethyl]hexahydro-1,3,5-triazine, 213
- Zirconium**
Bis[2-(*tert*-butyldimethylsiloxy)-4,7-dimethylindenyl]zirconium dichloride: synthesis, torsional isomerism and olefin polymerization catalysis, 171
Synthesis and characterization of ethylene-bridged 1-*tert*-butyldimethylsiloxy-substituted bis(indenyl) and bis(tetrahydroindenyl)zirconium dichlorides, 181
Verbrückte Indenyliiden–Cyclopentadienyliidenkomplexe des Typs $(C_9H_5CH_2Ph-X-C_5H_4)MCl_2$ ($X = CMe_2, SiMe_2$; $M = Zr, Hf$) als Metallocenkatalysatoren für die Ethylenpolymerisation. Die Molekülstrukturen von $(C_9H_5CH_2Ph-CMe_2-C_5H_4)MCl_2$ ($M = Zr, Hf$), 111
Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5:\eta^1:\eta^1-C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$, 139