

## Subject index of Volume 562

### Acetylene

Addition of tellurium tetrabromides and alkyl and aryl tellurium tribromides to terminal acetylenes, 127

### Acetylenic urea

Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas, 35

### Alkoxy carbonyl

Effect of the ligand L on the transesterification processes of bismethoxycarbonyl iron complexes: *cis* Fe(CO<sub>2</sub>Me)<sub>2</sub>(CO)<sub>3</sub>L, L = CO, PMe<sub>3</sub>, PPh<sub>3</sub>, P(OEt)<sub>3</sub>, 181

### Alkyl

Preparation and characterization of (R<sub>2</sub>N)<sub>2</sub>VCl<sub>2</sub> [R = Cy, i-Pr] and its activity as olefin polymerization catalyst, 53

### Alkylamido

Preparation and characterization of (R<sub>2</sub>N)<sub>2</sub>VCl<sub>2</sub> [R = Cy, i-Pr] and its activity as olefin polymerization catalyst, 53

### Alkyne

Synthesis, crystal structure and some reactions of the ruthenacarborane complex [Ru(CO)<sub>2</sub>(MeC≡CPh)(η<sup>5</sup>-7,8-C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)], 17

### Alkynes

1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205

### Amido complexes

Half-sandwich and *ansa*-niobocenes: synthesis and reactivity, 71

### Anthraquinone derivatives

Synthesis and characterisation of C<sub>60</sub> derivatives containing functionalised anthraquinone groups and an unusual fullerene-stabilised cation, 115

### Arene complexes

Substitutional photochemistry of sandwich and half-sandwich complexes of ruthenium(II), 97

### Aryl tellurium tribromide

Addition of tellurium tetrabromides and alkyl and aryl tellurium tribromides to terminal acetylenes, 127

### Bi metallic compounds

Photochemistry of ring-coupled group VI bimetallic compounds I: phosphine substitution without disproportionation. The molecular structures of Mo<sub>2</sub>(CO)<sub>5</sub>[P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>](μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>) and Mo<sub>2</sub>(CO)<sub>4</sub>[P(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>), 89

### Binuclear complexes

Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis, 11

### Bis(triethoxysilyl)carbanion

Synthesis and reactivity of bis(triethoxysilyl)methane, tris(triethoxysilyl)methane and some derivatives, 79

### Bis(triethoxysilyl)ketene

Synthesis and reactivity of bis(triethoxysilyl)methane, tris(triethoxysilyl)methane and some derivatives, 79

### Boron

1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205

Synthesis, crystal structure and some reactions of the ruthenacarborane complex [Ru(CO)<sub>2</sub>(MeC≡CPh)(η<sup>5</sup>-7,8-C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)], 17

### Boron (*continued*)

The preparation of 1,3-dizincpropanes via a boron-zinc transmetallation, 133

### Carbodiimide

Synthesis and X-ray crystal structure of bis(germyl)carbodiimides. Spectroscopic characterization of (hydrogeno) (germyl)-cyanamides, 189

### Carbonyl

Decamethylpentasilacycloheptyne·Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub> and cycloheptyne·Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>, 29

### Carbonyls

Niobium(I) and tantalum(I) tetracarbonyl derivatives containing nitrogen ligands, 61

### Carborane

Synthesis, crystal structure and some reactions of the ruthenacarborane complex [Ru(CO)<sub>2</sub>(MeC≡CPh)(η<sup>5</sup>-7,8-C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)], 17

### Catalysis

*ansa*-Metallocenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-SiR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Alkenyl; R' = Alkyl, Alkenyl): Selbstimmobilisierende Katalysatorvorstufen für die Ethylenpolymerisation, 227

C<sub>1</sub>-verbrückte Fluorenyliden-Indenylidenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-CR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Butenyl; R' = Alkyl, Alkenyl) als Metallocenkatalysatorvorstufen für die Ethylenpolymerisation, 153

### Cationic complexes

Half-sandwich and *ansa*-niobocenes: synthesis and reactivity, 71

### Chiral lanthanidocene complexes

Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251

### Chromium-tin-π-system

π-Bonding in the star-type compound [(CO)<sub>5</sub>Cr]<sub>3</sub>Sn<sup>2-</sup>. How to rationalize its electronic absorption spectrum and its out-of-range <sup>119</sup>Sn-NMR shift of δ = 3924, 215

### C-N bond cleavage

Facile C-N bond cleavage mediated by electron-rich cyclopentadienyl cobalt(I) complexes, 45

### Cobalt

Facile C-N bond cleavage mediated by electron-rich cyclopentadienyl cobalt(I) complexes, 45

### Crystal structure

π-Bonding in the star-type compound [(CO)<sub>5</sub>Cr]<sub>3</sub>Sn<sup>2-</sup>. How to rationalize its electronic absorption spectrum and its out-of-range <sup>119</sup>Sn-NMR shift of δ = 3924, 215

### Cyanamide

Synthesis and X-ray crystal structure of bis(germyl)carbodiimides. Spectroscopic characterization of (hydrogeno)(germyl)-cyanamides, 189

### Cyclic compounds

Reactions of trialkylaluminium with sterically hindered diols, 3

### Cyclization reactions

Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas, 35

## Cycloheptyne

Decamethylpentasilacycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub> and cycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>, 29

## Decamethylpentasilacycloheptyne

Decamethylpentasilacycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub> and cycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>, 29

## Diindium

An indium(II)-indium(II) compound with intramolecular donor-acceptor bonds, 123

## Electrochemistry

Synthesis and characterisation of C<sub>60</sub> derivatives containing functionalised anthraquinone groups and an unusual fullerene-stabilised cation, 115

Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses, 195

## Ethylene-propylene co-polymerization

Preparation and characterization of (R<sub>2</sub>N)<sub>2</sub>VCl<sub>2</sub> [R = Cy, i-Pr] and its activity as olefin polymerization catalyst, 53

## Ferrocenes

Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses, 195

## Fullerenes

Synthesis and characterisation of C<sub>60</sub> derivatives containing functionalised anthraquinone groups and an unusual fullerene-stabilised cation, 115

*Gem*-bis(triethoxysilyl)alkanes

Synthesis and reactivity of bis(triethoxysilyl)methane, tris(triethoxysilyl)methane and some derivatives, 79

## Germanium

Synthesis and X-ray crystal structure of bis(germyl)carbodiimides. Spectroscopic characterization of (hydrogeno)(germyl)cyanamides, 189

## Heterobimetallic

Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses, 195

## Holmium

Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251

## Hydridotris(pyrazolyl)borate

Ring-opening metathesis polymerization of norbornene catalyzed by a [Hydridotris(pyrazolyl)borato]vinylideneruthenium complex, 201

## Icosahedral metallocarboranes

New thiophene metallocarborane compounds of palladium and platinum: X-ray structures of 1-C<sub>4</sub>H<sub>3</sub>S-3-(cod)-3,1,2-M-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PMe<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pt-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> and 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pd-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> (M = Pt or Pd), 105

## Imido complexes

Half-sandwich and *ansa*-niobocenes: synthesis and reactivity, 71

## Immobilization

C<sub>1</sub>-verbrückte Fluorenyliden-Indenylidenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-CR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Butenyl; R' = Alkyl, Alkenyl) als Metallocenkatalysatorvorstufen für die Ethylenpolymerisation, 153

## Indenyl

Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis, 11

## Intramolecular coordination

An indium(II)-indium(II) compound with intramolecular donor-acceptor bonds, 123

## Iron

Effect of the ligand L on the transesterification processes of bismethoxycarbonyl iron complexes: *cis* Fe(CO<sub>2</sub>Me)<sub>2</sub>(CO)<sub>3</sub>L, L = CO, PMe<sub>3</sub>, PPh<sub>3</sub>, P(OEt)<sub>3</sub>, 181

## Isocyanide complexes

Facile C-N bond cleavage mediated by electron-rich cyclopentadienyl cobalt(I) complexes, 45

## Ketenimine complexes

Facile C-N bond cleavage mediated by electron-rich cyclopentadienyl cobalt(I) complexes, 45

## Lutetium

Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251

## Metal-carbonyl

Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses, 195

## Metallocene complexes

*ansa*-Metallocenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-SiR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Alkenyl; R' = Alkyl, Alkenyl): Selbstimmobilisierende Katalysatorvorstufen für die Ethylenpolymerisation, 227

C<sub>1</sub>-verbrückte Fluorenyliden-Indenylidenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-CR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Butenyl; R' = Alkyl, Alkenyl) als Metallocenkatalysatorvorstufen für die Ethylenpolymerisation, 153

## Molybdenum

Decamethylpentasilacycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub> and cycloheptyne · Mo<sub>2</sub>(CO)<sub>4</sub>(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>, 29

## Neodymium

Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251

## Niobium

Half-sandwich and *ansa*-niobocenes: synthesis and reactivity, 71  
Niobium(I) and tantalum(I) tetracarbonyl derivatives containing nitrogen ligands, 61

## Nitrogen heterocycles

Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas, 35

## Nitrogen ligands

Niobium(I) and tantalum(I) tetracarbonyl derivatives containing nitrogen ligands, 61

## NLO

Synthesis and characterization of new ferrocenyl heterobimetallic compounds with high NLO responses, 195

## NMR

1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205

## Norbornene

Ring-opening metathesis polymerization of norbornene catalyzed by a [Hydridotris(pyrazolyl)borato]vinylideneruthenium complex, 201

## Oligophenylmetallasiloxanes (OPMS)

Synthesis and characterization of large stereoregular organosiloxane cycles, 141

## 1,1-Organoboration

1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205

- Oxidative carbonylation reaction  
 Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas, 35
- Palladium catalyst  
 Nitrogen heterocycles by palladium-catalysed oxidative cyclization-alkoxycarbonylation of acetylenic ureas, 35
- Pentalenes  
 1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205
- Phosphane  
 Effect of the ligand L on the transesterification processes of bismethoxycarbonyl iron complexes: *cis* Fe(CO<sub>2</sub>Me)<sub>2</sub>(CO)<sub>3</sub>L, L = CO, PMe<sub>3</sub>, PPh<sub>3</sub>, P(OEt)<sub>3</sub>, 181
- Phosphines  
 Photochemistry of ring-coupled group VI bimetallic compounds I: phosphine substitution without disproportionation. The molecular structures of Mo<sub>2</sub>(CO)<sub>5</sub>[P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>](μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>) and Mo<sub>2</sub>(CO)<sub>4</sub>[P(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>), 89
- Photolysis  
 Photochemistry of ring-coupled group VI bimetallic compounds I: phosphine substitution without disproportionation. The molecular structures of Mo<sub>2</sub>(CO)<sub>5</sub>[P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>](μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>) and Mo<sub>2</sub>(CO)<sub>4</sub>[P(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>), 89
- Photosubstitution  
 Substitutional photochemistry of sandwich and half-sandwich complexes of ruthenium(II), 97
- Platinum carboranes  
 New thiophene metallocarborane compounds of palladium and platinum: X-ray structures of 1-C<sub>4</sub>H<sub>3</sub>S-3-(cod)-3,1,2-M-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PMe<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pt-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> and 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pd-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> (M = Pt or Pd), 105
- Polyhedral rearrangements  
 New thiophene metallocarborane compounds of palladium and platinum: X-ray structures of 1-C<sub>4</sub>H<sub>3</sub>S-3-(cod)-3,1,2-M-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PMe<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pt-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> and 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pd-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> (M = Pt or Pd), 105
- Polymerization  
*ansa*-Metallocenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-SiR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Alkenyl; R' = Alkyl, Alkenyl): Selbstimmobilisierende Katalysatorvorstufen für die Ethylenpolymerisation, 227  
 Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis, 11  
 C<sub>1</sub>-verbrückte Fluorenyliden-Indenylidenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-CR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Butenyl; R' = Alkyl, Alkenyl) als Metallocenkatalysatorvorstufen für die Ethylenpolymerisation, 153
- Ring-opening metathesis polymerization (ROMP)  
 Ring-opening metathesis polymerization of norbornene catalyzed by a [Hydridotris(pyrazolyl)borato]vinylideneruthenium complex, 201
- Ruthenium  
 Synthesis, crystal structure and some reactions of the ruthenacarborane complex [Ru(CO)<sub>2</sub>(MeC≡CPh)(η<sup>5</sup>-7,8-C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)], 17
- Ruthenium complexes  
 Synthesis and characterisation of C<sub>60</sub> derivatives containing functionalised anthraquinone groups and an unusual fullerene-stabilised cation, 115
- Ruthenium(II) complexes  
 Substitutional photochemistry of sandwich and half-sandwich complexes of ruthenium(II), 97
- Samarium  
 Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251
- Scandium  
 Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251
- Self immobilization  
*ansa*-Metallocenkomplexe des Typs (C<sub>13</sub>H<sub>8</sub>-SiR<sub>2</sub>-C<sub>9</sub>H<sub>6-n</sub>R'<sub>n</sub>)ZrCl<sub>2</sub> (n = 0, 1; R = Me, Ph, Alkenyl; R' = Alkyl, Alkenyl): Selbstimmobilisierende Katalysatorvorstufen für die Ethylenpolymerisation, 227
- Silicon  
 1,6-Dihydro-1,6-disilapentalene derivatives by 1,1-organoboration of triynes, 205
- Single crystal X-ray analysis  
 Synthesis and characterization of large stereoregular organosiloxane cycles, 141
- 'Slip-distortions'  
 New thiophene metallocarborane compounds of palladium and platinum: X-ray structures of 1-C<sub>4</sub>H<sub>3</sub>S-3-(cod)-3,1,2-M-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub>, 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PMe<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pt-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> and 1-C<sub>4</sub>H<sub>3</sub>S-3,3-(PPh<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Ph)<sub>2</sub>-3,1,2-Pd-C<sub>2</sub>B<sub>9</sub>H<sub>10</sub> (M = Pt or Pd), 105
- <sup>119</sup>Sn-NMR  
 π-Bonding in the star-type compound [(CO)<sub>5</sub>Cr]<sub>3</sub>Sn<sup>2-</sup>. How to rationalize its electronic absorption spectrum and its out-of-range <sup>119</sup>Sn-NMR shift of δ = 3924, 215
- Stereoregular siloxane macrocycles  
 Synthesis and characterization of large stereoregular organosiloxane cycles, 141
- Sterically hindered diols  
 Reactions of trialkylaluminium with sterically hindered diols, 3
- Styrene  
 Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis, 11
- Substitution reactions  
 Photochemistry of ring-coupled group VI bimetallic compounds I: phosphine substitution without disproportionation. The molecular structures of Mo<sub>2</sub>(CO)<sub>5</sub>[P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>](μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>) and Mo<sub>2</sub>(CO)<sub>4</sub>[P(CH<sub>3</sub>)<sub>3</sub>]<sub>2</sub>(μ-η<sup>5</sup>,η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>-CR<sub>2</sub>-C<sub>5</sub>H<sub>4</sub>), 89
- Tantalum  
 Niobium(I) and tantalum(I) tetracarbonyl derivatives containing nitrogen ligands, 61
- Tellurium  
 Addition of tellurium tetrabromides and alkyl and aryl tellurium tribromides to terminal acetylenes, 127
- Tin  
 π-Bonding in the star-type compound [(CO)<sub>5</sub>Cr]<sub>3</sub>Sn<sup>2-</sup>. How to rationalize its electronic absorption spectrum and its out-of-range <sup>119</sup>Sn-NMR shift of δ = 3924, 215
- Titanium  
 Binuclear monoindenyl-titanium(IV) complexes. Synthesis and styrene polymerization catalysis, 11
- Transesterification  
 Effect of the ligand L on the transesterification processes of bismethoxycarbonyl iron complexes: *cis* Fe(CO<sub>2</sub>Me)<sub>2</sub>(CO)<sub>3</sub>L, L = CO, PMe<sub>3</sub>, PPh<sub>3</sub>, P(OEt)<sub>3</sub>, 181
- Transmetalation  
 The preparation of 1,3-dizincpropanes via a boron-zinc transmetalation, 133
- Trialkylaluminium  
 Reactions of trialkylaluminium with sterically hindered diols, 3

## Trigonal planar coordination

$\pi$ -Bonding in the star-type compound  $[(\text{CO})_5\text{Cr}\{\text{C}_3\text{Sn}\}]^{2-}$ . How to rationalize its electronic absorption spectrum and its out-of-range  $^{119}\text{Sn}$ -NMR shift of  $\delta = 3924$ , 215

## Trimethylsilylation

Synthesis and characterization of large stereoregular organosiloxane cycles, 141

## Tris(triethoxysilyl)carbanion

Synthesis and reactivity of bis(triethoxysilyl)methane, tris(triethoxysilyl)methane and some derivatives, 79

## Vanadium

Preparation and characterization of  $(\text{R}_2\text{N})_2\text{VCl}_2$  [R = Cy, i-Pr] and its activity as olefin polymerization catalyst, 53

## Vinylideneruthenium

Ring-opening metathesis polymerization of norbornene catalyzed by a [Hydridotris(pyrazolyl)borato]vinylideneruthenium complex, 201

## X-ray structure

An indium(II)-indium(II) compound with intramolecular donor-acceptor bonds, 123

Organometallic compounds of the lanthanides. CXXI. Donor-substituted lanthanidocenes. Synthesis of mixed unbridged lanthanidocene chloride and alkyl derivatives, 251

## Zinc

The preparation of 1,3-dizincopropanes via a boron-zinc transmetallation, 133

## Zirconium

*ansa*-Metallocenkomplexe des Typs  $(\text{C}_{13}\text{H}_8\text{-SiR}_2\text{-C}_9\text{H}_6\text{-}_n\text{R}'_n)\text{ZrCl}_2$  ( $n = 0, 1$ ; R = Me, Ph, Alkenyl; R' = Alkyl, Alkenyl): Selbstimmobilisierende Katalysatorvorstufen für die Ethylenpolymerisation, 227

$\text{C}_1$ -verbrückte Fluorenyliden-Indenylidenkomplexe des Typs  $(\text{C}_{13}\text{H}_8\text{-CR}_2\text{-C}_9\text{H}_6\text{-}_n\text{R}'_n)\text{ZrCl}_2$  ( $n = 0, 1$ ; R = Me, Ph, Butenyl; R' = Alkyl, Alkenyl) als Metallocenkatalysatorvorstufen für die Ethylenpolymerisation, 153