Journal of Organometallic Chemistry 569 (1998) 237-240

# Subject index of Volume 569

#### A-frame complexes

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two  ${}^{i}Pr_{2}PCH_{2}P{}^{i}Pr_{2}$  molecules as bridging ligands, 189

### Aliphatic imines

Reductions of C=O and C=N groups with the systems composed of  $(\eta^5\text{-}\text{C}_5\text{H}_5)_2\text{MoH}_2$  and acids, 139

### Alkenyl complexes

Specific C–C coupling of the labile diruthenium bridging methylene complex,  $Cp_2Ru_2(\mu\text{-}CH_2)(CO)_2(MeCN)$ , with diazoalkanes  $(R_2C=N_2)$  leading to alkenyl complexes,  $Cp_2Ru_2(\mu\text{-}CH=CR_2)(\mu\text{-}H)(CO)_2$ , and alkenes,  $CH_2=CR_2$ , 71

### Alkyne complex

Synthesis, molecular structure and theoretical considerations on Mo(PhC=CCOOEt)<sub>3</sub>(PMe<sub>3</sub>), 21

#### Allyl complexes

Cationic  $\eta^3$ -allyl complexes. 21. Telomerization of buta-1,3-diene with Z–H compounds mediated by group 10 complexes, 203

#### Aromatic imines

Reductions of C=O and C=N groups with the systems composed of  $(\eta^5-C_5H_5)_2MoH_2$  and acids, 139

### $\eta^3$ -Azatrimethylenemethane complexes

A new stable intermediary mode between  $\eta^3$ -2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of  $\eta^3$ -azatrimethylenemethane and N-protonated, N-alkylated, N-arylated  $\eta^3$ -azatrimethylenemethane complexes of Pt and Pd, 39

# Benz[f]indene

Synthesis of 2-methylbenz[f]indene and  $(\eta^5$ -2-methylbenz[f]indenyl)rhodium dicarbonyl, 121

### Benzyl complex

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of Tp\*CrMe<sub>2</sub>(DMAP) and Tp\*Cr(Cr(CH<sub>2</sub>Ph)<sub>2</sub>-(DMAP) (DMAP = 4-dimethylaminopyridine), 15

# Bis[dichloro(η<sup>6</sup>-arene)ruthenium(II)]

### Bis(diisopropylphosphino)methane

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two 'Pr<sub>2</sub>PCH<sub>2</sub>P'Pr<sub>2</sub> molecules as bridging ligands, 189

### Bridging carbonato ligands

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two  ${}^{i}Pr_{2}PCH_{2}P{}^{i}Pr_{2}$  molecules as bridging ligands, 189

# Bridging hydrido ligands

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two  ${}^{i}\text{Pr}_{2}\text{PCH}_{2}\text{P}{}^{i}\text{Pr}_{2}$  molecules as bridging ligands, 189

#### Butadiene metal complex

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217

#### Buta-1,3-diene telomerization

Cationic  $\eta^3$ -allyl complexes. 21. Telomerization of buta-1,3-diene with Z–H compounds mediated by group 10 complexes, 203

#### Butyl isocyanate

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

#### Butyllithium

Synthesis of 2-methylbenz[f]indene and  $(\eta^5$ -2-methylbenz[f]indenyl)rhodium dicarbonyl, 121

### $\epsilon$ -Caprolactone

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

### Cation

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217

# C-C coupling

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

Specific C–C coupling of the labile diruthenium bridging methylene complex,  $Cp_2Ru_2(\mu\text{-}CH_2)(CO)_2(MeCN)$ , with diazoalkanes  $(R_2C=N_2)$  leading to alkenyl complexes,  $Cp_2Ru_2(\mu\text{-}CH=CR_2)(\mu\text{-}H)(CO)_2$ , and alkenes,  $CH_2=CR_2$ , 71

# C-H activation

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

### Chromium

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of Tp\*CrMe<sub>2</sub>(DMAP) and Tp\*Cr(Cr(CH<sub>2</sub>Ph)<sub>2</sub>-(DMAP) (DMAP = 4-dimethylaminopyridine), 15

# Cluster

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)Cl], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)-WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au-(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

Synthesis and reactivities of the indenyl-ruthenium cluster  $[(\eta^5 - C_9H_7)Ru(\mu\text{-SEt})]_3$ : indenyl effect in the trinuclear ruthenium cluster, 99

### Copper

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)CI], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)-WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au-(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

238 Subject index

Crystal structure

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of Tp\*CrMe<sub>2</sub>(DMAP) and Tp\*Cr(Cr(CH<sub>2</sub>Ph)<sub>2</sub>-(DMAP) (DMAP = 4-dimethylaminopyridine), 15

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions, 3

Crystal structures

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)Cl], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)-WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au-(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

Cyclopentadienyl-free

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

Dendrimer

Synthesis of organometallic dendrimers with a backbone composed of platinum-acetylide units, 195

Diastereoselectivity

Reductions of C=O and C=N groups with the systems composed of  $(\eta^5 - C_5H_5)_2MoH_2$  and acids, 139

1,4-Diazadiene ligand

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity, 159

Dicarbonvl

Synthesis of 2-methylbenz[f]indene and  $(\eta^5$ -2-methylbenz[f]indenyl)rhodium dicarbonyl, 121

 $(2,\!6\text{-}Dimethoxyphenyl) diphenyl phosphine$ 

Reactions of  $(\eta^6\text{-}C_6\text{Me}_6)\text{RuCl}(\text{MDMPP-}P,O)$  and  $(\eta^6\text{-}C_6\text{Me}_6)\text{RuCl}(\text{BDMPP-}P,O,O)$  complexes with Lewis bases or alkynes, where MDMPP-P,O= $P(2\text{-}O\text{-}6\text{-}\text{MeOC}_6\text{H}_3)Ph_2$  and BDMPP-P,O= $P(2\text{-}O\text{-}6\text{-}\text{MeOC}_6\text{H}_3)_2\{2,6\text{-}(\text{MeO})_2\text{C}_6\text{-}\text{H}_3\}$ , 29

Diruthenium

Specific C–C coupling of the labile diruthenium bridging methylene complex,  $Cp_2Ru_2(\mu\text{-}CH_2)(CO)_2(MeCN),$  with diazoalkanes  $(R_2C=N_2)$  leading to alkenyl complexes,  $Cp_2Ru_2(\mu\text{-}CH=CR_2)(\mu\text{-}H)(CO)_2,$  and alkenes,  $CH_2=CR_2,$  71

Di-tert-butylphenoxide

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

EHMO calculations

Synthesis, molecular structure and theoretical considerations on Mo(PhC≡CCOOEt)₃(PMe₃), 21

Electron donor

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes, 225

Ferrocenes

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes, 225

Ferrocenyl

The reaction of titanocene bis(ferrocenylacetylide) and bis(ruthenocenylacetylide) with silver cation: formation of bis(Ti-tweezers) silver complexes, 169 Functionalized hexadecatetraenes

Cationic  $\eta^3$ -allyl complexes. 21. Telomerization of buta-1,3-diene with Z-H compounds mediated by group 10 complexes, 203

Gold

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)Cl], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>Au-(PPh<sub>3</sub>)] and [( $\eta^5$ - $C_5Me_5$ )WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

Group 4

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217

Group 4 metallocene

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217

Hexyl isocyanate

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

α-Hydrogen

 $\alpha$ -Hydrogen migration reactions in tungsten(VI) cyclopentadienyl alkylidyne complexes, 125

Hydrotris(3,5-dimethylpyrazolyl)borate

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of  $Tp*CrMe_2(DMAP)$  and  $Tp*Cr(Cr(CH_2-Ph)_2(DMAP))$  (DMAP) (DMAP = 4-dimethylaminopyridine), 15

Indenyl ligand

Synthesis and reactivities of the indenyl-ruthenium cluster  $[(\eta^5 - C_9H_7)Ru(\mu-SEt)]_3$ : indenyl effect in the trinuclear ruthenium cluster, 99

Iridium

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

Knoevenagel reaction

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions, 3

Metal alkene complex

Reaction of Cp\*(CO)<sub>2</sub>Re=Re(CO)<sub>2</sub>Cp\* in THF with diethyl fumarate produces Cp\*Re(CO)<sub>3</sub> and Cp\*Re(CO)( $\eta^2$ -(E)-EtO<sub>2</sub>CCH=CHCO<sub>2</sub>Et)(THF), 55

Metallation

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

Metal-metal bond scission

Reaction of Cp\*(CO)<sub>2</sub>Re=Re(CO)<sub>2</sub>Cp\* in THF with diethyl fumarate produces Cp\*Re(CO)<sub>3</sub> and Cp\*Re(CO)( $\eta^2$ -(E)-EtO<sub>2</sub>CCH=CHCO<sub>2</sub>Et)(THF), 55

1,6-Methano[10]annulenes

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes, 225

Methyl complex

Dialkylchromium complexes bearing a hydrotris(3,5-dimethylpyrazolyl)borate ligand: synthesis and crystal structures of  $Tp*CrMe_2(DMAP)$  and  $Tp*Cr(Cr(CH_2-Ph)_2(DMAP)$  (DMAP = 4-dimethylaminopyridine), 15

Subject index 239

#### Methylene

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

### Methyl methacrylate

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

#### Michael reaction

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions, 3

### Migration reactions

 $\alpha$ -Hydrogen migration reactions in tungsten(VI) cyclopentadienyl alkylidyne complexes, 125

### Molybdenum complex

Synthesis, molecular structure and theoretical considerations on Mo(PhC≡CCOOEt)₃(PMe₃), 21

### Nickel alkyl complexes

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity, 159

#### Palladium

Cationic  $\eta^3$ -allyl complexes. 21. Telomerization of buta-1,3-diene with Z-H compounds mediated by group 10 complexes, 203

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)CI], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)-WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au-(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

### Palladium-catalyzed cross-coupling

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes, 225

Pd

A new stable intermediary mode between  $\eta^3$ -2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of  $\eta^3$ -azatrimethylenemethane and N-protonated, N-alkylated, N-arylated  $\eta^3$ -azatrimethylenemethane complexes of Pt and Pd, 39

### Pentamethylcyclopentadienyl

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

### Platinum

Cationic  $\eta^3$ -allyl complexes. 21. Telomerization of buta-1,3-diene with Z-H compounds mediated by group 10 complexes, 203

### Platinum acetylides

Synthesis of organometallic dendrimers with a backbone composed of platinum-acetylide units, 195

### Polymerization

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

### Polymerization catalyst

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity, 159

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

### Polynuclear metal complex

Synthesis of organometallic dendrimers with a backbone composed of platinum-acetylide units, 195

Pt

A new stable intermediary mode between  $\eta^3$ -2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of  $\eta^3$ -azatrimethylenemethane and N-protonated, N-alkylated, N-arylated  $\eta^3$ -azatrimethylenemethane complexes of Pt and Pd, 39

#### Rare earth metal compound

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

### Redox properties

Face-to-face fixed ferrocenes. Synthesis and properties of 2,10-diferrocenyl- and 2,5,7,10-tetraferrocenyl-1,6-methano[10]annulenes, 225

#### Reductive carbonylation

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity, 159

#### Rhenium

Reaction of Cp\*(CO)<sub>2</sub>Re=Re(CO)<sub>2</sub>Cp\* in THF with diethyl fumarate produces Cp\*Re(CO)<sub>3</sub> and Cp\*Re(CO)( $\eta^2$ -(E)-EtO<sub>2</sub>CCH=CHCO<sub>2</sub>Et)(THF), 55

# Rhenium dinitrogen complex

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions, 3

### Rhenium enolate complex

N-bonded enolatorhenium(I) complexes having dimethylphenylphosphine ligands as active key intermediates in catalytic Knoevenagel and Michael reactions, 3

#### Rhodium

Synthesis of 2-methylbenz[f]indene and  $(\eta^5$ -2-methylbenz[f]indenyl)rhodium dicarbonyl, 121

Two dinuclear rhodium complexes with a non-A-frame and a distorted A-frame skeleton and two  ${}^{i}Pr_{2}PCH_{2}P{}^{i}Pr_{2}$  molecules as bridging ligands, 189

### Ruthenium

Synthesis and reactivities of the indenyl-ruthenium cluster  $[(\eta^5 - C_9H_7)Ru(\mu-SEt)]_3$ : indenyl effect in the trinuclear ruthenium cluster, 99

### Ruthenium alkyne complexes

Reactions of  $(\eta^6\text{-}C_6\text{Me}_6)\text{RuCl}(\text{MDMPP-}P,O)$  and  $(\eta^6\text{-}C_6\text{Me}_6)\text{RuCl}(\text{BDMPP-}P,O,O)$  complexes with Lewis bases or alkynes, where MDMPP-P,O= $P(2\text{-}O\text{-}6\text{-}\text{MeOC}_6\text{H}_3)Ph_2$  and BDMPP-P,O= $P(2\text{-}O\text{-}6\text{-}\text{MeOC}_6\text{H}_3)_2\{2,6\text{-}(\text{MeO})_2\text{C}_6\text{-}\text{H}_3\}$ , 29

### Silver

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)Cl], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

### Spectroscopic analysis

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217

### Structural characteristic

A new stable intermediary mode between  $\eta^3$ -2-aminoallyl complexes and metallacyclobutanimines. Synthesis and structural characteristic of  $\eta^3$ -azatrimethylenemethane and N-protonated, N-alkylated, N-arylated  $\eta^3$ -azatrimethylenemethane complexes of Pt and Pd, 39

240 Subject index

### Sulfido complex

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)CI], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

#### Thiolato ligand

Synthesis and reactivities of the indenyl-ruthenium cluster  $[(\eta^5 - C_9H_7)Ru(\mu-SEt)]_3$ : indenyl effect in the trinuclear ruthenium cluster, 99

### Titanocene bis(acetylide)

The reaction of titanocene bis(ferrocenylacetylide) and bis(ruthenocenylacetylide) with silver cation: formation of bis(Ti-tweezers) silver complexes, 169

#### Ti-tweezers

The reaction of titanocene bis(ferrocenylacetylide) and bis(ruthenocenylacetylide) with silver cation: formation of bis(Ti-tweezers) silver complexes, 169

### Trimethylsilylmethyl

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

### Tri(phenyl)samarium

Synthesis of 2,6-dialkoxylphenyllanthanoid complexes and their polymerization catalysis, 147

#### Tungsten

α-Hydrogen migration reactions in tungsten(VI) cyclopentadienyl alkylidyne complexes, 125

Reactions of the tungsten tris-sulfido complex [PPh<sub>4</sub>][( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>] with [M'(PPh<sub>3</sub>)<sub>2</sub>(NO<sub>3</sub>)] (M' = Cu(I), Ag(I)), [Au(PPh<sub>3</sub>)Cl], and [Pd(dppe)Cl<sub>2</sub>]: Isolation and structures of [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Cu<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>(NO<sub>3</sub>)][NO<sub>3</sub>], [{( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)-WS<sub>3</sub>}<sub>2</sub>Ag<sub>3</sub>(PPh<sub>3</sub>)<sub>3</sub>][NO<sub>3</sub>], [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Au(PPh<sub>3</sub>)] and [( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)WS<sub>3</sub>Pd(dppe)]Cl (dppe = 1, 2-bis(diphenyl-phosphino)ethane), 109

#### Vinyl

C-H activation by Grignard reagents: vinyl plus methylene coupling on iridium, 85

### X-ray crystallography

Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity, 159

### X-ray crystal structure

Synthesis and reactivities of the indenyl-ruthenium cluster  $[(\eta^5 - C_9H_7)Ru(\mu-SEt)]_3$ : indenyl effect in the trinuclear ruthenium cluster, 99

### Yttrium

Synthesis, structure, and reactivity of cyclopentadienyl-free trimethylsilylmethyl yttrium di-tert-butylphenoxide complexes, 89

#### Zirconocene cation complex

Addition of Group 4 bent metallocene cation complexes to (butadiene)zirconocene: the formation of dinuclear (μ-butadiene)bis(metallocene) cations, 217