



ELSEVIER

Journal of Organometallic Chemistry 571 (1998) 307–311

Journal
of Organo
metallic
Chemistry

Subject index of Volume 571

Ab initio calculations

Molecular and electronic structure of some silacyclopabzenes: the reversed Mills–Nixon effect, 65

Acylnickel complexes

Nickel–bipyridine catalysed electrosynthesis of ketones from organic halides and carbon monoxide: kinetic and mechanistic investigations, 37

Aldehydes

Reaktionen von Ph₃SbH und *p*-TolSbH₂ mit organischen Verbindungen, 299

Alkane elimination

Inorganic rings with group 13 organometallics and iminodiphosphinechalcogenides, 15

Alkoholysis

Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145

Alkoxy silanes trimethylsilylation

A new approach to the synthesis of cage-like metallasiloxanes, 31

Alkylation

Reductive-alkylation and aromatic coupling reactions of 1,4-benzoquinone derivatives promoted by ethylaluminum dichloride, 1

Alkyne, benzyne ligands

Homogeneous hydrogenation of alkynes and of 1,4-cyclohexadiene in the presence of the clusters Ru₃(CO)₇(μ -PPh₂)₂(C₆H₄), Ru₃(CO)₇(μ -PPh₂)₂(HC₂Ph) and Ru₄(CO)₁₁(μ ₄-PPh)(C₂Ph)₂, 251

Alkynyl metallocene cation

Reaction of (σ -alkynyl) Group 4 metallocene cation complexes with alkyl- and arylisocyanides, 83

Aluminum

Inorganic rings with group 13 organometallics and iminodiphosphinechalcogenides, 15

Reductive-alkylation and aromatic coupling reactions of 1,4-benzoquinone derivatives promoted by ethylaluminum dichloride, 1

α -Amino acids

X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21

ansa-Metallocenes

ansa-Ytterbocenes (+ 3) with a short bridge and bulky substituents: synthesis and crystal structure of *meso*-(CH₃)₂Si[3-(CH₃)₃SiC₅H₃]₂YbCl(THF), *rac*-(CH₃)₂C[3'-BuC₅H₃]₂Yb(μ_2 -Cl)₂Li(OEt₂)₂, and [*meso*-(CH₃)₂C[3'-BuC₅H₃]₂Yb(μ_2 -OCH₃)]₂, 243

Antimony

Preparation and crystal structures of [μ -SbPh₂]₂[Mo(CO)₂(η^5 -C₅H₅)₂·CHCl₃ and SbPh[Fe(CO)₂(η^5 -C₅H₅)]₂, 291

Arene clusters

Organometallic cluster complexes with face-capping arene ligands, 10. A study of the influence of substituents on the synthesis of organometallic cluster complexes of the type [{(C₅H₅)Co}₃(μ_3 - η^2 : η^2 : η^2 -alkenylarene)], 267

η^6 -Arene- η^5 -(2,3-dihydro-1,3-diborolyl)rhodium

Syntheses, structures and reactivity of η^6 -arene- η^5 -2,3-dihydro-diborolyl-rhodium complexes, 107

Asymmetric synthesis

Reaktionen von Ph₂SbH und *p*-TolSbH₂ mit organischen Verbindungen, 299

Azobenzene

Insertion of CO and SO₂ into the N–N bond of [Fe₂(CO)₆(μ -Ph₂N₂)], 91

Azulene

Molecules with potential applications for non-linear optics: the combination of ferrocene and azulene, 261

1,8-Bis(diphenylphosphinomethyl)naphthalene

Synthesis and characterization of ruthenium complexes of 1,8-bis(diphenylphosphinomethyl)naphthalene (BDNA) and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 223

Bis(trimethylsilyl)acetylene bridge

Bis[(η^8 -cyclooctatetraene)titanium] complex with perpendicularly bridging bis(trimethylsilyl)acetylene, 77

B3LYP calculations

Molecular and electronic structure of some silacyclopabzenes: the reversed Mills–Nixon effect, 65

Bond alternations

Molecular and electronic structure of some silacyclopabzenes: the reversed Mills–Nixon effect, 65

Boron complexes

X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21

Boroxazolidones

X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21

Boroxazolidones

X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21

Bridged-cyclopentadiene

Synthesis, structure and properties of hexamethyltrisilane-bridged biscyclopentadienyl tetracarbonyl di-iron, 97

Cage-like metallasiloxanes

A new approach to the synthesis of cage-like metallasiloxanes, 31

Calixarenes

Novel redox-active calixarenes, 103

Carbide clusters

Iron/gold carbide clusters containing Fe₅Au or Fe₅Au₂ skeletons: X-ray crystal structure of [Fe₅CAu₂(CO)₁₄(dppm)], 123

Carbon monoxide

New reactivity of (RC=CH₂OH)Co₂(CO)₆ complexes in the Pauson–Khand reaction in the presence of CF₃COOH: synthesis of methyl substituted cyclopentenones, 183

Carbon monoxide insertion

Insertion of CO and SO₂ into the N–N bond of [Fe₂(CO)₆(μ -Ph₂N₂)], 91

- Carbosilane** Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145
- Carbosiloxane** Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145
- Catalysis** Organometallic chemistry in the solid state, 149
- Chiral auxiliary** Chiral modifizierte Dicarbonyl(cyclopentadienyl)ferrio-phosphane: Synthese und Bestimmung der Inversionsbarriere am Phosphido-Phosphor: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, 65, 215
- Cinnamaldehyde** Synthesis and characterization of ruthenium complexes of 1,8-bis(diphenylphosphinomethyl)naphthalene (BDNA) and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 223
- Citral** Synthesis and characterization of ruthenium complexes of 1,8-bis(diphenylphosphinomethyl)naphthalene (BDNA) and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 223
- Cobalt** New reactivity of $(RC\equiv CCH_2OH)Co_2(CO)_6$ complexes in the Pauson–Khand reaction in the presence of CF_3COOH : synthesis of methyl substituted cyclopentenones, 183
- Organometallic cluster complexes with face-capping arene ligands, 10. A study of the influence of substituents on the synthesis of organometallic cluster complexes of the type $\{(\text{C}_5\text{H}_5)\text{Co}\}_3(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-alkenylarene})$, 267
- CO-bridged anions** Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{Se}, \text{Te}$). Crystal structure of $(\mu\text{-p-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55
- Complexation** Novel redox-active calixarenes, 103
- CO-substitution** Improved synthesis of $KHCr(\text{CO})_5$ and comparative coordination chemistry from $KHCr(\text{CO})_5$ and $KHFe(\text{CO})_4$, 7
- Crystal structure**
- ansa*-Ytterbocenes (+ 3) with a short bridge and bulky substituents: synthesis and crystal structure of *meso*-($\text{CH}_3)_2\text{Si}[3\text{-}(\text{CH}_3)_3\text{SiC}_5\text{H}_3]_2\text{YbCl}(\text{THF}), *rac*-($\text{CH}_3)_2\text{C}[3\text{-}(\text{BuC}_5\text{H}_3)_2\text{Yb}(\mu_2\text{-Cl})_2\text{Li}(\text{OEt}_2)_2$, and [*meso*-($\text{CH}_3)_2\text{C}[3\text{-}(\text{BuC}_5\text{H}_3)_2\text{Yb}(\mu_2\text{-OCH}_3)]_2, 243$$
 - Bis[$(\eta^8\text{-cyclooctatetraene})\text{titanium}$] complex with perpendicularly bridging bis(trimethylsilyl)acetylene, 77
 - P–H bond activation at a tungsten(0) centre: synthesis and characterisation of $WH(\text{PPh}_2)(\text{dppe})_2$, 195
 - Substituted cyclopentadienyl compounds. Part V. NMR and extended Hückel studies of the isomeric preferences of some main group metal cyclopentadienide compounds and a reinvestigation of the crystal structure of thallium(I) tri-cyanovinylcyclopentadienide, 43
 - Synthesis, structure and properties of hexamethyltrisilane-bridged biscyclopentadienyl tetracarbonyl di-iron, 97
 - Cyclooctatetraene dianion Bis[$(\eta^8\text{-cyclooctatetraene})\text{titanium}$] complex with perpendicularly bridging bis(trimethylsilyl)acetylene, 77
 - Cyclopentadiene** Preparation and crystal structures of $[\mu\text{-SbPh}_2]_2[\text{Mo}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)_2\cdot\text{CHCl}_3$ and $\text{SbPh}[\text{Fe}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]_2$, 291
 - Cyclopentadienides** Substituted cyclopentadienyl compounds. Part V. NMR and extended Hückel studies of the isomeric preferences of some main group metal cyclopentadienide compounds and a reinvestigation of the crystal structure of thallium(I) tri-cyanovinylcyclopentadienide, 43
 - Cyclopentadienyl** Organometallic cluster complexes with face-capping arene ligands, 10. A study of the influence of substituents on the synthesis of organometallic cluster complexes of the type $\{(\text{C}_5\text{H}_5)\text{Co}\}_3(\mu_3\text{-}\eta^2\text{:}\eta^2\text{:}\eta^2\text{-alkenylarene})$, 267
 - Cyclopentenones** New reactivity of $(\text{RC}\equiv C\text{CH}_2\text{OH})\text{Co}_2(\text{CO})_6$ complexes in the Pauson–Khand reaction in the presence of $CF_3\text{COOH}$: synthesis of methyl substituted cyclopentenones, 183
 - Dioxirane** Dioxirane oxidation of substituted vinylphosphonates: a novel efficient route to 1,2-epoxyalkylphosphonates, 189
 - d⁰-Metal-isocyanide complex** Reaction of (σ -alkynyl) Group 4 metallocene cation complexes with alkyl- and arylisocyanides, 83
 - Electrochemistry** Molecules with potential applications for non-linear optics: the combination of ferrocene and azulene, 261
 - Electrophiles** Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{Se}, \text{Te}$). Crystal structure of $(\mu\text{-p-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55
 - Electrophilic addition** Iron/gold carbide clusters containing Fe_5Au or Fe_5Au_2 skeletons: X-ray crystal structure of $[\text{Fe}_5\text{CAu}_2(\text{CO})_{14}(\text{dppm})]$, 123
 - Epoxidation** Dioxirane oxidation of substituted vinylphosphonates: a novel efficient route to 1,2-epoxyalkylphosphonates, 189
 - 1,2-Epoxyphosphonate** Dioxirane oxidation of substituted vinylphosphonates: a novel efficient route to 1,2-epoxyalkylphosphonates, 189
 - Extended Hückel calculations** Substituted cyclopentadienyl compounds. Part V. NMR and extended Hückel studies of the isomeric preferences of some main group metal cyclopentadienide compounds and a reinvestigation of the crystal structure of thallium(I) tri-cyanovinylcyclopentadienide, 43
 - Fe–Fe bond** Synthesis, structure and properties of hexamethyltrisilane-bridged biscyclopentadienyl tetracarbonyl di-iron, 97
 - Ferriophosphane** Chiral modifizierte Dicarbonyl(cyclopentadienyl)ferrio-phosphane: Synthese und Bestimmung der Inversionsbarriere am Phosphido-Phosphor: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, 65, 215
 - Ferrocene** Molecules with potential applications for non-linear optics: the combination of ferrocene and azulene, 261
 - Fluxionality** Substituted cyclopentadienyl compounds. Part V. NMR and extended Hückel studies of the isomeric preferences of some main group metal cyclopentadienide compounds and a reinvestigation of the crystal structure of thallium(I) tri-cyanovinylcyclopentadienide, 43
 - Functionalized tripod ligands** Synthesis, coordination chemistry and polymerfixation of the tripod-ligand $\text{HO-C}_6\text{H}_4\text{CH}_2\text{C}(\text{CH}_2\text{PPh}_2)_3$, 281
 - Gallium** Inorganic rings with group 13 organometallics and iminodiphosphinechalcogenides, 15
 - Gold and iron fragments** Iron/gold carbide clusters containing Fe_5Au or Fe_5Au_2 skeletons: X-ray crystal structure of $[\text{Fe}_5\text{CAu}_2(\text{CO})_{14}(\text{dppm})]$, 123

- Group 4 metallocenes**
 Reaction of (σ -alkynyl) Group 4 metallocene cation complexes with alkyl- and arylisocyanides, 83
- Homogeneous catalysis**
 Homogeneous hydrogenation of alkynes and of 1,4-cyclohexadiene in the presence of the clusters $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{C}_6\text{H}_4)$, $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_6\text{H}_4)$, $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{HC}_2\text{Ph})$ and $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_2\text{Ph}_2)$, 251
- Hydride**
 P-H bond activation at a tungsten(0) centre: synthesis and characterisation of $\text{WH}(\text{PPh}_2)(\text{dppe})_2$, 195
- Hydridocarbonylchromates**
 Improved synthesis of $\text{KHCr}(\text{CO})_5$ and comparative coordination chemistry from $\text{KHCr}(\text{CO})_5$ and $\text{KHFe}(\text{CO})_4$, 7
- Hydridocarbonylferrates**
 Improved synthesis of $\text{KHCr}(\text{CO})_5$ and comparative coordination chemistry from $\text{KHCr}(\text{CO})_5$ and $\text{KHFe}(\text{CO})_4$, 7
- Hydrogenation**
 Homogeneous hydrogenation of alkynes and of 1,4-cyclohexadiene in the presence of the clusters $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{C}_6\text{H}_4)$, $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_6\text{H}_4)$, $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{HC}_2\text{Ph})$ and $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_2\text{Ph}_2)$, 251
 Reaktionen von Ph_2SbH und $p\text{-TolSbH}_2$ mit organischen Verbindungen, 299
 Rhodium COD complexes of mixed donor set tripod ligands: coordination chemistry and catalysis, 231
 Synthesis and characterization of ruthenium complexes of 1,8-bis(diphenylphosphinomethyl)naphthalene (BDNA) and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 223
- Hydrogen bonding**
 Rhodium COD complexes of mixed donor set tripod ligands: coordination chemistry and catalysis, 231
- Hydrolytic stability**
 X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21
- Hydrosilylation**
 Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145
- Imidodiphosphinates**
 Inorganic rings with group 13 organometallics and iminodiphosphinechalcogenides, 15
- Interconversions**
 Thermally induced *endo* to *exo* isomerization in the *o*-xylylene complexes of zerovalent ruthenium and osmium, $M(\eta^6\text{C}_6\text{Me}_6)\{\eta^4\text{o-(CH}_2)_2\text{C}_6\text{Me}_4\}$ ($M = \text{Ru, Os}$), 139
- Inversion barrier**
 Chiral modifizierte Dicarbonylcyclopentadienylferro-phosphane: Synthese und Bestimmung der Inversionsbarriere am Phosphido-Phosphor: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, 65, 215
- IR and NMR spectroscopy**
 Novel redox-active calixarenes, 103
- Iron**
 Insertion of CO and SO_2 into the N–N bond of $[\text{Fe}_2(\text{CO})_6(\mu\text{-Ph}_2\text{N}_2)]$, 91
 Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($E = \text{Se, Te}$). Crystal structure of $(\mu\text{-p-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55
 Iron complexes
 Synthesis, coordination chemistry and polymerfixation of the tripod-ligand $\text{HOC}_6\text{H}_4\text{CH}_2\text{C}(\text{CH}_2\text{PPh}_2)_3$, 281
- Isocyanide insertion**
 Reaction of (σ -alkynyl) Group 4 metallocene cation complexes with alkyl- and arylisocyanides, 83
- Isomerisation**
 Organometallic chemistry in the solid state, 149
- Isomerization**
 Thermally induced *endo* to *exo* isomerization in the *o*-xylylene complexes of zerovalent ruthenium and osmium, $M(\eta^6\text{C}_6\text{Me}_6)\{\eta^4\text{o-(CH}_2)_2\text{C}_6\text{Me}_4\}$ ($M = \text{Ru, Os}$), 139
- Kainic acid**
 X-ray crystallographic study of boroxazolidones obtained from L-ornithine, L-methionine, kainic acid and 2,6-pyridinedicarboxylic acid, 21
- Ketones**
 Reaktionen von Ph_2SbH und $p\text{-TolSbH}_2$ mit organischen Verbindungen, 299
- Linkage isomers**
 Thermally induced *endo* to *exo* isomerization in the *o*-xylylene complexes of zerovalent ruthenium and osmium, $M(\eta^6\text{C}_6\text{Me}_6)\{\eta^4\text{o-(CH}_2)_2\text{C}_6\text{Me}_4\}$ ($M = \text{Ru, Os}$), 139
- Metal carbonyl clusters**
 Homogeneous hydrogenation of alkynes and of 1,4-cyclohexadiene in the presence of the clusters $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{C}_6\text{H}_4)$, $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_6\text{H}_4)$, $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{HC}_2\text{Ph})$ and $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_2\text{Ph}_2)$, 251
- Metathesis**
 Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145
- Mixed donor set ligands**
 Rhodium COD complexes of mixed donor set tripod ligands: coordination chemistry and catalysis, 231
- Molybdenum complexes**
 Synthesis, coordination chemistry and polymerfixation of the tripod-ligand $\text{HOC}_6\text{H}_4\text{CH}_2\text{C}(\text{CH}_2\text{PPh}_2)_3$, 281
- Nickel carbonyl bipyridine complexes**
 Nickel-bipyridine catalysed electrosynthesis of ketones from organic halides and carbon monoxide: kinetic and mechanistic investigations, 37
- NMR spectroscopy**
 Trends in the structure and bonding of $[M\text{Cl}_2\{(C_4\text{H}_3\text{S})\text{ECH}_3\}_2]$ ($M = \text{Pd, Pt; E = Te, Se}$), 129
- Non-linear optics**
 Molecules with potential applications for non-linear optics: the combination of ferrocene and azulene, 261
- Nuclear magnetic resonance**
 Substituted cyclopentadienyl compounds. Part V. NMR and extended Hückel studies of the isomeric preferences of some main group metal cyclopentadienide compounds and a reinvestigation of the crystal structure of thallium(I) tricyanovinylcyclopentadienide, 43
- Olefines**
 Reaktionen von Ph_2SbH und $p\text{-TolSbH}_2$ mit organischen Verbindungen, 299
- Organic halides carbonylation catalysis**
 Nickel-bipyridine catalysed electrosynthesis of ketones from organic halides and carbon monoxide: kinetic and mechanistic investigations, 37
- Organoantimonyhydrides**
 Reaktionen von Ph_2SbH und $p\text{-TolSbH}_2$ mit organischen Verbindungen, 299
- Organosilicon Dendrimers**
 Siliciumorganische Dendrimere mit verschiedenen Dendronen, 145
- Oxidation**
 Dioxirane oxidation of substituted vinylphosphonates: a novel efficient route to 1,2-epoxyalkylphosphonates, 189
- β -Oxothioethers**
 Mono- and polynuclear complexes from the reaction of palladium acetate with α -substituted thioethers and thiols, 115

- Palladium complex
Trends in the structure and bonding of $[\text{MCl}_2\{\text{C}_4\text{H}_3\text{S}\}\text{ECH}_3]_2$ ($\text{M} = \text{Pd, Pt; E = Te, Se}$), 129
- Palladium complexes
Mono- and polynuclear complexes from the reaction of palladium acetate with α -substituted thioethers and thiols, 115
- Phosphide
P–H bond activation at a tungsten(0) centre: synthesis and characterisation of $\text{WH}(\text{PPh}_2)(\text{dppe})_2$, 195
- Phosphido, phosphinidene bridges
Homogeneous hydrogenation of alkynes and of 1,4-cyclohexadiene in the presence of the clusters $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{C}_6\text{H}_4)$, $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_6\text{H}_4)$, $\text{Ru}_3(\text{CO})_7(\mu\text{-PPh}_2)_2(\text{HC}_2\text{Ph})$ and $\text{Ru}_4(\text{CO})_{11}(\mu_4\text{-PPh})(\text{C}_2\text{Ph}_2)$, 251
- Phosphine ligand
Synthetic and thermochemical studies of reactions of the 16-electron ruthenium complex $[(\text{Ph}_2\text{PNMeNMePPh}_2)_2\text{RuCl}] \text{BF}_4^-$ with H_2 , CH_3CN and CO , 205
- Phosphine substitution
Insertion of CO and SO_2 into the N–N bond of $[\text{Fe}_2(\text{CO})_6(\mu\text{-Ph}_2\text{N}_2)]$, 91
- Platinum complex
Trends in the structure and bonding of $[\text{MCl}_2\{\text{C}_4\text{H}_3\text{S}\}\text{ECH}_3]_2$ ($\text{M} = \text{Pd, Pt; E = Te, Se}$), 129
- P-ligands
Improved synthesis of $\text{KHCr}(\text{CO})_5$ and comparative coordination chemistry from $\text{KHCr}(\text{CO})_5$ and $\text{KHFe}(\text{CO})_4$, 7
- Polymer bound ligands
Synthesis, coordination chemistry and polymerfixation of the tripod-ligand $\text{HO}\text{C}_6\text{H}_4\text{CH}_2\text{C}(\text{CH}_2\text{PPh}_2)_3$, 281
- Polymerization
Synthesis and polymerization behavior of tetrahydro-2-methylbenzindenyttitanium and zirconium compounds, 171
- Primary and secondary phosphane complexes
Chiral modifizierte Dicarbonyl(cyclopentadienyl)ferro-phosphane: Synthese und Bestimmung der Inversionsbarriere am Phosphido-Phosphor: Übergangsmetall-substituierte Phosphane, Arsane und Stibane, 65, 215
- Propargyl alcohol
New reactivity of $(\text{RC}\equiv\text{CCH}_2\text{OH})\text{Co}_2(\text{CO})_6$ complexes in the Pauson–Khand reaction in the presence of CF_3COOH : synthesis of methyl substituted cyclopentenones, 183
- Quinones
Reductive-alkylation and aromatic coupling reactions of 1,4-benzoquinone derivatives promoted by ethylaluminum dichloride, 1
- Reduction
Reductive-alkylation and aromatic coupling reactions of 1,4-benzoquinone derivatives promoted by ethylaluminum dichloride, 1
- Reversed Mills–Nixon effect
Molecular and electronic structure of some silacyclopropabenzenes: the reversed Mills–Nixon effect, 65
- Rhodium COD complexes
Rhodium COD complexes of mixed donor set tripod ligands: coordination chemistry and catalysis, 231
- Ruthenium
Synthetic and thermochemical studies of reactions of the 16-electron ruthenium complex $[(\text{Ph}_2\text{PNMeNMePPh}_2)_2\text{RuCl}] \text{BF}_4^-$ with H_2 , CH_3CN and CO , 205
- Ruthenium complex
Synthesis and characterization of ruthenium complexes of 1,8-bis(diphenylphosphinomethyl)naphthalene (BDNA) and their catalytic hydrogenation reactions to α,β -unsaturated aldehydes, 223
- Sandwich compounds
Syntheses, structures and reactivity of $\eta^6\text{-arene-}\eta^5\text{-2,3-dihydro-di-borolyl-rhodium complexes}$, 107
- Selenium
Inorganic rings with group 13 organometallics and iminodiphosphinechalcogenides, 15
- Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{Se, Te}$). Crystal structure of $(\mu\text{-p-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55
- Trends in the structure and bonding of $[\text{MCl}_2\{\text{C}_4\text{H}_3\text{S}\}\text{ECH}_3]_2$ ($\text{M} = \text{Pd, Pt; E = Te, Se}$), 129
- Silacycloprenes
Molecular and electronic structure of some silacycloprenabenzenes: the reversed Mills–Nixon effect, 65
- Solid state reactions
Organometallic chemistry in the solid state, 149
- Stibinidine
Preparation and crystal structures of $[\mu\text{-SbPh}_2]_2[\text{Mo}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]_2 \cdot \text{CHCl}_3$ and $\text{SbPh}[\text{Fe}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_5)]_2$, 291
- Styrene
Thermoregulated phase-transfer ligands and catalysis. Part VI. Two-phase hydroformylation of styrene catalyzed by the thermoregulated phase-transfer catalyst OPGPP/Rh, 201
- Sulfur dioxide insertion
Insertion of CO and SO_2 into the N–N bond of $[\text{Fe}_2(\text{CO})_6(\mu\text{-Ph}_2\text{N}_2)]$, 91
- Sulphur ligand
Mono- and polynuclear complexes from the reaction of palladium acetate with α -substituted thioethers and thiols, 115
- Tellurium
Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{Se, Te}$). Crystal structure of $(\mu\text{-p-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55
- Trends in the structure and bonding of $[\text{MCl}_2\{\text{C}_4\text{H}_3\text{S}\}\text{ECH}_3]_2$ ($\text{M} = \text{Pd, Pt; E = Te, Se}$), 129
- Tetrahydro-2-methylbenzindenyttitanium
Synthesis and polymerization behavior of tetrahydro-2-methylbenzindenyttitanium and zirconium compounds, 171
- TFA
New reactivity of $(\text{RC}\equiv\text{CCH}_2\text{OH})\text{Co}_2(\text{CO})_6$ complexes in the Pauson–Khand reaction in the presence of CF_3COOH : synthesis of methyl substituted cyclopentenones, 183
- Thermochemistry
Synthetic and thermochemical studies of reactions of the 16-electron ruthenium complex $[(\text{Ph}_2\text{PNMeNMePPh}_2)_2\text{RuCl}] \text{BF}_4^-$ with H_2 , CH_3CN and CO , 205
- Thiolate
Mono- and polynuclear complexes from the reaction of palladium acetate with α -substituted thioethers and thiols, 115
- Titanium
Bis $[(\eta^8\text{-cyclooctatetraene})\text{Ti}]$ complex with perpendicularly bridging bis(trimethylsilyl)acetylene, 77
- Triple-decker complexes
Syntheses, structures and reactivity of $\eta^6\text{-arene-}\eta^5\text{-2,3-dihydro-di-borolyl-rhodium complexes}$, 107
- TRPTC
Thermoregulated phase-transfer ligands and catalysis. Part VI. Two-phase hydroformylation of styrene catalyzed by the thermoregulated phase-transfer catalyst OPGPP/Rh, 201
- Tungsten
P–H bond activation at a tungsten(0) centre: synthesis and characterisation of $\text{WH}(\text{PPh}_2)(\text{dppe})_2$, 195
- Two-phase hydroformylation
Thermoregulated phase-transfer ligands and catalysis. Part VI. Two-phase hydroformylation of styrene catalyzed by the thermoregulated phase-transfer catalyst OPGPP/Rh, 201

Unsaturated complex

Synthetic and thermochemical studies of reactions of the 16-electron ruthenium complex $[(\text{Ph}_2\text{P}(\text{NMe})\text{NMePPh}_2)_2\text{RuCl}]\text{BF}_4$ with H_2 , CH_3CN and CO , 205

Vinylphosphonate

Dioxirane oxidation of substituted vinylphosphonates: a novel efficient route to 1,2-epoxyalkylphosphonates, 189

Water-soluble phosphine

Thermoregulated phase-transfer ligands and catalysis. Part VI. Two-phase hydroformylation of styrene catalyzed by the thermoregulated phase-transfer catalyst OPGPP/Rh, 201

X-ray crystallography

Trends in the structure and bonding of $[\text{MCl}_2\{\text{(C}_4\text{H}_5\text{S)}\text{ECH}_3\}_2]$ ($\text{M} = \text{Pd, Pt; E} = \text{Te, Se}$), 129

X-ray single structure analysis

A new approach to the synthesis of cage-like metallasiloxanes, 31

X-ray structure

Synthesis of doubly-bridged Fe/Se and Fe/Te complexes via reactions of the $[\text{MgX}]^+$ salts of anions $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{Se, Te}$). Crystal structure of $(\mu\text{-}p\text{-MeC}_6\text{H}_4\text{Te})(\mu\text{-PhC=NPh})\text{Fe}_2(\text{CO})_6$, 55

Ytterbium

ansa-Ytterbocenes (+ 3) with a short bridge and bulky substituents: synthesis and crystal structure of *meso*-($\text{CH}_3)_2\text{Si}[3\text{-}(\text{CH}_3)_3\text{SiC}_5\text{H}_3]_2\text{YbCl}(\text{THF})$, *rac*-($\text{CH}_3)_2\text{C}[3\text{-}'\text{BuC}_5\text{H}_3]_2\text{Yb}(\mu_2\text{-Cl})_2\text{Li}(\text{OEt}_2)_2$, and *[meso*-($\text{CH}_3)_2\text{C}[3\text{-}'\text{BuC}_5\text{H}_3]_2\text{Yb}(\mu_2\text{-OCH}_3)]_2$, 243

Zirconium

Synthesis and polymerization behavior of tetrahydro-2-methylbenzindenyltitanium and zirconium compounds, 171