



ELSEVIER

Journal of Organometallic Chemistry 572 (1999) 297–301

Journal
of Organo
metallic
Chemistry

Subject index of Volume 572

Activation parameters

Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Acyllithium

Synthesis of α,α -dichloroalcohols, α -hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31

Alkyls

Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2 , 169

Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Alkyngyl

Some reactions of the ruthenium allenylidene complex $[Ru(C=C\text{CPh}_2)(PPh_3)_2\text{Cp}][PF_6]$ with nucleophiles, 3

Allenylidene

Some reactions of the ruthenium allenylidene complex $[Ru(C=C\text{CPh}_2)(PPh_3)_2\text{Cp}][PF_6]$ with nucleophiles, 3

Aluminium

Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Aluminum

An unusual reaction of Me_3Al with the macrobicyclic ligand $C_{22}H_{28}N_2O_3$ ($C_{22}H_{28}N_2O_3=1,15$ -diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13.3.1]nonadecane): Synthesis and crystal structure of a novel μ_3 -oxygen-bridged tetranuclear organoaluminium complex $(Me_3Al)(C_{22}H_{28}N_2O_3)(AlMe_2)_2$ ($AlMe_3$) (μ_3-O) , 59

Matrix isolation investigation of the reaction of $(CH_3)_3Al$ with O_2 , 169

Amide

Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn-C(SiMe_3)_3]_2$ ($E = PSi^{\prime}Pr_3, AsSi^{\prime}Pr_3, S, Se, Te$), 249

Amides

Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Ansa-Halbsandwichkomplexe

Synthese, Charakterisierung und Polymerisationseigenschaften verbrückter Halbsandwichkomplexe des Titans, Zirconiums und Hafniums; Die Molekülstruktur von $[C_{13}H_8-SiMe_2-N^{\prime}Bu]ZrCl_2$, 21

Antimony

μ -Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu-OAsPh_2)_2$ ($Ar = Ph$ or p -tol), 87

Arene complexes

Photochemical synthesis of new (η^6 -arene)Cr–hydrido stanny and (η^6 -arene)Cr–bis-stannyl complexes. Ligand effects on the Sn–H interaction in the hydrido stannyl compounds, 11

Arsanide

Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $E[Zn-C(SiMe_3)_3]_2$ ($E = PSi^{\prime}Pr_3, AsSi^{\prime}Pr_3, S, Se, Te$), 249

Arsenic

μ -Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $Ar_3Sb(\mu-OAsPh_2)_2$ ($Ar = Ph$ or p -tol), 87

Azine

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Benzimidazoline-2-ylidene

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Bond strength

Displacement of the THF solvent molecule from ($\eta^5-C_5H_5$) $Mn(CO)_2THF$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65

Boranes

Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Boron

Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Borylindene

Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Borylindenide

Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Carbene

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Carbene complexes

Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Carbon monoxide

Synthesis of α,α -dichloroalcohols, α -hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31

Carbonyl

The cluster $[Fe_4Cp_4S_6]$ as a ligand to Mo(II) and W(II), 265

Carbonylation

Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)–Pd–alkyl and –acyl bonds, 193

Catalysis

Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141

Charge transfer

Photolysis of the ion pair $[\eta^7-C_7H_7Mo(CO)_3]^+ BPh_4^-$ induced by outer sphere charge transfer excitation, 131

- 1-Chloro-1-arylalkylene oxide
Synthesis of α,α -dichloroalcohols, α -hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
- Chlorosilyl
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155
- ^{14}C -labeled siloxanes
Synthesis of ^{14}C -labeled cyclic and linear siloxanes, 37
- CO
Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)-Pd-alkyl and -acyl bonds, 193
- Copolymerisation
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
- Crown ethers
Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
- Crystal structure
An unusual reaction of Me_3Al with the macrobicyclic ligand $\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3$ ($\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3=1,15$ -diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13.3.1]nonadecane): Synthesis and crystal structure of a novel μ_3 -oxygen-bridged tetranuclear organoaluminum complex ($\text{Me}_3\text{Al}(\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3)(\text{AlMe}_2)_2(\text{AlMe}_3)(\mu_3\text{-O})$, 59
- Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93
- μ -Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of $\text{Ar}_3\text{Sb}(\mu\text{-OAsPh}_2)_2$ ($\text{Ar}=\text{Ph}$ or $p\text{-tol}$), 87
- Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163
- Crystal structures
Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $\{\{\text{Me}_2(\text{Cl})\text{SnCH}_2\text{CH}_2\text{PPh}_2\}_2\text{Rh}(\text{CO})\text{Cl}\}$, 117
- Cyclopentadienyl
Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155
- Decaphenyltungstenocene triiodide
Synthesis and crystal structure of decaphenyltungstenocene triiodide, 125
- α,α -Dichloroalcohols
Synthesis of α,α -dichloroalcohols, α -hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
- Die Homopolymerisation von Ethylen
Synthese, Charakterisierung und Polymerisationseigenschaften verbrückter Halbsandwichkomplexe des Titans, Zirconiums und Hafniums; Die Molekülstruktur von $[\text{C}_{13}\text{H}_8\text{-SiMe}_2\text{-N}^+\text{Bu}]^+\text{ZrCl}_2$, 21
- Dinuclear complex
New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189
- 1,4-di-R-1,4-Diazabutadiene
Mechanistic study of the photoisomerization of $\text{Os}_3(\text{CO})_{10}(\text{L})$ in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ , $\sigma\text{-N},\text{N}'$ into $\sigma\text{-N}$, $\mu_2\text{-N}'$, $\eta^2\text{-C=N}'$, 271
- Dissociative mechanism
Displacement of the THF solvent molecule from $(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_2\text{THF}$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65
- Electrochemistry
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
- Electrophiles
Reactions of the rhenium allyl hydrido complex $\text{Cp}^*\text{Re}(\eta^3\text{-C}_3\text{H}_5)(\text{CO})(\text{H})$ with the electrophiles $\text{CF}_3\text{CO}_2\text{H}$, $\text{CF}_3\text{SO}_3\text{H}$, NOBF_4 , $[p\text{-N}_2\text{C}_6\text{H}_4\text{OMe}][\text{BF}_4]$ and $[\text{Ph}_3\text{C}][\text{BF}_4]$, 213
- Exchange reaction
Phosphonium complexes 30. Supermesitylphosphonium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207
- Ferrocene
N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177
- Ferrocene complexes
Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73
- Fullerenes
Penta(cyclopentadienyl)- η^5 -cyclopentadienylmanganese tricarbonyl: structure and laser-induced conversion to fullerenes, 135
- Grignard reagent
Synthesis of ^{14}C -labeled cyclic and linear siloxanes, 37
- Heck reaction
Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141
- Heterobimetallic complexes
Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81
- Heterocyclic carbene
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
- Heterolytic cleavage
Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulfonyl chloride: Homolytic and heterolytic pathways, 49
- Homogeneous catalysis
Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C_2H_4 and CO, 239
- Homolytic
Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulfonyl chloride: Homolytic and heterolytic pathways, 49
- Hydrido complexes
Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105
- Hydrido stannyli compounds
Photochemical synthesis of new $(\eta^6\text{-arene})\text{Cr}$ –hydrido stannyli and $(\eta^6\text{-arene})\text{Cr}$ –bis-stannyli complexes. Ligand effects on the Sn–H interaction in the hydrido stannyli compounds, 11
- α -Hydroxyketone
Synthesis of α,α -dichloroalcohols, α -hydroxyketones and 1-chloro-1-arylalkylene oxides via protonation of acyllithium reagents, 31
- Hydroxymethyl phosphines
A one step nickel(II)-catalysed synthesis of *tris*-(2-(2-benzothiazolyl)phenyl)phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Insertion reactions

Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Internal rotation

Synthesis of borylindenides. Complexes with iron and rhenium moieties, 225

Intramolecular coordination

Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233

Iron

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Iron acetylide

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Iron–sulfur cluster

The cluster [Fe₄Cp₄S₆] as a ligand to Mo(II) and W(II), 265

Kinetics

Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)-Pd–alkyl and –acyl bonds, 193

Kinetic template effect

A one step nickel(II)-catalysed synthesis of *tris*{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Labeling experiments

Intermolecular insertion of the carbene ligand of pentacarbonyl tungsten benzylidenes into the M–H bond of transition metal hydrido complexes, 105

Laser-induced desorption/ionization

Penta(cyclopentadienyl)- η^5 -cyclopentadienylmanganeseetracarbonyl: structure and laser-induced conversion to fullerenes, 135

Ligand

Reactions of the rhenium allyl hydrido complex Cp*Re(η^3 -C₅H₅)(CO)(H) with the electrophiles CF₃CO₂H, CF₃SO₃H, NOBF₄, [p-N₂C₆H₄OMe][BF₄] and [Ph₃C][BF₄], 213

Ligand displacement

Photochemical synthesis of new (η^6 -arene)Cr–hydrido stanny and (η^6 -arene)Cr–bis-stanny complexes. Ligand effects on the Sn–H interaction in the hydrido stanny compounds, 11

Lithium

Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93

Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Macrocyclic

An unusual reaction of Me₃Al with the macrobicyclic ligand C₂₂H₂₈N₂O₃ (C₂₂H₂₈N₂O₃=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13.3.1]nonadecane): Synthesis and crystal structure of a novel μ_3 -oxygen-bridged tetranuclear organoaluminium complex (Me₃Al)(C₂₂H₂₈N₂O₃)(AlMe₂)₂ (AlMe₃)(μ_3 -O), 59

Magnesium

Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93

Manganese

Penta(cyclopentadienyl)- η^5 -cyclopentadienylmanganeseetracarbonyl: structure and laser-induced conversion to fullerenes, 135

Matrix isolation

Matrix isolation investigation of the reaction of (CH₃)₃Al with O₂, 169

Mercury

Intraannular functionalization of the 1,3-phenylene-19-crown-6 system via bromine–lithium exchange, 93

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Metal ion catalysis

A one step nickel(II)-catalysed synthesis of *tris*{2-(2-benzothiazolyl)phenyl}phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Metallo-phosphanes

Phosphonium complexes 30. Supermesitylphosphonium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207

Molecular orbital calculations

Synthesis, characterisation and a theoretical investigation of the formation of lithium dialkylaluminium amides, 283

Molybdenum

Photolysis of the ion pair [η^7 -C₇H₇Mo(CO)₃]⁺BPh₄⁻ induced by outer sphere charge transfer excitation, 131

Synthesis and reactivity of new silyl-substituted monocyclopentadienyl molybdenum and tungsten complexes, 155

Molybdenum(II)

The cluster [Fe₄Cp₄S₆] as a ligand to Mo(II) and W(II), 265

Mössbauer

The cluster [Fe₄Cp₄S₆] as a ligand to Mo(II) and W(II), 265

Multinuclear solution NMR

Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233

Nickel(II)chelates

Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73

Non-aqueous ionic liquids

Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141

Norbornenes

Organosulfur compounds as promoters in the Mo(CO)₆-catalyzed ring opening metathesis polymerization of norbornenes, 291

N-R-imine

Mechanistic study of the photoisomerization of Os₃(CO)₁₀(L) in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde *N*-R-imine (R-PyCa)) changes its coordination from σ , σ -N,N' into σ -N, μ_2 -N', η^2 -C=N', 271

Olefin insertion

Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)-Pd–alkyl and –acyl bonds, 193

Oligocyclopentadienylmetals

Penta(cyclopentadienyl)- η^5 -cyclopentadienylmanganeseetracarbonyl: structure and laser-induced conversion to fullerenes, 135

Organocobaloximes

Co–C bond cleavage in the reactions of alkyl, benzyl and heteroaromaticmethyl cobaloximes with arene sulphenyl chloride: Homolytic and heterolytic pathways, 49

Organoiron(II)

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Organoiron(III)

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Organosulfur compounds

Organosulfur compounds as promoters in the Mo(CO)₆-catalyzed ring opening metathesis polymerization of norbornenes, 291

Os₃ clusters

Mechanistic study of the photoisomerization of Os₃(CO)₁₀(L) in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde N-R-imine (R-PyCa)) changes its coordination from σ , σ -N,N' into σ -N, μ_2 -N', η^2 -C=N', 271

Oxazolinylferrocenylphosphine

Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163

Oxidative addition of Sn–C bonds

Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $\{\{Me_2Cl\}SnCH_2CH_2PPh_2\}_2Rh(CO)Cl\}$, 117

 μ_3 -Oxo-bridged

An unusual reaction of Me₃Al with the macrobicyclic ligand C₂₂H₂₈N₂O₃ (C₂₂H₂₈N₂O₃=1,15-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13,3,1]nonadecane): Synthesis and crystal structure of a novel μ_3 -oxygen-bridged tetranuclear organoaluminum complex (Me₃Al)(C₂₂H₂₈N₂O₃)(AlMe₂)₂(AlMe₃)₂(μ_3 -O), 59

Oxobridged compound

μ -Oxobridged heterotrinuclear compounds containing antimony(V) and arsenic(III). Crystal structures of Ar₃Sb(μ -OAsPh₂)₂ (Ar = Ph or *p*-tol), 87

Oxygen

Matrix isolation investigation of the reaction of (CH₃)₃Al with O₂, 169

Palladacycles

Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141

Palladium

Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C₂H₄ and CO, 239

Effects of phosphine substituents on CO and norbornene insertion rates into (P,N)-Pd–alkyl and –acyl bonds, 193

Heck reaction catalyzed by phospha-palladacycles in non-aqueous ionic liquids, 141

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Pentacoordination

Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $\{\{Me_2Cl\}SnCH_2CH_2PPh_2\}_2Rh(CO)Cl\}$, 117

P–H bond

Phosphonium complexes 30. Supermesitylphosphonium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207

Phosphamide

Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs E[Zn–C(SiMe₃)₃]₂ (E = PSiPr₃, AsSiPr₃, S, Se, Te), 249

Phosphonium–metal complexes

Phosphonium complexes 30. Supermesitylphosphonium complexes of molybdenum and tungsten: synthesis and exchange reactions involving the P–H bond, 207

Photoisomerization

Mechanistic study of the photoisomerization of Os₃(CO)₁₀(L) in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde N-R-imine (R-PyCa)) changes its coordination from σ , σ -N,N' into σ -N, μ_2 -N', η^2 -C=N', 271

Photochemistry

Photolysis of the ion pair $[\eta^7\text{C}_7\text{H}_7\text{Mo}(\text{CO})_3]^+ \text{BPh}_4^-$ induced by outer sphere charge transfer excitation, 131

Polymers

Dicationic chelating *N*-heterocyclic carbene complexes of palladium: new catalysts for the copolymerisation of C₂H₄ and CO, 239

Promoters

Organosulfur compounds as promoters in the Mo(CO)₆-catalyzed ring opening metathesis polymerization of norbornenes, 291

Pt–Ti

Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81

Pyridine-2-carbaldehyde

Mechanistic study of the photoisomerization of Os₃(CO)₁₀(L) in which L (L = 1,4-di-R-1,4-diazabutadiene (R-DAB) or pyridine-2-carbaldehyde N-R-imine (R-PyCa)) changes its coordination from σ , σ -N,N' into σ -N, μ_2 -N', η^2 -C=N', 271

Pyridinium salt

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Rhenium allyl hydrido complex

Reactions of the rhenium allyl hydrido complex Cp*Re(η^3 -C₃H₅)(CO)(H) with the electrophiles CF₃CO₂H, CF₃SO₃H, NOBF₄, [p-N₂C₆H₄OMe][BF₄] and [Ph₃C][BF₄], 213

Rhodium stannyl complexes

Ligand behaviour of P-functionally substituted organotin halides: synthesis, structure, and intramolecular oxidative addition of $\{\{Me_2Cl\}SnCH_2CH_2PPh_2\}_2Rh(CO)Cl\}$, 117

Ruthenium

Some reactions of the ruthenium allenylidene complex [Ru(C=C-CPh₂)(PPh₃)₂Cp][PF₆] with nucleophiles, 3

Ruthenium(II) complex

Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163

Schiff base complexes

Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73

Siloxanes

Synthesis of ¹⁴C-labeled cyclic and linear siloxanes, 37

Sonogashira-coupling

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Substituted pyridine

New pyridyl-functionalized organoiron alkynyl complexes. Easy access to polymetallic architectures featuring an electroactive site by simple co-ordination reactions, 189

Synthesis

Synthesis and structure of thiolato bridged Pt–Ti heterobimetallic complexes with methyl group, 81

Tetraaza[14]annulene

Nickel(II)chelate eines ferrocensubstituierten Tetraaza[14]annulens und eines ferrocensubstituierten 3-Amino-propenaldimins. Ferrocensubstituierte 3-Chloropropenaldimine, 73

Tetranuclear complex

An unusual reaction of Me_3Al with the macrobicyclic ligand $\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3$ ($\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3 = 1,15\text{-diaza-3,4:12,13-dibenzo-5,8,11-trioxabicyclo[13.3.1]nonadecane}$): Synthesis and crystal structure of a novel μ_3 -oxygen-bridged tetranuclear organoaluminum complex $(\text{Me}_3\text{Al})(\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_3)(\text{AlMe}_2)_2(\text{AlMe}_3)(\mu_3\text{-O})$, 59

THF

Displacement of the THF solvent molecule from $(\eta^5\text{C}_5\text{H}_5)\text{Mn}(\text{CO})_2\text{THF}$ by simple two electron donor ligands: evidence for a dissociative mechanism and determination of the Mn–THF bond strength, 65

Tin

Comparative assessment of weak intramolecular coordinations at tin in functionalized mono-organotin trichlorides and mono-organotrialkynyltins by multinuclear solution NMR, 233

Transfer hydrogenation

Ruthenium(II)-catalyzed asymmetric transfer hydrogenation of ketones using chiral oxazolinylferrocenylphosphines and one of their Ru(II) complex, 163

Triarylphosphines

A one step nickel(II)-catalysed synthesis of *tris*-(2-(2-benzothiazolyl)phenyl)phosphine from *tris*(hydroxymethyl)phosphine. Crystallographic evidence of intramolecular nitrogen to phosphorus coordination, 259

Tri*iso*propylsilyl

Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $\text{E}[\text{Zn}-\text{C}(\text{SiMe}_3)_3]_2$ ($\text{E} = \text{PSi}^+\text{Pr}_3, \text{AsSi}^+\text{Pr}_3, \text{S}, \text{Se}, \text{Te}$), 249

Tropylium

Photolysis of the ion pair $[\eta^7\text{C}_7\text{H}_7\text{Mo}(\text{CO})_3]^+ \text{BPh}_4^-$ induced by outer sphere charge transfer excitation, 131

Tungsten

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

Synthesis and crystal structure of decaphenyltungstenocene triiodide, 125

Synthesis and reactivity of new silyl-substituted monocyclopenta-dienyl molybdenum and tungsten complexes, 155

Tungsten(II)

The cluster $[\text{Fe}_4\text{Cp}_4\text{S}_6]$ as a ligand to Mo(II) and W(II), 265

X-ray structure

N-Heterocyclic carbenes with *N*-ferrocenyl-*N'*-methyl-substitution: synthesis, reactivity, structure and electrochemistry, 177

X-ray structures

Some reactions of the ruthenium allenylidene complex $[\text{Ru}(\text{C}=\text{CPh}_2)(\text{PPh}_3)_2\text{Cp}][\text{PF}_6]$ with nucleophiles, 3

Zinc

Bis(alkylzink)substituiertes Phosphan und Sulfan sowie deren schweren Homologen des Typs $\text{E}[\text{Zn}-\text{C}(\text{SiMe}_3)_3]_2$ ($\text{E} = \text{PSi}^+\text{Pr}_3, \text{AsSi}^+\text{Pr}_3, \text{S}, \text{Se}, \text{Te}$), 249