

Subject Index of Volume 574

- Acetylene
Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66
- Activation energy
An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116
- Alkylborohydride
Co-ordinatively unsaturated neodymium hydrides, stability in solution, 213
- Alkyne-carbide coupling
Alkyne-carbide coupling on WO_3 cluster framework; synthesis and X-ray structure of $(\text{C}_5\text{Me}_5)\text{WO}_3(\mu_4\text{-C})(\mu\text{-CHCHR})(\text{CO})_{10}$ and $(\text{C}_5\text{Me}_5)\text{WO}_3[\mu_3\text{-CCR}(\text{CH}_2)](\text{CO})_{10}$, $\text{R} = \text{CH}_2\text{Ph}$, 294
- Allyllanthanide
Catalytic activity of allyl-, azaallyl- and diaza-pentadienyllanthanide complexes for polymerization of methyl methacrylate, 40
- Allylic alcohols
Synthesis of (π -allyl)palladium complexes from cationic palladium(II) complexes and allylic alcohols, 99
- (π -Allyl)palladium complexes
Synthesis of (π -allyl)palladium complexes from cationic palladium(II) complexes and allylic alcohols, 99
- ansa*-Metallocenes
Synthesis, crystal structure and catalytic activity of some new chiral *ansa*-metallocenes of yttrium, lanthanum, samarium, lutetium and of zirconium, 228
- Antimony
Axial and equatorial isomers in an isonitrile-substituted osmium-antimony cluster, 276
Palladium(II)-catalyzed phenylation of unsaturated compounds using phenylantimony chlorides under air, 3
- Azaallyllanthanide
Catalytic activity of allyl-, azaallyl- and diaza-pentadienyllanthanide complexes for polymerization of methyl methacrylate, 40
- Bimetallic compounds
1,1-Bis(1'',2'',3'',4'',5''-pentamethylferrocen-1'-yl)ethene, 94
- Bridged cyclopentadienyl compounds
Synthesis, crystal structure and catalytic activity of some new chiral *ansa*-metallocenes of yttrium, lanthanum, samarium, lutetium and of zirconium, 228
- Bromide
Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ ($\text{R} = \text{H}$, $n = 3-7$, $\text{X} = \text{Br}$ and I ; $\text{R} = \text{CH}_3$, $n = 3, 4$, $\text{X} = \text{Br}$ and I), 252
- Carbon monoxide
Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66
- Carbonyl
Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ ($\text{R} = \text{H}$, $n = 3-7$, $\text{X} = \text{Br}$ and I ; $\text{R} = \text{CH}_3$, $n = 3, 4$, $\text{X} = \text{Br}$ and I), 252
- Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219
- Carbonyl compounds
Synthetic utility of *o*-carborane: novel protective group for aldehydes and ketones, 107
- Clusters
Axial and equatorial isomers in an isonitrile-substituted osmium-antimony cluster, 276
- Cobalt complex
Oxidation properties of $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{C}_8\text{H}_4\text{S}_8)$ and $\text{Co}(\text{L})(\text{C}_3\text{S}_5)$ ($\text{L} = \eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$) and crystal structure of $\text{Co}(\eta^5\text{-C}_5\text{Me}_5)(\text{C}_3\text{S}_5)\text{Br}$, 77
- CO incorporation
Rhodium-catalyzed transformation of propargyl alcohol derivatives to 2-silylmethyl-2-alkenals, 133
- Complexes
Catalytic activity of allyl-, azaallyl- and diaza-pentadienyllanthanide complexes for polymerization of methyl methacrylate, 40
- Complexes with chromium
Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279
- Crystal structure
Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19
Oxidation properties of $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{C}_8\text{H}_4\text{S}_8)$ and $\text{Co}(\text{L})(\text{C}_3\text{S}_5)$ ($\text{L} = \eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$) and crystal structure of $\text{Co}(\eta^5\text{-C}_5\text{Me}_5)(\text{C}_3\text{S}_5)\text{Br}$, 77
- Cyclic polysilanes
The effect of ring-size on the electrochemical oxidation of perethylcyclopolysilanes $[(\text{Et}_2\text{Si})_n]$, 11
- Cyclic voltammetry
1,1-Bis(1'',2'',3'',4'',5''-pentamethylferrocen-1'-yl)ethene, 94
- Cyclopentadienyl
Oxidation properties of $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{C}_8\text{H}_4\text{S}_8)$ and $\text{Co}(\text{L})(\text{C}_3\text{S}_5)$ ($\text{L} = \eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$) and crystal structure of $\text{Co}(\eta^5\text{-C}_5\text{Me}_5)(\text{C}_3\text{S}_5)\text{Br}$, 77
Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ ($\text{R} = \text{H}$, $n = 3-7$, $\text{X} = \text{Br}$ and I ; $\text{R} = \text{CH}_3$, $n = 3, 4$, $\text{X} = \text{Br}$ and I), 252
- Cyclopentadienyltricarboxylmanganese
Decomposition of cyclopentadienyltricarboxylmanganese in highly vibrational excited states, 155
- Cyclotrimerisation
Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267
- Decomposition
Decomposition of cyclopentadienyltricarboxylmanganese in highly vibrational excited states, 155

- Diazoalkane complex
 Condensation of triketones with tungsten hydrazido(2-) complexes derived from a dinitrogen complex: formation of mononuclear or dinuclear diazoalkane complexes, 24
- Dibridged
 Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219
- Dienes
 The synthesis, structure and selected reactivity of a series of tricarbonyl ruthenium complexes with 1,3-dienes and heterodienes, 302
- Dihalogermylenes
 Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279
- Dihalostannylenes
 Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279
- Dihydroxogallan
 Tetrasupersilyl-*tetrahedro*-tetragallan ($(\text{Bu}_3\text{Si})_4\text{Ga}_4$ —ein Tetraeder mit besonders kompaktem Ga_4 -Tetraedergerüst, 246
- 2,6-Dimethoxyphenyl
 Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86
- 8-(Dimethylamino)-1-naphthyl group
 Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193
- Dinuclear
 Synthesis and structure of 1,3-dienolate ($\text{CH}_2\text{C}(\text{O})\text{CH}=\text{CH}_2$) complex of dipalladium(I) moiety: contribution of π -olefin co-ordination of enolate to transition metal, 142
 Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219
- Diol
 Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19
- Diphenylacetylene
 Insertion reaction between planar chiral cyclopalladated derivatives of ferrocene and diphenylacetylene, 311
- Diphosphine
 Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219
- Dithiolate complex
 Oxidation properties of $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{C}_8\text{H}_4\text{S}_8)$ and $\text{Co}(\text{L})(\text{C}_3\text{S}_3)$ ($\text{L} = \eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$) and crystal structure of $\text{Co}(\eta^5\text{-C}_5\text{Me}_5)(\text{C}_3\text{S}_3)\text{Br}$, 77
- dpmf
 Preparation and reactions of the (pentamethylcyclopentadienyl)rhodium(III) complexes bearing 1,1'-bis(diphenylphosphinomethyl)ferrocene (dpmf) or 1,1'-bis(diphenylphosphino)ferrocene (dppf), 148
- dppf
 Preparation and reactions of the (pentamethylcyclopentadienyl)rhodium(III) complexes bearing 1,1'-bis(diphenylphosphinomethyl)ferrocene (dpmf) or 1,1'-bis(diphenylphosphino)ferrocene (dppf), 148
- Electrical conductivity
 Oxidation properties of $\text{Co}(\eta^5\text{-C}_5\text{H}_5)(\text{C}_8\text{H}_4\text{S}_8)$ and $\text{Co}(\text{L})(\text{C}_3\text{S}_3)$ ($\text{L} = \eta^5\text{-C}_5\text{H}_5$ and $\eta^5\text{-C}_5\text{Me}_5$) and crystal structure of $\text{Co}(\eta^5\text{-C}_5\text{Me}_5)(\text{C}_3\text{S}_3)\text{Br}$, 77
- Electrochemical oxidation
 The effect of ring-size on the electrochemical oxidation of perethylcyclopolysilanes $[(\text{Et}_2\text{Si})_n]$, 11
- Electrochemistry
 Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279
- Electronic structure
 Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279
- Enolate
 Synthesis and structure of 1,3-dienolate ($\text{CH}_2\text{C}(\text{O})\text{CH}=\text{CH}_2$) complex of dipalladium(I) moiety: contribution of π -olefin co-ordination of enolate to transition metal, 142
- Ferrocenes
 Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19
 1,1-Bis(1'',2'',3'',4'',5''-pentamethylferrocen-1'-yl)ethene, 94
 Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267
 Insertion reaction between planar chiral cyclopalladated derivatives of ferrocene and diphenylacetylene, 311
- Ferrocenyl(phenyl)carbenium
 Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86
- Ferrocenyl(phenyl)methane
 Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86
- Ferrocenyl(phenyl) methanol
 Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86
- Fluorenyl
 Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267
- Fluorotetrasilane
 Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193
- Fluorotrisilane
 Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193
- Gallium
 Tetrasupersilyl-*tetrahedro*-tetragallan ($(\text{Bu}_3\text{Si})_4\text{Ga}_4$ —ein Tetraeder mit besonders kompaktem Ga_4 -Tetraedergerüst, 246
- Gold
 Phosphinethiolate tin(IV)-11 group-metal derivatives. X-ray structure of $[\text{Au}_2\text{Sn}(\text{Bu})_2(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_4\text{PPh}_2)_2]$, 207
- Group IV metallocene
 Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267
- Group 14 organometallic compounds
 Addition of Group 14 organometallic compounds to C_{60} via photoinduced electron transfer. Direct detection of radical ion pair intermediates, 32
- Haloalkyl
 Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ ($\text{R} = \text{H}$, $n = 3-7$, $\text{X} = \text{Br}$ and I ; $\text{R} = \text{CH}_3$, $n = 3, 4$, $\text{X} = \text{Br}$ and I), 252
- Heck reaction
 Palladium(II)-catalyzed phenylation of unsaturated compounds using phenylantimony chlorides under air, 3
- Hetero-bis(carbene)
 Unsymmetrically substituted bis(carbene)platinum(II) complexes, 163

Heterodienes

The synthesis, structure and selected reactivity of a series of tricarbonyl ruthenium complexes with 1,3-dienes and heterodienes, 302

Heteronuclear complexes

Phosphinethiolate tin(IV)-11 group-metal derivatives. X-ray structure of $[\text{Au}_2\text{Sn}(\text{tBu})_2(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_4\text{PPh}_2)_2]$, 207

Heteropolyacid

An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116

Highly vibrational excited state

Decomposition of cyclopentadienyltricarbonylmanganese in highly vibrational excited states, 155

Hydride

Co-ordinatively unsaturated neodymium hydrides, stability in solution, 213

Hydroformylation

Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267

Hydrosilane

Highly stereoselective metathesis reaction between optically active hydrosilane and copper(I) salt in 1,3-dimethyl-2-imidazolidinone, 102

Insertion

Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66

Insertion reaction

Insertion reaction between planar chiral cyclopalladated derivatives of ferrocene and diphenylacetylene, 311

Iodide

Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ ($\text{R} = \text{H}$, $n = 3-7$, $\text{X} = \text{Br}$ and I ; $\text{R} = \text{CH}_3$, $n = 3, 4$, $\text{X} = \text{Br}$ and I), 252

Iron

Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86

Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219

Isocyanide

Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66

Isomers

Axial and equatorial isomers in an isonitrile-substituted osmium-antimony cluster, 276

Ketenes

The reactions of tris(trimethylsilyl)silyllithium with ketenes, 50

Lanthanides

Co-ordinatively unsaturated neodymium hydrides, stability in solution, 213

Mechanisms of reduction and oxidation

Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279

Mesomorphic property

Unsymmetrically substituted bis(carbene)platinum(II) complexes, 163

Metallacycle

ω -Monobromoalkyl platina(IV)cyclopentane complexes: synthesis, characterization and kinetic studies of the formation, 286

Methane

An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116

Methyl methacrylate

Catalytic activity of allyl-, azaallyl- and diaza-pentadienylanthanide complexes for polymerization of methyl methacrylate, 40

Methyl trifluoroacetate

An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116

Molybdenum

Electrochemistry of complexes of dichlorogermylene and dihalostannylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279

 ω -Monobromoalkyl

ω -Monobromoalkyl platina(IV)cyclopentane complexes: synthesis, characterization and kinetic studies of the formation, 286

Mukaiyama-aldol reaction

Preparation, reactivities, and NMR spectra of pentafluorophenyltin derivatives, 58

Neodymium

Co-ordinatively unsaturated neodymium hydrides, stability in solution, 213

Nitrogen fixation

Condensation of triketones with tungsten hydrazido(2-) complexes derived from a dinitrogen complex: formation of mononuclear or dinuclear diazoalkane complexes, 24

NMR spectra

Preparation, reactivities, and NMR spectra of pentafluorophenyltin derivatives, 58

o-Carborane

Synthetic utility of *o*-carborane: novel protective group for aldehydes and ketones, 107

Olefins

Silylation reactions of olefins with monosilane and disilane in the presence of a transition metal complex, metal hydride, and radical initiator, 241

Oligomer

Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219

Optically active

Highly stereoselective metathesis reaction between optically active hydrosilane and copper(I) salt in 1,3-dimethyl-2-imidazolidinone, 102

Organolanthanide compounds

Synthesis, crystal structure and catalytic activity of some new chiral *ansa*-metallocenes of yttrium, lanthanum, samarium, lutetium and of zirconium, 228

Osmium

Axial and equatorial isomers in an isonitrile-substituted osmium-antimony cluster, 276

Oxazoline

Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19

Oxogallan

Tetrasupersilyl-*tetrahedro*-tetragallan ($(\text{tBu}_3\text{Si})_4\text{Ga}_4$ —ein Tetraeder mit besonders kompaktem Ga_4 -Tetraedergerüst, 246

Oxygen

Palladium(II)-catalyzed phenylation of unsaturated compounds using phenylantimony chlorides under air, 3

Palladium

Palladium(II)-catalyzed phenylation of unsaturated compounds using phenylantimony chlorides under air, 3

Synthesis and structure of 1,3-dienolate ($\text{CH}_2\text{C}(\text{O})\text{CH}=\text{CH}_2$) complex of dipalladium(I) moiety: contribution of π -olefin co-ordination of enolate to transition metal, 142

Palladium catalyst

Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193

Partial oxidation

An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116

Pd–OH elimination

Synthesis of (π -allyl)palladium complexes from cationic palladium(II) complexes and allylic alcohols, 99

Pentacoordination

Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193

Pentafluorophenyltin derivatives

Preparation, reactivities, and NMR spectra of pentafluorophenyltin derivatives, 58

Phosphinethiolate

Phosphinethiolate tin(IV)-11 group-metal derivatives. X-ray structure of $[\text{Au}_2\text{Sn}(\text{t}^{\text{Bu}})_2(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_4\text{PPh}_2)_2]$, 207

Phosphine transfer

Synthesis of dibridged diphosphine metal carbonyl complexes and related phosphine transfer reactions, 219

Photoinduced electron transfer

Addition of Group 14 organometallic compounds to C_{60} via photoinduced electron transfer. Direct detection of radical ion pair intermediates, 32

Photolysis

Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193

Planar chirality

Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19

Insertion reaction between planar chiral cyclopalladated derivatives of ferrocene and diphenylacetylene, 311

Platinum

ω -Monobromoalkyl platinum(IV)cyclopentane complexes: synthesis, characterization and kinetic studies of the formation, 286

Unsymmetrically substituted bis(carbene)platinum(II) complexes, 163

Platinum complex

Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66

Polymerization catalysis

Catalytic activity of allyl-, azaallyl- and diaza-pentadienyllanthanide complexes for polymerization of methyl methacrylate, 40

Polymerizations

Synthesis, crystal structure and catalytic activity of some new chiral *ansa*-metallocenes of yttrium, lanthanum, samarium, lutetium and of zirconium, 228

Protective group

Synthetic utility of *o*-carborane: novel protective group for aldehydes and ketones, 107

Radical ion pair intermediates

Addition of Group 14 organometallic compounds to C_{60} via photoinduced electron transfer. Direct detection of radical ion pair intermediates, 32

Reductive elimination

Reactions of $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$ with 2-methyl-2-propen-1-ol. Reversible insertion/ β -elimination, and reductive elimination on a 3-hydroxy-2-methylpropyl- C^1,O -ruthenium(II) complex, 121

Reversible insertion

Reactions of $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$ with 2-methyl-2-propen-1-ol. Reversible insertion/ β -elimination, and reductive elimination on a 3-hydroxy-2-methylpropyl- C^1,O -ruthenium(II) complex, 121

Rhodium

Preparation and reactions of the (pentamethylcyclopentadienyl)rhodium(III) complexes bearing 1,1'-bis(diphenylphosphinomethyl)ferrocene (dpmf) or 1,1'-bis(diphenylphosphino)ferrocene (dppf), 148

Ring-size effect

The effect of ring-size on the electrochemical oxidation of perethylcyclopolysilanes $[(\text{Et}_2\text{Si})_n]$, 11

 $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$

Reactions of $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$ with 2-methyl-2-propen-1-ol. Reversible insertion/ β -elimination, and reductive elimination on a 3-hydroxy-2-methylpropyl- C^1,O -ruthenium(II) complex, 121

Ruthenium

The synthesis, structure and selected reactivity of a series of tricarbonyl ruthenium complexes with 1,3-dienes and heterodienes, 302

Ruthenocene

Synthesis, structure and reactivities of novel σ -ruthenocenylplatinum complexes, 66

Silicon

Tetrasupersilyl-*tetrahedro*-tetragallan ($(\text{t}^{\text{Bu}}_3\text{Si})_4\text{Ga}_4$ —ein Tetraederan mit besonders kompaktem Ga_4 -Tetraedergerüst, 246

Silver

Phosphinethiolate tin(IV)-11 group-metal derivatives. X-ray structure of $[\text{Au}_2\text{Sn}(\text{t}^{\text{Bu}})_2(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_4\text{PPh}_2)_2]$, 207

Silylation

Silylation reactions of olefins with monosilane and disilane in the presence of a transition metal complex, metal hydride, and radical initiator, 241

Silylformylation

Rhodium-catalyzed transformation of propargyl alcohol derivatives to 2-silylmethyl-2-alkenals, 133

2-Silylmethyl-2-alkenals

Rhodium-catalyzed transformation of propargyl alcohol derivatives to 2-silylmethyl-2-alkenals, 133

Stereoselective metathesis

Highly stereoselective metathesis reaction between optically active hydrosilane and copper(I) salt in 1,3-dimethyl-2-imidazolidinone, 102

tetrahedro-Tetragallan

Tetrasupersilyl-*tetrahedro*-tetragallan ($(\text{t}^{\text{Bu}}_3\text{Si})_4\text{Ga}_4$ —ein Tetraederan mit besonders kompaktem Ga_4 -Tetraedergerüst, 246

Thermolysis

Synthesis, structure, and reactivity of 1, ω -bis(*pseudo*-pentacoordinated) 1, ω -difluoro-oligosilanes bearing 8-(dimethylamino)-1-naphthyl groups, 193

Tin

Phosphinethiolate tin(IV)-11 group-metal derivatives. X-ray structure of $[\text{Au}_2\text{Sn}(\text{t}^{\text{Bu}})_2(\text{C}_6\text{F}_5)_2(\text{SC}_6\text{H}_4\text{PPh}_2)_2]$, 207

Titanium

Achiral and planar chiral ferrocene diols: preparation and complexation with titanium(IV), 19

Transition metal complex

Silylation reactions of olefins with monosilane and disilane in the presence of a transition metal complex, metal hydride, and radical initiator, 241

Tricarbonyl

The synthesis, structure and selected reactivity of a series of tricarbonyl ruthenium complexes with 1,3-dienes and heterodienes, 302

2,4,6-Trimethoxyphenyl

Stability and reactivity of ferrocenyl(2,4,6-trimethoxyphenyl)carbenium salts, 86

Tris(trimethylsilyl)silyl adducts

The reactions of tris(trimethylsilyl)silyllithium with ketenes, 50

Tris(trimethylsilyl)silyllithium

The reactions of tris(trimethylsilyl)silyllithium with ketenes, 50

Tungsten

Synthesis, characterization and reactivity of the ω -haloalkyl complexes $[(\eta^5\text{-C}_5\text{R}_5)\text{W}(\text{CO})_3\{(\text{CH}_2)_n\text{X}\}]$ (R = H, $n = 3-7$, X = Br and I; R = CH₃, $n = 3, 4$, X = Br and I), 252

Tungsten complex

Condensation of triketones with tungsten hydrazido(2-) complexes derived from a dinitrogen complex: formation of mononuclear or dinuclear diazoalkane complexes, 24

Tungsten pentacarbonyls

Electrochemistry of complexes of dichlorogermylene and dihalostanylenes with chromium, molybdenum, and tungsten pentacarbonyls, 279

Vanadium

An efficient partial oxidation of methane in trifluoroacetic acid using vanadium-containing heteropolyacid catalysts, 116

WO₃ cluster framework

Alkyne-carbide coupling on WO₃ cluster framework; synthesis and X-ray structure of $(\text{C}_5\text{Me}_5)\text{WO}_3(\mu_4\text{-C})(\mu\text{-CHCHR})(\text{CO})_{10}$ and $(\text{C}_5\text{Me}_5)\text{WO}_3[\mu_3\text{-CCR}(\text{CH}_2)](\text{CO})_{10}$, R = CH₂Ph, 294

X-ray structure

Condensation of triketones with tungsten hydrazido(2-) complexes derived from a dinitrogen complex: formation of mononuclear or dinuclear diazoalkane complexes, 24

Group 4 and Group 8 unbridged metallocene derivatives with a pendant fluorenyl group. X-ray structure of 1,1'-bis[2-(2-fluorenyl)propyl]ferrocene, 267

X-ray structure analyses

Tetrasupersilyl-tetrahedro-tetragallan (^tBu₃Si)₄Ga₄—ein Tetraeder mit besonders kompaktem Ga₄-Tetraedergerüst, 246

Zirconocenes

Synthesis, crystal structure and catalytic activity of some new chiral *ansa*-metallocenes of yttrium, lanthanum, samarium, lutetium and of zirconium, 228