

Subject Index of Volume 577

- Ab initio calculations
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
- Alkenyl fragment
Reductive elimination of the alkenyl fragment and a phosphine ligand from $[\text{Rh}(\text{acac})\{\text{(E)-CH=CHR}\}(\text{PCy}_3)_2]\text{BF}_4$ (R = Cy, Ph, H): preparation of $[(\text{E)-RHC=CHPCy}_3]\text{BF}_4$ from alkynes, 265
- Alkylation, acylation and decarbonylation reactions
Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformate ligand, 134
- Alkylpalladium
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; $\text{PdR}_2(\text{cod})$ as precursors for derivatives with N- or P-donor ligands, 257
- Alkynes
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
- Alkynyl
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $\text{Mo}(\text{CO})_2(\eta\text{-C}_7\text{H}_7)$, 249
- AM1
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
- Anionic uranium(III) compounds
Bis(pentamethylcyclopentadienyl)uranium diphenylphosphide compounds, 161
- Annulated azaphospholes
Thiazoline- and oxazoline-annulated ($\eta^1\text{-P}$)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
- ansa-Metallocenes
Synthesis of ring-substituted bis- η^5 -cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-C}_5\text{H}_3(1,2\text{-CH}_2)_m$, $n = 4, 5$, or 6 , 211
- Anthracene
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- Anti-inflammatory activity
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1
- Antimicrobial activity
Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1
- Arene
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- π -Arene complexes
The first osmium(II), ruthenium(II) and iron(II) complexes of $[\text{3}_n\text{]}_{\text{cyclophanes}}$ ($n = 2\text{--}4$): synthesis and electrochemical study, 58
- Aryloxide
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes ($\eta\text{-C}_5\text{Me}_5$)Sm(O-2,6-*t*-Bu₂C₆H₃)₂(THF) and $[(\eta\text{-C}_5\text{Me}_5)\text{Sm}(\text{O-2,6-}i\text{-Pr}_2\text{C}_6\text{H}_3)_3\text{Li}(\text{THF})]$. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228
- Aryloxides
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
- Aryloxycarbonyls
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
- BF_4^- coordination
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metal-ocene derivatives, 271
- Bis(tetramethylcyclopentadienyl)titanium(III) hydride catalyst
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(\text{C}_5\text{HMe}_4)_2\text{Ti}(\mu\text{-H})_2\text{Mg}(\text{THF})(\mu\text{-Cl})_2]$ (THF-tetrahydrofuran) and $(\text{C}_5\text{HMe}_4)_2\text{-TiOCMe}_3$, 103
- Bis(tetramethylcyclopentadienyl)titanium(III) *tert*-butoxide
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(\text{C}_5\text{HMe}_4)_2\text{Ti}(\mu\text{-H})_2\text{Mg}(\text{THF})(\mu\text{-Cl})_2]$ (THF-tetrahydrofuran) and $(\text{C}_5\text{HMe}_4)_2\text{-TiOCMe}_3$, 103
- Boron
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
- Butadiynyl
Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $\text{Mo}(\text{CO})_2(\eta\text{-C}_7\text{H}_7)$, 249
- Carbonyl
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germysilanes with cobalt carbonyl, 181
- Carbonyl complexes
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
- Carbonyls
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
- Catalysis
Enantioselective catalysis: Part 129. A new rhodium(I) complex with a $\mu_2\text{-H}$ bridged Cp_2WH_2 ligand, 346
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxanokatalysatoren, 351
- Charge transfer
Photooxidation of $\text{Rh}(\text{PPh}_3)_2(\text{CS})\text{Cl}$ induced by metal-to-ligand charge transfer excitation, 358

Chirality

Synthesis and characterization of monomeric telluroato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazoliny)phenyl]ditelluride, 243

Cluster

Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NOMe})]$, $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NH})]$ and $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-NH}_2)(\mu_3\text{-Hg})\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\}]$, 323

Clusters

Chemistry of vinylidene complexes. XIII. The reaction between $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\eta^2\text{-dppm})$ and $\text{Fe}_2(\text{CO})_9$; simultaneous formation of the μ_3 -vinylidene MnFePt and μ_4 -vinylidene PtFe₃ clusters. Crystal structure of $(\eta^5\text{-C}_5\text{H}_5)\text{MnFePt}(\mu_3\text{-C}=\text{CHPh})(\text{CO})_6[\eta^1\text{-Ph}_2\text{PCH}_2\text{P}(=\text{O})\text{Ph}_2]$, 238

Cobalt

Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germysilanes with cobalt carbonyl, 181

Complex

$[\text{Rh}_2(\mu\text{-CO})(\text{CO})_2(\eta\text{-indenyl})_2]$ from solid state decarbonylation of the monomer $(\eta\text{-indenyl})\text{-Rh}(\text{CO})_2$, 167

Crystal structure

Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93

Synthesis and characterisation of the first auracyclobutane complex, 219

Synthesis, structure and properties of 1,2-dihydroxy-tetramethyldisilane, 342

Crystal structures

Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(\text{C}_5\text{HMe}_4)_2\text{Ti}(\mu\text{-H})_2\text{Mg}(\text{THF})(\mu\text{-Cl})_2]$ (THF-tetrahydrofuran) and $(\text{C}_5\text{HMe}_4)_2\text{TiOCMe}_3$, 103

Cyclic voltammetry

The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$ cyclophanes ($n = 2\text{--}4$): synthesis and electrochemical study, 58

Cycloaddition reactions

Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120

Cycloheptatrienyl

Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $\text{Mo}(\text{CO})_2(\eta\text{-C}_7\text{H}_7)$, 249

Cyclopentadienyl

Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of $\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\text{SC}_6\text{H}_5)_3$, 9

Synthesis and electrochemistry of complexes containing the ferrocenyl–phosphine ligand $\text{PPh}(\text{CH}_2\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)_2\text{Fe}$, 44

Cyclophanes

The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$ cyclophanes ($n = 2\text{--}4$): synthesis and electrochemical study, 58

Cyclotrisilane

Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330

2D exchange spectroscopy

Variable-temperature one- and two-dimensional ¹³C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19

Dialkyl tellurides

Synthesis and characterization of dicyclohexyl telluride; Raman

spectra and multinuclear NMR studies of dialkyl tellurides, 69

Diels–Alder reactions

Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120

Dienyl complexes

Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120

Difluorophosphate

New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metal-locene derivatives, 271

Dimer

$[\text{Rh}_2(\mu\text{-CO})(\text{CO})_2(\eta\text{-indenyl})_2]$ from solid state decarbonylation of the monomer $(\eta\text{-indenyl})\text{-Rh}(\text{CO})_2$, 167

Dimeric species

Synthesis and reactivity studies of Pd(II) complexes of the bulky $\text{CH}(\text{SiMe}_3)_2$ group. X ray structure of the indenyl derivative $(\eta\text{-Ind})\text{Pd}[\text{CH}(\text{SiMe}_3)_2](\text{PMe}_3)$, 316

Dimerization

Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of $[(\text{C}_5\text{HMe}_4)_2\text{Ti}(\mu\text{-H})_2\text{Mg}(\text{THF})(\mu\text{-Cl})_2]$ (THF-tetrahydrofuran) and $(\text{C}_5\text{HMe}_4)_2\text{TiOCMe}_3$, 103

Dinuclear complexes

Synthesis and X-ray characterization of new 1- $[\mu\text{-dithio-bis}(\text{tricarboxyliron})\text{-}2\text{-}(p\text{-}R\text{-benzoyl})\text{ethane}]$ complexes, 38

Dipeptides

Characteristic spectral studies, and antimicrobial and anti-inflammatory activities of diorganotin(IV) derivatives of dipeptides, 1

Diphenylphosphine

Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305

Diphenylphosphinodithioformato ligand

Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformato ligand, 134

Disilane diol

Synthesis, structure and properties of 1,2-dihydroxy-tetramethyldisilane, 342

Distannation

1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76

Ditelluride

Synthesis and characterization of monomeric telluroato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazoliny)phenyl]ditelluride, 243

1,3-Dithiole-2-one-4,5-dithiolato-

Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, $\text{R}_2\text{Sn}(\text{dmio})$ and $[\text{Q}][\text{R}_2\text{Sn}(\text{dmio})\text{X}]$ [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]; crystal structures of $\text{Me}_2\text{Sn}(\text{dmio})$ and $[\text{NEt}_4][\text{Ph}_2\text{SnCl}(\text{dmio})]$, 140

Donor-acceptor complex

Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330

Dynamic behavior

Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of $[\text{Ti}(\text{HB}(3,5\text{-Me}_2\text{pz})_3)\text{Cl}_3]$, 174

Electrochemistry

Redox properties of the 17-electron sandwich $(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\eta^6\text{-C}_6\text{Ph}_6)$: electrochemical characterization of the 16 e[−] Lewis acid monocation and its PF₆[−] adduct, 189

- 17-Electron
Redox properties of the 17-electron sandwich ($\eta^5\text{-C}_5\text{H}_5$)Mo($\eta^6\text{-C}_6\text{Ph}_6$): electrochemical characterization of the 16 e⁻ Lewis acid monocation and its PF₆⁻ adduct, 189
- Electron spin resonance
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of [(C₅HMe₄)₂Ti(μ -H)₂Mg-(THF)(μ -Cl)₂] (THF-tetrahydrofuran) and (C₅HMe₄)₂-TiOCMe₃, 103
- Electrospray mass spectrometry
Synthesis and characterisation of the first auracyclobutane complex, 219
- Enantioselectivity
Enantioselective catalysis: Part 129. A new rhodium(I) complex with a μ_2 -H bridged Cp₂WH₂ ligand, 346
- Ethanethiol addition
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
- Ethenoanthracene
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- Ferrocene
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Synthesis and electrochemistry of complexes containing the ferrocenyl-phosphine ligand PPh(CH₂CH₂- $\eta^5\text{-C}_5\text{H}_4$)₂Fe, 44
- Ferrocenyl
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{($\eta^5\text{-C}_5\text{H}_5$)Fe($\eta^5\text{-C}_5\text{H}_4$)-CH=N-CH₂-CH₂-N(CH₃)₂}Cl₂], 292
- Fluoride
Oxide bridged mixed metal organometallics: the reaction of Ru₄(CO)₁₃[μ_3 -PN(R)₂] R = ^tPr, Cy with Cp*W(O)₂CCPh, 126
- Fluxional behavior
New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metallocene derivatives, 271
- Fluxional organometallics
Variable-temperature one- and two-dimensional ¹³C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19
- Germatrane/MNDO
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
- Germylene
Facile cleavage of Si-Si or Si-Ge bonds in the reactions of disilanes or germysilanes with cobalt carbonyl, 181
- Gold
Synthesis and characterisation of the first auracyclobutane complex, 219
- Group 10
Synthesis and electrochemistry of complexes containing the ferrocenyl-phosphine ligand PPh(CH₂CH₂- $\eta^5\text{-C}_5\text{H}_4$)₂Fe, 44
- Group 6 metals
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
- Hafnium
Synthesis of ring-substituted bis- η^5 -cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-C}_5\text{H}_3(1,2\text{-CH}_2\text{-})_n$, *n* = 4, 5, or 6, 211
- H-bonding
Synthesis, structure and properties of 1,2-dihydroxy-tetramethyldisilane, 342
- Heterobimetallics
Synthesis and electrochemistry of complexes containing the ferrocenyl-phosphine ligand PPh(CH₂CH₂- $\eta^5\text{-C}_5\text{H}_4$)₂Fe, 44
- Heterocycles
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
- Hexahalocarborane
Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of Ag(1-CH₃-CB₁₁H₅X₆) (X = H, Cl, Br, I), 197
- Hydrogenation
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- Indenyl ligand
Synthesis and reactivity studies of Pd(II) complexes of the bulky CH(SiMe₃)₂ group. X ray structure of the indenyl derivative (η -Ind)Pd[CH(SiMe₃)₂(PMe₃)], 316
- Inner salt
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N,N*-dimethylammoniomethyl)phosphonate, 113
- Intermolecular
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- Intramolecular coordination
Synthesis and characterization of monomeric telluroolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolonyl)phenyl]ditelluride, 243
- Iridium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93
- Iron
Intermolecular hydrogenation of a C=C bond during π -cyclopentadienyliron complexation of 1,8-dichloro-9,10-dihydro-9,10-ethenoanthracene, 24
- Iron(0)
Synthesis and X-ray characterization of new 1-[μ -dithio-bis-(tricarboxyliron)]-2-(*p*-*R*-benzoyl)ethane complexes, 38
- Iron
Chemistry of vinylidene complexes. XIII. The reaction between Cp(CO)₂MnPt(μ -C=CHPh)(η^2 -dppm) and Fe₂(CO)₉: simultaneous formation of the μ_3 -vinylidene MnFePt and μ_4 -vinylidene PtFe₃ clusters. Crystal structure of ($\eta^5\text{-C}_5\text{H}_5$)MnFePt($\mu_3\text{-C=CHPh}$)(CO)₆[$\eta^1\text{-Ph}_2\text{PCH}_2\text{P(=O)Ph}_2$], 238
The first osmium(II), ruthenium(II) and iron(II) complexes of [3,*n*]cyclophanes (*n* = 2–4): synthesis and electrochemical study, 58
- Isocyanide
Unsaturated alkylidyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223
- Lewis acid
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330
- Lewis acid catalysis
Transition-metal mediated *exo* selective and enantioselective Diels–Alder reactions for the preparation of octalones with unusual stereochemistries. Reactions of 2-cobaloxime substituted 1,3-dienes with cyclohexenone in optically active Lewis acid catalyzed [4 + 2] cycloadditions, 120
- Ligand-exchange
Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; PdR₂(cod) as precursors for derivatives with N- or P-donor ligands, 257

Lithiation

Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of $\text{Ag}(1\text{-CH}_3\text{-CB}_{11}\text{H}_5\text{X}_6)$ ($\text{X} = \text{H, Cl, Br, I}$), 197

Manganese

Chemistry of vinylidene complexes. XIII. The reaction between $\text{Cp}(\text{CO})_2\text{MnPt}(\mu\text{-C}=\text{CHPh})(\eta^2\text{-dppm})$ and $\text{Fe}_2(\text{CO})_9$; simultaneous formation of the μ_3 -vinylidene MnFePt and μ_4 -vinylidene PtFe_3 clusters. Crystal structure of $(\eta^5\text{-C}_5\text{H}_5)\text{MnFePt}(\mu_3\text{-C}=\text{CHPh})(\text{CO})_6[\eta^1\text{-Ph}_2\text{PCH}_2\text{P}(=\text{O})\text{Ph}_2]$, 238

Metal alkylidyne

Unsaturated alkylidyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223

Metallacycle

Bis(pentamethylcyclopentadienyl) uranium diphenylphosphide compounds, 161

Metallacyclobutane

Synthesis and characterisation of the first auracyclobutane complex, 219

Metalocene

Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351

Redox properties of the 17-electron sandwich $(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\eta^6\text{-C}_6\text{Ph}_6)$: electrochemical characterization of the 16 e^- Lewis acid monocation and its PF_6^- adduct, 189

Metalloenes

Synthesis of ring-substituted bis- η^5 -cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands $\eta^5\text{-C}_5\text{H}_3(1,2\text{-CH}_2)_n$, $n = 4, 5$, or 6, 211

Metathesis

Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes $(\eta\text{-C}_5\text{Me}_5)\text{Sm}(\text{O-}2,6\text{-}t\text{-Bu}_2\text{C}_6\text{H}_3)_2(\text{THF})$ and $[(\eta\text{-C}_5\text{Me}_5)\text{Sm}(\text{O-}2,6\text{-}i\text{-Pr}_2\text{C}_6\text{H}_3)_3\text{Li}(\text{THF})]$. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxide and 2,6-di-*tert*-butylphenoxide ligands, 228

Methoxynitrido

Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NOMe})]$, $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NH})]$ and $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-NH}_2)(\mu_3\text{-Hg})\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\}]$, 323

Microgel

Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxancokatalysatoren, 351

Molybdenum

Alkynyl and butadiynyl complexes of the cycloheptatrienylmolybdenum auxiliary $\text{Mo}(\text{CO})_2(\eta\text{-C}_7\text{H}_7)$, 249

Redox properties of the 17-electron sandwich $(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\eta^6\text{-C}_6\text{Ph}_6)$: electrochemical characterization of the 16 e^- Lewis acid monocation and its PF_6^- adduct, 189

Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NOMe})]$, $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NH})]$ and $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-NH}_2)(\mu_3\text{-Hg})\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\}]$, 323

Synthesis and electrochemistry of complexes containing the ferrocenyl-phosphine ligand $\text{PPh}(\text{CH}_2\text{CH}_2\text{-}\eta^5\text{-C}_5\text{H}_4)_2\text{Fe}$, 44

Molybdenum complex

Syntheses and reactivity of molybdenum complexes containing the diphenylphosphinodithioformato ligand, 134

Monomeric tellurolates

Synthesis and characterization of monomeric tellurolato complexes of zinc and cadmium: crystal and molecular structure of bis[2-(4,4-dimethyl-2-oxazolonyl)phenyl]ditelluride, 243

Mössbauer spectroscopy

Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N,N*-dimethylammoniomethyl)phosphonate, 113

Nitrene

Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NOMe})]$, $[\text{Ru}_2\text{Mo}(\mu\text{-H})(\text{CO})_8(\eta^5\text{-C}_5\text{H}_5)(\mu_3\text{-NH})]$ and $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-NH}_2)(\mu_3\text{-Hg})\{\text{Mo}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\}]$, 323

NMR

1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82

NMR spectroscopy

1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76

Thiazoline- and oxazoline-annulated ($\eta^1\text{-P}$)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337

Octahedral

Diorganol(1,3-dithiole-2-one-4,5-dithiolato)tin compounds, $\text{R}_2\text{Sn}(\text{dmio})$ and $[\text{Q}][\text{R}_2\text{Sn}(\text{dmio})\text{X}]$ [$\text{Q} = \text{onium cation}$; $\text{R} = \text{alkyl or aryl}$; $\text{X} = \text{halide or pseudohalide}$]; crystal structures of $\text{Me}_2\text{Sn}(\text{dmio})$ and $[\text{NEt}_4][\text{Ph}_2\text{SnCl}(\text{dmio})]$, 140

Optical activity

Enantioselective catalysis: Part 129. A new rhodium(I) complex with a $\mu_2\text{-H}$ bridged Cp_2WH_2 ligand, 346

1,1-Organoboration

1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82

Organometallic

Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; $\text{PdR}_2(\text{cod})$ as precursors for derivatives with N- or P-donor ligands, 257

Organotin(IV)

Characteristic spectral studies, and antimicrobial and antiinflammatory activities of diorganotin(IV) derivatives of dipeptides, 1

Osmium

The first osmium(II), ruthenium(II) and iron(II) complexes of $[3_n]$ cyclophanes ($n = 2\text{--}4$): synthesis and electrochemical study, 58

Palladium

Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93

Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283

Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*- $[\text{Pd}\{\eta^5\text{-C}_5\text{H}_5\}]$

$\text{Fe}\{\eta^5\text{-C}_5\text{H}_4\text{-CH=N-CH}_2\text{-CH}_2\text{-N}(\text{CH}_3)_2\}\text{Cl}_2$, 292

Syntheses and spectroscopic characteristics of dialkylpalladium(II) complexes; $\text{PdR}_2(\text{cod})$ as precursors for derivatives with N- or P-donor ligands, 257

 $\eta^1\text{-P}$ coordination

Thiazoline- and oxazoline-annulated ($\eta^1\text{-P}$)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337

Pd-alkyl complexes

Synthesis and reactivity studies of Pd(II) complexes of the bulky $\text{CH}(\text{SiMe}_3)_2$ group. X ray structure of the indenyl derivative $(\eta\text{-Ind})\text{Pd}[\text{CH}(\text{SiMe}_3)_2](\text{PMe}_3)$, 316

Pd-, Ti- and Mo-complexes

New studies on the reactivity of allyl difluorophosphate palladium complexes: synthesis of the first difluorophosphate metalocene derivatives, 271

- Pentacarbonyl complexes
Thiazoline- and oxazoline-annulated (η^1 -P)-1,3-azaphosphole- (pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
- Pentalenes
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
- Pentamethylcyclopentadienyl
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes (η -C₅Me₅)Sm(O-2,6-*t*-Bu₂C₆H₃)₂(THF) and [(η -C₅Me₅)Sm(O-2,6-*i*-Pr₂C₆H₃)₃Li(THF)]. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxy and 2,6-di-*tert*-butylphenoxy ligands, 228
- Phosphine
Reductive elimination of the alkenyl fragment and a phosphine ligand from [Rh(acac){(*E*)-CH=CHR}(PCy₃)₂]BF₄ (R = Cy, Ph, H): preparation of [(*E*)-RHC=CHPCy₃]BF₄ from alkynes, 265
Synthesis and electrochemistry of complexes containing the ferrocenyl-phosphine ligand PPh(CH₂CH₂- η^5 -C₅H₄)₂Fe, 44
- Phosphinidene
Oxide bridged mixed metal organometallics: the reaction of Ru₄(CO)₁₃[μ_3 -PN(R)₂] R = ^{*i*}Pr, Cy with Cp*W(O)₂CCPh, 126
- Phosphinidoxo
Oxide bridged mixed metal organometallics: the reaction of Ru₄(CO)₁₃[μ_3 -PN(R)₂] R = ^{*i*}Pr, Cy with Cp*W(O)₂CCPh, 126
- Phosphonic acid monoester ligand
Tin(IV) complexes with *O*-ethyl-*N,N*-dimethylammoniomethyl)phosphonate, 113
- Photochemistry
Photooxidation of Rh(PPh₃)₂(CS)Cl induced by metal-to-ligand charge transfer excitation, 358
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
- Platinum
Chemistry of vinylidene complexes. XIII. The reaction between Cp(CO)₂MnPt(μ -C=CHPh)(η^2 -dppm) and Fe₂(CO)₉: simultaneous formation of the μ_3 -vinylidene MnFePt and μ_4 -vinylidene PtFe₃ clusters. Crystal structure of (η^5 -C₅H₅)MnFePt(μ_3 -C=CHPh)(CO)₆[η^1 -Ph₂PCH₂P(=O)Ph₂], 238
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{(η^5 -C₅H₅)Fe{(η^5 -C₅H₄)-CH=N-CH₂-CH₂-N(CH₃)₂}Cl₂}]Cl₂, 292
- Polyethylene
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxanokatalysatoren, 351
- Polymerization
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxanokatalysatoren, 351
- Pyrazolylborates
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me₂pz)₃)Cl₃], 174
- Pyridine
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me₂pz)₃)Cl₃], 174
- Pyrimidine
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato] titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me₂pz)₃)Cl₃], 174
- Raman spectroscopy
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
- Reduction
Bis(pentamethylcyclopentadienyl) uranium diphenylphosphide compounds, 161
- Reductive carbonylation
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
- Reductive elimination
Reductive elimination of the alkenyl fragment and a phosphine ligand from [Rh(acac){(*E*)-CH=CHR}(PCy₃)₂]BF₄ (R = Cy, Ph, H): preparation of [(*E*)-RHC=CHPCy₃]BF₄ from alkynes, 265
- Reversible equilibria
IR spectroscopic studies of the reversible equilibria between Rh(I)(triphos) aryloxides, aryloxycarbonyls, and carbonyls, 31
- Rhodium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Photooxidation of Rh(PPh₃)₂(CS)Cl induced by metal-to-ligand charge transfer excitation, 358
- Ruthenium
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93
Investigation of the possible role of arylamine formation in the *ortho*-substituted nitroarenes reductive cyclization reactions to afford heterocycles, 283
Oxide bridged mixed metal organometallics: the reaction of Ru₄(CO)₁₃[μ_3 -PN(R)₂] R = ^{*i*}Pr, Cy with Cp*W(O)₂CCPh, 126
Syntheses and molecular structures of heterometallic carbonyl clusters derived from the triruthenium carbonyl methoxynitrido cluster; crystal and molecular structures of [Ru₂Mo(μ -H)(CO)₈(η^5 -C₅H₅)(μ_3 -NOMe)], [Ru₂Mo(μ -H)(CO)₈(η^5 -C₅H₅)(μ_3 -NH)], and [Ru₃(CO)₁₀(μ -NH₂)(μ_3 -Hg){Mo(η^5 -C₅H₅)(CO)₃}], 323
The first osmium(II), ruthenium(II) and iron(II) complexes of [3_{*n*}]cyclophanes (*n* = 2–4): synthesis and electrochemical study, 58
- Samarium
Synthesis and X-ray crystal structures of the samarium mono(pentamethylcyclopentadienyl) aryloxide complexes (η -C₅Me₅)Sm(O-2,6-*t*-Bu₂C₆H₃)₂(THF) and [(η -C₅Me₅)Sm(O-2,6-*i*-Pr₂C₆H₃)₃Li(THF)]. Differences in metathesis chemistry of 2,6-di-*iso*-propylphenoxy and 2,6-di-*tert*-butylphenoxy ligands, 228
- SAMP
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93
- Schiff base complexes
Halbsandwich-Komplexe von (*S*)-1-Amino-2-(methoxymethyl)pyrrolidin (SAMP), 93
- Schiff bases
Palladium (II) and platinum (II) compounds containing bi- and terdentate ferrocenyl ligands. X-ray crystal structure of *cis*-[Pd{(η^5 -C₅H₅)Fe{(η^5 -C₅H₄)-CH=N-CH₂-CH₂-N(CH₃)₂}Cl₂}]Cl₂, 292
- Selenium
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
- Semiempirical calculations
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69

- Silanes**
The photochemical reaction of Si-substituted vinyl(ethynyl)- and diethynylsilanes with ethanethiol and its C-functional derivatives, 157
- Silatrane**
Concerning the transannular bond in silatranes and germatranes: a quantum chemical study, 205
- Silicon**
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
- Siloles**
1,1-Organoboration of tetraynes—routes to new siloles, stannoles and fused heterocycles, 82
- Silylene**
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germysilanes with cobalt carbonyl, 181
- Solid-state NMR spectroscopy**
Variable-temperature one- and two-dimensional ^{13}C CP/MAS NMR studies of the dynamics of monohaptocyclopentadienyl rings of hafnium and titanium tetracyclopentadienyl in the solid state, 19
- Spectroscopic and X-ray analysis**
[Rh₂(μ-CO)(CO)₂(η-indenyl)₂] from solid state decarbonylation of the monomer (η-indenyl)-Rh(CO)₂, 167
- Stereoselective addition**
Stereoselective addition reactions of diphenylphosphine to pyridyl and pyrimidylalkynes: chiral 1,2-diheteroaryl-1,2-bis-(diphenylphosphino)ethanes and their Group 6 metal carbonyl complexes, 305
- Sulfur**
Synthesis and X-ray characterization of new 1-[μ-dithio-bis-(tri-carbonyliron)]-2-(*p*-*R*-benzoyl)ethane complexes, 38
- Support**
Poly(organosiloxan)mikrogele als Trägermaterialien für heterogene Methylalumoxanokatalysatoren, 351
- Tellurium**
The structural characterisation of telluraphthalic anhydride, selenaphthalic anhydride and of 2-selenaphthalide, 15
- ^{125}Te -NMR**
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
- tert*-Butylacetylene**
Titanium-catalyzed head-to-tail dimerization of *tert*-butylacetylene. Crystal structures of [(C₅HMe₄)₂Ti(μ-H)₂-Mg(THF)(μ-Cl)₂] (THF-tetrahydrofuran) and (C₅HMe₄)₂-TiOCMe₃, 103
- Tetrahydroindenes**
Synthesis of ring-substituted bis-η⁵-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands η⁵-C₅H₃(1,2-CH₂)_{*n*}, *n* = 4, 5, or 6, 211
- Thermolysis**
Bis(pentamethylcyclopentadienyl)uranium diphenylphosphide compounds, 161
- Thiocarbonyl**
Photooxidation of Rh(PPh₃)₂(CS)Cl induced by metal-to-ligand charge transfer excitation, 358
- Thiolate**
Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of Ti(η⁵-C₅H₅)(SC₆H₅)₃, 9
- Tin**
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, R₂Sn(dmio) and [Q][R₂Sn(dmio)X] [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]; crystal structures of Me₂Sn(dmio) and [NEt₄][Ph₂SnCl(dmio)], 140
1,4-Distanna-[4]ferrocenophanes by Pt(0)-catalysed distannation of alkynes, 76
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N,N*-dimethylammoniomethyl)phosphonate, 113
- Titanium**
Monocyclopentadienyltitanium complexes with thiolate ligands; crystal structure of Ti(η⁵-C₅H₅)(SC₆H₅)₃, 9
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato]titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me₂pz)₃Cl₃], 174
Synthesis of ring-substituted bis-η⁵-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands η⁵-C₅H₃(1,2-CH₂)_{*n*}, *n* = 4, 5, or 6, 211
- Transition metals**
Thiazoline- and oxazoline-annulated (η¹-P)-1,3-azaphosphole-(pentacarbonyl)chromium, -molybdenum and -tungsten complexes, 337
- Trigonal bipyramidal**
Diorgano(1,3 - dithiole - 2 - one - 4,5 - dithiolato)tin compounds, R₂Sn(dmio) and [Q][R₂Sn(dmio)X] [Q = onium cation; R = alkyl or aryl; X = halide or pseudohalide]; crystal structures of Me₂Sn(dmio) and [NEt₄][Ph₂SnCl(dmio)], 140
- Triphenylsilyl complexes**
Facile cleavage of Si–Si or Si–Ge bonds in the reactions of disilanes or germysilanes with cobalt carbonyl, 181
- Tungsten**
Oxide bridged mixed metal organometallics: the reaction of Ru₄(CO)₁₃[μ₃-PN(R)₂] R = *i*-Pr, Cy with Cp*W(O)₂CCPh, 126
- Unsaturated alkyldiyne ligands bearing a terminal isocyanide functionality and intervening ethynylbenzene groups, 223
- Uranium(IV) diphenylphosphide compounds**
Bis(pentamethylcyclopentadienyl)uranium diphenylphosphide compounds, 161
- Variable temperature NMR calculation
Synthesis and characterization of dicyclohexyl telluride; Raman spectra and multinuclear NMR studies of dialkyl tellurides, 69
- Vinylidene complexes**
Chemistry of vinylidene complexes. XIII. The reaction between Cp(CO)₂MnPt(μ-C=CHPh)(η²-dppm) and Fe₂(CO)₉: simultaneous formation of the μ₃-vinylidene MnFePt and μ₄-vinylidene PtFe₃ clusters. Crystal structure of (η⁵-C₅H₅)MnFePt(μ₃-C=CHPh)(CO)₆[η¹-Ph₂PCH₂P(=O)Ph₂], 238
- Weakly Coordinating anions**
Synthesis and structural characterization of new weakly coordinating anions. Crystal structure of Ag(1-CH₃-CB₁₁H₅X₆) (X = H, Cl, Br, I), 197
- X-ray diffraction**
Chemistry of vinylidene complexes. XIII. The reaction between Cp(CO)₂MnPt(μ-C=CHPh)(η²-dppm) and Fe₂(CO)₉: simultaneous formation of the μ₃-vinylidene MnFePt and μ₄-vinylidene PtFe₃ clusters. Crystal structure of (η⁵-C₅H₅)MnFePt(μ₃-C=CHPh)(CO)₆[η¹-Ph₂PCH₂P(=O)Ph₂], 238
Reactions of a cyclotrisilane with Lewis acids—formation of new cyclotrisilanes and siliconium ions, 330
Tin(IV) complexes with *O*-ethyl(*N*-ethyl-*N,N*-dimethylammoniomethyl)phosphonate, 113
- Zirconium**
Synthesis of new oxy and thiolate [hydro-tris(pyrazol-1-yl)borato]titanium and zirconium(IV) complexes. Molecular structure of [Ti(HB(3,5-Me₂pz)₃Cl₃], 174
Synthesis of ring-substituted bis-η⁵-cyclopentadienyl derivatives of the Group IV elements containing the bicyclic ligands η⁵-C₅H₃(1,2-CH₂)_{*n*}, *n* = 4, 5, or 6, 211