



ELSEVIER

Subject Index of Volume 584

- Ab initio calculations
An ab initio study on dilithiosulfoximines, 27
- Acetylene
Complexes $\text{PhMgBr} \cdot n\text{MgBr}_2 \cdot m\text{NEt}_3$ in the reaction with acetylene, 185
- Acylthiourea
Photochemical generation of a novel (O , N' , N'') coordinated iron(II) complex $[\text{Fe}(\text{FT}-\text{py})_2]$ from a ferrocenoyl-functionalized thiourea ligand: N -ferrocenylcarbonyl- N' -(2-pyridyl)thiourea (HFT-py): crystal and molecular structures of HFT-py and $[\text{Fe}(\text{FT}-\text{py})_2]$, 190
- Al–Cr bonding
The first structurally characterized coordination compound containing direct Al–Cr bonding: $\text{Cp}^*\text{Al}–\text{Cr}(\text{CO})_5$, 94
- Alkylidyne
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
- Alkylimido
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
- Alkyne complexes
Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[\text{CuX}(\eta^2\text{-Cycloalkin})]_n$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1
- Alkynes
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
- Reactions of $\text{Ru}_5(\mu_5\text{-C}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$ with $\text{C}_2(\text{SiMe}_3)_2$: formation of butatrienyldene complexes and related chemistry. X-ray crystal structures of $\text{Ru}_5\{\mu_5\text{-CC}[\text{C}_2(\text{SiMe}_3)]\text{C}(\text{SiMe}_3)\}\text{C}(\text{SiMe}_3)\}$ ($\mu_5\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$, $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu_5\text{-SMe})(\mu\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$ and $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$, 254
- Alkynide
Synthesis and crystal structure of $[(2,4\text{-C}_7\text{H}_{11})_2\text{LnC}\equiv\text{CC}_6\text{H}_5]_2$ ($\text{Ln} = \text{Gd}, \text{Er}$), 135
- Allylic substitution
Synthesis of chiral 1'-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
- Allyl ligand
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{-C}_3\text{H}_5)_3\text{-Dioxan}_2]_2$ im f-Bereich, 310
- Aluminium(I) compounds
The first structurally characterized coordination compound containing direct Al–Cr bonding: $\text{Cp}^*\text{Al}–\text{Cr}(\text{CO})_5$, 94
- ansa-Metallocenes
Ytterbium(+2) indenyl complexes: synthesis and crystal structures of $(\text{C}_9\text{H}_7)_2\text{Yb}\cdot\text{DME}$, $rac\text{-}(\text{CH}_2)_2(1\text{-C}_9\text{H}_6)_2\text{Yb}(\text{THF})_2$, and $rac\text{-}(\text{CH}_2)_2[1\text{-}(4,7\text{-}(\text{CH}_3)_2\text{C}_9\text{H}_4)]\text{Yb}(\text{THF})_2$, 164
- ansa-Zirconocene dichlorides
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
- Aromatic substitution
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
- Aryl halides
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
- aza-Wittig reaction
New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68
- Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
- Azide decomposition
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
- Barbituric acid
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
- Benzo[b]thiophene complexes
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
- Bis(cyclopentadienyl) bridged complexes
Cooperative effects in π -ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
- Bismuthine
Metal carbonyl complexes of the tertiary bismuthine $p\text{-Ph}_2\text{BiC}_6\text{H}_4\text{BiPh}_2$ and the effect of coordination upon bismuthine ligand geometry, 179
- Boron
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
- Bridged complexes
Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(\text{Me}_2\text{SiSiMe}_2)[(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}-(\text{CO})_2](\mu\text{-CO})_2$ and $[(\text{Me}_2\text{Si}(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2]_2$, 356
- Bridging 1,4-bis(trimethylsilyl)cyclooctatetraene dianion
Bis($\mu\text{-}\eta^5\text{:}\eta^5\text{-}1,4\text{-bis(trimethylsilyl)cyclooctatetraene})\text{ditiitanium}$ — the first compound with a strong Ti–Ti bond, 286
- (Butadiene)metallocene addition reactions
The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318
- Carbodiimide metathesis
Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Carbonylation

A practical synthetic method for dodecacarbonyltriruthenium, $\text{Ru}_3(\text{CO})_{12}$, using ruthenium dioxide hydrate, 197

Carbonyl complex

Synthesis of the dicarbonyl ruthenium(0) triphosphole complex $[\text{Ru}(\text{CO})_2\{\eta^5-\text{P}_3\text{C}_2\text{Bu}'\text{CH}(\text{SiMe}_3)_2\}]$ and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system $\{\text{CBu}'\text{PP}(\text{H})\text{CH}(\text{SiMe}_3)_2\text{CBu}'\text{P}(\text{O})\text{H}\}$, 58

Carbonyl complexes

Hydrogen–halogen exchange reactions of $(\eta^5:\eta^5-\text{C}_{10}-\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5:\eta^5-\text{C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Carbonyls

Reactions of $\text{Ru}_5(\mu_5\text{C}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$ with $\text{C}_2(\text{SiMe}_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $\text{Ru}_5\{\mu_5\text{-CC}[\text{C}_2(\text{SiMe}_3)]\text{C}(\text{SiMe}_3)\text{C}(\text{SiMe}_3)\}(\mu_3\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$, $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu_3\text{-SMe})(\mu\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$ and $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$, 254

Carboxylate

A practical synthetic method for dodecacarbonyltriruthenium, $\text{Ru}_3(\text{CO})_{12}$, using ruthenium dioxide hydrate, 197

Catalysis

Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

C–H activation

Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\text{-}\eta^3\text{-}(R)\text{N}-\text{CH}_2-\text{C}=\text{C}-\text{C}(\text{H})=\text{C}(\text{H})-\text{C}(\text{H})=\text{C}(\text{H})]\text{Fe}_2(\text{CO})_6$, 33

Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63

Charge transfer

Photochemical generation of a novel (O, N', N'') coordinated iron(II) complex $[\text{Fe}(\text{FT}-\text{py})_2]$ from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N'*-(2-pyridyl)thiourea (HFT–py): crystal and molecular structures of HFT–py and $[\text{Fe}(\text{FT}-\text{py})_2]$, 190

Chromium

Metal carbonyl complexes of the ditertiary bismuthine *p*- $\text{Ph}_2\text{BiC}_6\text{H}_4\text{BiPh}_2$ and the effect of coordination upon bismuthine ligand geometry, 179

Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122

Chromiumpentacarbonyl

The first structurally characterized coordination compound containing direct Al–Cr bonding: $\text{Cp}^*\text{Al}-\text{Cr}(\text{CO})_5$, 94

Clusters

Reactions of $\text{Ru}_5(\mu_5\text{C}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$ with $\text{C}_2(\text{SiMe}_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $\text{Ru}_5\{\mu_5\text{-CC}[\text{C}_2(\text{SiMe}_3)]\text{C}(\text{SiMe}_3)\text{C}(\text{SiMe}_3)\}(\mu_3\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$, $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu_3\text{-SMe})(\mu\text{-SMe})(\mu\text{-PPh}_2)_2(\text{CO})_{10}$ and $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$, 254

Structural characterisation of the elusive isomer of $\text{Os}_3(\text{CO})_{10}(\text{PPh}_3)_2$, 174

Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48

Cobalt

Cooperative effects in π -ligand bridged dinuclear complexes XXII.

New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329

Synthesis and structure of dinuclear $[(2\text{-tert}\text{-butyl-4,5,6-trimethylphenyl})_2\text{Sn}\text{-Co}(\eta^2\text{-ethene})(\eta^5\text{-Me}_5\text{C}_5)]$ and its thermal conversion to trinuclear $[(2\text{-tert}\text{-butyl-4,5,6-trimethylphenyl})_2\text{Sn}]_2\text{Co}(\eta^5\text{-Me}_5\text{C}_5)] (\text{Co-Sn}_2)$, 338

Condensation

N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $\text{RuCl}_2(\text{PPh}_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213

Copper(I)

Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[\text{CuX}(\eta^2\text{-Cycloalkin})_n]$, ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1

Crystal field analysis

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{-C}_3\text{H}_5)_3\text{-Dioxan}_2]$ im f-Bereich, 310

Crystal structure

$\text{Bis}(\mu\text{-}\eta^5\text{:}\eta^5\text{-1,4-bis(trimethylsilyl)cyclooctatetraene})\text{dititanium}$ — the first compound with a strong Ti–Ti bond, 286

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Phosphine and isonitrile complexes of η^5 -tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5\text{-C}_5\text{Me}_4\text{H})\text{RhCl}_2(\text{PPh}_2\text{R})$ ($\text{R} = \text{Ph}$ or C_6F_5), 206

Synthesis and characterization of $(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{RhH}(\eta^2\text{-C}_{60})$, 361

Synthesis and characterization of pentamethylcyclopentadienylrhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[\text{Cp}^*\text{RhCl}\{\text{S}_2\text{P}(\text{OEt})_2\}]$, 159

Synthesis and crystal structure of $[(2,4\text{-C}_7\text{H}_{11})_2\text{LnC}\equiv\text{CC}_6\text{H}_5]_2$ ($\text{Ln} = \text{Gd}, \text{Er}$), 135

Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxy], 240

Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48

The first structurally characterized coordination compound containing direct Al–Cr bonding: $\text{Cp}^*\text{Al}-\text{Cr}(\text{CO})_5$, 94

The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293

Ytterbium(+ 2) indenyl complexes: synthesis and crystal structures of $(\text{C}_9\text{H}_7)_2\text{Yb}\cdot\text{DME}$, $rac\text{-}(\text{CH}_2)_2(1\text{-C}_9\text{H}_6)_2\text{Yb}(\text{THF})_2$, and $rac\text{-}(\text{CH}_2)_2[1\text{-}(4,7\text{-}(\text{CH}_3)_2\text{C}_9\text{H}_4)]\text{Yb}(\text{THF})_2$, 164

Cyclic voltammetry

Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323

Synthesis and characterization of $(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{RhH}(\eta^2\text{-C}_{60})$, 361

Cycloalkynes

Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[\text{CuX}(\eta^2\text{-Cycloalkin})_n]$, ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1

Cyclopentadiene

The first structurally characterized coordination compound containing direct Al–Cr bonding: $\text{Cp}^*\text{Al}-\text{Cr}(\text{CO})_5$, 94

Cyclopentadienyl

Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274

Density functional theory

Spectroscopic and theoretical study of $[\text{PdCl}_3(\text{C}_2\text{H}_4)]^-$ and $[\text{PdCl}_3(\text{C}_2\text{D}_4)]^-$ complexes, 118

Deuterium-NMR

Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\cdot\eta^3\cdot(R)\text{N}-\text{CH}_2-\text{C}=\text{C}-\text{C}(\text{H})=\text{C}(\text{H})-\text{C}(\text{H})=\text{C}(\text{H})]\text{Fe}_2(\text{CO})_6$, 33

Dialkyldithiophosphate

Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[\text{Cp}^*\text{RhCl}\{\text{S}_2\text{P}(\text{OEt})_2\}]$, 159

Diaminophosphonium diazaylide

New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68

Dianions

An ab initio study on dilithiosulfoximines, 27

Dicarbon

Reactions of $\text{Ru}_5(\mu_5\text{-C}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$ with $\text{C}_2(\text{SiMe}_3)_2$: formation of butatrienyldene complexes and related chemistry. X-ray crystal structures of $\text{Ru}_5\{\mu_5\text{-CC}[\text{C}_2(\text{SiMe}_3)]\text{C}(\text{SiMe}_3)\}\text{C}(\text{SiMe}_3)\}$, $(\mu_3\text{-SMe})(\mu\text{-PPh}_2)_2\text{-}(\text{CO})_{10}$, $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu_3\text{-SMe})(\mu\text{-SMe})(\mu\text{-PPh}_2)_2\text{-}(\text{CO})_{10}$ and $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu\text{-SMe})_2(\mu\text{-PPh}_2)_2(\text{CO})_{11}$, 254

Dimethylgallium complexes

Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240

2,4-Dimethylpentadienyl–lanthanide

Synthesis and crystal structure of $[(2,4\text{-C}_7\text{H}_{11})_2\text{LnC}\equiv\text{CC}_6\text{H}_5]_2$ ($\text{Ln} = \text{Gd}, \text{Er}$), 135

Dinuclear complex

Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 346

Diphenylacetyl chloride

New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68

Divinyldimethylsilane

Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366

Divinyl tellurides

Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44

Dynamic processes

Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366

Electrochemistry

N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $\text{RuCl}_2(\text{PPh}_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213

Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73

Electronic effect

Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323

Entrapped complexes

Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16

EPR

Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73

EPR spectroscopy

Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246

Ethylene

Synthesis and structure of dinuclear $[(2\text{-tert\text{-}}\text{butyl}\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}\text{-Co}(\eta^2\text{-ethene})(\eta^5\text{-Me}_5\text{C}_5)]$ and its thermal conversion to trinuclear $[(2\text{-tert\text{-}}\text{butyl}\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}]_2\text{Co}(\eta^5\text{-Me}_5\text{C}_5)]$ (Co-Sn_2), 338

Ethylene polymerisation

Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274

Ethynyl

X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301

Ferrocene

X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301

Ferrocene-substituted azaheterocycles

Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147

Ferrocenophane

N-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $\text{RuCl}_2(\text{PPh}_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213

Ferrocenoyl

Photochemical generation of a novel (O, N', N'') coordinated iron(II) complex $[\text{Fe}(\text{FT-py})_2]$ from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N'*-(2-pyridyl)thiourea (HFT-py): crystal and molecular structures of HFT-py and $[\text{Fe}(\text{FT-py})_2]$, 190

Fluorene

X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301

FTIR

Spectroscopic and theoretical study of $[\text{PdCl}_3(\text{C}_2\text{H}_4)]^-$ and $[\text{PdCl}_3(\text{C}_2\text{D}_4)]^-$ complexes, 118

FT-Raman spectroscopy

Spectroscopic and theoretical study of $[\text{PdCl}_3(\text{C}_2\text{H}_4)]^-$ and $[\text{PdCl}_3(\text{C}_2\text{D}_4)]^-$ complexes, 118

Fulvalene complexes

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Gas phase structures

An ab initio study on dilithiosulfoximines, 27

Grignard

Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230

Grignard reagent

Complexes $\text{PhMgBr}\cdot n\text{MgBr}_2\cdot m\text{NEt}_3$ in the reaction with acetylene, 185

Group 5 metallocene cation complexes

The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

Half-sandwich

Synthesis and structure of dinuclear $[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}\text{-Co}(\eta^2\text{-ethene})(\eta^5\text{-Me}_5\text{C}_5)]$ and its thermal conversion to trinuclear $[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}]_2\text{Co}(\eta^5\text{-Me}_5\text{C}_5)](\text{Co-Sn}_2)$, 338

Halogeno complexes

Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[\text{CuX}(\eta^2\text{-Cycloalkin})]_n$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1

Heck olefination

Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16

Heterocycles

Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98

Heterogeneous catalysis

Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16

Hexacarbonylmolybdenum

Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171

Homo- and heterodinuclear complexes

Cooperative effects in π -ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329

Homogeneous catalysts

Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265

Hydride

Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235

Hydroboration

Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98

Hydrocyanation of benzaldehyde

Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274

Hydrodesulfurization

Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265

Hydrogen–halogen exchange

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Hydrosilylation

Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366

8-Hydroxyquinoline

Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin(IV)· 2CHCl_3 , 103

Imido transfer

Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Imines

Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\text{-}\eta^3\text{-}(\text{R})\text{N}-\text{CH}_2-\text{C}=\text{C}-\text{C}(\text{H})=\text{C}(\text{H})-\text{C}(\text{H})=\text{C}(\text{H})]\text{Fe}_2(\text{CO})_6$, 33

Iminophosphorane

Preparation and heterocyclization reactions of ferrocenylazido

ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147

Indenyl

Ytterbium(+2) indenyl complexes: synthesis and crystal structures of $(\text{C}_9\text{H}_7)_2\text{Yb}\cdot\text{DME}$, *rac*-($\text{CH}_2\text{:}\text{CH}_2$) $[\text{l-C}_9\text{H}_6]_2\text{Yb}(\text{THF})_2$, and *rac*-($\text{CH}_2\text{:}\text{CH}_2$) $[\text{l-(4,7-(CH}_3)_2\text{C}_9\text{H}_4]_2\text{Yb}(\text{THF})_2$, 164

Insertion

Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 344

Iridium

Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73

Iron

Cooperative effects in π -ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329

Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 344

Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu_2\text{-}\eta^3\text{-}(\text{R})\text{N}-\text{CH}_2-\text{C}=\text{C}-\text{C}(\text{H})=\text{C}(\text{H})-\text{C}(\text{H})=\text{C}(\text{H})]\text{Fe}_2(\text{CO})_6$, 33

Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122

Isomerization

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Isomers

Structural characterisation of the elusive isomer of $\text{Os}_3(\text{CO})_{10}(\text{PPh}_3)_2$, 174

Ketenimine

New synthesis of diphenyl-*N*-(substituted)ketenimines from diaminophosphonium diazaylides, 68

Kinetics

Complexes $\text{PhMgBr}\cdot n\text{MgBr}_2\cdot m\text{NEt}_3$ in the reaction with acetylene, 185

Lithium

An ab initio study on dilithiosulfoximines, 27

Magnesium

Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230

Metal carbonyl

Thermal rearrangement reaction of disilyl-bridged bis(tetramethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(\text{Me}_2\text{SiSiMe}_2)[(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}-(\text{CO})_2](\mu\text{-CO})_2$ and $[(\text{Me}_2\text{Si}(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2]_2$, 356

Metal carbonyls

Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 344

Metal halides

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Metal hydrides

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)_2\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347

Metallacyclic σ -allyl complexes

The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

- Metallofullerene
Synthesis and characterization of $(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{RhH}(\eta^2\text{C}_{60})$, 361
- Metal–metal bond
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
- Methyl and trimethylsilyl substituents
Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323
- Microwave irradiation
Preparation and heterocyclization reactions of ferrocenylazido ketones. Useful building blocks for the synthesis of ferrocenyl-substituted azaheterocycles, 147
- MO calculations
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
- Molecular dynamics
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
- Molecular orbital schemes
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{C}_5\text{H}_5)_3 \cdot \text{Dioxan}_{2/2}]$ im f-Bereich, 310
- Molybdate
Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246
- Molybdenum
Cooperative effects in π -ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329
- Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171
- Multidentate phosphane ligands
Octakis-(dimethylphosphanoethyl)-octasilsesquioxane—synthesis, characterization and reactivity, 11
- M multinuclear NMR
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
- Naphthol
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
- Neodymium
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{C}_5\text{H}_5)_3 \cdot \text{Dioxan}_{2/2}]$ im f-Bereich, 310
- Nickel gallium bond
Synthesis and structure of (carbonyl){ μ - η^5 : η^1 -[2-(*N,N*-dimethylamino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
- Nitrosyls
Synthesis and some reactivity of cationic alkyl nitrosyl iridium(III) derivatives, 73
- NMR
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[\text{Cp}^*\text{RhCl}\{\text{S}_2\text{P}(\text{OEt})_2\}]$, 159
- NMR spectroscopy
Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}, \text{I}$) and crystal structure determination of the iodide, 347
- [2-(*N,N*-dimethylamino)ethyl]cyclopentadienyl ligand (Cp^N)
Synthesis and structure of (carbonyl){ μ - η^5 : η^1 -[2-(*N,N*-dimethyl-
- amino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
- Norcarane
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
- Normal coordinate analysis
Spectroscopic and theoretical study of $[\text{PdCl}_3(\text{C}_2\text{H}_4)]^-$ and $[\text{PdCl}_3(\text{C}_2\text{D}_4)]^-$ complexes, 118
- N,P'*-Chelate
Synthesis of chiral 1'-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
- One-pot Mannich reaction
Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
- Optical spectra
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{C}_5\text{H}_5)_3 \cdot \text{Dioxan}_{2/2}]$ im f-Bereich, 310
- Organolanthanide
Synthesis and crystal structure of $[(2,4\text{-C}_7\text{H}_{11})_2\text{LnC}\equiv\text{CC}_6\text{H}_5]_2$ ($\text{Ln} = \text{Gd, Er}$), 135
- Organonickel complexes
Synthesis and structure of (carbonyl){ μ - η^5 : η^1 -[2-(*N,N*-dimethylamino)ethyl]cyclopentadienyl}(dichlorogallio)nickel(II), 131
- Osmium
Structural characterisation of the elusive isomer of $\text{Os}_3(\text{CO})_{10}(\text{PPh}_3)_2$, 174
- Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
- The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223
- Palladium
Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
- Spectroscopic and theoretical study of $[\text{PdCl}_3(\text{C}_2\text{H}_4)]^-$ and $[\text{PdCl}_3(\text{C}_2\text{D}_4)]^-$ complexes, 118
- Palladium catalysis
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63
- Paramagnetic susceptibility
Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: XLVIII. Experimentelle Erfassung und parametrische Analyse der Elektronenstruktur von $[\text{Nd}(\eta^3\text{C}_5\text{H}_5)_3 \cdot \text{Dioxan}_{2/2}]$ im f-Bereich, 310
- Pd-catalysts
Synthesis of chiral 1'-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140
- Pentamethylcyclopentadienyl–rhodium
Synthesis and characterization of pentamethylcyclopentadienyl–rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[\text{Cp}^*\text{RhCl}\{\text{S}_2\text{P}(\text{OEt})_2\}]$, 159
- Synthesis of phenols and naphthol with *n*-morpholinomethyl pendants and their dimethylgallium complexes: crystal structure of dimethylgallium-[4-nitro-2-(*n*-morpholinomethyl)-1-phenoxide], 240
- Phosphine
Phosphine and isonitrile complexes of η^5 -tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5\text{C}_5\text{Me}_4\text{H})\text{RhCl}_2(\text{PPh}_2\text{R})$ ($\text{R} = \text{Ph or C}_6\text{F}_5$), 206
- Structural characterisation of the elusive isomer of $\text{Os}_3(\text{CO})_{10}(\text{PPh}_3)_2$, 174

- Phosphine substituted
Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
- Phosphine substitution
Hydrogen–halogen exchange reactions of $(\eta^5:\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl_4 and CHI_3 ; characterization of $(\eta^5:\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ ($\text{X} = \text{Cl}$, I) and crystal structure determination of the iodide, 347
- Phosphorus
Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44
- Photolysis
Photochemical generation of a novel (O, N', N'') coordinated iron(II) complex $[\text{Fe}(\text{FT-py})_2]$ from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N'*-(2-pyridyl)thiourea (HFT-py): crystal and molecular structures of HFT-py and $[\text{Fe}(\text{FT-py})_2]$, 190
- Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
- Polyfunctional disiloxanes
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Bronsted acid catalyzed equilibration of *sym*-tetramethylidisiloxane or *sym*-divinyltetramethylidisiloxane with polychlorosilanes, 376
- Porphyrin
Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
- P–P bond
Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 344
- Proton transfer
Photochemical generation of a novel (O, N', N'') coordinated iron(II) complex $[\text{Fe}(\text{FT-py})_2]$ from a ferrocenoyl-functionalized thiourea ligand: *N*-ferrocenylcarbonyl-*N'*-(2-pyridyl)thiourea (HFT-py): crystal and molecular structures of HFT-py and $[\text{Fe}(\text{FT-py})_2]$, 190
- Pyridyl-2-carboxylic acid
Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin(IV)·2CHCl₃, 103
- Rhenium
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
- Rhodium
Phosphine and isonitrile complexes of η^5 -tetramethylcyclopentadienylrhodium chlorides; crystal structures of $(\eta^5\text{-C}_5\text{Me}_4\text{H})\text{RhCl}_2(\text{PPh}_2\text{R})$ ($\text{R} = \text{Ph}$ or C_6F_5), 206
- Synthesis and characterization of $(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{RhH}(\eta^2\text{-C}_6\text{o})$, 361
- Synthesis and characterization of pentamethylcyclopentadienyl-rhodium(III) dialkyldithiophosphate complexes: single-crystal structure of $[\text{Cp}^*\text{RhCl}\{\text{S}_2\text{P}(\text{OEt})_2\}]$, 159
- Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235
- Rhodium(I)
Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366
- Ring edge coordination
Novel η^2 -ring edge coordination in the triphosphaferrocene complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2)\text{Rh}(\eta^5\text{-C}_5\text{Me}_5)\text{CO}]$, 87
- Ring-opening
The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223
- Ruthenium
Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122
- N*-Substituted 2-aza-[3]-ferrocenophanes. New synthesis using $\text{RuCl}_2(\text{PPh}_3)_3$ catalyzed condensation, structure, and electrochemical behavior, 213
- Reactions of $\text{Ru}_5(\mu_5\text{-C}_2)(\mu\text{-SMe})_2(\mu\text{-PPPh}_2)_2(\text{CO})_{11}$ with $\text{C}_2(\text{SiMe}_3)_2$: formation of butatrienylidene complexes and related chemistry. X-ray crystal structures of $\text{Ru}_5\{\mu_5\text{-CC}[\text{C}_2(\text{SiMe}_3)]\text{C}(\text{SiMe}_3)\text{C}(\text{SiMe}_3)\}$ ($\mu_3\text{-SMe})(\mu\text{-PPPh}_2)_2(\text{CO})_{10}$, $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu_3\text{-SMe})(\mu\text{-SMe})(\mu\text{-PPPh}_2)_2(\text{CO})_{10}$ and $\text{Ru}_5(\mu_5\text{-CCCCH}_2)(\mu\text{-SMe})_2(\mu\text{-PPPh}_2)_2(\text{CO})_{11}$, 254
- Synthesis of the dicarbonyl ruthenium(0) triphosphole complex $[\text{Ru}(\text{CO})_2\{\eta^5\text{-P}_3\text{C}_2\text{Bu}_2\text{CH}(\text{SiMe}_3)\}]$ and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system $\{\text{CBu}'\text{PP}(\text{H})\text{CH}(\text{SiMe}_3)_2\text{CBu}'\text{P}(\text{O})\text{H}\}$, 58
- Thermal rearrangement reaction of disilyl-bridged bis(trimethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(\text{Me}_2\text{SiSiMe}_2)[(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2]_2(\mu\text{-CO})_2$ and $[(\text{Me}_2\text{Si}(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2]_2$, 356
- Ruthenium carbonyl
A practical synthetic method for dodecacarbonyltriruthenium, $\text{Ru}_3(\text{CO})_{12}$, using ruthenium dioxide hydrate, 197
- Ruthenium carbonyls as benzo[b]thiophene hydrodesulfurization catalysts in homogeneous phase, 265
- Ruthenium oxide
A practical synthetic method for dodecacarbonyltriruthenium, $\text{Ru}_3(\text{CO})_{12}$, using ruthenium dioxide hydrate, 197
- Si–C
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Bronsted acid catalyzed equilibration of *sym*-tetramethylidisiloxane or *sym*-divinyltetramethylidisiloxane with polychlorosilanes, 376
- Si–H
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Bronsted acid catalyzed equilibration of *sym*-tetramethylidisiloxane or *sym*-divinyltetramethylidisiloxane with polychlorosilanes, 376
- Silanes
Hydroboration of 1-alkynyl(chloro)silanes—new synthons in heterocyclic chemistry, 98
- Silsesquioxanes
Octakis-(dimethylphosphanoethyl)-octasilsesquioxane—synthesis, characterization and reactivity, 11
- Silylation
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
- Silylcyclopropane
Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230
- Si–vinyl
Preparation of novel hetero polyfunctional disiloxanes by Lewis/Bronsted acid catalyzed equilibration of *sym*-tetramethylidisiloxane or *sym*-divinyltetramethylidisiloxane with polychlorosilanes, 376
- ¹¹⁹Sn-Mössbauer-spectroscopy
The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293
- Solvation effects
Complexes $\text{PhMgBr}\cdot n\text{MgBr}_2\cdot m\text{NEt}_3$ in the reaction with acetylene, 185
- Solvatochromism
Synthesis, structural characterization and solvatochromic studies of a series of Schiff base-containing triosmium alkylidyne carbonyl clusters, 48
- Spirocyclohexadienones
Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63

Stannylene

Synthesis and structure of dinuclear $[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}\text{-Co}(\eta^2\text{-ethene})(\eta^5\text{-Me}_5\text{C}_5)]$ and its thermal conversion to trinuclear $\{[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}]_2\text{Co}(\eta^5\text{-Me}_5\text{C}_5)\}$ (Co-Sn_2), 338

Steric effect

Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323

(s-trans- η^4 -Butadiene)metallocene

The reaction of (butadiene)tantalocene cation with bulky carbonyl derivatives, 318

Styrene polymerization

Controlled radical polymerization of styrene in the presence of lithium molybdate(V) complexes and benzylic halides, 246

Substituent effects

The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223

1'-Substituted oxazolinylferrocenes

Synthesis of chiral 1'-substituted oxazolinylferrocenes as chiral ligands for Pd-catalyzed allylic substitution reactions, 140

Substituted zirconocene dichlorides

Cyclic voltammetry of methyl- and trimethylsilyl-substituted zirconocene dichlorides, 323

Sulfoximines

An ab initio study on dilithiosulfoximines, 27

Sulfur dioxide

Insertion of SO_2 into the P–P bond of $\text{Fe}_2(\text{CO})_6(\mu\text{-P}_2\text{Bu}_2)$, 344

Synthesis

Synthesis and crystal structure of $[(2,4\text{-C}_7\text{H}_{11})_2\text{LnC}\equiv\text{CC}_6\text{H}_5]_2$ ($\text{Ln} = \text{Gd}, \text{Er}$), 135

Tellurium

Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44

TEMPO

Synthesis and reactivity of the non-bridged metal–metal bonded rhodium octamethoxyporphyrin dimer, 235

Termination

Palladium-catalyzed sequential reactions: a new termination step leading to spirocyclohexadienone formation from *p*-iodophenol and bicyclo[2.2.1]heptene, 63

Tetrahydrothiophene

The effect of a vinyl substituent on the ring opening of a substituted tetrahydrothiophene at a triosmium center, 223

Tetramethyldivinyldisiloxane

Divinyldisiloxane and divinylsilane complexes of rhodium(I), 366

Thermal rearrangement reaction

Thermal rearrangement reaction of disilyl-bridged bis(trimethylcyclopentadienyl) tetracarbonyl diruthenium: The molecular structures of $(\text{Me}_2\text{SiSiMe}_2)[(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2](\mu\text{-CO})_2$ and $[(\text{Me}_2\text{Si}(\eta^5\text{-C}_5\text{Me}_4)\text{Ru}(\text{CO})_2]_2$, 356

Thiopyrylium

Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171

Thiopyrylium cation

Novel synthesis of a dicationic thiopyrylium salt: bis(2,4,6-triphenylthiopyrylium)dicarbonylmolybdenum perchlorate, 171

Tin

Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolino)tin(IV)·2CHCl₃, 103

Synthesis and structure of dinuclear $[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}\text{-Co}(\eta^2\text{-ethene})(\eta^5\text{-Me}_5\text{C}_5)]$ and its thermal conversion to trinuclear $\{[(2\text{-}tert\text{-}butyl\text{-}4,5,6\text{-trimethylphenyl})_2\text{Sn}]_2\text{Co}(\eta^5\text{-Me}_5\text{C}_5)\}$ (Co-Sn_2), 338

The structure and dynamics of Cl-substituted tetraphenyl- and tetrabenzyl-tin(IV), 293

Titanium

Bis($\mu\text{-}\eta^5\text{:}\eta^5$ -1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286

Titanium–titanium bond

Bis($\mu\text{-}\eta^5\text{:}\eta^5$ -1,4-bis(trimethylsilyl)cyclooctatetraene)dititanium — the first compound with a strong Ti–Ti bond, 286

Transition metal complexes

Octakis-(dimethylphosphanoethyl)-octasilsesquioxane—synthesis, characterization and reactivity, 11

Transition-metal-labelled barbituric acids

Metal complexes of biologically important ligands, CXVI. Addition of carbanions from barbituric acid derivatives to unsaturated hydrocarbons in cationic complexes for the organometallic labelling of barbituric acid, 122

Triphosphacyclopentadienyl ring

Novel η^2 -ring edge coordination in the triphosphaferroocene complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2)\text{Rh}(\eta^5\text{-C}_5\text{Me}_5)\text{CO}]$, 87

Triphosphaferroocene

Novel η^2 -ring edge coordination in the triphosphaferroocene complex $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2)\text{Rh}(\eta^5\text{-C}_5\text{Me}_5)\text{CO}]$, 87

Triphosphole

Synthesis of the dicarbonyl ruthenium(0) triphosphole complex $[\text{Ru}(\text{CO})_2\{\eta^5\text{-P}_3\text{C}_2\text{Bu}_2'\text{CH}(\text{SiMe}_3)_2\}]$ and its conversion into a tricarbonyl complex containing the novel 4-electron donor triphosphorus-ring system $\{\text{CBu}'\text{PP}(\text{H})\text{CH}(\text{SiMe}_3)_2\text{CBu}'\text{P}(\text{O})\text{H}\}$, 58

Tungsten

Cooperative effects in π -ligand bridged dinuclear complexes XXII. New dinuclear bis(cyclopentadienyl)ketone complexes containing molybdenum, tungsten, cobalt and iron, 329

Metal carbonyl complexes of the ditertiary bismuthine *p*-Ph₂BiC₆H₄BiPh₂ and the effect of coordination upon bismuthine ligand geometry, 179

Tungsten complexes

Hydrogen–halogen exchange reactions of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{H}_2$ with CCl₄ and CHI₃; characterization of $(\eta^5\text{:}\eta^5\text{-C}_{10}\text{H}_8)\text{W}_2(\text{CO})_4(\text{PPh}_2\text{Me})_2\text{X}_2$ (X = Cl, I) and crystal structure determination of the iodide, 347

Ultrasound

Stereoselective ultrasonically induced reductive monosilylation of geminal dibromonorcaranes. Steric effects, 230

Unsymmetrical carbodiimide

Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Vanadium imido

Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Vanadium oxo

Carbodiimide metathesis catalyzed by vanadium oxo and imido complexes via imido transfer, 200

Wittig

Preparation of symmetrical divinyl tellurides via an ylidation reaction, 44

X-ray

Mechanistical studies on C–H activation reactions of benzaldimines using selectively deuterated ligands: synthesis and crystal structures of $[\mu\text{-}\eta^3\text{-}(R)\text{N}-\text{CH}_2-\text{C}=\text{C}(\text{H})=\text{C}(\text{H})-\text{C}(\text{H})=\text{C}(\text{H})]\text{Fe}_2(\text{CO})_6$, 33

X-ray structure

Metal carbonyl complexes of the ditertiary bismuthine *p*-Ph₂BiC₆H₄BiPh₂ and the effect of coordination upon bismuthine ligand geometry, 179

- Metallorganische Verbindungen des Kupfers: XVI. Synthese und Struktur von Alkin-Halogeno-Kupfer(I)-Komplexen des Typs $[\text{CuX}(\eta^2\text{-Cycloalkin})]_n$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$; Cycloalkin = 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1,-dioxid und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin), 1
- Mono-aryltin(IV) and mono-benzyltin(IV) complexes with pyridine-2-carboxylic acid and 8-hydroxyquinoline. X-ray structure of *p*-chloro-phenyl-tris(8-quinolinato)tin(IV)·2CHCl₃, 103
- X-ray structure analysis
- X-ray structural investigations and conformational particularities of ethyne-derived organometallics based on ferrocene and fluorene, 301
- Ytterbium
- Ytterbium(+2) indenyl complexes: synthesis and crystal structures of $(\text{C}_9\text{H}_7)_2\text{Yb}\cdot\text{DME}$, *rac*-(CH₂)₂(1-C₉H₆)₂Yb(THF)₂, and *rac*-(CH₂)₂[1-(4,7-(CH₃)₂C₉H₄)]Yb(THF)₂, 164
- Zeolite
- Heck reactions between aryl halides and olefins catalysed by Pd-complexes entrapped into zeolites NaY, 16
- Zirconium
- Synthesis, conformation analysis and catalytic properties of chiral zirconium complexes containing etherfunctionalized Cp ligands, 274