

Subject Index of Volume 585

- Ab initio calculations
Structure and reactivity of four-membered titanacycles—theoretical studies, 179
- Acylation by aryene bis-acid chlorides
Keto-acid chloride and diketone intermediates in the acylation of ferrocene by aryene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4'-chlorocarbonyl-biphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and $\pi\cdots\pi$ stacking interactions, 331
- 1,4-Addition
Evidence of single electron transfer in the diastereoselective synthesis of β -stannylketones, 35
- Alkylation
Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
- Alkyldi(methylsulfonato)boranes
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
- Alkyne complexes
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[\text{Mo}(\text{GeCl}_3)_2(\text{CO})_2(\text{NCeT})_3]$, 215
- Alkyne coupling
Reductive coupling of alkynes by oxobis(diethylthiocarbamato)molybdenum(IV)–sodium borohydride, 134
- Alkyne-dicobaltcarbonyl complexes
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
- Alkynes
First Sonogashira coupling reactions with the chlorobenzene- $\text{Cr}(\text{CO})_2\text{PPh}_3$ complex, 174
- Alkynyl
Preparation of new acetylide and vinylidene complexes of ruthenium, 83
- Allyl
Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of $[\text{Nb}(=\text{NAr})\text{Cp}_2\text{Cl}]$ ($\text{Cp}' = \eta^5\text{-C}_5\text{H}_4\text{SiMe}_3$, $\text{Ar} = \text{C}_6\text{H}_4\text{OMe-4}$), 154
- Allylpalladium
Unexpected regioselective formation of internal η^3 -allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256
- Antimony
The crystal structure of a trinuclear anion, $[(t\text{-Bu}_2\text{Sb})_2\text{Sb}]^-$ formed by reaction of *cyclo*-(*t*-Bu₄Sb₄) with potassium, and the four-membered rings, *cyclo*-(*t*-Bu₄E_nSb_{4-n}) (E = P, $n = 0-3$; E = As, $n = 0-2$), 285
- Arene complexes
First Sonogashira coupling reactions with the chlorobenzene- $\text{Cr}(\text{CO})_2\text{PPh}_3$ complex, 174
- Arene tricarbonylchromium complex
Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $\text{Co}_2(\text{CO})_8$ complexation and LiAlH_4 reduction, 43
- Arsenic
The crystal structure of a trinuclear anion, $[(t\text{-Bu}_2\text{Sb})_2\text{Sb}]^-$ formed by reaction of *cyclo*-(*t*-Bu₄Sb₄) with potassium, and the four-membered rings, *cyclo*-(*t*-Bu₄E_nSb_{4-n}) (E = P, $n = 0-3$; E = As, $n = 0-2$), 285
- Asymmetric synthesis
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
- Azatungstacyclopropane ring
C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[\text{WCl}_2(\text{NPh})(\text{C}_6\text{H}_3\text{-}\{\text{CH}_2\text{NMeCH}_2\}\text{-2-}\{\text{CH}_2\text{NMe}_2\}\text{-6})]$, 93
- Benzimidazole-2-thione
Triruthenium clusters derived from the reactions of $[\text{Ru}_3(\text{CO})_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-2,3-}\eta^2\text{-NSC}_7\text{H}_4)(\text{CO})_{10}]$ and $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-SN}_2\text{C}_4\text{H}_3)(\text{CO})_9]$, 100
- Benzimidazolin-2-ylidenes
Palladium complexes with bridged and unbridged benzimidazolin-2-ylidene ligands, 241
- Benzothiazole
Triruthenium clusters derived from the reactions of $[\text{Ru}_3(\text{CO})_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-2,3-}\eta^2\text{-NSC}_7\text{H}_4)(\text{CO})_{10}]$ and $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-SN}_2\text{C}_4\text{H}_3)(\text{CO})_9]$, 100
- Bimetallic complexes
Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[\text{Fe}_2(\text{CO})_6(\mu\text{-AsMe}_2)(\mu\text{-SPh})]$, $[\text{Fe}_2\text{Cp}_2(\text{CO})_2(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$, $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$ and $[\text{Co}_3(\mu_3\text{-S})(\mu\text{-AsPh}_2)(\text{CO})_6\text{AsPh}_3]$, 141
- Bis-aminal
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
- Bis(1,2-diaza-3,5-cyclopentadienyl)silane
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolen, 341
- Bismuth(III) chloride
La reaction de Diels–Alder catalyse par les sels de bismuth (III), 253
- Bismuth(III) triflate
La reaction de Diels–Alder catalyse par les sels de bismuth (III), 253
- Boranes
Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
- Borohydride complexes
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

Boron

π -Bonding in B–O ring species: Lewis acidity of $\text{Me}_3\text{B}_3\text{O}_3$, synthesis of amine $\text{Me}_3\text{B}_3\text{O}_3$ adducts, and the crystal and molecular structure of $\text{Me}_3\text{B}_3\text{O}_3\text{NH}_2\text{Bu} \cdot \text{MeB}(\text{OH})_2$, 7

Boroxine

π -Bonding in B–O ring species: Lewis acidity of $\text{Me}_3\text{B}_3\text{O}_3$, synthesis of amine $\text{Me}_3\text{B}_3\text{O}_3$ adducts, and the crystal and molecular structure of $\text{Me}_3\text{B}_3\text{O}_3\text{NH}_2\text{Bu} \cdot \text{MeB}(\text{OH})_2$, 7

Carbene complexes

The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2 -alkene- and η^3 -allylcarbene complexes of cobalt, manganese and chromium, 115

Carbon–carbon coupling

Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294

Carbon–fluorine bond activation

Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[\text{ZrCl}_2(\text{C}_6\text{F}_5)_4]^-$ and $[\text{ZrF}_2(\text{C}_6\text{F}_5)_3]^-$, 275

Carbonyl

An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with $\eta^6\text{-(C}_6\text{H}_6\text{)Cr}(\text{CO})_3$, 162

Carbonyl complexes

Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246

Carbonyl–iron

Facile synthesis of σ,μ -iminoacyl bridged butterfly clusters ($\mu\text{-RE})(\sigma,\mu\text{-ArC=NAr'})\text{Fe}_2(\text{CO})_6$ (E = S, Se), 63

Carboxylate complexes

Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246

Catalysis

Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348

First Sonogashira coupling reactions with the chlorobenzene- $\text{Cr}(\text{CO})_2\text{PPh}_3$ complex, 174

New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1

CC-Coupling

Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348

C–C triple bond

Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $\text{Co}_2(\text{CO})_8$ complexation and LiAlH_4 reduction, 43

C–H activation

C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN ‘pincer’ ligand in tungsten chemistry: X-ray structure of $[\text{WCl}_2(\text{NPh})(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMeCH}_2\}_2\text{-}\{\text{CH}_2\text{NMe}_2\}_6)]$, 93

Chalcogens

Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H , ^{13}C , ^{31}P , ^{77}Se , ^{103}Rh , ^{125}Te) magnetic resonance study, 234

Chirality

Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1*S*,2*S*)-\text{C}_5\text{H}_8(\text{PR}_2)_2\text{Rh}(1,5\text{-COD})]\text{O}_3\text{SCF}_3$: Synthesen, Strukturen und katalytische Anwendungen, 315

Complexes of Rh(I) with phosphite derivatives of codeine, 290

Chloride complexes

Unexpected regioselective formation of internal η^3 -allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256

Chromium

An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with $\eta^6\text{-(C}_6\text{H}_6\text{)Cr}(\text{CO})_3$, 162

First Sonogashira coupling reactions with the chlorobenzene- $\text{Cr}(\text{CO})_2\text{PPh}_3$ complex, 174

Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259

C,N-chelate

C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN ‘pincer’ ligand in tungsten chemistry: X-ray structure of $[\text{WCl}_2(\text{NPh})(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMeCH}_2\}_2\text{-}\{\text{CH}_2\text{NMe}_2\}_6)]$, 93

Co

The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2 -alkene- and η^3 -allylcarbene complexes of cobalt, manganese and chromium, 115

Cobalt

Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[\text{Fe}_2(\text{CO})_6(\mu\text{-AsMe}_2)(\mu\text{-SPh})]$, $[\text{Fe}_2\text{Cp}_2(\text{CO})_2(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$, $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$ and $[\text{Co}_3(\mu_3\text{-S})(\mu\text{-AsPh}_2)(\text{CO})_6\text{AsPh}_3]$, 141

 $\text{Co}_2(\text{CO})_8$ complexation

Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective $\text{Co}_2(\text{CO})_8$ complexation and LiAlH_4 reduction, 43

Codeine derivatives

Complexes of Rh(I) with phosphite derivatives of codeine, 290

Complex

Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259

Coupling reactions

First Sonogashira coupling reactions with the chlorobenzene- $\text{Cr}(\text{CO})_2\text{PPh}_3$ complex, 174

Cr

The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η^2 -alkene- and η^3 -allylcarbene complexes of cobalt, manganese and chromium, 115

Crystal structure

Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308

Bis(dicyclohexylammonium) (oxalato)(pyridine-2,6-dicarboxylato)dibutylstannate 3.5 hydrate, the first crystallographic example of a mixed-chelate diorganotin(IV) compound, 12

Facile synthesis of σ,μ -iminoacyl bridged butterfly clusters ($\mu\text{-RE})(\sigma,\mu\text{-ArC=NAr'})\text{Fe}_2(\text{CO})_6$ (E = S, Se), 63

Novel Si–Sn ring systems with distanna and tristanna moieties, 211

Palladium complexes with bridged and unbridged benzimidazol-2-ylidene ligands, 241

Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[\text{Fe}_2(\text{CO})_6(\mu\text{-AsMe}_2)(\mu\text{-SPh})]$, $[\text{Fe}_2\text{Cp}_2(\text{CO})_2(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$, $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$ and $[\text{Co}_3(\mu_3\text{-S})(\mu\text{-AsPh}_2)(\text{CO})_6\text{AsPh}_3]$, 141

Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[\text{Mo}(\text{GeCl}_3)_2(\text{CO})_2(\text{NCEt}_3)]$, 215

Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127

The crystal structure of a trinuclear anion, $[(t\text{-Bu}_2\text{Sb})_2\text{Sb}]^-$ formed by reaction of *cyclo*-(*t*-Bu₄Sb₄) with potassium, and the four-membered rings, *cyclo*-(*t*-Bu₄E_nSb_{4–n}) (E = P, *n* = 0–3; E = As, *n* = 0–2), 285

Triruthenium clusters derived from the reactions of $[\text{Ru}_3(\text{CO})_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-}2,3\text{-}\eta^2\text{-NSC}_7\text{H}_4)(\text{CO})_{10}]$ and $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-SN}_2\text{C}_4\text{H}_3)(\text{CO})_9]$, 100

- Cyclic stannasilanes
 Novel Si–Sn ring systems with distanna and tristanna moieties, 211
- [4 + 2]-Cycloaddition
 The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Cyclopentadienyl
 Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308
 Investigation of the reactivity of the phosphorus–hydrogen bond in Cp'RuL₁L₂Cl complexes with diphenylphosphine ligands, 68
- Cyclotrimerization
 Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel [Mo(GeCl₃)₂(CO)₂(NCEt)₃], 215
- Dialkyl(methylsulfonato)boranes
 Syntheses and solid-state structures of mono- and dialkyl(methylsulfonato)boranes, 127
- Diastereomeric selectivity
 The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Diels–Alder
 La reaction de Diels–Alder catalysée par les sels de bismuth (III), 253
- 2-Dimethylaminoethylindenyl
 Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl) divalent organolanthanides (Ln = Sm, Yb), 59
- Dinuclear compounds
 Preparation of new acetylide and vinylidene complexes of ruthenium, 83
- Diphenylphosphine
 Investigation of the reactivity of the phosphorus–hydrogen bond in Cp'RuL₁L₂Cl complexes with diphenylphosphine ligands, 68
- 1,3-Disilacyclobutanes
 Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis(trimethylsilyl)silene, 189
- 2,3-Disilaphenanthren-9-on, hexahydro
 Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis(trimethylsilyl)silene, 189
- Dynamic NMR Spectra
 Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
- Ferrocene
 The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Ferrocene derivatives
 Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4'-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and π···π stacking interactions, 331
- Germanium
 Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel [Mo(GeCl₃)₂(CO)₂(NCEt)₃], 215
- Group 4
 Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of [ZrCl₂(C₆F₅)₂[–]] and [ZrF₂(C₆F₅)₃[–]], 275
- Group 15
 The crystal structure of a trinuclear anion, [(*t*-Bu₄Sb)₂Sb][–] formed by reaction of *cyclo*-(*t*-Bu₄Sb₄) with potassium, and the four-membered rings, *cyclo*-(*t*-Bu₄E_nSb_{4–n}) (E = P, n = 0–3; E = As, n = 0–2), 285
- Half-sandwich
 Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of [Nb(=NAr)Cp₂Cl] (Cp' = η⁵-C₅H₄SiMe₃, Ar = C₆H₄OMe-4), 154
- Half-sandwich complexes
 Mononuclear half-sandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (¹H, ¹³C, ³¹P, ⁷⁷Se, ¹⁰³Rh, ¹²⁵Te) magnetic resonance study, 234
- Hemilabile ligand
 New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
- Heterobimetallic complexes
 Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel [Mo(GeCl₃)₂(CO)₂(NCEt)₃], 215
- Hydroformylation
 New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
- Hydrogenation
 Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, [(1*S*,2*S*)-C₅H₈(PR₂)₂Rh(1,5-COD)]O₃SCF₃: Synthesen, Strukturen und katalytische Anwendungen, 315
- Imido
 Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of [Nb(=NAr)Cp₂Cl] (Cp' = η⁵-C₅H₄SiMe₃, Ar = C₆H₄OMe-4), 154
- Iminoacyl complex
 Facile synthesis of σ,μ-iminoacyl bridged butterfly clusters (μ-RE)(σ,μ-ArC=NAr)Fe₂(CO)₆ (E = S, Se), 63
- Induction
 The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Intermolecular H-bonding
 Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4'-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H···O hydrogen bonds and π···π stacking interactions, 331
- Intramolecular cyclization
 Reductive coupling of alkynes by oxobis(diethyldithiocarbamato)molybdenum(IV)–sodium borohydride, 134
- Iron
 Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of [Fe₂(CO)₆(μ-AsMe₂)(μ-SPh)], [Fe₂Cp₂(CO)₂(μ-AsPh₂)(μ-SPh)], [Mn₂(CO)₈(μ-AsPh₂)(μ-SPh)] and [Co₃(μ₃-S)(μ-AsPh₂)(CO)₆AsPh₃], 141
 Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

IR spectroscopy

Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

Isocyanides

Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294

Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Isomerization

Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-[Me₂InN(Me)SiMe₃]₂, 266

Kinetics

Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-[Me₂InN(Me)SiMe₃]₂, 266

Layered phosphonate

An organometallic sol–gel route to layered zinc phenylphosphonate and encapsulation studies with η⁶-(C₆H₆)Cr(CO)₃, 162

Lead

On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326

Lewis acidity

π-Bonding in B–O ring species: Lewis acidity of Me₃B₃O₃, synthesis of amine Me₃B₃O₃ adducts, and the crystal and molecular structure of Me₃B₃O₃NH⁺iBu⁻·MeB(OH)₂, 7

LiAlH₄ reduction

Stereoselective reactivity of diastereotopic carbon–carbon triple bonds induced by chiral orthosubstituted arene tricarbonyl chromium complexes. Diastereoselective Co₂(CO)₈ complexation and LiAlH₄ reduction, 43

Ligand effects

On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326

Lithium

Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308

Manganese

Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of [Fe₂(CO)₆(μ-AsMe₂)(μ-SPh)], [Fe₂Cp₂(CO)₂(μ-AsPh₂)(μ-SPh)], [Mn₂(CO)₈(μ-AsPh₂)(μ-SPh)] and [Co₃(μ₃-S)(μ-AsPh₂)(CO)₆AsPh₃], 141

Metal alkyls

Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150

Metal complexes

Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Metallacycles

Structure and reactivity of four-membered titanacycles—theoretical studies, 179

The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η²-alkene- and η³-allylcarbene complexes of cobalt, manganese and chromium, 115

Methylene(thioxo)phosphorane

2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167

Mixed-chelate diorganotin

Bis(dicyclohexylammonium) (oxalato)(pyridine-2,6-dicarboxylato)dibutylstannate 3.5 hydrate, the first crystallographic example of a mixed-chelate diorganotin(IV) compound, 12

Mn

The chemistry of metallacyclic alkenylcarbene complexes: Part 9. Synthesis and reactions of chelated η²-alkene- and η³-allylcarbene complexes of cobalt, manganese and chromium, 115

Molecular structure

The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106

Molybdenum

Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225

Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259

Reductive coupling of alkynes by oxobis(diethylthiocarbamate)molybdenum(IV)–sodium borohydride, 134

Molybdenum(II)

Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel [Mo(GeCl₃)₂(CO)₂(NCEt₃)], 215

Monoene addition

The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106

N-Heterocyclic carbenes

Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348

Nickel

Alkylation of cyclopentadienyl rings in the reactions of nickelocene with organolithium compounds, 308

Niobium

Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294

Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of [Nb(=NAr)Cp₂Cl] (Cp' = η⁵-C₅H₄SiMe₃, Ar = C₆H₄OMe-4), 154

Niobocene

Sandwich and half-sandwich niobium imido complexes: X-ray crystal structure of [Nb(=NAr)Cp₂Cl] (Cp' = η⁵-C₅H₄SiMe₃, Ar = C₆H₄OMe-4), 154

Nitrile complexes

Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel [Mo(GeCl₃)₂(CO)₂(NCEt₃)], 215

NMR

Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (¹H, ¹³C, ³¹P, ⁷⁷Se, ¹⁰³Rh, ¹²⁵Te) magnetic resonance study, 234

Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*-[Me₂InN(Me)SiMe₃]₂, 266

Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl)divalent organolanthanides (Ln = Sm, Yb), 59

NMR spectroscopy

Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201

Organolanthanide

Synthesis and crystal structure of bis(2-dimethylaminoethylindenyl)divalent organolanthanides (Ln = Sm, Yb), 59

Organolead

On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326

Organotin anions

Evidence of single electron transfer in the diastereoselective synthesis of β-stannylketones, 35

- O*-Siloxypyrazolones
Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolonen, 341
- Palladium
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
Palladium complexes with bridged and unbridged benzimidazolin-2-ylidene ligands, 241
- Pauson–Khand reaction
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
- Pentafluorophenyl
Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[\text{ZrCl}_2(\text{C}_6\text{F}_5)_2]^-$ and $[\text{ZrF}_2(\text{C}_6\text{F}_5)_3]^-$, 275
- Pentamethylcyclopentadienyl
Investigation of the reactivity of the phosphorus–hydrogen bond in $\text{Cp}^*\text{RuL}_1\text{L}_2\text{Cl}$ complexes with diphenylphosphine ligands, 68
- Peterson reaction
Head-to-head versus head-to-tail dimerizations of transient silylenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis(trimethylsilyl)silene, 189
- Phenylchalcogenolates
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H , ^{13}C , ^{31}P , ^{77}Se , ^{103}Rh , ^{125}Te) magnetic resonance study, 234
- Phosphetane sulfide
2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167
- Phosphine
Combining *N*-heterocyclic carbenes and phosphines: improved palladium(II) catalysts for aryl coupling reactions, 348
New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
- Phosphinidene sulfide
2,6-Dimethoxyphenylphosphetane sulfide—synthesis, structure and exploratory photochemistry, 167
- 2-(2-Phosphinoaryl)dihydrooxazoles
The first alkyne-dicobaltcarbonyl complex with a bidentate chiral ligand with Co–P and Co–N coordination, 53
- Phosphite ligands
Complexes of Rh(I) with phosphite derivatives of codeine, 290
- Phosphorus
The crystal structure of a trinuclear anion, $[(t\text{-Bu}_2\text{Sb})_2\text{Sb}]^-$ formed by reaction of *cyclo*-(*t*-Bu₄Sb₄) with potassium, and the four-membered rings, *cyclo*-(*t*-Bu₄E_{*n*}Sb_{4–*n*}) (E = P, *n* = 0–3; E = As, *n* = 0–2), 285
- P ligands
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, [(1*S*,2*S*)-C₅H₈(PR₂)₂Rh(1,5-COD)]O₃SCF₃: Synthesen, Strukturen und katalytische Anwendungen, 315
- P,N* ligands
Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225
- Polymercury-containing macrocycles
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201
- Propene polymerization
Si₂Me₄-bridged zirconocene dichlorides: crystal and molecular structure of *meso*-Si₂Me₄(3-SiMe₃-C₉H₅)₂ZrCl₂, 18
- Pyrazoline
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Pyridine
On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326
- Pyridyl complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246
- Pyrimidine-2-thione
Triruthenium clusters derived from the reactions of $[\text{Ru}_3(\text{CO})_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-}2,3\text{-}\eta^2\text{-NSC}_7\text{H}_4)(\text{CO})_{10}]$ and $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-SN}_2\text{C}_4\text{H}_3)(\text{CO})_9]$, 100
- Quantum-chemical calculations
Crown compounds for anions. Spectroscopic and theoretical studies of complexation of borohydride anions with cyclic trimeric perfluoro-*o*-phenylenemercury, 201
- Reductive coupling
Reductive coupling of alkynes by oxobis(diethylthiocarbamato)molybdenum(IV)–sodium borohydride, 134
- Regioselective formation
Unexpected regioselective formation of internal η^3 -allylpalladium chloride complexes from terminal alkenes and palladium chloride in 1,2-dichloroethane, 256
- Rhenium
Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26
- Rhodium
Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, [(1*S*,2*S*)-C₅H₈(PR₂)₂Rh(1,5-COD)]O₃SCF₃: Synthesen, Strukturen und katalytische Anwendungen, 315
Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H , ^{13}C , ^{31}P , ^{77}Se , ^{103}Rh , ^{125}Te) magnetic resonance study, 234
New rhodium complexes with *P,N*-ligands possessing a hydroxy or methoxy group. Synthesis, characterization and application to hydroformylation of styrene, 1
- Rhodium complexes
Complexes of Rh(I) with phosphite derivatives of codeine, 290
- Rigidified tetraamine
Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259
- Ruthenium
Investigation of the reactivity of the phosphorus–hydrogen bond in $\text{Cp}^*\text{RuL}_1\text{L}_2\text{Cl}$ complexes with diphenylphosphine ligands, 68
Preparation of new acetylide and vinylidene complexes of ruthenium, 83
Triruthenium clusters derived from the reactions of $[\text{Ru}_3(\text{CO})_{12}]$ with benzothiazole, pyrimidine-2-thione and benzimidazole-2-thione; X-ray structures of $[\text{Ru}_3(\mu\text{-H})(\mu\text{-}2,3\text{-}\eta^2\text{-NSC}_7\text{H}_4)(\text{CO})_{10}]$ and $[\text{Ru}_3(\mu\text{-H})(\mu_3\text{-}\eta^2\text{-SN}_2\text{C}_4\text{H}_3)(\text{CO})_9]$, 100
- Ruthenium complexes
Syntheses and characterization of a series of carbonylruthenium(I) and (II) complexes containing pyridyl ligands, 246
- S-cis*-Hetero-1,3-dienes
The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106
- Selenium
Facile synthesis of σ,μ -iminoacyl bridged butterfly clusters ($\mu\text{-RE})(\sigma,\mu\text{-ArC=NAr})\text{Fe}_2(\text{CO})_6$ (E = S, Se), 63
- Seven-coordinate
Seven-coordinate complexes of molybdenum(II) containing a trichlorogermyl ligand: X-ray crystal structure of a novel $[\text{Mo}(\text{GeCl}_3)_2(\text{CO})_2(\text{NCEt})_3]$, 215

Seven-coordination

Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[\text{ZrCl}_2(\text{C}_6\text{F}_5)_4]^{2-}$ and $[\text{ZrF}_2(\text{C}_6\text{F}_5)_3]^{3-}$, 275

Silaethenes

Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis(trimethylsilyl)silene, 189

Silenes

Head-to-head versus head-to-tail dimerizations of transient silenes—the synthesis and reactivity of 2-(8-dimethylamino-1-naphthyl)- and 2-(4-dimethylamino-1-naphthyl)-1,1-bis(trimethylsilyl)silene, 189

Silylamine

Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*- $[\text{Me}_2\text{InN}(\text{Me})\text{SiMe}_3]_2$, 266

Silyl group migration

Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolen, 341

Silylhydrazones

Kondensationen von Silylhydrazinen und Estern zu Silylhydrazonen und Pyrazolen, 341

Single electron transfer

Evidence of single electron transfer in the diastereoselective synthesis of β -stannylketones, 35

 ^{29}Si -NMR

Novel Si–Sn ring systems with distanna and tristanna moieties, 211

 ^{119}Sn -NMR

Novel Si–Sn ring systems with distanna and tristanna moieties, 211

Sol–gel

An organometallic sol–gel route to layered zinc phenylphosphate and encapsulation studies with $\eta^6\text{-(C}_6\text{H}_6\text{)Cr}(\text{CO})_3$, 162

Solid state structures

On the structure and reaction with pyridine of *o*-methoxyphenyllead acetates, 326

 π – π Stacking

Keto-acid chloride and diketone intermediates in the acylation of ferrocene by arylene bis-acid chlorides. Crystal and molecular structure of 4-ferrocenylcarbonyl-4'-chlorocarbonylbiphenyl: intermolecular association by means of strong C–H \cdots O hydrogen bonds and π \cdots π stacking interactions, 331

Structure

Reactivity studies of trimethylaluminum, trimethylgallium, and trimethylindium with a series of five silylamines: molecular structure of *trans*- $[\text{Me}_2\text{InN}(\text{Me})\text{SiMe}_3]_2$, 266

Sulfur

Facile synthesis of σ,μ -iminoacyl bridged butterfly clusters ($\mu\text{-RE}(\sigma,\mu\text{-ArC}=\text{NAr}')\text{Fe}_2(\text{CO})_6$ (E = S, Se), 63

Tantalum

Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294

Theoretical chemistry

Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150

Thermochemistry

Electronegativity equilibration and organometallic thermochemistry: the strengths of carbon–carbon bonds in metal alkyls, 150

Thermodynamics

Reactivity studies of trimethylaluminum, trimethylgallium, and

trimethylindium with a series of five silylamines: molecular structure of *trans*- $[\text{Me}_2\text{InN}(\text{Me})\text{SiMe}_3]_2$, 266

Thioarsines

Reactions of thioarsines with metal carbonyls: synthesis and structural characterisation of $[\text{Fe}_2(\text{CO})_6(\mu\text{-AsMe}_2)(\mu\text{-SPh})]$, $[\text{Fe}_2\text{Cp}_2(\text{CO})_2(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$, $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsPh}_2)(\mu\text{-SPh})]$ and $[\text{Co}_3(\mu_3\text{-S})(\mu\text{-AsPh}_2)(\text{CO})_6\text{AsPh}_3]$, 141

Titanacyclobutanes

Structure and reactivity of four-membered titanacycles—theoretical studies, 179

Titanium

Structure and reactivity of four-membered titanacycles—theoretical studies, 179

Tungsten

C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[\text{WCl}_2(\text{NPh})(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMe}_2\text{CH}_2\}-2\{\text{CH}_2\text{NMe}_2\}-6)]$, 93

Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225

Modes of complexation of bis-aminals of linear tetraamines with Group 6 metal carbonyls, 259

Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Vanadium

Isocyanide–Group 5 complexes and metal-centred C–C coupling, 294

Vinylidene

Preparation of new acetylide and vinylidene complexes of ruthenium, 83

X-ray

Mononuclear halfsandwich rhodium complexes containing phenylchalcogenolato ligands: a multinuclear (^1H , ^{13}C , ^{31}P , ^{77}Se , ^{103}Rh , ^{125}Te) magnetic resonance study, 234

X-ray structural analysis

The structure of bicyclic ferrocenylmethylene substituted 2-pyrazolines and their reactions with azodicarboxylic acid *N*-phenylimide, 106

X-ray structure

π -Bonding in B–O ring species: Lewis acidity of $\text{Me}_3\text{B}_3\text{O}_3$, synthesis of amine $\text{Me}_3\text{B}_3\text{O}_3$ adducts, and the crystal and molecular structure of $\text{Me}_3\text{B}_3\text{O}_3\text{NH}_2\text{Bu}\cdot\text{MeB}(\text{OH})_2$, 7

X-ray structure analysis

Chirale Bisphosphane IX. Kationische Rhodium(I)-Komplexe mit (1*S*,2*S*)-Cyclopentan-1,2-diyl-bis(dialkylphosphan)-Liganden, $[(1*S*,2*S*)-\text{C}_5\text{H}_8(\text{PR}_2)_2\text{Rh}(1,5\text{-COD})]\text{O}_3\text{SCF}_3$: Synthesen, Strukturen und katalytische Anwendungen, 315

Koordinationschemie funktioneller Phosphane VIII. Tetracarbonylkomplexe des Wolframs und Molybdäns mit 2-(Diphenylphosphanyl)anilin-Liganden, 225

X-ray structures

Synthesis of several functionalized *cis*-diisocyanide and *fac*-triisocyanide metal complexes, 26

Zinc

C–H activation of a MeN grouping in one of the CH_2NMe_2 *ortho* substituents of a NCN 'pincer' ligand in tungsten chemistry: X-ray structure of $[\text{WCl}_2(\text{NPh})(\text{C}_6\text{H}_3\{\text{CH}_2\text{NMe}_2\text{CH}_2\}-2\{\text{CH}_2\text{NMe}_2\}-6)]$, 93

Zirconium

Synthesis and characterization of zirconium pentafluorophenyl complexes: X-ray crystal structures of $[\text{ZrCl}_2(\text{C}_6\text{F}_5)_4]^{2-}$ and $[\text{ZrF}_2(\text{C}_6\text{F}_5)_3]^{3-}$, 275

Zirconocenes

Si_2Me_4 -bridged zirconocene dichlorides: crystal and molecular structure of *meso*- $\text{Si}_2\text{Me}_4(3\text{-SiMe}_3\text{-C}_9\text{H}_5)_2\text{ZrCl}_2$, 18