

## Subject Index of Volume 589

### Alkenylcyclopentadienyl

Isolation and X-ray structure of  $[C_5H_4C(CH_3)(C_3H_7)CH_2-CH=CH_2]Ln(OH)Cl \cdot 2MgCl_2 \cdot 4THF$  ( $Ln = Nd, Gd$ ), 127

### Alkynes

Synthesis and molecular structure of hexaruthenium clusters containing unsaturated ring systems derived from 1-ethynylcyclopentanol, 1-ethynylcycloheptanol and 1-ethynylcyclooctanol, 198

### Alkynylsilane

Ruthenium-catalysed *ortho* vinylation of aromatic ketones with alkynes; unexpected cyclopentaannulation, 168

### Amino acid

Metal complexes of biologically important ligands, Part CXVIII. Metathesis of dehydro amino acids with Fischer carbene complexes: synthesis of complexes of amino acid- and peptide- $\alpha$ -carbenes and of isoindoles, 21

Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of  $Mo(CO)_4(pyca-\beta-ala-OEt)$ , 29

Reactions of  $\alpha$ -amino acid-*N*-carboxyanhydrides (NCAs) with organometallic palladium(0) and platinum(0) compounds: structure of a metallated NCA product and its role in polypeptide synthesis, 111

### Amino acids

Controlled oxidative addition of amino acid esters to Rh(I), 115  
Synthesis of organometallic amines and their coupling to the C-terminus of amino acids and peptides, 75

### ansa-Metallocenes

*ansa*-Ytterbocene(III) chloride and borohydride with a short bridge and bulky substituents: synthesis and crystal structures of  $[meso-(CH_3)_2Si\{3-(CH_3)_3SiC_5H_3\}_2Yb(\mu_2-Cl)]_2$  and  $meso-(CH_3)_2Si\{3-(CH_3)_3SiC_5H_3\}_2Yb[(\mu_2-H)_3BH](THF)$ , 222

### Antimalarial agents

Novel metallocenic compounds as antimalarial agents. Study of the position of ferrocene in chloroquine, 59

### Argentate

Synthesis and characterization of the lithium organoargentate salts  $[Li(THF)_4][Ag(Triph)_2] \cdot THF$  and  $[Li(THF)_4][Ag-(C_6H_3-2,6-Mes_2)_2] \cdot 1/8OEt_2$  (Triph =  $-C_6H_2-2,4,6-Ph_3$ ; Mes =  $C_6H_2-2,4,6-Me_3$ ), 234

### Aromatic ketones

Ruthenium-catalysed *ortho* vinylation of aromatic ketones with alkynes; unexpected cyclopentaannulation, 168

### Azo ligands

Synthesis and structural characterisation of osmium carbonyl clusters containing azo ligands, 180

### Bioorganometallic

The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoproline  $Fc-Pro_n-OBzl$  ( $n = 1-4$ ) and  $Fc-Pro_2-Phe-OBzl$ , 38

### Bioorganometallic chemistry

Synthesis of organometallic amines and their coupling to the C-terminus of amino acids and peptides, 75

### Biosensors

Synthesis of organometallic amines and their coupling to the C-terminus of amino acids and peptides, 75

### biscobaltoctacarbonyl

First Pauson–Khand reaction on sugar acetylenes, 122

### Bis(tricarbonyl iron)

Investigation of the reaction product of 1,4,7,10-tetraphenylcyclohexa-1,2,3,7,8,9-ene with dodecacarbonyl-triiron by X-ray diffraction and MS: comparative structural study of the hexacarbonyl- $\mu_2$ -(1 $\eta^2$ -1,2-ene-2 $\eta^3$ -3,4,5-allyl-1 $\sigma^1$ -5)-diiron(Fe–Fe) system, 239

### Borohydride

*ansa*-Ytterbocene(III) chloride and borohydride with a short bridge and bulky substituents: synthesis and crystal structures of  $[meso-(CH_3)_2Si\{3-(CH_3)_3SiC_5H_3\}_2Yb(\mu_2-Cl)]_2$  and  $meso-(CH_3)_2Si\{3-(CH_3)_3SiC_5H_3\}_2Yb[(\mu_2-H)_3BH](THF)$ , 222

### Carbene

Metal complexes of biologically important ligands, Part CXVIII. Metathesis of dehydro amino acids with Fischer carbene complexes: synthesis of complexes of amino acid- and peptide- $\alpha$ -carbenes and of isoindoles, 21

### Carbene complexes

Organotransition metal modified sugars 14. Activation of sugar-based alkynols at a metal carbonyl template: a metal vinyl carbene functionalization of carbohydrates and non-conventional route to organometallic disaccharides, 11

### Carbides

Synthesis and molecular structure of hexaruthenium clusters containing unsaturated ring systems derived from 1-ethynylcyclopentanol, 1-ethynylcycloheptanol and 1-ethynylcyclooctanol, 198

### Carbohydrates

Organotransition metal modified sugars 14. Activation of sugar-based alkynols at a metal carbonyl template: a metal vinyl carbene functionalization of carbohydrates and non-conventional route to organometallic disaccharides, 11

### Carbonyl

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

Synthesis and molecular structure of hexaruthenium clusters containing unsaturated ring systems derived from 1-ethynylcyclopentanol, 1-ethynylcycloheptanol and 1-ethynylcyclooctanol, 198

Synthesis and structural characterisation of osmium carbonyl clusters containing azo ligands, 180

### Chloroquine

Novel metallocenic compounds as antimalarial agents. Study of the position of ferrocene in chloroquine, 59

### Chromium

Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of  $Mo(CO)_4(pyca-\beta-ala-OEt)$ , 29

## Chromium derivatives

Synthesis of organometallic amines and their coupling to the C-terminus of amino acids and peptides, 75

## Cluster

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

## Clusters

Double addition of a 1,3-diyne to C<sub>2</sub> on an Ru<sub>5</sub> cluster gives a multi-branched C<sub>10</sub> chain, 213

Synthesis and molecular structure of hexaruthenium clusters containing unsaturated ring systems derived from 1-ethynylcyclopentanol, 1-ethynylcycloheptanol and 1-ethynylcyclooctanol, 198

Synthesis and structural characterisation of osmium carbonyl clusters containing azo ligands, 180

## C–O bond activation

Controlled oxidative addition of amino acid esters to Rh(I), 115

## Complexes

Isolation and X-ray structure of [C<sub>5</sub>H<sub>4</sub>C(CH<sub>3</sub>)(C<sub>3</sub>H<sub>7</sub>)CH<sub>2</sub>-CH=CH<sub>2</sub>]Ln(OH)Cl·2MgCl<sub>2</sub>·4THF (Ln = Nd, Gd), 127

## Counteranions

Iron(II)–nitrile complexes: synthesis, structure and property of *trans*-[FeH(NCR)(dppe)]<sup>+</sup>X<sup>−</sup> (dppe = Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>; R = CH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Cl, C<sub>6</sub>H<sub>5</sub>; X = Cl, BPh<sub>4</sub>, BF<sub>4</sub>), 138

## Crystallographic data

Iron(II)–nitrile complexes: synthesis, structure and property of *trans*-[FeH(NCR)(dppe)]<sup>+</sup>X<sup>−</sup> (dppe = Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>; R = CH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Cl, C<sub>6</sub>H<sub>5</sub>; X = Cl, BPh<sub>4</sub>, BF<sub>4</sub>), 138

## Crystal packing

Characterization of ferrocene derivatives bearing podand dipeptide chains (-L-Ala-L-Pro-OR), 50

## Crystal structure

*ansa*-Ytterbocene(III) chloride and borohydride with a short bridge and bulky substituents: synthesis and crystal structures of [*meso*-(CH<sub>3</sub>)<sub>2</sub>Si[3-(CH<sub>3</sub>)<sub>3</sub>SiC<sub>5</sub>H<sub>3</sub>]<sub>2</sub>Yb(μ<sub>2</sub>-Cl)]<sub>2</sub> and [*meso*-(CH<sub>3</sub>)<sub>2</sub>Si[3-(CH<sub>3</sub>)<sub>3</sub>SiC<sub>5</sub>H<sub>3</sub>]<sub>2</sub>Yb(μ<sub>2</sub>-H)<sub>3</sub>BH](THF), 222

Investigation of the reaction product of 1,4,7,10-tetraphenyl-cyclododecahexa-1,2,3,7,8,9-ene with dodecacarbonyl-triiron by X-ray diffraction and MS: comparative structural study of the hexacarbonyl-μ<sub>2</sub>-(1η<sup>2</sup>-1,2-ene-2η<sup>3</sup>-3,4,5-allyl-1σ<sup>1</sup>-5)-diiron(Fe–Fe) system, 239

Isolation and X-ray structure of [C<sub>5</sub>H<sub>4</sub>C(CH<sub>3</sub>)(C<sub>3</sub>H<sub>7</sub>)-CH<sub>2</sub>CH=CH<sub>2</sub>]Ln(OH)Cl·2MgCl<sub>2</sub>·4THF (Ln = Nd, Gd), 127

Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of Mo(CO)<sub>4</sub>(pyca-β-ala-OEt), 29

The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoprolines Fc–Pro<sub>*n*</sub>–OBzl (*n* = 1–4) and Fc–Pro<sub>2</sub>–Phe–OBzl, 38

## Cyanate

Synthesis and characterization of the lithium organoargentate salts [Li(THF)<sub>4</sub>][Ag(Triph)<sub>2</sub>]·THF and [Li(THF)<sub>4</sub>][Ag(C<sub>6</sub>H<sub>3</sub>-2,6-Me<sub>2</sub>)<sub>2</sub>]<sub>1</sub>/8OEt<sub>2</sub> (Triph = -C<sub>6</sub>H<sub>2</sub>-2,4,6-Ph<sub>3</sub>; Mes = C<sub>6</sub>H<sub>2</sub>-2,4,6-Me<sub>3</sub>), 234

## Cyclopentadienyl

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

## Diels–Alder Reactions

Organotransition metal modified sugars 14. Activation of sugar-based alkynols at a metal carbonyl template: a metal vinyl carbene functionalization of carbohydrates and non-conventional route to organometallic disaccharides, 11

## Diimine

Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of Mo(CO)<sub>4</sub>(pyca-β-ala-OEt), 29

## Dipeptide

Characterization of ferrocene derivatives bearing podand dipeptide chains (-L-Ala-L-Pro-OR), 54

## Diphenylthiocarbazono

Syntheses, crystal structures and spectroelectrochemical studies of two isomeric binuclear osmium carbonyl compounds [{Os(CO)<sub>2</sub>Ph}<sub>2</sub>{μ-η<sup>2</sup>-SC(NNPh)<sub>2</sub>}<sub>2</sub>], 191

## Disaccharides

Organotransition metal modified sugars 14. Activation of sugar-based alkynols at a metal carbonyl template: a metal vinyl carbene functionalization of carbohydrates and non-conventional route to organometallic disaccharides, 11

## 1,3-Diyne

Double addition of a 1,3-diyne to C<sub>2</sub> on an Ru<sub>5</sub> cluster gives a multi-branched C<sub>10</sub> chain, 213

## Electrochemistry

Organometallic iridium(III) and rhenium(I) complexes with lumazine, alloxazine and pterin derivatives, 2

## Electron paramagnetic resonance (EPR)

Organometallic iridium(III) and rhenium(I) complexes with lumazine, alloxazine and pterin derivatives, 2

## Electrophilic addition

Iron(II)–nitrile complexes: synthesis, structure and property of *trans*-[FeH(NCR)(dppe)]<sup>+</sup>X<sup>−</sup> (dppe = Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>; R = CH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Cl, C<sub>6</sub>H<sub>5</sub>; X = Cl, BPh<sub>4</sub>, BF<sub>4</sub>), 138

## Enzyme

Inhibition and photo-deinhibition of glutathione (*S*)-transferase activity by an organometallic complex: (*S*)-[3-CpFe(CO)<sub>2</sub>-(η<sup>1</sup>-*N*-succinimidato)]glutathione, 98

## Ethane

Gas-phase ion chemistry of silane with ethane and ethyne, 150

## Ethyne

Gas-phase ion chemistry of silane with ethane and ethyne, 150

## Ethylnylbenzene

Novel acetylene-linked di-cobalt and tetra-cobalt carbonyl clusters, 157

## Ferrocene

Characterization of ferrocene derivatives bearing podand dipeptide chains (-L-Ala-L-Pro-OR), 50

Novel metallocenic compounds as antimalarial agents. Study of the position of ferrocene in chloroquine, 59

The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoprolines Fc–Pro<sub>*n*</sub>–OBzl (*n* = 1–4) and Fc–Pro<sub>2</sub>–Phe–OBzl, 38

## Ferrocene derivatives

Synthesis of organometallic amines and their coupling to the C-terminus of amino acids and peptides, 75

## Ferrocenes

Linear free-energy relationships and inverted Marcus region in the horseradish peroxidase-catalyzed oxidation of ferrocenes by hydrogen peroxide, 85

## Flavonoids

Attachment of IR-active organometallic probe groups to flavonoid inducers of nod gene expression, 103

## Fluxionality

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

- Fourier transform IR spectroscopy  
A new application of bioorganometallics: the first simultaneous triple assay by the carbonylmetal immunoassay (CMIA) method, 92
- FTIR  
Attachment of IR-active organometallic probe groups to flavonoid inducers of nod gene expression, 103
- Gas-phase  
Gas-phase ion chemistry of silane with ethane and ethyne, 150
- Glutathione  
Inhibition and photo-deinhibition of glutathione (*S*)-transferase activity by an organometallic complex: (*S*)-[3-CpFe(CO)<sub>2</sub>-( $\eta^1$ -*N*-succinimidato)]glutathione, 98
- Group 16 metals  
Metal complexes of biologically important ligands, Part CXVIII. Metathesis of dehydro amino acids with Fischer carbene complexes: synthesis of complexes of amino acid- and peptide- $\alpha$ -carbenes and of isoindoles, 21
- Helical arrangement  
Characterization of ferrocene derivatives bearing podand dipeptide chains (-L-Ala-L-Pro-OR), 50
- Heterometallic cluster  
Reactions of spiked and open chain cluster hydrides with Au complexes: skeletal rearrangement and crystal structures of heterometallic clusters [Au<sub>2</sub>Ru<sub>4</sub>(CO)<sub>12</sub>( $\mu_4$ -PCF<sub>3</sub>)(PMe<sub>3</sub>)<sub>2</sub>] and [Au<sub>2</sub>Ru<sub>4</sub>(CO)<sub>12</sub>( $\mu_3$ -PCF<sub>3</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 133
- <sup>1</sup>H-NMR and CV analysis  
Bioorganometallic chemistry: Part 12. Reaction of [Cp\*Rh(H<sub>2</sub>O)<sub>3</sub>](OTf)<sub>2</sub> with nicotinamide adenine dinucleotide in water: synthesis, structure, and a pH-dependent <sup>1</sup>H-NMR and voltammetric study of the cyclic trimer product, [Cp\*Rh( $\mu$ - $\eta^1$ (N1): $\eta^2$ (N6,N7)-9-(5'-ribose pyrophosphate-5'-ribose-1'-nicotinamide)adeninato)<sub>3</sub>](OTf)<sub>3</sub>, 66
- Horseradish peroxidase  
Linear free-energy relationships and inverted Marcus region in the horseradish peroxidase-catalyzed oxidation of ferrocenes by hydrogen peroxide, 85
- Hydrogen bond  
Characterization of ferrocene derivatives bearing podand dipeptide chains (-L-Ala-L-Pro-OR), 50
- Ion chemistry  
Gas-phase ion chemistry of silane with ethane and ethyne, 150
- Iridium  
Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten-iridium clusters, 226  
Organometallic iridium(III) and rhenium(I) complexes with lumazine, alloxazine and pterin derivatives, 2
- Iron complex  
Investigation of the reaction product of 1,4,7,10-tetraphenyl-cyclododecahexa-1,2,3,7,8,9-ene with dodecacarbonyl-triiron by X-ray diffraction and MS: comparative structural study of the hexacarbonyl- $\mu_2$ -(1 $\eta^2$ -1,2-ene-2 $\eta^3$ -3,4,5-allyl-1 $\sigma^1$ -5)-diiron(Fe-Fe) system, 239
- Iron nitrile  
Iron(II)-nitrile complexes: synthesis, structure and property of *trans*-[FeH(NCR)(dppe)]<sup>+</sup>X<sup>-</sup> (dppe = Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>-PPh<sub>2</sub>; R = CH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>OCH<sub>3</sub>, CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>Cl, C<sub>6</sub>H<sub>5</sub>; X = Cl, BPh<sub>4</sub>, BF<sub>4</sub>), 138
- Isoindole  
Metal complexes of biologically important ligands, Part CXVIII. Metathesis of dehydro amino acids with Fischer carbene complexes: synthesis of complexes of amino acid- and peptide- $\alpha$ -carbenes and of isoindoles, 21
- Lanthanide dichloride  
Isolation and X-ray structure of [C<sub>5</sub>H<sub>4</sub>C(CH<sub>3</sub>)(C<sub>3</sub>H<sub>7</sub>)CH<sub>2</sub>-CH=CH<sub>2</sub>]Ln(OH)Cl·2MgCl<sub>2</sub>·4THF (Ln = Nd, Gd), 127
- Linear free-energy relationship  
Linear free-energy relationships and inverted Marcus region in the horseradish peroxidase-catalyzed oxidation of ferrocenes by hydrogen peroxide, 85
- Macrocyclic bis(butatriene)  
Investigation of the reaction product of 1,4,7,10-tetraphenyl-cyclododecahexa-1,2,3,7,8,9-ene with dodecacarbonyl-triiron by X-ray diffraction and MS: comparative structural study of the hexacarbonyl- $\mu_2$ -(1 $\eta^2$ -1,2-ene-2 $\eta^3$ -3,4,5-allyl-1 $\sigma^1$ -5)-diiron(Fe-Fe) system, 239
- Marcus theory  
Linear free-energy relationships and inverted Marcus region in the horseradish peroxidase-catalyzed oxidation of ferrocenes by hydrogen peroxide, 85
- Mass spectra  
Investigation of the reaction product of 1,4,7,10-tetraphenyl-cyclododecahexa-1,2,3,7,8,9-ene with dodecacarbonyl-triiron by X-ray diffraction and MS: comparative structural study of the hexacarbonyl- $\mu_2$ -(1 $\eta^2$ -1,2-ene-2 $\eta^3$ -3,4,5-allyl-1 $\sigma^1$ -5)-diiron(Fe-Fe) system, 239
- Mass spectrometry  
Gas-phase ion chemistry of silane with ethane and ethyne, 150
- Metal carbonyls  
Novel acetylene-linked di-cobalt and tetra-cobalt carbonyl clusters, 157
- Metal carbonyl tracer  
A new application of bioorganometallics: the first simultaneous triple assay by the carbonylmetal immunoassay (CMIA) method, 92
- Metallocenes  
Novel metallocenic compounds as antimalarial agents. Study of the position of ferrocene in chloroquine, 59
- Molecular structure  
Reactions of spiked and open chain cluster hydrides with Au complexes: skeletal rearrangement and crystal structures of heterometallic clusters [Au<sub>2</sub>Ru<sub>4</sub>(CO)<sub>12</sub>( $\mu_4$ -PCF<sub>3</sub>)(PMe<sub>3</sub>)<sub>2</sub>] and [Au<sub>2</sub>Ru<sub>4</sub>(CO)<sub>12</sub>( $\mu_3$ -PCF<sub>3</sub>)<sub>2</sub>(PPh<sub>3</sub>)<sub>2</sub>], 133
- Molybdenum  
Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of Mo(CO)<sub>4</sub>(pyca- $\beta$ -ala-OEt), 29
- Multi-immunoassay  
A new application of bioorganometallics: the first simultaneous triple assay by the carbonylmetal immunoassay (CMIA) method, 92
- Nicotinamide adenine dinucleotide  
Bioorganometallic chemistry: Part 12. Reaction of [Cp\*Rh(H<sub>2</sub>O)<sub>3</sub>](OTf)<sub>2</sub> with nicotinamide adenine dinucleotide in water: synthesis, structure, and a pH-dependent <sup>1</sup>H-NMR and voltammetric study of the cyclic trimer product, [Cp\*Rh( $\mu$ - $\eta^1$ (N1): $\eta^2$ (N6,N7)-9-(5'-ribose pyrophosphate-5'-ribose-1'-nicotinamide)adeninato)<sub>3</sub>](OTf)<sub>3</sub>, 66
- NMR  
The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoproline Fc-Pro<sub>*n*</sub>-OBzl (*n* = 1–4) and Fc-Pro<sub>2</sub>-Phe-OBzl, 38
- Non-linear optics  
Novel acetylene-linked di-cobalt and tetra-cobalt carbonyl clusters, 157
- Oligopeptide  
The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoproline Fc-Pro<sub>*n*</sub>-OBzl (*n* = 1–4) and Fc-Pro<sub>2</sub>-Phe-OBzl, 38

## Open Chain

Reactions of spiked and open chain cluster hydrides with Au complexes: skeletal rearrangement and crystal structures of heterometallic clusters  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-PCF}_3)(\text{PMe}_3)_2]$  and  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_3\text{-PCF}_3)_2(\text{PPh}_3)_2]$ , 133

## Organoiron complex

Inhibition and photo-deinhibition of glutathione (*S*)-transferase activity by an organometallic complex: (*S*)-[3-CpFe(CO)<sub>2</sub>-( $\eta^1$ -*N*-succinimidato)]glutathione, 98

## Organometalcarbonyl probes

Attachment of IR-active organometallic probe groups to flavonoid inducers of nod gene expression, 103

## Organorhodium–NAD complex

Bioorganometallic chemistry: Part 12. Reaction of  $[\text{Cp}^*\text{Rh}(\text{H}_2\text{O})_3](\text{OTf})_2$  with nicotinamide adenine dinucleotide in water: synthesis, structure, and a pH-dependent <sup>1</sup>H-NMR and voltammetric study of the cyclic trimer product,  $[\text{Cp}^*\text{Rh}(\mu\text{-}\eta^1(\text{N}1):\eta^2(\text{N}6,\text{N}7)\text{-}9\text{-}(5'\text{-ribose pyrophosphate-}5''\text{-ribose-}1''\text{-nicotinamide)adeninato}]_3(\text{OTf})_3$ , 66

*Ortho* vinylation

Ruthenium-catalysed *ortho* vinylation of aromatic ketones with alkynes; unexpected cyclopentaannulation, 168

## Osmium

Syntheses, crystal structures and spectroelectrochemical studies of two isomeric binuclear osmium carbonyl compounds  $[\{\text{Os}(\text{CO})_2\text{Ph}\}_2\{\mu\text{-}\eta^2\text{-SC}(\text{NNPh})_2\}_2]$ , 191

Synthesis and structural characterisation of osmium carbonyl clusters containing azo ligands, 180

## Oxidation

Linear free-energy relationships and inverted Marcus region in the horseradish peroxidase-catalyzed oxidation of ferrocenes by hydrogen peroxide, 85

## Oxidative addition

Controlled oxidative addition of amino acid esters to Rh(I), 115

## Pauson–Khand reaction

First Pauson–Khand reaction on sugar acetylenes, 122

## Peptide

Metal complexes of biologically important ligands, Part CXVIII. Metathesis of dehydro amino acids with Fischer carbene complexes: synthesis of complexes of amino acid- and peptide- $\alpha$ -carbenes and of isoindoles, 21

## Peptides

Controlled oxidative addition of amino acid esters to Rh(I), 115

## Phosphine

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

## Photochemistry

Inhibition and photo-deinhibition of glutathione (*S*)-transferase activity by an organometallic complex: (*S*)-[3-CpFe(CO)<sub>2</sub>-( $\eta^1$ -*N*-succinimidato)]glutathione, 98

## Platinum

Reactions of  $\alpha$ -amino acid-*N*-carboxyanhydrides (NCAs) with organometallic palladium(0) and platinum(0) compounds: structure of a metallated NCA product and its role in polypeptide synthesis, 111

## Polynuclear

Novel acetylene-linked di-cobalt and tetra-cobalt carbonyl clusters, 157

## Polypeptide

Reactions of  $\alpha$ -amino acid-*N*-carboxyanhydrides (NCAs) with organometallic palladium(0) and platinum(0) compounds: structure of a metallated NCA product and its role in polypeptide synthesis, 111

## Proline

The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoproline Fc–Pro<sub>*n*</sub>–OBzl (*n* =

1–4) and Fc–Pro<sub>2</sub>–Phe–OBzl, 38

## Redox behavior

The ferrocene moiety as a structural probe: redox and structural properties of ferrocenoyl-oligoproline Fc–Pro<sub>*n*</sub>–OBzl (*n* = 1–4) and Fc–Pro<sub>2</sub>–Phe–OBzl, 38

## Rhenium

Organometallic iridium(III) and rhenium(I) complexes with lumazine, alloxazine and pterin derivatives, 2

*Rhizobium*

Attachment of IR-active organometallic probe groups to flavonoid inducers of nod gene expression, 103

## Rhodium

Controlled oxidative addition of amino acid esters to Rh(I), 115

## Root nodulation

Attachment of IR-active organometallic probe groups to flavonoid inducers of nod gene expression, 103

## Ruthenium

Double addition of a 1,3-diyne to C<sub>2</sub> on an Ru<sub>5</sub> cluster gives a multi-branched C<sub>10</sub> chain, 213

Reactions of spiked and open chain cluster hydrides with Au complexes: skeletal rearrangement and crystal structures of heterometallic clusters  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-PCF}_3)(\text{PMe}_3)_2]$  and  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_3\text{-PCF}_3)_2(\text{PPh}_3)_2]$ , 133

Ruthenium-catalysed *ortho* vinylation of aromatic ketones with alkynes; unexpected cyclopentaannulation, 168

Synthesis and molecular structure of hexaruthenium clusters containing unsaturated ring systems derived from 1-ethynylcyclopentanol, 1-ethynylcycloheptanol and 1-ethynylcyclooctanol, 198

## Silane

Gas-phase ion chemistry of silane with ethane and ethyne, 150

## Silver

Synthesis and characterization of the lithium organoargentate salts  $[\text{Li}(\text{THF})_4][\text{Ag}(\text{Triph})_2]\cdot\text{THF}$  and  $[\text{Li}(\text{THF})_4][\text{Ag}(\text{C}_6\text{H}_3\text{-}2,6\text{-Mes}_2)_2]\cdot 1/8\text{OEt}_2$  (Triph =  $-\text{C}_6\text{H}_2\text{-}2,4,6\text{-Ph}_3$ ; Mes =  $\text{C}_6\text{H}_2\text{-}2,4,6\text{-Me}_3$ ), 234

## Spectrochemical

Syntheses, crystal structures and spectroelectrochemical studies of two isomeric binuclear osmium carbonyl compounds  $[\{\text{Os}(\text{CO})_2\text{Ph}\}_2\{\mu\text{-}\eta^2\text{-SC}(\text{NNPh})_2\}_2]$ , 191

## Spectroscopy

Organometallic iridium(III) and rhenium(I) complexes with lumazine, alloxazine and pterin derivatives, 2

## Spiked

Reactions of spiked and open chain cluster hydrides with Au complexes: skeletal rearrangement and crystal structures of heterometallic clusters  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_4\text{-PCF}_3)(\text{PMe}_3)_2]$  and  $[\text{Au}_2\text{Ru}_4(\text{CO})_{12}(\mu_3\text{-PCF}_3)_2(\text{PPh}_3)_2]$ , 133

## Sugar acetylene

First Pauson–Khand reaction on sugar acetylenes, 122

## Synthesis

Isolation and X-ray structure of  $[\text{C}_3\text{H}_4\text{C}(\text{CH}_3)(\text{C}_3\text{H}_7)\text{CH}_2\text{CH}=\text{CH}_2]\text{Ln}(\text{OH})\text{Cl}\cdot 2\text{MgCl}_2\cdot 4\text{THF}$  (Ln = Nd, Gd), 127

## Terphenyl

Synthesis and characterization of the lithium organoargentate salts  $[\text{Li}(\text{THF})_4][\text{Ag}(\text{Triph})_2]\cdot\text{THF}$  and  $[\text{Li}(\text{THF})_4][\text{Ag}(\text{C}_6\text{H}_3\text{-}2,6\text{-Mes}_2)_2]\cdot 1/8\text{OEt}_2$  (Triph =  $-\text{C}_6\text{H}_2\text{-}2,4,6\text{-Ph}_3$ ; Mes =  $\text{C}_6\text{H}_2\text{-}2,4,6\text{-Me}_3$ ), 234

## Therapeutic drug monitoring

A new application of bioorganometallics: the first simultaneous triple assay by the carbonylmetalloimmunoassay (CMIA) method, 92

## Tungsten

Mixed-metal cluster chemistry 15: some bidentate phosphine chemistry of tungsten–iridium clusters, 226

- Preparation and characterization of chromium, molybdenum and tungsten compounds containing amino acid ester derivatized diimine ligands. Crystal structure of  $\text{Mo}(\text{CO})_4(\text{pyca-}\beta\text{-ala-OEt})$ , 29
- X-ray structures
- Double addition of a 1,3-diyne to  $\text{C}_2$  on an  $\text{Ru}_5$  cluster gives a multi-branched  $\text{C}_{10}$  chain, 213
- Ytterbium( + 3)
- ansa*-Ytterbocene(III) chloride and borohydride with a short bridge and bulky substituents: synthesis and crystal structures of  $[\text{meso}-(\text{CH}_3)_2\text{Si}[3-(\text{CH}_3)_3\text{SiC}_5\text{H}_3]_2\text{Yb}(\mu_2\text{-Cl})_2]$  and  $\text{meso}-(\text{CH}_3)_2\text{Si}[3-(\text{CH}_3)_3\text{SiC}_5\text{H}_3]_2\text{Yb}[(\mu_2\text{-H})_3\text{BH}](\text{THF})$ , 222