

Subject Index of Volume 588

Ab initio

Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Ab initio calculations

1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28

Acceptor number

Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107

Alkyl

Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilylanodiy)dicyclopentadienyl [(SiMe₂)(η⁵-C₅H₄)₂]²⁻ ligand. X-ray molecular structure of [Zr{(SiMe₂)(η⁵-C₅H₄)₂}(CH₂Ph)]₂(μ-O), 134

μ-Alkyne-bridged

Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of Co₂(CO)₄(μ-*P,N*-PPh₂py){μ-HC≡CSiMe₃}, and Co₄(CO)₁₀(μ-*P,N*-PPh₂py), 160

Allenyltributylstannane

Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20

Amido-silylcyclopentadienyl

Cationic species derived from the η¹-amidosilyl-η⁵-cyclopentadienyl dimethyl titanium complex. Crystal structure of [Ti{η⁵-C₅H₄SiMe₂[η¹-N(2,6-Me₂C₆H₃)]}{CH₂B(C₆F₅)₂}(C₆F₅)₂], 22

Antimony

Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R₂SbBr₃ and R₃Sb(S₂PPh₂)₂ (R = Me₃SiCH₂), 256

Aromatic heterocycles

A new synthesis of chloroheterocycles via metal-halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155

Aromaticity

1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28

Arylsilane

Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of (TMP)SiH₃, (TMP)₂SiH₂, and (TMP)₃SiH, 51

Aryltrihalogenogermane

Synthesis and molecular structure of phenyl and tolylgermatranes, 222

Azetidinylidene complexes

Synthesis of azetidinylidene complexes from [(CO)₅M(CH₂Cl)₂], phenylacetylene and imines and oxidative decomplexation to give β-lactams, 235

Bidentate ligand

Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordi-

nation of dicobalt octacarbonyl; X-ray crystal structures of Co₂(CO)₄(μ-*P,N*-PPh₂py){μ-HC≡CSiMe₃}, and Co₄(CO)₁₀(μ-*P,N*-PPh₂py), 160

Bimetallic compounds

Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of Co₂(CO)₄(μ-*P,N*-PPh₂py){μ-HC≡CSiMe₃}, and Co₄(CO)₁₀(μ-*P,N*-PPh₂py), 160

Bisimidazolylmethane

Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69

Borate esters

Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107

Bridged borylene complexes

Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives, 231

Carbene complex

A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of Ru₂(=CHPh)₂(CF₃CO₂)₂(μ-CF₃CO₂)₂(PCy₃)₂(μ-H₂O), 205

Carbon disulfide

Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of [Et₄N][Mo(CO)₄{η²-S₂P(OEt)₂}] and [Mo(CH₃CN)(η³-C₃H₅)(CO)₂{η²-S₂P(OEt)₂}], 125

Carbonyl

Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion [HRe₄(CO)₁₇]⁻, 200

Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69

Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211

Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113

The photochemistry of (μ₂-RC₂H)Co₂(CO)₆ species (R = H or C₆H₅), important intermediates in the Pauson-Khand reaction, 195

Catalytic propargylation

Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20

Cationic alkyltitanium complexes

Cationic species derived from the η¹-amidosilyl-η⁵-cyclopentadienyl dimethyl titanium complex. Crystal structure of [Ti{η⁵-C₅H₄SiMe₂[η¹-N(2,6-Me₂C₆H₃)]}{CH₂B(C₆F₅)₂}(C₆F₅)₂], 22

C–C coupling reactions

Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl-Rhenium- und Palladium-Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

Chemistry

Preparation, chemistry, and structure of new ruthenium complexes, 92

Chlorination

A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155

Chloro

Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(\text{SiMe}_2)(\eta^5\text{-C}_5\text{H}_4)_2]^{2-}$ ligand. X-ray molecular structure of $[\text{Zr}\{(\text{SiMe}_2)(\eta^5\text{-C}_5\text{H}_4)_2\}(\text{CH}_2\text{Ph})_2(\mu\text{-O})]$, 134

Clusters

Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[\text{HRe}_4(\text{CO})_{17}]^-$, 200

Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113

Cobalt

Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32

The photochemistry of $(\mu_2\text{-RC}_2\text{H})\text{Co}_2(\text{CO})_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195

Cobalt cluster

Diphenyl-2-pyridylphosphine as a bidentate ligand in the coordination of dicobalt octacarbonyl; X-ray crystal structures of $\text{Co}_2(\text{CO})_4(\mu\text{-P,N-PPh}_2\text{py})\{\mu\text{-HC}\equiv\text{CSiMe}_3\}$, and $\text{Co}_4(\text{CO})_{10}(\mu\text{-P,N-PPh}_2\text{py})$, 160

Continuum

Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $[(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3]_2\text{Sm}(\mu\text{-O})(\mu\text{-OH}_2)$ and three distinct crystalline forms of $[(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3]_2\text{Sm}(\mu\text{-OH})_2$, 78

Crystallography

Preparation, chemistry, and structure of new ruthenium complexes, 92

Crystal structure

Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211

Synthesis and molecular structure of phenyl and tolylgermatranes, 222

The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(\text{Ph}_2\text{PE})_2\text{N}]^-$ ligand (E = S or Se), 99

[2 + 3] Cycloaddition

Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

Dendrimers

Dendritic carbosilanes containing hydroxy groups on the periphery, 1

Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9

Dendritic carbosilane

Dendritic carbosilanes containing hydroxy groups on the periphery, 1

Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9

Dendritic cobalt carbonyl cluster

Preparation of dendritic carbosilanes containing ethynyl groups and dicobalt hexacarbonyl clusters on the periphery, 9

Dendritic polyol

Dendritic carbosilanes containing hydroxy groups on the periphery, 1

Diborane(4)yl

Diborane(4)yl and bridged borylene complexes from 1,2-dipyroliidino- and 1,2-dipiperidinodiborane(4) derivatives, 231

Diethyldithiophosphato ligand

Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[\text{Et}_4\text{N}][\text{Mo}(\text{CO})_4\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$ and $[\text{Mo}(\text{CH}_3\text{CN})(\eta^3\text{-C}_3\text{H}_5)(\text{CO})_2\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$, 125

Dipalladium complex

Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5')-bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268

1,3-Diphenyltriazenido ligands

Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167

Enolate complexes

Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

Erbium

Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167

Ferrocenyl

Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113

Flash photolysis

The photochemistry of $(\mu_2\text{-RC}_2\text{H})\text{Co}_2(\text{CO})_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195

Force field

Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Germatrane

Synthesis and molecular structure of phenyl and tolylgermatranes, 222

Grignard reagents

A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155

Group 4 elements

Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107

Group VI transition metals

Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260

Hafnium

Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(\text{SiMe}_2)(\eta^5\text{-C}_5\text{H}_4)_2]^{2-}$ ligand. X-ray molecular structure of $[\text{Zr}\{(\text{SiMe}_2)(\eta^5\text{-C}_5\text{H}_4)_2\}(\text{CH}_2\text{Ph})_2(\mu\text{-O})]$, 134

- Heterometallic clusters**
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
- Homogeneous catalysis**
Homogeneous hydrogenation of diphenylacetylene in the presence of $\text{Ru}_3(\text{CO})_9\text{L}_3$ (L = PPh₃, PEt₃). The crystal structure of $\text{Ru}_3(\text{CO})_{10}(\text{PEt}_3)_2$: a reaction intermediate?, 83
- Hydride**
Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[\text{HRe}_4(\text{CO})_{17}]^-$, 200
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
- Hydroformylation**
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
- Hydrogenation**
Homogeneous hydrogenation of diphenylacetylene in the presence of $\text{Ru}_3(\text{CO})_9\text{L}_3$ (L = PPh₃, PEt₃). The crystal structure of $\text{Ru}_3(\text{CO})_{10}(\text{PEt}_3)_2$: a reaction intermediate?, 83
New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
- Hydroxo**
Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{-Sm}_2(\mu\text{-O})(\mu\text{-OH}_2)$ and three distinct crystalline forms of $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{Sm}(\mu\text{-OH})_2$, 78
- Imidazo(1,2-*a*)pyridine**
Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
- Inorganic heterocycle**
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(\text{Ph}_2\text{PE})_2\text{N}]^-$ ligand (E = S or Se), 99
- Insertion reaction**
Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[\text{Et}_4\text{N}][\text{Mo}(\text{CO})_4\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$ and $[\text{Mo}(\text{CH}_3\text{CN})(\eta^3\text{-C}_3\text{H}_5)(\text{CO})_2\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$, 125
- Iodide**
Preparation, chemistry, and structure of new ruthenium complexes, 92
- Iridacycle**
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(\text{Ph}_2\text{PE})_2\text{N}]^-$ ligand (E = S or Se), 99
- Iron**
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
- Isomers**
Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
- Kinetics**
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
- β-lactams**
Synthesis of azetidinyldene complexes from $[(\text{CO})_5\text{M}(\text{CH}_2\text{Cl}_2)]$, phenylacetylene and imines and oxidative decomplexation to give β-lactams, 235
- Lanthanides**
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167
- Lewis acidity**
Synthesis and Lewis acidity of triorganosilyl and triorganostannyl esters of orthoboric, metaboric, and arylboronic acids, 107
- Ligand exchange**
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
- Lithium compounds**
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
- Lutetium**
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167
- Mechanism**
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
- Metal–halogen exchange**
A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
- Metathesis**
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $\text{Ru}_2(=\text{CHPh})_2(\text{CF}_3\text{CO}_2)_2(\mu\text{-CF}_3\text{CO}_2)_2(\text{PCy}_3)_2(\mu\text{-H}_2\text{O})$, 205
- Methyl oleate**
A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $\text{Ru}_2(=\text{CHPh})_2(\text{CF}_3\text{CO}_2)_2(\mu\text{-CF}_3\text{CO}_2)_2(\text{PCy}_3)_2(\mu\text{-H}_2\text{O})$, 205
- MNDO calculation**
Synthesis and molecular structure of phenyl and tolylgermatranes, 222
- Molecular mechanics**
Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
- Molybdenum**
Preparation of Mo, Co and iron group heterometallic clusters linked by cyclotetradeca-1,8-diyne ligand, 32
Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260
Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of $[\text{Et}_4\text{N}][\text{Mo}(\text{CO})_4\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$ and $[\text{Mo}(\text{CH}_3\text{CN})(\eta^3\text{-C}_3\text{H}_5)(\text{CO})_2\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2\}]$, 125
- Nitrogen-containing compounds**
Synthesis, structure, and characterization of lanthanide complexes bearing 1,3-diphenyltriazenido ligands, 167
- NMR**
Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69
Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
- NMR spectroscopy**
Diborane(4)yl and bridged borylene complexes from 1,2-dipyrrolidino- and 1,2-dipiperidinodiborane(4) derivatives, 231
The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(\text{Ph}_2\text{PE})_2\text{N}]^-$ ligand (E = S or Se), 99

O-Lithium-*N,N*-bis(silyl)hydroxylamide

Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242

Oxidative decomplexation

Synthesis of azetidinyldiene complexes from $[(CO)_5M(CH_2Cl_2)]$, phenylacetylene and imines and oxidative decomplexation to give β -lactams, 235

Oxo

Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $\{[(Me_3Si)_2C_5H_3]_2-Sm\}_2(\mu-O)(\mu-OH_2)$ and three distinct crystalline forms of $\{[(Me_3Si)_2C_5H_3]_2Sm(\mu-OH)\}_2$, 78

Oxoalkyl

Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5-C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5-C_5H_4)_2\}(CH_2Ph)_2](\mu-O)$, 134

Palladium

Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5')-bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268

Parameterisation

Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176

Pauson–Khand

The photochemistry of $(\mu_2-RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195

Phase transition

Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M' = Si, Ge) with heteronuclear M–M' bonds, 60

Phosphine-substituted ruthenium clusters

Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ (L = PPh₃, PEt₃). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83

Phosphorus

Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R_2SbBr_3 and $R_3Sb(S_2PPh_2)_2$ (R = Me_3SiCH_2), 256

Phosphorus(V) ligands

The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99

Photochemistry

The photochemistry of $(\mu_2-RC_2H)Co_2(CO)_6$ species (R = H or C_6H_5), important intermediates in the Pauson–Khand reaction, 195

Planar triphosphole

1-(2,4,6-Tri-tertiarybutylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28

Pseudo-halides

The synthesis and crystal structures of the first examples of six-membered inorganic iridacycles containing the $[(Ph_2PE)_2N]^-$ ligand (E = S or Se), 99

Raman, IR, UV spectra

Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M' = Si, Ge) with heteronuclear M–M' bonds, 60

Reaction intermediates

Homogeneous hydrogenation of diphenylacetylene in the presence of $Ru_3(CO)_9L_3$ (L = PPh₃, PEt₃). The crystal structure of $Ru_3(CO)_{10}(PEt_3)_2$: a reaction intermediate?, 83

Rhenium

Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200

Rhodium

New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186

Rhodium complexes containing bidentate imidazolyl ligands: synthesis and structure, 69

Rotational barrier

Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42

Ruthenium

A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of $Ru_2(=CHPh)_2(CF_3CO_2)_2(\mu-CF_3CO_2)_2(PCy_3)_2(\mu-H_2O)$, 205

Preparation, chemistry, and structure of new ruthenium complexes, 92

Synthesis, structural characterisation and electrochemistry of ruthenium carbonyl clusters derived from ferrocenyl-(formyl)acetylene, 113

Samarium

Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of $\{[(Me_3Si)_2C_5H_3]_2-Sm\}_2(\mu-O)(\mu-OH_2)$ and three distinct crystalline forms of $\{[(Me_3Si)_2C_5H_3]_2Sm(\mu-OH)\}_2$, 78

Reduction of rhenium decacarbonyl by samarium(II): synthesis and structure of the spiked triangular anion $[HRe_4(CO)_{17}]^-$, 200

Schiff bases from glycine and peptide esters

Metallkomplexe mit biologisch wichtigen Liganden, CXXII: Carbonyl–Rhenium- und Palladium–Enolat-Komplexe aus Schiff-Basen von Glycin- und Peptidestern. C–C-Kupplung und [2 + 3]-Cycloadditionen, 247

Selenium

Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42

Silanediy-cyclopentadienyl

Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl $[(SiMe_2)(\eta^5-C_5H_4)_2]^{2-}$ ligand. X-ray molecular structure of $[Zr\{(SiMe_2)(\eta^5-C_5H_4)_2\}(CH_2Ph)_2](\mu-O)$, 134

Silicon

Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of $(TMP)SiH_3$, $(TMP)_2SiH_2$, and $(TMP)_3SiH$, 51

Silylaminodisiloxane

Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242

Silyl- and stannyl-substituted silanes and germanes

Vibrational and electronic spectra of tetrahedral molecules $(Me_3M)_4M'$ (M = Si, Sn; M' = Si, Ge) with heteronuclear M–M' bonds, 60

Solid state structure

Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-

- ray structures of (TMP)SiH₃, (TMP)₂SiH₂, and (TMP)₃SiH, 51
- Steric effects
- 1-(2,4,6-Tri-*tert*-butylphenyl)-3,5-di-*tert*-butyl-1,2,4-triphosphole: a possibly stable, fully aromatic, compound with planar tricoordinate phosphorus, 28
- Steric hindrance
- Synthesis and characterization of sterically hindered arylsilanes containing the 2,4,6-trimethoxyphenyl ligand (TMP): X-ray structures of (TMP)SiH₃, (TMP)₂SiH₂, and (TMP)₃SiH, 51
- Structure
- Is there a continuum from organosamarium hydroxo to oxo compounds? Crystal structures of [(Me₃Si)₂C₅H₃]₂-Sm]₂(μ-O)(μ-OH₂) and three distinct crystalline forms of [(Me₃Si)₂C₅H₃]₂Sm(μ-OH)₂, 78
- Solid state, structural and solution studies on bis(2-methylbenzyl)-selenide, methyl(2,4,6-tri-*t*-butylphenyl)-selenide, bis(2,4,6-tri-methylphenyl)-diselenide, and bis(2,4,6-tri-*t*-butylphenyl)-diselenide, 42
- Supported catalysts
- New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
- Synthesis
- Preparation, chemistry, and structure of new ruthenium complexes, 92
- Tetrahedral symmetry
- Vibrational and electronic spectra of tetrahedral molecules (Me₃M)₄M' (M = Si, Sn; M' = Si, Ge) with heteronuclear M–M' bonds, 60
- Thermal rearrangement
- Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
- Thienyl
- Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5')-bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
- Thienylene bridged
- Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5')-bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
- Thioketene
- Synthesis and reactions of mono- and dipalladium complexes containing 2-thienyl and 2,5 (or 2,5')-bridged thienylene (or dithienylene) ligand: new dipalladium complex formation connected by thioketene part via C–S bond cleavage of thiophene, 268
- Titanium
- Cationic species derived from the η¹-amidosilyl-η⁵-cyclopentadienyl dimethyl titanium complex. Crystal structure of [Ti{η⁵-C₅H₄SiMe₂[η¹-N(2,6-Me₂C₆H₃)]}{CH₂B(C₆F₅)₂-(C₆F₅)}, 22
- Toxicity
- Synthesis and molecular structure of phenyl and tolylgermatranes, 222
- Trans*-4-decene
- A novel ruthenium carbene dimer that is active in the metathesis of internal alkenes; the crystal structure of Ru₂(=CHPh)₂(CF₃CO₂)₂(μ-CF₃CO₂)₂(PCy₃)₂(μ-H₂O), 205
- Tricarbonylchromium arene complexes
- Force-field parameterisation, synthesis and crystal structure of a novel tricarbonylchromium arene complex, 176
- Trichloroacetyl chloride
- A new synthesis of chloroheterocycles via metal–halogen exchange between trichloroacetyl derivatives and heteroaromatic lithium and Grignard reagents, 155
- Trigonal twist
- Synthesis, fluxional behavior and structures of diethyldithiophosphate molybdenum complexes: crystal structures of [Et₄N][Mo(CO)₄{η²-S₂P(OEt)₂}] and [Mo(CH₃CN)(η³-C₃H₅)(CO)₂{η²-S₂P(OEt)₂}], 125
- Triosmium
- Syntheses, reactivities and crystal structures of triosmium clusters with imidazo(1,2-*a*)pyridine ligand, 211
- Tris(silyl)hydroxylamine
- Anionische 1,2-(O → N)- und neutrale 1,2-(N → O, O → N)-Silylgruppen-Wanderung — Synthese isomerer Tris(silyl)-hydroxylamine und eines Silylaminodisiloxans, 242
- X-ray
- Syntheses and chemistry of Tris(2-pyridyl)phosphine complexes of Group VI transition metals. X-ray structural studies of the molybdenum complexes, 260
- X-ray absolute structure
- Homogeneous hydrogenation of diphenylacetylene in the presence of Ru₃(CO)₉L₃ (L = PPh₃, PEt₃). The crystal structure of Ru₃(CO)₁₀(PEt₃)₂: a reaction intermediate?, 83
- X-ray structure
- Synthesis and crystal structures of two trigonal bipyramidal Sb(V) compounds, R₂SbBr₃ and R₃Sb(S₂PPh₂)₂ (R = Me₃SiCH₂), 256
- Ytterbium triflate
- Catalytic propargylation of aldehydes with allenyltributylstannane by ytterbium triflate, 20
- Zeolites
- New chiral diphosphinites: synthesis of Rh complexes. Heterogenisation on zeolites, 186
- Zirconium
- Dicyclopentadienyl zirconium and hafnium complexes with the bridged (dimethylsilanodiyl)dicyclopentadienyl [(SiMe₂)-(η⁵-C₅H₄)₂]²⁻ ligand. X-ray molecular structure of [Zr{(SiMe₂)(η⁵-C₅H₄)₂}(CH₂Ph)]₂(μ-O), 134