



ELSEVIER

www.elsevier.nl/locate/jorgchem

Journal of Organometallic Chemistry 592 (1999) 317–322

Journal
of Organo
metallic
Chemistry

Subject Index of Volume 592

ADMET polymerization

Germanium-containing polymers via acyclic diene metathesis, 271

Alkene complexes

NMR studies of the structure, isomerism and photochemical reactions of *trans*-[W(CO)₄(η^2 -alkene)₂] complexes, 212

Alkinyl

Lineare Carbosiloxan-Dendrimere mit terminalen [$(\eta^2\text{-C}\equiv\text{CH})\text{Co}_2(\text{CO})_6$]-Bausteinen, 147

Aminomethylation–desilylation

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34

Ansa

Half-sandwich complexes of titanium and zirconium with pendant phenyl substituents. The influence of *ansa*-aryl coordination on the polymerisation activity of half-sandwich catalysts, 84

Anti/syn-transformation

A novel platinum methylene complex, 155

Arsenic ligand

2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L**¹) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L**²) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of [PdBr₂(**L**¹)₂] and [HgBr₂(**L**²)₂], 251

Aryl halides

Amination of aryl bromides catalysed by supported palladium, 225

Aryloxy derivatives

Synthesis of mono- and dinuclear cyclopentadienyl–aryloxy titanium(IV) complexes, 265

Asymmetric reduction

New chiral cationic rhodium–aminophosphine complexes for asymmetric transfer hydrogenation of aromatic ketones, 290

Azacyclopentadienyl

2-Diphenylphosphinoazacyclopentadienylmanganese tricarbonyl as a new bridging ligand, 235

1,3-Benzoxazine

Synthesis of dioxazaborocines from *N*-substituted-bis(2-hydroxyaryl)aminomethylamines, 180

Beta-hydrogen transfer

Preparation of the palladium(II) dimethylamide Pd(2,6-(Ph₂PCH₂)₂C₆H₃)(NMe₂) at low temperatures and its ligand exchange with the dicyclohexylamide, 194

1,1'-Bis(diphenylphosphino)ferrocene (dppf)

Synthesis and characterization of photosensitive, dinuclear palladium(I) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf), [Pd₂(dppf)₂(RNC)₂]²⁺ (R = xylyl and mesityl), 103

Bis(trimethylsilyl)methyltetrahydro-1,3-oxazines

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34

3,3-bisTrimethylsilylpropene

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34

Boratrane

Synthesis of dioxazaborocines from *N*-substituted-bis(2-hydroxyaryl)aminomethylamines, 180

Boron

Synthesis of dioxazaborocines from *N*-substituted-bis(2-hydroxyaryl)aminomethylamines, 180

Carbide

Reactions of metalloalkynes **5**: reinvestigation of the reaction of [{Ru(CO)₂($\eta\text{-C}_5\text{H}_4\text{R}$)₂($\mu\text{-C}\equiv\text{C}$)} with [Ru₃(CO)₁₀($\mu\text{-dppm}$)], 95

Carbon–sulfur bond activation

Isolation of pentamethylcyclopentadienyl tris(*tert*-butylthiolato) complexes of tungsten(IV) and carbon–sulfur bond activation, 46

Carbonyl complexes

Fluorinated isocyanonitriles, 41

NMR studies of the structure, isomerism and photochemical reactions of *trans*-[W(CO)₄(η^2 -alkene)₂] complexes, 212

Carboranes

Contribution of the *o*-carboranyl fragment to the chemical stability and the ³¹P-NMR chemical shift in *cis*-carboranylphosphines. Crystal structure of bis(1-yl-2-methyl-1,2-dicarba-*cis*-dodecaborane)phenylphosphine, 22

Carboranylphosphines

Contribution of the *o*-carboranyl fragment to the chemical stability and the ³¹P-NMR chemical shift in *cis*-carboranylphosphines. Crystal structure of bis(1-yl-2-methyl-1,2-dicarba-*cis*-dodecaborane)phenylphosphine, 22

Catalysis

Stepwise hydroformylation of C,N-divinylpyrroles with Rh₄(CO)₁₂ under mild conditions: an original synthesis of N-vinylpyrrollylmonoaldehydes and of pyrrolyldialdehydes, 69

Catalytic amination

Preparation of the palladium(II) dimethylamide Pd(2,6-(Ph₂PCH₂)₂C₆H₃)(NMe₂) at low temperatures and its ligand exchange with the dicyclohexylamide, 194

Chiral ligand

New chiral cationic rhodium–aminophosphine complexes for asymmetric transfer hydrogenation of aromatic ketones, 290

Chiral rhodium complexes

New chiral cationic rhodium–aminophosphine complexes for asymmetric transfer hydrogenation of aromatic ketones, 290

Chromium

Fluorinated isocyanonitriles, 41

Synthesis, spectroscopic and structural characterisation of chromium(0), molybdenum(0) and tungsten(0) complexes involving primary and secondary phosphines, 296

- Chromophores**
Linear and non-linear optical properties of arene-Fe-Cp complexes, 109
- Cluster**
Reactions of metalloalkynes **5**: reinvestigation of the reaction of $\left[\{\text{Ru}(\text{CO})_2(\eta\text{-C}_5\text{H}_4\text{R})\}_2(\mu\text{-C}\equiv\text{C})\right]$ with $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-dppm})]$, 95
- Clusters**
2-Diphenylphosphinoazacyclopentadienylmanganese tricarbonyl as a new bridging ligand, 235
- Cobalt**
Some ruthenium complexes derived from 1,4-diethynylbenzene: molecular structure of $\text{Ru}\{\eta^3\text{-C}=\text{C}(\text{CN})_2\}\text{C}(\text{C}_6\text{H}_4\text{C}\equiv\text{CH-4})=\text{C}(\text{CN})_2\}\text{(PPh}_3\text{)}\text{Cp}$, 74
- Coordination chemistry**
Fluorinated isocyanonitriles, 41
- Crystal structure**
Cyclooctadienemethylplatinum complexes: synthesis, reactivity, molecular structure and spectroscopic properties of the organometallic hydroxoplatinum(II) complex $[(\text{COD})\text{PtMe(OH)}]$, 128
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L**¹) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L**²) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of $[\text{PdBr}_2(\text{L}^1)]_2$ and $[\text{HgBr}_2(\text{L}^2)]_2$, 251
Synthesis of dioxazaborocines from *N*-substituted-bis(2-hydroxyaryl)aminomethylamines, 180
- Crystal structures**
Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}=\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168
- CV**
Synthesis and characterization of photosensitive, dinuclear palladium(I) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf), $[\text{Pd}_2(\text{dppf})_2(\text{RNC})_2]^{2+}$ ($\text{R} = \text{xyllyl}$ and mesityl), 103
- Cyclization**
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34
- Cyclooctadiene platinum complexes**
Cyclooctadienemethylplatinum complexes: synthesis, reactivity, molecular structure and spectroscopic properties of the organometallic hydroxoplatinum(II) complex $[(\text{COD})\text{PtMe(OH)}]$, 128
- Cyclopentadienyl complexes**
Synthesis of mono- and dinuclear cyclopentadienyl-aryloxy titanium(IV) complexes, 265
- Cycloplatination**
A novel platinum methylene complex, 155
- Deuteroformylation**
Stepwise hydroformylation of C,N-divinylpyrroles with $\text{Rh}_4(\text{CO})_{12}$ under mild conditions: an original synthesis of N-vinylpyrrolomonooaldehydes and of pyrrolyldialdehydes, 69
- DFT**
A density functional study on the formation of stereoerrors in the stereoselective propene polymerization with zirconocene catalysts, 11
- 1,4-Diethynylbenzene**
Some ruthenium complexes derived from 1,4-diethynylbenzene: molecular structure of $\text{Ru}\{\eta^3\text{-C}=\text{C}(\text{CN})_2\}\text{C}(\text{C}_6\text{H}_4\text{C}\equiv\text{CH-4})=\text{C}(\text{CN})_2\}\text{(PPh}_3\text{)}\text{Cp}$, 74
- Dimeric**
Trans-cis isomerization and structure of dimeric $[\text{Me}_2\text{M}-\mu\text{-N(H)NPh}_2]_2$ ($\text{M} = \text{Al, Ga}$), 162
- Dimethylamido palladium complex**
Preparation of the palladium(II) dimethylamide $\text{Pd}(2,6\text{-}(\text{Ph}_2\text{PCH}_2)_2\text{C}_6\text{H}_3)(\text{NMe}_2)$ at low temperatures and its ligand exchange with the dicyclohexylamide, 194
- Dioxazaborocine**
Synthesis of dioxazaborocines from *N*-substituted-bis(2-hydroxyaryl)aminomethylamines, 180
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L**¹) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L**²) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of $[\text{PdBr}_2(\text{L}^1)]_2$ and $[\text{HgBr}_2(\text{L}^2)]_2$, 251
2-(Diphenylarsinomethyl)tetrahydrofuran
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L**¹) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L**²) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of $[\text{PdBr}_2(\text{L}^1)]_2$ and $[\text{HgBr}_2(\text{L}^2)]_2$, 251
1,1-Diphenylhydrazine
Trans-cis isomerization and structure of dimeric $[\text{Me}_2\text{M}-\mu\text{-N(H)NPh}_2]_2$ ($\text{M} = \text{Al, Ga}$), 162
- EI-MS**
Tris(hydridosilylethyl)boranes: highly reactive synthons for polymeric silicon compounds, 115
- Electrocatalysis**
 $\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}_3$, preparation and use as a mediator for the electrooxidation of hydrocarbons, 240
- Electroluminance**
Synthesis and properties of organosilicon polymers containing 9,10-diethynylanthracene units with highly hole-transporting properties, 52
- Ferrocene**
Synthesis, structure and redox behaviour of gold and silver complexes with 3-ferrocenylpyridine, 258
- Ferrocenylpyridine**
Synthesis, structure and redox behaviour of gold and silver complexes with 3-ferrocenylpyridine, 258
- Germanium**
Germanium-containing polymers via acyclic diene metathesis, 271
- Germylene**
Stable heterocyclic (Schiff base) divalent Group 14 element species $\text{M}-\text{O-Schiff base}-\text{O}$ ($\text{M} = \text{Ge, Sn, Pb}$), 1
- Gold**
Synthesis, structure and redox behaviour of gold and silver complexes with 3-ferrocenylpyridine, 258
- Half-sandwich**
Half-sandwich complexes of titanium and zirconium with pendant phenyl substituents. The influence of *ansa*-aryl coordination on the polymerisation activity of half-sandwich catalysts, 84
- Halogen exchange**
A novel platinum methylene complex, 155
- Hammett relation**
¹⁰³Rh-NMR spectroscopy of some hydridorhodium bis(carbonyl)diphosphine compounds, 306
- Heterogeneous catalytic amination**
Amination of aryl bromides catalysed by supported palladium, 225
- Hexacarbonyldicobalt**
Lineare Carbosiloxan-Dendrimere mit terminalen $[(\eta^2\text{-C}\equiv\text{CH})\text{Co}_2(\text{CO})_6]$ -Bausteinen, 147

- Hole transport
Synthesis and properties of organosilicon polymers containing 9,10-diethynylanthracene units with highly hole-transporting properties, 52
- Hydrazidoalanine
Trans-cis isomerization and structure of dimeric $[\text{Me}_2\text{M}-\mu-\text{N}(\text{H})\text{NPh}_2]_2$ ($\text{M} = \text{Al}, \text{Ga}$), 162
- Hydrazidogallane
Trans-cis isomerization and structure of dimeric $[\text{Me}_2\text{M}-\mu-\text{N}(\text{H})\text{NPh}_2]_2$ ($\text{M} = \text{Al}, \text{Ga}$), 162
- Hydride
NMR studies of the structure, isomerism and photochemical reactions of *trans*- $[\text{W}(\text{CO})_4(\eta^2\text{-alkene})_2]$ complexes, 212
- Hydrido compounds
 ^{103}Rh -NMR spectroscopy of some hydridorhodium bis(carbonyl)diphosphine compounds, 306
- Hydroboration
Tris(hydridosilylethyl)boranes: highly reactive synthons for polymeric silicon compounds, 115
- Hydroformylation
Stepwise hydroformylation of C,N-divinylpyrroles with $\text{Rh}_4(\text{CO})_{12}$ under mild conditions: an original synthesis of N-vinylpyrrolylmonoaldehydes and of pyrrolyldialdehydes, 69
- Hydroxoplatinum(II)
Cyclooctadienemethylplatinum complexes: synthesis, reactivity, molecular structure and spectroscopic properties of the organometallic hydroxoplatinum(II) complex $[(\text{COD})\text{PtMe}(\text{OH})]$, 128
- Hyper-Rayleigh scattering
Linear and non-linear optical properties of arene-Fe-Cp complexes, 109
- Indirect electrooxidation
 $\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}_3$, preparation and use as a mediator for the electrooxidation of hydrocarbons, 240
- Indium azides
Precursor chemistry of Group 13 nitrides XV: synthesis and structure of adduct stabilized bis- and trisazides of indium; thermoanalytic characterisation of $\text{py}_3\text{In}(\text{N}_3)_3$, 205
- Indium nitride
Precursor chemistry of Group 13 nitrides XV: synthesis and structure of adduct stabilized bis- and trisazides of indium; thermoanalytic characterisation of $\text{py}_3\text{In}(\text{N}_3)_3$, 205
- Iodomethyl
Synthesis of some manganese and rhenium trifluoroacetoxymethyl and iodomethyl complexes. X-ray structures of *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{OC}(\text{O})\text{CF}_3$, *fac*- $\text{Re}(\text{CO})_3(\text{dppp})\text{CH}_2\text{OC}(\text{O})\text{CF}_3$ and *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$, 61
- Iron
Linear and non-linear optical properties of arene-Fe-Cp complexes, 109
- Isocyanide
Synthesis and characterization of photosensitive, dinuclear palladium(I) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dpfpf), $[\text{Pd}_2(\text{dpfpf})_2(\text{RNC})_2]^{2+}$ ($\text{R} = \text{xylyl}$ and mesityl), 103
- Isocyanide complex
Isolation of pentamethylcyclopentadienyl tris(*tert*-butylthiolato) complexes of tungsten(IV) and carbon-sulfur bond activation, 46
- Isocyanides
Fluorinated isocyanonitriles, 41
- Isotopic labelling
Controlled formation of tetramethylammonium mono- and diylide, 29
- Linear carbosiloxane dendrimers
Lineare Carbosiloxan-Dendrimere mit terminalen $[(\eta^2\text{-C}\equiv\text{CH})\text{Co}_2(\text{CO})_6]$ -Bausteinen, 147
- Liquid crystal discussion
A novel platinum methylene complex, 155
- Lithiation
Controlled formation of tetramethylammonium mono- and diylide, 29
- Manganese
2-Diphenylphosphinoazacyclopentadienylmanganese tricarbonyl as a new bridging ligand, 235
- Synthesis of some manganese and rhenium trifluoroacetoxymethyl and iodomethyl complexes. X-ray structures of *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{OC}(\text{O})\text{CF}_3$, *fac*- $\text{Re}(\text{CO})_3(\text{dppp})\text{CH}_2\text{OC}(\text{O})\text{CF}_3$ and *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$, 61
- Mercury complex
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (L^1) and 2-(diphenylarsinomethyl)tetrahydrofuran (L^2) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of $[\text{PdBr}_2(\text{L}^1)_2]$ and $[\text{HgBr}_2(\text{L}^2)]_2$, 251
- Metal-metal bond
Synthesis and characterization of photosensitive, dinuclear palladium(I) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dpfpf), $[\text{Pd}_2(\text{dpfpf})_2(\text{RNC})_2]^{2+}$ ($\text{R} = \text{xylyl}$ and mesityl), 103
- Metal oxides and zeolite supported palladium
Amination of aryl bromides catalysed by supported palladium, 225
- Molybdenum
Synthesis, spectroscopic and structural characterisation of chromium(0), molybdenum(0) and tungsten(0) complexes involving primary and secondary phosphines, 296
- N*-alkyl-1,2,3,6-tetrahydropyridines
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34
- Nitrogen ylides
Controlled formation of tetramethylammonium mono- and diylide, 29
- NMR
Tris(hydridosilylethyl)boranes: highly reactive synthons for polymeric silicon compounds, 115
- NMR spectroscopy
Controlled formation of tetramethylammonium mono- and diylide, 29
- NMR studies of the structure, isomerism and photochemical reactions of *trans*- $[\text{W}(\text{CO})_4(\eta^2\text{-alkene})_2]$ complexes, 212
- Non-linear optics
Linear and non-linear optical properties of arene-Fe-Cp complexes, 109
- Norbornadiene
Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}=\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168
- Olefin metathesis
Germanium-containing polymers via acyclic diene metathesis, 271
- Organometallic polymers
Germanium-containing polymers via acyclic diene metathesis, 271
- Organosilicon polymer
Synthesis and properties of organosilicon polymers containing 9,10-diethynylanthracene units with highly hole-transporting properties, 52

- Overcrowded platinum organyls
A novel platinum methylene complex, 155
- Oxidative addition
A novel platinum methylene complex, 155
- Palladium
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L¹**) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L²**) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of [PdBr₂(**L¹**)₂] and [HgBr₂(**L²**)₂], 251
Synthesis and characterization of photosensitive, dinuclear palladium(I) complexes with 1,1'-bis(diphenylphosphino)ferrocene (dppf), [Pd₂(dppf)₂(RNC)₂]²⁺ (R = xylyl and mesityl), 103
- Palladium-catalysed cross coupling
Linear and non-linear optical properties of arene-Fe-Cp complexes, 109
- Palladium hydride
Preparation of the palladium(II) dimethylamide Pd(2,6-(Ph₂PCH₂)₂C₆H₃)(NMe₂) at low temperatures and its ligand exchange with the dicyclohexylamide, 194
- Pentanuclear
Reactions of metalloalkynes **5**: reinvestigation of the reaction of [{Ru(CO)₂(η-C₅H₄R)}₂(μ-C≡C)] with [Ru₃(CO)₁₀(μ-dppm)], 95
- Phosphines
¹⁰³Rh-NMR spectroscopy of some hydridorhodiumbis(carbonyl)diphosphine compounds, 306
- Phosphorus
Contribution of the *o*-carboranyl fragment to the chemical stability and the ³¹P-NMR chemical shift in *cis*-carboranylphosphines. Crystal structure of bis(1-yl-2-methyl-1,2-dicarba-*cis*-dodecaborane)phenylphosphine, 22
- Phosphorylcyclopentadienyl
Novel heterobimetallic titanium–platinum complexes. Crystal structure of [(η⁵-C₅H₄SiMe₃)(SPh)Ti(μ,η⁵-κS-C₅H₄P(S-Ph)₂)(μ-SPh)Pt(C₆F₅)₂], 283
- Photolysis
NMR studies of the structure, isomerism and photochemical reactions of *trans*-[W(CO)₄(η²-alkene)₂] complexes, 212
- Platinum
2-(2-{Diphenylarsino}ethyl)-1,3-dioxane (**L¹**) and 2-(diphenylarsinomethyl)tetrahydrofuran (**L²**) and their palladium(II), platinum(II) and mercury(II) complexes: synthesis and crystal structures of [PdBr₂(**L¹**)₂] and [HgBr₂(**L²**)₂], 251
Novel heterobimetallic titanium–platinum complexes. Crystal structure of [(η⁵-C₅H₄SiMe₃)(SPh)Ti(μ,η⁵-κS-C₅H₄P(S-Ph)₂)(μ-SPh)Pt(C₆F₅)₂], 283
- Platinum complexes of different oxidation states
A novel platinum methylene complex, 155
- Platinum methylene complexes
A novel platinum methylene complex, 155
- Plumbaylene
Stable heterocyclic (Schiff base) divalent Group 14 element species M–O–Schiff base–O (M = Ge, Sn, Pb), 1
- ³¹P-NMR
Contribution of the *o*-carboranyl fragment to the chemical stability and the ³¹P-NMR chemical shift in *cis*-carboranylphosphines. Crystal structure of bis(1-yl-2-methyl-1,2-dicarba-*cis*-dodecaborane)phenylphosphine, 22
- Polymerisation catalysis
Half-sandwich complexes of titanium and zirconium with pendant phenyl substituents. The influence of *ansa*-aryl coordination on the polymerisation activity of half-sandwich catalysts, 84
- Polysilazanes
Tris(hydridosilylethyl)boranes: highly reactive synthons for polymeric silicon compounds, 115
- Precursor
Trans–*cis* isomerization and structure of dimeric [Me₂M-μ-N(H)NPh₂]₂ (M = Al, Ga), 162
- Primary amines
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines primaires. Accès à des hétérocycles azotés, 34
- Primary phosphines
Synthesis, spectroscopic and structural characterisation of chromium(0), molybdenum(0) and tungsten(0) complexes involving primary and secondary phosphines, 296
- Prochiral ketone
New chiral cationic rhodium–aminophosphine complexes for asymmetric transfer hydrogenation of aromatic ketones, 290
- Propargyloxy
Lineare Carbosiloxan-Dendrimere mit terminalen [(η²-C≡CH)Co₂(CO)₆]–Bausteinen, 147
- Propene polymerization
A density functional study on the formation of stereoerrors in the stereoselective propene polymerization with zirconocene catalysts, 11
- Pyrrolepropanols
Stepwise hydroformylation of C,N-divinylpyrroles with Rh₄(CO)₁₂ under mild conditions: an original synthesis of N-vinylpyrrolylmonoaldehydes and of pyrrolyldialdehydes, 69
- Pyrrolylphosphine
2-Diphenylphosphinoazacyclopentadienylmanganese tricarbonyl as a new bridging ligand, 235
- Raman spectroscopy
A Raman spectroscopic study of the rotational isomerism of linear permethylated stannylsilanes Me₃Sn(SiMe₂)_nSnMe₃ with n = 1, 2, 3, 4, 198
- Redox behaviour
Synthesis, structure and redox behaviour of gold and silver complexes with 3-ferrocenylpyridine, 258
- Rhenium
Synthesis of some manganese and rhenium trifluoroacetoxymethyl and iodomethyl complexes. X-ray structures of *cis*-Re(CO)₄(PPh₃)CH₂OC(O)CF₃, *fac*-Re(CO)₃(dppp)CH₂OC(O)CF₃ and *cis*-Re(CO)₄(PPh₃)CH₂I, 61
- ¹⁰³Rh-NMR
¹⁰³Rh-NMR spectroscopy of some hydridorhodiumbis(carbonyl)diphosphine compounds, 306
- Rhodium
Stepwise hydroformylation of C,N-divinylpyrroles with Rh₄(CO)₁₂ under mild conditions: an original synthesis of N-vinylpyrrolylmonoaldehydes and of pyrrolyldialdehydes, 69
- Rhodium compounds
¹⁰³Rh-NMR spectroscopy of some hydridorhodiumbis(carbonyl)diphosphine compounds, 306
- Rotational isomerism
A Raman spectroscopic study of the rotational isomerism of linear permethylated stannylsilanes Me₃Sn(SiMe₂)_nSnMe₃ with n = 1, 2, 3, 4, 198
- Ruthenium
Reactions of metalloalkynes **5**: reinvestigation of the reaction of [{Ru(CO)₂(η-C₅H₄R)}₂(μ-C≡C)] with [Ru₃(CO)₁₀(μ-dppm)], 95
Some ruthenium complexes derived from 1,4-diethynylbenzene: molecular structure of Ru{η³-C=C(CN)₂}C(C₆H₄C≡CH)=C(CN)₂{(PPh₃)Cp}, 74

Ruthenium complexes

Synthesis, characterization and crystal structure of $[(\eta^6\text{-C}_6\text{Me}_6)\text{-Ru}(\mu\text{-Cl})_3\text{Ru}(\eta^6\text{-C}_6\text{Me}_6)]\text{PF}_6$, 278

Schiff base

Stable heterocyclic (Schiff base) divalent Group 14 element species M–O-Schiff base-O (M = Ge, Sn, Pb), 1

Secondary phosphines

Synthesis, spectroscopic and structural characterisation of chromium(0), molybdenum(0) and tungsten(0) complexes involving primary and secondary phosphines, 296

Self-condensation

Reaktionen von Trimethylsiloxychlorosilanen ($\text{Me}_3\text{SiO})\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Bildung von Trimethylsiloxy-substituierten Silyl- und Disilanylolithiumverbindungen sowie Di- und Trisilanen, 136

Seven coordination

Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}\equiv\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168

Silver

Synthesis, structure and redox behaviour of gold and silver complexes with 3-ferrocenylpyridine, 258

Silylenoids

Reaktionen von Trimethylsiloxychlorosilanen ($\text{Me}_3\text{SiO})\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Bildung von Trimethylsiloxy-substituierten Silyl- und Disilanylolithiumverbindungen sowie Di- und Trisilanen, 136

Single source precursor

Precursor chemistry of Group 13 nitrides XV: synthesis and structure of adduct stabilized bis- and trisazides of indium; thermoanalytic characterisation of $\text{py}_3\text{In}(\text{N}_3)_3$, 205

Six coordination

Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}\equiv\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168

Stannylene

Stable heterocyclic (Schiff base) divalent Group 14 element species M–O-Schiff base-O (M = Ge, Sn, Pb), 1

Stannysilanes

A Raman spectroscopic study of the rotational isomerism of linear permethylated stannysilanes $\text{Me}_3\text{Sn}(\text{SiMe}_2)_n\text{SnMe}_3$ with $n = 1, 2, 3, 4$, 198

Stereoerrors

A density functional study on the formation of stereoerrors in the stereoselective propene polymerization with zirconocene catalysts, 11

Synthesis

Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}\equiv\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168

Synthesis of some manganese and rhenium trifluoroacetoxymethyl and iodomethyl complexes. X-ray structures of *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{OC(O)CF}_3$, *fac*- $\text{Re}(\text{CO})_3(\text{dppp})\text{CH}_2\text{OC(O)CF}_3$ and *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$, 61

Tetralin

$\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}_3$, preparation and use as a mediator for the electrooxidation of hydrocarbons, 240

Tetralone

$\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}_3$, preparation and use as a mediator for the electrooxidation of hydrocarbons, 240

Tetranuclear

Reactions of metalloalkynes 5: reinvestigation of the reaction of $\{[\text{Ru}(\text{CO})_2(\eta^5\text{-C}_5\text{H}_4\text{R})]_2(\mu\text{-C}\equiv\text{C})\}$ with $[\text{Ru}_3(\text{CO})_{10}(\mu\text{-dppm})]$, 95

Thiolate

Novel heterobimetallic titanium–platinum complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)(\text{SPh})\text{Ti}(\mu, \eta^5\text{-}\kappa\text{S-C}_5\text{H}_4\text{P(S)-Ph}_2)(\mu\text{-SPh})\text{Pt}(\text{C}_6\text{F}_5)_2]$, 283

Thiolato complex

Isolation of pentamethylcyclopentadienyl tris(*tert*-butylthiolato) complexes of tungsten(IV) and carbon–sulfur bond activation, 46

Thiophosphorylcyclopentadienyl

Novel heterobimetallic titanium–platinum complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)(\text{SPh})\text{Ti}(\mu, \eta^5\text{-}\kappa\text{S-C}_5\text{H}_4\text{P(S)-Ph}_2)(\mu\text{-SPh})\text{Pt}(\text{C}_6\text{F}_5)_2]$, 283

Titanium

Half-sandwich complexes of titanium and zirconium with pendant phenyl substituents. The influence of *ansa*-aryl coordination on the polymerisation activity of half-sandwich catalysts, 84

Novel heterobimetallic titanium–platinum complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)(\text{SPh})\text{Ti}(\mu, \eta^5\text{-}\kappa\text{S-C}_5\text{H}_4\text{P(S)-Ph}_2)(\mu\text{-SPh})\text{Pt}(\text{C}_6\text{F}_5)_2]$, 283

Synthesis of mono- and dinuclear cyclopentadienyl–aryloxy titanium(IV) complexes, 265

Transfer hydrogenation

New chiral cationic rhodium–aminophosphine complexes for asymmetric transfer hydrogenation of aromatic ketones, 290

Trichloro bridged hexa methylbenzene complex

Synthesis, characterization and crystal structure of $[(\eta^6\text{-C}_6\text{Me}_6)\text{Ru}(\mu\text{-Cl})_3\text{Ru}(\eta^6\text{-C}_6\text{Me}_6)]\text{PF}_6$, 278

Trifluoroacetoxyethyl

Synthesis of some manganese and rhenium trifluoroacetoxyethyl and iodomethyl complexes. X-ray structures of *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{OC(O)CF}_3$, *fac*- $\text{Re}(\text{CO})_3(\text{dppp})\text{CH}_2\text{OC(O)CF}_3$ and *cis*- $\text{Re}(\text{CO})_4(\text{PPh}_3)\text{CH}_2\text{I}$, 61

Trimethylsiloxydi- and trisilanes

Reaktionen von Trimethylsiloxychlorosilanen ($\text{Me}_3\text{SiO})\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Bildung von Trimethylsiloxy-substituierten Silyl- und Disilanylolithiumverbindungen sowie Di- und Trisilanen, 136

Trimethylsiloxy silyllithium

Reaktionen von Trimethylsiloxychlorosilanen ($\text{Me}_3\text{SiO})\text{Me}_{2-n}\text{Ph}_n\text{SiCl}$ ($n = 0, 1, 2$) mit Lithium—Bildung von Trimethylsiloxy-substituierten Silyl- und Disilanylolithiumverbindungen sowie Di- und Trisilanen, 136

Tris(acetonitrile)ruthenium trichloride

$\text{Ru}(\text{CH}_3\text{CN})_3\text{Cl}_3$, preparation and use as a mediator for the electrooxidation of hydrocarbons, 240

Tungsten

Isolation of pentamethylcyclopentadienyl tris(*tert*-butylthiolato) complexes of tungsten(IV) and carbon–sulfur bond activation, 46

NMR studies of the structure, isomerism and photochemical reactions of *trans*- $[\text{W}(\text{CO})_4(\eta^2\text{-alkene})_2]$ complexes, 212

Syntheses and structures of six and seven-coordinate diene complexes of molybdenum and tungsten(II). The crystal and molecular structures of $[\text{WBr}_2(\text{CO})_2(\text{PMePh}_2)(\text{norbornadiene})]$ and $[\text{WBr}_2(\text{CO})(\text{N}\equiv\text{CCH}=\text{CH}_2)(\text{norbornadiene})]$, 168

Synthesis, spectroscopic and structural characterisation of chromium(0), molybdenum(0) and tungsten(0) complexes involving primary and secondary phosphines, 296

UV-vis spectroscopy

Linear and non-linear optical properties of arene-Fe-Cp complexes, 109

Vinylidene

Some ruthenium complexes derived from 1,4-diethynylbenzene: molecular structure of Ru{ η^3 -C=C(CN)₂]C(C₆H₄C≡CH-4)=C(CN)₂}(PPh₃)Cp, 74

Vinylsilanes

Tris(hydridosilyl)boranes: highly reactive synthons for polymeric silicon compounds, 115

X-ray structure analysis

A novel platinum methylene complex, 155

X-ray structures

Synthesis of some manganese and rhenium trifluoroacetoxymethyl and iodomethyl complexes. X-ray structures of *cis*-Re(CO)₄(PPh₃)CH₂OCC(O)CF₃, *fac*-Re(CO)₃(dppp)CH₂OCC(O)CF₃ and *cis*-Re(CO)₄(PPh₃)CH₂I, 61

Zirconium

Half-sandwich complexes of titanium and zirconium with pendant phenyl substituents. The influence of *ansa*-aryl coordination on the polymerisation activity of half-sandwich catalysts, 84

Zirconocene catalysts

A density functional study on the formation of stereoerrors in the stereoselective propene polymerization with zirconocene catalysts, 11