

Subject Index of Volume 596

Addition

Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO₂ in the homogeneously catalyzed Claus reaction, 193

Alkyl

The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, [PhTp^{Bu}]ⁿMgR (R = Me, Et) and [PhTp^{Bu}]ⁿZnMe, 22

Alkyne

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of Cp*Ru(CO)₂(μ₂-CO)Co(CO)₃, Cp*Ru(μ₂-CO)₂(μ₂-dppm)Co(CO)₂, Cp*Ru-(CNBu^t)(CO)(μ₂-CO)Co(CO)₃, and Cp*(CO)Ru{η²:η⁴-μ₂-C(Tol)CHC(Tol)CH}Co(CO)₂ (Cp* = η⁵-C₅Me₅, dppm = Ph₂PCH₂PPh₂, Tol = C₆H₄Me-4), 121

Alkynyl

Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium(II,III) core: synthesis and structural characterization, 152

2-Anilinopyridinate

Ru-σ-alkynyl compounds of tetraanilinopyridinato-diruthenium(II,III) core: synthesis and structural characterization, 152

Arene

Synthesis, structure, and reactivity of osmium π-thiophene complexes, 46

Arene-ruthenium

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η⁶-*p*-cymene)-(phenyl-azo)phenyl}ruthenium(II), 232

Aromatic rings

Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), 90

Aromatic π–π stacking interaction

Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, 226

Axial ligands

Synthesis and characterization of [*trans*-di(μ-acetato)(μ-bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, 177

Azobenzene

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η⁶-*p*-cymene)-(phenyl-azo)phenyl}ruthenium(II), 232

π-Backbonding

Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), 90

Bimetallic

Bimetallic and cationic aluminum with N₃O₂ chelate ligands, 109

Bis(diphenylthiophosphoryl)ferrocene

1,1'-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), 10

Bis(2-pyridyl)formamidine complexes

Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, 226

Bond energies

Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, 212

Bond order

Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159

Carbamato complexes

Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, 144

Carbene complex

Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, 3

Carbonyl

Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of Rh₂(O₂CCF₃)₂(CO)₄ combined with Rh₂(O₂CCF₃)₄, a compound with infinite chains of rhodium atoms, 130

Carbonylation

Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, 144

Carbonyl cluster

Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of [Os₆(CO)₁₇(Au₂dppm)] and [Os₆(CO)₁₇(Au₂dppm){Ru(η⁵-C₅H₅)₂}] (dppm = Ph₂PCH₂PPh₂), 204

Carbonyl complexes

Reactions of the dirhenium(II) complexes Re₂X₄(μ-dppm)₂ (X = Cl, Br; dppm = Ph₂PCH₂PPh₂) with isocyanides: Part XX. Oxidation of the complexes Re₂X₄(μ-dppm)₂(L) (X = Cl or Br; dppm = Ph₂PCH₂PPh₂; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations [Re₂(μ-X)₂(μ-dppm)₂X₃(L)]⁺, 27

Catalysis

Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO₂ in the homogeneously catalyzed Claus reaction, 193

Catalyst

The preparation, molecular structure and catalytic relevance of Ti(OSiPh₃)₄ and Ti(OGPh₃)₄, 221

Cationic

Bimetallic and cationic aluminum with N₃O₂ chelate ligands, 109

Chelate ligands

Bimetallic and cationic aluminum with N₃O₂ chelate ligands, 109

Chiral macrocycle

Synthesis and structural characterization of chiral thiacycrows: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, 115

Chlorine

Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, 3

Claus process

Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO₂ in the homogeneously catalyzed Claus reaction, 193

Clusters

Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, 36

Cobalt

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $\text{Cp}^*\text{Ru}(\text{CO})_2(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, $\text{Cp}^*\text{Ru}(\mu_2\text{-CO})_2(\mu_2\text{-dppm})\text{Co}(\text{CO})_2$, $\text{Cp}^*\text{Ru}(\text{CNBu}')(\text{CO})(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, and $\text{Cp}^*(\text{CO})\text{Ru}\{\eta^2:\eta^4\text{-}\mu_2\text{-C}(\text{Tol})\text{CHC}(\text{Tol})\text{CH}\}\text{Co}(\text{CO})_2$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$, $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$, $\text{Tol} = \text{C}_6\text{H}_4\text{Me-4}$), 121

Cobalt carbonyl cluster

The first organometallic derivative of 11 β -ethynylestradiol, a potential high-affinity marker for the estrogen receptor, 242

Coupling reaction

Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, 70

Crystal structure

Chain polymeric complexes of some first-series transition-metal ions with *N,N,N',N'*-tetra-acetyl-1,4-diaminobutane, 16

Reactions of the dirhenium(II) complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2$ ($\text{X} = \text{Cl}$, Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$) with isocyanides: Part XX. Oxidation of the complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2(\text{L})$ ($\text{X} = \text{Cl}$ or Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$; $\text{L} = t\text{-BuNC}$, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[\text{Re}_2(\mu\text{-X})_2(\mu\text{-dppm})_2\text{X}_3(\text{L})]^+$, 27

Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $\text{Rh}_2(\text{O}_2\text{CCF}_3)_2(\text{CO})_4$ combined with $\text{Rh}_2(\text{O}_2\text{CCF}_3)_4$, a compound with infinite chains of rhodium atoms, 130

Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyridyl azo ligands, 36

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-($\eta^6\text{-p}$ -cymene)-{(phenylazo)phenyl} ruthenium(II), 232

Cyclometallation

Photo-assisted formation of a chelating diphos ligand from PPh_3 and a cyclometallated $[\text{P}(\text{C}_6\text{H}_4)(\text{C}_6\text{H}_5)_2]^-$ ligand. Crystal structure of $\text{Pd}\{\eta^2\text{-}o\text{-}[\text{P}(\text{C}_6\text{H}_5)_2]_2(\text{C}_6\text{H}_4)\}\text{Br}_2$, 248

Cyclopentadienyl

Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(\text{Tp}^{\text{Bu,Me}})\text{Yb}(\text{C}_5\text{H}_4\text{R})$ ($\text{R} = \text{H}$, SiMe_3), 95

Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, 3

Density functional theory

Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, 212

Dimolybdenum(II)

Synthesis and characterization of [*trans*-di(μ -acetato)(μ -bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, 177

Dinuclear metallacyclopentadiene

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $\text{Cp}^*\text{Ru}(\text{CO})_2(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, $\text{Cp}^*\text{Ru}(\mu_2\text{-CO})_2(\mu_2\text{-dppm})\text{Co}(\text{CO})_2$, $\text{Cp}^*\text{Ru}(\text{CNBu}')(\text{CO})(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, and $\text{Cp}^*(\text{CO})\text{Ru}\{\eta^2:\eta^4\text{-}\mu_2\text{-C}(\text{Tol})\text{CHC}(\text{Tol})\text{CH}\}\text{Co}(\text{CO})_2$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$, $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$, $\text{Tol} = \text{C}_6\text{H}_4\text{Me-4}$), 121

Dirhenium bonds

Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159

Dirhenium(II) complexes

Reactions of the dirhenium(II) complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2$ ($\text{X} = \text{Cl}$, Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$) with isocyanides: Part XX. Oxidation of the complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2(\text{L})$ ($\text{X} = \text{Cl}$ or Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$; $\text{L} = t\text{-BuNC}$, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[\text{Re}_2(\mu\text{-X})_2(\mu\text{-dppm})_2\text{X}_3(\text{L})]^+$, 27

Dirhenium(III) complexes

Reactions of the dirhenium(II) complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2$ ($\text{X} = \text{Cl}$, Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$) with isocyanides: Part XX. Oxidation of the complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2(\text{L})$ ($\text{X} = \text{Cl}$ or Br ; $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$; $\text{L} = t\text{-BuNC}$, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[\text{Re}_2(\mu\text{-X})_2(\mu\text{-dppm})_2\text{X}_3(\text{L})]^+$, 27

Diruthenium compounds

Ru- σ -alkynyl compounds of tetraanilinopyridinato-diruthenium(II,III) core: synthesis and structural characterization, 152

Dissociative mechanism

Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, 183

Ditungsten

Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)amine, 136

Dynamics

Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, 183

Electrochemistry

Ru- σ -alkynyl compounds of tetraanilinopyridinato-diruthenium(II,III) core: synthesis and structural characterization, 152

Structures and properties of complexes $[\text{MCl}(\text{C}_5\text{Me}_5)(\text{N}^{\wedge}\text{S})](\text{PF}_6)$, $\text{M} = \text{Rh}$, Ir , with $\text{N}^{\wedge}\text{S} = 1\text{-methyl-2-(alkylthiomethyl)-1H-benzimidazole}$ ligands, 84

Enyne

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $\text{Cp}^*\text{Ru}(\text{CO})_2(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, $\text{Cp}^*\text{Ru}(\mu_2\text{-CO})_2(\mu_2\text{-dppm})\text{Co}(\text{CO})_2$, $\text{Cp}^*\text{Ru}(\text{CNBu}')(\text{CO})(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, and $\text{Cp}^*(\text{CO})\text{Ru}\{\eta^2:\eta^4\text{-}\mu_2\text{-C}(\text{Tol})\text{CHC}(\text{Tol})\text{CH}\}\text{Co}(\text{CO})_2$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$, $\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2$, $\text{Tol} = \text{C}_6\text{H}_4\text{Me-4}$), 121

Epoxidation reaction

The preparation, molecular structure and catalytic relevance of $\text{Ti}(\text{OSiPh}_3)_4$ and $\text{Ti}(\text{OGePh}_3)_4$, 221

EPR

Chain polymeric complexes of some first-series transition-metal ions with *N,N,N',N'*-tetra-acetyl-1,4-diaminobutane, 16

Estradiol

The first organometallic derivative of 11 β -ethynylestradiol, a potential high-affinity marker for the estrogen receptor, 242

Estrogen receptor

The first organometallic derivative of 11 β -ethynylestradiol, a potential high-affinity marker for the estrogen receptor, 242

Ferrocene

1,1'-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), 10

Fluorination

Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, 6

Germanium

Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, 70

- Gold**
 1,1'-Bis(diphenylthiophosphoryl)ferrocene complexes of gold(I) and gold(III), 10
 Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})]$ and $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})\{\text{Ru}(\eta^5\text{-C}_5\text{H}_5)\}_2]$ (dppm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$), 204
- Gold–gold vibration**
 Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, 237
- Gold(II)**
 Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, 237
- Gold(III)**
 Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, 165
- Group 6**
 Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, 183
- Half-sandwich complexes**
 Preparation and structure of the 17-electron ($\eta^5\text{-C}_5\text{R}_5$)Mo(OH)₂(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, 64
- Harmonic force constants**
 Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159
- Heterobimetallic complex**
 Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of $\text{Cp}^*\text{Ru}(\text{CO})_2(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, $\text{Cp}^*\text{Ru}(\mu_2\text{-CO})_2(\mu_2\text{-dppm})\text{Co}(\text{CO})_2$, $\text{Cp}^*\text{Ru}(\text{CNBu}^t)(\text{CO})(\mu_2\text{-CO})\text{Co}(\text{CO})_3$, and $\text{Cp}^*(\text{CO})\text{Ru}\{\eta^2:\eta^4\text{-}\mu_2\text{-C}(\text{ToI})\text{CHC}(\text{ToI})\text{CH}\}\text{Co}(\text{CO})_2$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$, dppm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, Tol = C₆H₄Me-4), 121
- Heteroleptic complexes**
 Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(\text{Tp}^{\text{Bu,Me}})\text{Yb}(\text{C}_5\text{H}_4\text{R})$ (R = H, SiMe₃), 95
- Host–guest**
 Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with $\text{Ph}_2\text{P-C}\equiv\text{C-PPh}_2$ spacer, 53
- Hydride complexes**
 Preparation and structure of the 17-electron ($\eta^5\text{-C}_5\text{R}_5$)Mo(OH)₂(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, 64
- Hydrogen bonding**
 Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, 226
- Hydrolysis**
 Synthesis, structure, and reactivity of osmium π -thiophene complexes, 46
- Hydrotris(pyrazolyl)borate**
 Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(\text{Tp}^{\text{Bu,Me}})\text{Yb}(\text{C}_5\text{H}_4\text{R})$ (R = H, SiMe₃), 95
- Hydroxide complexes**
 Preparation and structure of the 17-electron ($\eta^5\text{-C}_5\text{R}_5$)Mo(OH)₂(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, 64
- Imidazolium**
 Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, 3
- Inorganic macrocycles**
 Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with $\text{Ph}_2\text{P-C}\equiv\text{C-PPh}_2$ spacer, 53
- Insertion**
 Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO₂ in the homogeneously catalyzed Claus reaction, 193
- Ionic coupling**
 Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})]$ and $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})\{\text{Ru}(\eta^5\text{-C}_5\text{H}_5)\}_2]$ (dppm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$), 204
- Iridium**
 Structures and properties of complexes $[\text{MCl}(\text{C}_5\text{Me}_5)(\text{N}^{\wedge}\text{S})](\text{PF}_6)$, M = Rh, Ir, with N[^]S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, 84
- IR spectroscopy**
 Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, 183
- Isocyanide complexes**
 Reactions of the dirhenium(II) complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2$ (X = Cl, Br; dppm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$) with isocyanides: Part XX. Oxidation of the complexes $\text{Re}_2\text{X}_4(\mu\text{-dppm})_2(\text{L})$ (X = Cl or Br; dppm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$; L = *t*-BuNC, XylNC or CO) to the edge-sharing bioctahedral dirhenium(III) cations $[\text{Re}_2(\mu\text{-X})_2(\mu\text{-dppm})_2\text{X}_3(\text{L})]^+$, 27
- Lanthanides**
 Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(\text{Tp}^{\text{Bu,Me}})\text{Yb}(\text{C}_5\text{H}_4\text{R})$ (R = H, SiMe₃), 95
- Macrocyclization**
 Synthesis and structural characterization of chiral thiacrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, 115
- Magnesium**
 The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[\text{PhTp}^{\text{Bu}}]\text{MgR}$ (R = Me, Et) and $[\text{PhTp}^{\text{Bu}}]\text{ZnMe}$, 22
- Main group compounds**
 Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, 70
- Mercury(II)**
 Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, 165
- Metal carbonyl complexes**
 Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, 226
- Metal carbonyls**
 Density functional calculations of dinuclear organometallic carbonyl complexes. Part I: metal–metal and metal–CO bond energies, 212
- Metal–metal bonds**
 Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159
 Synthesis and characterization of [*trans*-di(μ -acetato)(μ -bis(diphenylphosphino)methylamine)bis(pyridine)dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, 177
- Metal–metal multiple bond**
 Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)amine, 136
- Micro-crystal diffraction**
 The preparation, molecular structure and catalytic relevance of $\text{Ti}(\text{OSiPh}_3)_4$ and $\text{Ti}(\text{OGePh}_3)_4$, 221
- Molecular modeling**
 Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159

Molybdenum

Preparation and structure of the 17-electron (η^5 -C₅R₅)Mo(OH)₂(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, 64

Nanocomposites

Formation of a Pt₁Sn₁(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, 252

Nanoparticles

Formation of a Pt₁Sn₁(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, 252

Nickel

Reaction of nickelocene with 1,3-dimesitylimidazolium chloride, 3

Niggliite

Formation of a Pt₁Sn₁(niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, 252

Olefin polymerization

Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl} ligands and a unique coupling product, 70

Organometallic hormone

The first organometallic derivative of 11 β -ethynylestradiol, a potential high-affinity marker for the estrogen receptor, 242

ortho-Metallation

Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, 165

Synthesis, structure and properties of cycloruthenated complexes: crystal structure of mono-chloro-(η^6 -*p*-cymene)-{(phenyl-azophenyl)ruthenium(II), 232

Osmium

Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyrindyl azo ligands, 36

Synthesis, structure, and reactivity of osmium π -thiophene complexes, 46

Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of [Os₆(CO)₁₇(Au₂dppm)] and [Os₆(CO)₁₇(Au₂dppm){Ru(η^5 -C₅H₅)₂}] (dppm = Ph₂PCH₂PPh₂), 204

Oxidation

Preparation and structure of the 17-electron (η^5 -C₅R₅)Mo(OH)₂(dppe) (R = Me, Et) organometallic compounds containing two *gem*-terminal hydroxide ligands, 64

Palladium

Photo-assisted formation of a chelating diphos ligand from PPh₃ and a cyclometallated [P(C₆H₄)(C₆H₅)₂][−] ligand. Crystal structure of Pd{ η^2 -*o*-[P(C₆H₅)₂]₂(C₆H₄)}Br₂, 248

P–C bond breaking

Photo-assisted formation of a chelating diphos ligand from PPh₃ and a cyclometallated [P(C₆H₄)(C₆H₅)₂][−] ligand. Crystal structure of Pd{ η^2 -*o*-[P(C₆H₅)₂]₂(C₆H₄)}Br₂, 248

Pd(II) and Pt(II) complexes

Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with Ph₂P–C≡C–PPh₂ spacer, 53

Perfluorobutyl germanium

Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, 6

Perfluoropropyl germanium

Synthesis of perfluoropropyl and perfluorobutyl germanium by direct fluorination: a potential general synthesis for perfluorinated metal alkyls, 6

2-Phenylpyridines

Mercury(II) and gold(III) derivatives of 2-phenyl pyridines and 2-phenyl-4-(methylcarboxylato)quinoline, 165

Phosphine

Synthesis, characterization, and X-ray crystallography of a series of ditungsten complexes with bis(diphenylphosphino)amine, 136

Photoluminescence

Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with Ph₂P–C≡C–PPh₂ spacer, 53

Polymeric complex

Chain polymeric complexes of some first-series transition-metal ions with *N,N,N',N'*-tetra-acetyl-1,4-diaminobutane, 16

Polyphosphines

Photoluminescent macrocyclic Pd(II) and Pt(II) dimeric complexes with Ph₂P–C≡C–PPh₂ spacer, 53

Pyridine derivatives

Synthesis and characterization of [*trans*-di(μ -acetato)(μ -bis(diphenylphosphino)methylamine) bis(pyridine) dimolybdenum(II)]bis(tetrafluoroborate) and derivatives, 177

Raman

Raman spectroscopic investigations of dinuclear gold ylide complexes; further relationships of Au–Au bond lengths versus Au–Au stretching frequencies, 237

Rhenium

Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, 102

Molecular modeling of dimetal systems: Part 4. Dirhenium bonds, 159

Synthesis and structural characterization of chiral thiocrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, 115

Rhodium

Structures and properties of complexes [MCl(C₅Me₅(N[^]S))(PF₆), M = Rh, Ir, with N[^]S = 1-methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, 84

Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of Rh₂(O₂CCF₃)₂(CO)₄ combined with Rh₂(O₂CCF₃)₄, a compound with infinite chains of rhodium atoms, 130

Rhodium acetate

Structural and electronic properties of (2,2-*trans*)-dirhodium(II) tetrakis(*N*-phenylacetamidate), 90

Ru–ethylene

The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, 77

Ru–macrocycle

The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, 77

Ru–Ru bonds

The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, 77

Ruthenium

Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO₂ in the homogeneously catalyzed Claus reaction, 193

Synthesis, structure, and reactivities of the Ru–Co heterobimetallic complex. Molecular structures of Cp^{*}Ru(CO)₂(μ_2 -CO)Co(CO)₃, Cp^{*}Ru(μ_2 -CO)₂(μ_2 -dppm)Co(CO)₂, Cp^{*}Ru(CNBU^t)(CO)(μ_2 -CO)Co(CO)₃, and Cp^{*}(CO)Ru{ η^2 : η^4 - μ_2 -C(Tol)CHC(Tol)CH}Co(CO)₂ (Cp^{*} = η^5 -C₅Me₅, dppm = Ph₂PCH₂PPh₂, Tol = C₆H₄Me-4), 121

- Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})]$ and $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})\{\text{Ru}(\eta^5\text{-C}_5\text{H}_5)\}_2]$ (dppm = $\text{Ph}_2\text{PCH}_2\text{-PPh}_2$), 204
- Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, 144
- Silanethiolate
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, 193
- Silica xerogels
Formation of a Pt_1Sn_1 (niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, 252
- Sol–gel chemistry
Formation of a Pt_1Sn_1 (niggliite)–silica xerogel nanocomposite using a PtSn (1:1) organometallic precursor, 252
- Solvatochromism
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyriddy azo ligands, 36
- Structure
Structures and properties of complexes $[\text{MCl}(\text{C}_5\text{Me}_5)(\text{N}^{\wedge}\text{S})](\text{PF}_6)$, $\text{M} = \text{Rh}, \text{Ir}$, with $\text{N}^{\wedge}\text{S} = 1$ -methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, 84
Triphenylphosphine-substituted *N,N*-di-*iso*-propylcarbamate of ruthenium(II) and its reactions with carbon monoxide, 144
- Sulphydryl complex
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, 193
- Sulfur dioxide
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, 193
- Supramolecular structure
Synthesis and X-ray structures of some Group 6 metal carbonyl bis(2-pyridyl)formamidine complexes, 226
- Tetrahydrothiophene
Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, 102
- Tetramethyltetraaza[14]annulene
The metal–metal bond in the dibenzotetramethyltetraaza-[14]annulene–ruthenium dinuclear complex: a structural, magnetic, and theoretical analysis, 77
- Thiacrowns
Synthesis and structural characterization of chiral thiocrowns: the crystal and molecular structure of (*R,R,R*)-2,6,10-trimethyl-1,5,9-trithiacyclododecane, 115
- Thioethers
Structures and properties of complexes $[\text{MCl}(\text{C}_5\text{Me}_5)(\text{N}^{\wedge}\text{S})](\text{PF}_6)$, $\text{M} = \text{Rh}, \text{Ir}$, with $\text{N}^{\wedge}\text{S} = 1$ -methyl-2-(alkylthiomethyl)-1*H*-benzimidazole ligands, 84
- Thiolate
Synthesis, structure, and reactivity of osmium π -thiophene complexes, 46
- Thiophene
Synthesis, structure, and reactivity of osmium π -thiophene complexes, 46
- Thiosulfite
Preparation of ruthenium silanethiolato complexes and their reactions with sulfur dioxide; possible models for the activation of SO_2 in the homogeneously catalyzed Claus reaction, 193
- Tin
Synthesis and structural characterization of Group 14 complexes containing two {9-[2-(dimethylamino)ethyl]fluorenyl-} ligands and a unique coupling product, 70
- Trifluoroacetate
Studies of tetrakis(trifluoroacetate) dirhodium: Part 4. Solventless synthesis of $\text{Rh}_2(\text{O}_2\text{CCF}_3)_2(\text{CO})_4$ combined with $\text{Rh}_2(\text{O}_2\text{CCF}_3)_4$, a compound with infinite chains of rhodium atoms, 130
- Tris(pyrazolyl)borate
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[\text{PhTp}^{\text{Bu}}]\text{MgR}$ ($\text{R} = \text{Me}, \text{Et}$) and $[\text{PhTp}^{\text{Bu}}]\text{ZnMe}$, 22
- Tungsten
Synthesis, characterization and crystal structures of some tungsten and triosmium carbonyl complexes with monopyridyl and dipyriddy azo ligands, 36
- Ultrafast spectroscopy
Femtosecond infrared studies of ligand rearrangement reactions: silyl hydride products from Group 6 carbonyls, 183
- Vinyltetrahydrothiophene
Coordinations of vinyltetrahydrothiophene to a trirhenium cluster, 102
- X-ray
Synthesis, structure, and reactivity of osmium π -thiophene complexes, 46
- X-ray structure
Systematic formation of mixed-metal high-nuclearity clusters: the synthesis and characterisation of $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})]$ and $[\text{Os}_6(\text{CO})_{17}(\text{Au}_2\text{dppm})\{\text{Ru}(\eta^5\text{-C}_5\text{H}_5)\}_2]$ (dppm = $\text{Ph}_2\text{-PCH}_2\text{PPh}_2$), 204
- Ytterbium(II)
Mixed pyrazolylborate/cyclopentadienyl derivatives of divalent lanthanides: synthesis and structure of $(\text{Tp}^{\text{Bu,Me}})\text{Yb}(\text{C}_5\text{H}_4\text{R})$ ($\text{R} = \text{H}, \text{SiMe}_3$), 95
- Zinc
The synthesis and structural characterization of phenyl tris(3-*t*-butylpyrazolyl)borato alkyl complexes of magnesium and zinc, $[\text{PhTp}^{\text{Bu}}]\text{MgR}$ ($\text{R} = \text{Me}, \text{Et}$) and $[\text{PhTp}^{\text{Bu}}]\text{ZnMe}$, 22