

## Subject Index of Volume 601

- Acetate**  
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226
- Acetylacetonate**  
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226
- Alkali**  
Anionic dichlorolanthanocene compounds. X-ray crystal structures of  $\{[(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3]_2\text{LnCl}_2\}[\text{Li}(\text{THF})_4]$  (Ln = Er, Yb) and  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{Yb}(\mu\text{-Cl})_2\text{Li}(\text{THF})_2$ , 160
- Alkenes**  
On the in situ trimethylsilylation of zinc acetylides, 341
- Alkenylcarbene**  
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, 78
- Alkyne**  
Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271  
Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226
- Alkynols**  
Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, 78
- Allyl complexes**  
From molecules to aggregates: crystal structures of molybdenum binuclear complexes, 34
- 1-Allylpyrrole**  
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, 320
- Amino acids**  
Chiral cyclopalladated liquid crystals from amino acids, 305
- Anthracene**  
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, 237
- Aromatic heterocycles**  
Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233
- Aromatic ketones**  
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, 172
- Aryl iodides**  
Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu, \eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201
- Asymmetric catalysis**  
Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethylidiphosphine rhodium catalysts, 138
- Asymmetric hydrogenation**  
Rh and Ir complexes containing multidentate, C<sub>2</sub>-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, 284
- Asymmetric reaction**  
Complexes *cis*-[PdCl<sub>2</sub>(OSMeR)<sub>2</sub>] (R = Me, Ph, and C<sub>6</sub>H<sub>4</sub>Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, 51
- Azobenzene**  
Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of  $[\text{RuCl}(\text{CO})(\eta^2\text{-C,N-C}_6\text{H}_4\text{N=NPh})(\text{PPh}_3)_2] \cdot 0.5\text{CHCl}_3 \cdot 0.5\text{Et}_2\text{O}$ . Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, 164
- Benzylferrocenes**  
Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, 246
- Binuclear complexes**  
From molecules to aggregates: crystal structures of molybdenum binuclear complexes, 34
- Bis-lactones**  
Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153
- Bis(trimethylsilyl)amide**  
Synthesis and structural characterisation of bis(trimethylsilyl)amidotin(II) triflate  $[\{\text{Sn}(\text{NR}_2)(\mu\text{-}\eta^2\text{-}\overline{\text{OTf}}_2)\}_\infty]$  (R = SiMe<sub>3</sub>,  $\text{-OTf} = \text{-OSO}_2\text{CF}_3$ ), 142
- Bromination/desilylation**  
Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, 172
- $\gamma$ -Butyrolactones**  
Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153
- Cadmium**  
Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, 237
- Carbonylation**  
On the mechanism of hydroesterification of styrene using an in situ formed cationic palladium complex, 100
- Catalysis**  
Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, 320  
Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, 57
- Catalytic cycle**  
On the mechanism of hydroesterification of styrene using an in situ formed cationic palladium complex, 100
- Catalytic hydrogenation**  
Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)-PhP(CH<sub>2</sub>CHMeCH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> and (*S*)-Ph<sub>2</sub>PCH<sub>2</sub>CH(PPh<sub>2</sub>)CH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>), 330

## Catalytic intermediate

Synthesis and molecular structure of  $[\text{RuCl}\{\text{C}(\text{=CHPh})\text{OC}(\text{=O})\text{CH}_2\text{CH}_3\}\{\text{CO}(\text{PPh}_3)_2\}]$ : a real intermediate in ruthenium complex-catalyzed selective synthesis of a (Z)-enol ester, 69

## Cationic palladium complexes

Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of  $[\text{PdMe}\{\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{Ph}\}\{\text{PCy}_3\}](\text{PF}_6)$  and  $[\text{Pd}\{\text{Ph}_2\text{PCH}\cdots\text{C}(\text{=O})\text{Ph}\}\{\text{SMe}_2\}](\text{PF}_6)$ , 43

 $\text{CCl}_4$ 

Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCl}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16

## Chirality

Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]-ferrocenophanes — synthesis, characterization and ring-opening polymerization, 211

## Chiral tridentate phosphines

Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)- $\text{PhP}(\text{CH}_2\text{CHMeCH}_2\text{PPh}_2)_2$  and (*S*)- $\text{Ph}_2\text{PCH}_2\text{CH}(\text{PPh}_2)\text{CH}_2\text{CH}_2\text{PPh}_2$ , 330

 $\alpha$ -Chloro esters

Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153

## Chromium

Functionalised alkenylcarbene metal complexes ( $\text{M} = \text{Ru}, \text{W}, \text{Cr}$ ) by activation of propargyl alcohol derivatives, 78

## CIDNP

Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of  $^1\text{H}$  CIDNP and laser pulse photolysis, 324

## Cluster

Reactions of  $[(\mu\text{-RS})(\mu\text{-S})\{\text{Fe}_2(\text{CO})_6\}_2(\mu_4\text{-S})]^-$  with acid chlorides and diacid chlorides. Crystal structure of  $(\mu\text{-PhCH}_2\text{S})[\mu\text{-CH}_2=\text{C}(\text{Me})\text{COS}][\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})$ , 108

## Cobalt

Ligating similarities between the novel five-electron-donor  $\eta^4\text{-P}_3\text{C}_2\text{Bu}_2^-(\text{R})\text{H}$  ring system, ( $\text{R} = \text{CH}(\text{SiMe}_3)_2$ ) and the  $\eta^5$ -cyclopentadienyl ring. Syntheses, crystal and molecular structures of  $[\text{Co}_2(\text{CO})_5(\mu\text{-P}_3\text{C}_2\text{Bu}_2^-\text{CH}(\text{SiMe}_3)_2)]$  and  $[\text{Co}(\text{CO})_2(\eta^4\text{-P}_3\text{C}_2\text{Bu}_2^-\text{H}(\text{CH}(\text{SiMe}_3)_2))]$ , 335

Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271

## CO insertion

Cyclometallated complexes of ruthenium and osmium containing the *o*- $\text{C}_6\text{H}_4\text{PPh}_2$  ligand, 299

## Complex

Reaction of  $[\text{Et}_3\text{NH}][(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]$  ( $\text{E} = \text{S}, \text{Se}$ ) with azides. Synthesis of  $(\mu\text{-RE})(\mu\text{-p-R}^1\text{C}_6\text{H}_4\text{N}_3\text{H})\text{Fe}_2(\text{CO})_6$  and crystal structure of  $(\mu\text{-Bu}^t\text{S})(\mu\text{-PhN}_3\text{H})\text{Fe}_2(\text{CO})_6$ , 87

## Conformational equilibria

*para*-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, 114

## Copper(I)

Synthesis, electrochemistry and electronic spectra of tetranuclear bis( $\eta^2$ -alkynyl) transition-metal complexes. The molecular structure of  $[(\eta^2\text{-C}_3\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CFc})_2]\text{CuBr}$ , 93

## Crystallography

Synthesis and structural characterisation of bis(trimethylsilyl)-amidotin(II) triflate  $\{[\text{Sn}(\text{NR}_2)(\mu\text{-}\eta^2\text{-OTf})_2]\}_\infty$  ( $\text{R} = \text{SiMe}_3$ ,  $-\text{OTf} = -\text{OSO}_2\text{CF}_3$ ), 142

## Crystal structure

Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of  $[\text{PtMe}\{3\text{-}(\text{PhCH}_2\text{NCH})\text{C}_4\text{H}_2\text{S}\}\{\text{PPh}_3\}]$ , 22

Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of  $[\text{RuCl}(\text{CO})(\eta^2\text{-C,N-C}_6\text{H}_4\text{N=NPh})\{\text{PPh}_3\}_2] \cdot 0.5\text{CHCl}_3 \cdot 0.5\text{Et}_2\text{O}$ . Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, 164

The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, 267

## Crystal structures

From molecules to aggregates: crystal structures of molybdenum binuclear complexes, 34

Pentacoordinated diolefinic rhodium(I) organocomplexes with  $\alpha$ -diimine ligands. Crystal structures of  $[\text{Rh}(\text{Nbd})(\text{LL})\text{-}(\text{PPh}_3)]\text{ClO}_4$  (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), 311

Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, 220

## Cu

Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153

## Cyclic voltammetry

Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, 293

## Cyclometalation

Complexes *cis*- $[\text{PdCl}_2(\text{OSMeR})_2]$  ( $\text{R} = \text{Me}, \text{Ph}$ , and  $\text{C}_6\text{H}_4\text{Me-4}$ ) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, 51

## Cyclometallation

Cyclometallated complexes of ruthenium and osmium containing the *o*- $\text{C}_6\text{H}_4\text{PPh}_2$  ligand, 299

Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of  $[\text{PtMe}\{3\text{-}(\text{PhCH}_2\text{NCH})\text{C}_4\text{H}_2\text{S}\}\{\text{PPh}_3\}]$ , 22

## Cyclopentadienyl

Ligating similarities between the novel five-electron-donor  $\eta^4\text{-P}_3\text{C}_2\text{Bu}_2^-(\text{R})\text{H}$  ring system, ( $\text{R} = \text{CH}(\text{SiMe}_3)_2$ ) and the  $\eta^5$ -cyclopentadienyl ring. Syntheses, crystal and molecular structures of  $[\text{Co}_2(\text{CO})_5(\mu\text{-P}_3\text{C}_2\text{Bu}_2^-\text{CH}(\text{SiMe}_3)_2)]$  and  $[\text{Co}(\text{CO})_2(\eta^4\text{-P}_3\text{C}_2\text{Bu}_2^-\text{H}(\text{CH}(\text{SiMe}_3)_2))]$ , 335

## DFT calculations

From molecules to aggregates: crystal structures of molybdenum binuclear complexes, 34

## Digermabicyclooctadiene

Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of  $^1\text{H}$  CIDNP and laser pulse photolysis, 324

## Diimine complexes

Pentacoordinated diolefinic rhodium(I) organocomplexes with  $\alpha$ -diimine ligands. Crystal structures of  $[\text{Rh}(\text{Nbd})(\text{LL})\text{-}(\text{PPh}_3)]\text{ClO}_4$  (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), 311

## Dimethylgermylene

Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of  $^1\text{H}$  CIDNP and laser pulse photolysis, 324

## Dinuclear

Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271

## Diphosphines

Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethylidiphosphine rhodium catalysts, 138

## Electrochemical properties

*para*-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, 114

## Electrochemistry

Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of  $[\text{PtMe}\{\text{3-(PhCH}_2\text{NCH)}\text{C}_4\text{H}_2\text{S}\}\text{PPh}_3]$ , 22

Synthesis, electrochemistry and electronic spectra of tetranuclear bis( $\eta^2$ -alkynyl) transition-metal complexes. The molecular structure of  $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CFc})_2]\text{CuBr}$ , 93

## Enol ester

Synthesis and molecular structure of  $[\text{RuCl}\{\text{C}(\text{=CHPh})\text{OC}(\text{=O})\text{-CH}_2\text{CH}_3\}\text{CO}(\text{PPh}_3)_2]$ : a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, 69

## Epoxidation

Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, 57

## Equilibria

Synthesis, characterization and X-ray structural determination of palladium(0)-olefin complexes containing pyridinethioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, 1

## Ethylene/CO copolymerization

Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of  $[\text{PdMe}\{\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{Ph}\}(\text{PCy}_3)(\text{PF}_6)]$  and  $[\text{Pd}\{\text{Ph}_2\text{PCH}\cdots\text{C}(\cdots\text{O})\text{Ph}\}(\text{SMe}_2)_2](\text{PF}_6)$ , 43

## Ethylene dimerization

Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of  $[\text{PdMe}\{\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{Ph}\}(\text{PCy}_3)(\text{PF}_6)]$  and  $[\text{Pd}\{\text{Ph}_2\text{PCH}\cdots\text{C}(\cdots\text{O})\text{Ph}\}(\text{SMe}_2)_2](\text{PF}_6)$ , 43

## Fe

Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153

## Ferrocene

Complexes *cis*- $[\text{PdCl}_2(\text{OSMeR})_2]$  (R = Me, Ph, and  $\text{C}_6\text{H}_4\text{Me-4}$ ) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, 51

## Ferrocenium

Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations:  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}_2\text{Fe}^+$  and  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}_2^*\text{Fe}^+$ , 126

## [1]Ferrocenophane

Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, 211

## [1.1]Ferrocenophane

Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, 211

## Ferrocenyl

Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, 293

Synthesis, electrochemistry and electronic spectra of tetranuclear bis( $\eta^2$ -alkynyl) transition-metal complexes. The molecular structure of  $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CFc})_2]\text{CuBr}$ , 93

## Ferrocenyl derivatives

Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, 246

## Ferrocenylphosphines

Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethylidiphosphine rhodium catalysts, 138

## Gallium phosphide

Synthesis and characterization of single-source precursors to nanocrystalline GaP, GaP<sub>x</sub>As<sub>1-x</sub>, and GaP<sub>x</sub>Sb<sub>1-x</sub>. X-ray crystal structures of  $[\text{Et}_2\text{GaP}(\text{SiMe}_3)_2]_2$ ,  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{As}(\text{SiMe}_3)_2$ , and  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{Sb}(\text{SiMe}_3)_2$ , 191

## Gallium phosphorus clusters

Synthesis and characterization of single-source precursors to nanocrystalline GaP, GaP<sub>x</sub>As<sub>1-x</sub>, and GaP<sub>x</sub>Sb<sub>1-x</sub>. X-ray crystal structures of  $[\text{Et}_2\text{GaP}(\text{SiMe}_3)_2]_2$ ,  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{As}(\text{SiMe}_3)_2$ , and  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{Sb}(\text{SiMe}_3)_2$ , 191

## Germanium

Photolysis of 7,8-digermbicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of <sup>1</sup>H CIDNP and laser pulse photolysis, 324

## Halogenation

Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233

## High purity

Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, 133

## Hydroesterification

On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, 100

## Hydroformylation

Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethylidiphosphine rhodium catalysts, 138

Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, 320

## Hyperconjugative effects

The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, 267

## Indacenide complexes

The crystal structure of 5-hydro- and 7-hydro-*s*-indacenide-Rh(COD). A comparison with similar complexes, 267

## Indolizine

Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, 320

## Inert anion

Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations:  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}_2\text{Fe}^+$  and  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}_2^*\text{Fe}^+$ , 126

## Inner-sphere electron transfer

The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, 147

## Iridium

Rh and Ir complexes containing multidentate, C<sub>2</sub>-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, 284

- Iron**  
 Reaction of  $[\text{Et}_3\text{NH}][(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]$  ( $\text{E} = \text{S}, \text{Se}$ ) with azides. Synthesis of  $(\mu\text{-RE})(\mu\text{-p-R}^1\text{C}_6\text{H}_4\text{N}_3\text{H})\text{Fe}_2(\text{CO})_6$  and crystal structure of  $(\mu\text{-Bu}^t\text{S})(\mu\text{-PhN}_3\text{H})\text{Fe}_2(\text{CO})_6$ , 87  
 Reactions of  $[(\mu\text{-RS})(\mu\text{-S})\{\text{Fe}_2(\text{CO})_6\}_2(\mu_4\text{-S})]^-$  with acid chlorides and diacid chlorides. Crystal structure of  $(\mu\text{-PhCH}_2\text{S})[\mu\text{-CH}_2\text{-C}(\text{Me})\text{COS}][\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})$ , 108  
 Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271  
 Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, 57
- Ketophosphine ligands**  
 Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of  $[\text{PdMe}\{\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{Ph}\}(\text{PCy}_3)](\text{PF}_6)$  and  $[\text{Pd}\{\text{Ph}_2\text{PCH}\cdots\text{C}\cdots\text{O}\}\text{Ph}\}(\text{SMe}_2)_2](\text{PF}_6)$ , 43
- Lanthanocene**  
 Anionic dichlorolanthanocene compounds. X-ray crystal structures of  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{LnCl}_2[\text{Li}(\text{THF})_4]$  ( $\text{Ln} = \text{Er}, \text{Yb}$ ) and  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{Yb}(\mu\text{-Cl})_2\text{Li}(\text{THF})_2$ , 160
- Laser flash photolysis**  
 Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of  $^1\text{H}$  CIDNP and laser pulse photolysis, 324
- Liquid crystals**  
 Chiral cyclopalladated liquid crystals from amino acids, 305
- Lithium compounds**  
 Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233
- Magnesium**  
 Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, 259
- Manganese**  
 Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, 57
- Mechanism**  
 On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, 100
- Mesogenic**  
 Chiral cyclopalladated liquid crystals from amino acids, 305
- Metal–halogen exchange**  
 Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233
- Metalloocene**  
 Anionic dichlorolanthanocene compounds. X-ray crystal structures of  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{LnCl}_2[\text{Li}(\text{THF})_4]$  ( $\text{Ln} = \text{Er}, \text{Yb}$ ) and  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{Yb}(\mu\text{-Cl})_2\text{Li}(\text{THF})_2$ , 160
- Metathesis polymerisation**  
 Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCL}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16
- MOCVD**  
 Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, 133
- Molybdenum**  
 From molecules to aggregates: crystal structures of molybdenum binuclear complexes, 34
- Multidentate ligands**  
 Rh and Ir complexes containing multidentate,  $C_2$ -symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, 284
- Nanocrystalline**  
 Synthesis and characterization of single-source precursors to nanocrystalline GaP,  $\text{GaP}_x\text{As}_{1-x}$ , and  $\text{GaP}_x\text{Sb}_{1-x}$ . X-ray crystal structures of  $[\text{Et}_2\text{GaP}(\text{SiMe}_3)_2]$ ,  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{As}(\text{SiMe}_3)_2$ , and  $(\text{Me}_3\text{Si})_2\text{P}[\mu\text{-GaEt}_2]_2\text{Sb}(\text{SiMe}_3)_2$ , 191
- NMR and  $^{119}\text{Sn}$  Mössbauer spectra**  
 Synthesis and structural characterisation of bis(trimethylsilyl)amidotin(II) triflate  $[\{\text{Sn}(\text{NR}_2)(\mu\text{-}\eta^2\text{-}\overline{\text{OTf}}_2)\}]_\infty$  ( $\text{R} = \text{SiMe}_3$ ,  $\text{-OTf} = \text{-OSO}_2\text{CF}_3$ ), 142
- Norbornene**  
 Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCL}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16
- Organoaluminum compounds**  
 Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, 133
- Olefin and ligand exchange**  
 Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridinthioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, 1
- Oligosilanes**  
 Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, 259
- o*-Methoxyphenyl**  
 Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, 246
- Organocobaloximes**  
*para*-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, 114
- Organogallium compounds**  
 Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, 133
- Organolanthanide**  
 Anionic dichlorolanthanocene compounds. X-ray crystal structures of  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{LnCl}_2[\text{Li}(\text{THF})_4]$  ( $\text{Ln} = \text{Er}, \text{Yb}$ ) and  $\{(\text{Me}_3\text{Si})_2\text{C}_5\text{H}_3\}_2\text{Yb}(\mu\text{-Cl})_2\text{Li}(\text{THF})_2$ , 160
- Osmium**  
 Cyclometallated complexes of ruthenium and osmium containing the *o*- $\text{C}_6\text{H}_4\text{PPh}_2$  ligand, 299
- Oxidants**  
 Selective oxidants for organometallic compounds containing a stabilising anion of highly reactive cations:  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}_2\text{Fe}^+$  and  $(3,5(\text{CF}_3)_2\text{-C}_6\text{H}_3)_4\text{B}^-$   $\text{Cp}^*\text{Fe}^+$ , 126
- Oxidation**  
 Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, 172  
 Syntheses of monomeric iron and manganese complexes using bulky tripodal ligands: catalytic alkene epoxidations, 57
- Oxidation potential**  
 Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, 246
- Oxidative addition**  
 Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of  $[\text{PtMe}\{3\text{-}(\text{PhCH}_2\text{NCH})\text{C}_4\text{H}_2\text{S}\}\text{PPh}_3]$ , 22  
 Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu\text{-}\eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201

- $\beta$ -Oxothioether ligands  
 Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu,\eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201
- Palladium  
 Chiral cyclopalladated liquid crystals from amino acids, 305  
 Complexes *cis*- $[\text{PdCl}_2(\text{OSMeR})_2]$  (R = Me, Ph, and C<sub>6</sub>H<sub>4</sub>Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, 51  
 On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, 100
- Palladium complex  
 Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu,\eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201
- Palladium–olefin complexes  
 Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridinethioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, 1
- Pentacoordinated complexes  
 Pentacoordinated diolefinic rhodium(I) organocomplexes with  $\alpha$ -diimine ligands. Crystal structures of  $[\text{Rh}(\text{Nbd})(\text{LL})\text{-}(\text{PPh}_3)]\text{ClO}_4$  (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), 311
- Phenylacetylene  
 Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCl}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16
- Phosphido  
 Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271
- Phosphine  
 Regiospecificity in reactions of alkynes and phosphines with the phosphido-bridged iron–cobalt complex  $[(\text{OC})_4\text{Fe}(\mu\text{-PPh}_2)\text{Co}(\text{CO})_3]$ , 271
- Phosphine enolate ligands  
 Cationic palladium complexes with ketophosphine and phosphino enolate ligands and their reactivity towards C–C coupling reactions. Crystal structures of  $[\text{PdMe}\{\text{Ph}_2\text{PCH}_2\text{C}(\text{O})\text{Ph}\}\text{-}(\text{PCy}_3)](\text{PF}_6)$  and  $[\text{Pd}\{\text{Ph}_2\text{PCH}\cdots\text{C}(\cdots\text{O})\text{Ph}\}\text{-}(\text{SMe}_2)_2](\text{PF}_6)$ , 43
- Phosphine oxide  
 Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, 293
- Phosphines  
 Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu,\eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201
- Phosphonium salt  
 Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, 293
- Phosphorus  
 Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, 211
- Photolysis  
 Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCl}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16
- Platinum  
 Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of  $[\text{PtMe}\{3\text{-}(\text{PhCH}_2\text{NCH})\text{C}_4\text{H}_2\text{S}\}\text{PPh}_3]$ , 22
- (Porphinato)iron(III)  
 Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, 253
- Porphyrin  
 Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, 253
- p*-Substituted diphenylborinic groups  
*para*-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, 114
- Pyridine  
 Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, 237
- Reaction  
 Reactions of  $[(\mu\text{-RS})(\mu\text{-S})\{\text{Fe}_2(\text{CO})_6\}_2(\mu_4\text{-S})]^-$  with acid chlorides and diacid chlorides. Crystal structure of  $(\mu\text{-PhCH}_2\text{S})[\mu\text{-CH}_2=\text{C}(\text{Me})\text{COS}][\text{Fe}_2(\text{CO})_6]_2(\mu_4\text{-S})$ , 108
- Rearrangement reaction  
 The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, 147
- Redox processes  
 Zur Umsetzung von Bis(alkinyl)-Titanocenonen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226
- Reduction  
 On the in situ trimethylsilylation of zinc acetylides, 341
- Reductive cyclization  
 Synthesis of  $\gamma$ -lactones and unsaturated bis  $\gamma$ -lactones via Cu–Fe-mediated reductive cyclization of di- and tri- $\alpha$ -halogenated carboxylic esters, 153
- Reductive elimination  
 Reactivity of  $[\text{Pd}_3(\mu\text{-OAc})_3(\mu,\eta^2\text{-MeSCHCO}_2\text{Et-C,S})_3]$  in the presence of triphenylphosphine: a model of the early steps of the Pd/PR<sub>3</sub>-catalysed Heck reaction, 201
- Rhodium  
 Asymmetric catalytic hydroformylation of styrene: stereoselective ferrocenylethylidiphosphine rhodium catalysts, 138  
 Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)- $\text{PhP}(\text{CH}_2\text{CHMeCH}_2\text{PPh}_2)_2$  and (*S*)- $\text{Ph}_2\text{PCH}_2\text{CH}(\text{PPh}_2)\text{CH}_2\text{CH}_2\text{PPh}_2$ , 330  
 Rh and Ir complexes containing multidentate, C<sub>2</sub>-symmetry ligands. Structural and catalytic properties in asymmetric hydrogenation, 284  
 Rhodium-catalyzed hydroformylation of 1-allylpyrrole as an unexpected way to 5,6-dihydroindolizine synthesis, 320
- Rhodium complexes  
 Pentacoordinated diolefinic rhodium(I) organocomplexes with  $\alpha$ -diimine ligands. Crystal structures of  $[\text{Rh}(\text{Nbd})(\text{LL})\text{-}(\text{PPh}_3)]\text{ClO}_4$  (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), 311  
 The crystal structure of 5-hydro- and 7-hydro-*s*-indacene-Rh(COD). A comparison with similar complexes, 267
- Ring expansion  
 The ring expansion of a dimethyl-substituted vinylcyclobutene derivative by metal complexes that can undergo an inner-sphere electron transfer, 147
- Ring-opening polymerization (ROP)  
 Optically active transition-metal complexes: Part 124. Chiral 1-phospha[1]ferrocenophanes and 1,12-diphospha[1.1]ferrocenophanes — synthesis, characterization and ring-opening polymerization, 211

## Ruthenium

Cyclometallated complexes of ruthenium and osmium containing the *o*-C<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub> ligand, 299

Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, 78

Ligating similarities between the novel five-electron-donor η<sup>4</sup>-P<sub>3</sub>C<sub>2</sub>Bu<sub>2</sub>(R)H ring system, (R = CH(SiMe<sub>3</sub>)<sub>2</sub>) and the η<sup>5</sup>-cyclopentadienyl ring. Syntheses, crystal and molecular structures of [Co<sub>2</sub>(CO)<sub>5</sub>(μ-P<sub>3</sub>C<sub>2</sub>Bu<sub>2</sub>CH(SiMe<sub>3</sub>)<sub>2</sub>)] and [Co(CO)<sub>2</sub>(η<sup>4</sup>-P<sub>3</sub>C<sub>2</sub>Bu<sub>2</sub>H(CH(SiMe<sub>3</sub>)<sub>2</sub>))], 335

Preparation and catalytic hydrogenation properties of some rhodium and ruthenium complexes with chiral tridentate phosphine ligands (*S,S*)-PhP(CH<sub>2</sub>CHMeCH<sub>2</sub>PPh<sub>2</sub>)<sub>2</sub> and (*S*)-Ph<sub>2</sub>PCH<sub>2</sub>CH(PPh<sub>2</sub>)CH<sub>2</sub>CH<sub>2</sub>PPh<sub>2</sub>, 330

Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of [RuCl(CO)(η<sup>2</sup>-C,N-C<sub>6</sub>H<sub>4</sub>N=NPh)(PPh<sub>3</sub>)<sub>2</sub>].0.5CHCl<sub>3</sub>.0.5Et<sub>2</sub>O. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, 164

## Ruthenium catalysis

Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, 172

## Ruthenium complexes

Synthesis and molecular structure of [RuCl{C(=CHPh)OC(=O)CH<sub>2</sub>CH<sub>3</sub>}<sub>2</sub>(CO)(PPh<sub>3</sub>)<sub>2</sub>]: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, 69

Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, 220

## Schiff bases

Chiral cyclopalladated liquid crystals from amino acids, 305

## Selective catalysis

Synthesis and molecular structure of [RuCl{C(=CHPh)OC(=O)CH<sub>2</sub>CH<sub>3</sub>}<sub>2</sub>(CO)(PPh<sub>3</sub>)<sub>2</sub>]: a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, 69

## Selenium

Reaction of [Et<sub>3</sub>NH][(μ-RE)(μ-CO)Fe<sub>2</sub>(CO)<sub>6</sub>] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-*p*-R<sup>1</sup>C<sub>6</sub>H<sub>4</sub>N<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub> and crystal structure of (μ-Bu<sup>1</sup>S)(μ-PhN<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub>, 87

## Silver(I)

Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η<sup>2</sup>-alkynyl) transition-metal complexes. The molecular structure of [(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>Ti(C≡CfC)<sub>2</sub>]CuBr, 93

## Silylation

On the in situ trimethylsilylation of zinc acetylides, 341

## Solvatochromism

Synthesis and solvatochromism of some dipolar aryl-phosphonium and -phosphine oxide systems, 293

## Spin-crossover

Restudies of the spin state in (isothiocyanato)(pyridine)-(porphinato)iron(III) hemipyridine complex. A spin-crossover complex with two magnetically distinct sites, 253

## Stereoisomers

Mixed reagent (aminosilyl)lithium/*i*-PrMgBr for the synthesis of functionalized oligosilanes, 259

## Structure

Anionic dichlorolanthanocene compounds. X-ray crystal structures of [(Me<sub>3</sub>Si)<sub>2</sub>C<sub>3</sub>H<sub>3</sub>]<sub>2</sub>LnCl<sub>2</sub>[Li(THF)<sub>4</sub>] (Ln = Er, Yb) and [(Me<sub>3</sub>Si)<sub>2</sub>C<sub>3</sub>H<sub>3</sub>]<sub>2</sub>Yb(μ-Cl)<sub>2</sub>Li(THF)<sub>2</sub>, 160

Reaction of [Et<sub>3</sub>NH][(μ-RE)(μ-CO)Fe<sub>2</sub>(CO)<sub>6</sub>] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-*p*-R<sup>1</sup>C<sub>6</sub>H<sub>4</sub>N<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub> and crystal structure of (μ-Bu<sup>1</sup>S)(μ-PhN<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub>, 87

## Styrene

On the mechanism of hydroesterification of styrene using an in situ-formed cationic palladium complex, 100

## Sulfoxide

Complexes *cis*-[PdCl<sub>2</sub>(OSMeR)<sub>2</sub>] (R = Me, Ph, and C<sub>6</sub>H<sub>4</sub>Me-4) in attempted asymmetric cyclometalation of dimethylaminomethylferrocene, 51

## Sulfur

Reaction of [Et<sub>3</sub>NH][(μ-RE)(μ-CO)Fe<sub>2</sub>(CO)<sub>6</sub>] (E = S, Se) with azides. Synthesis of (μ-RE)(μ-*p*-R<sup>1</sup>C<sub>6</sub>H<sub>4</sub>N<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub> and crystal structure of (μ-Bu<sup>1</sup>S)(μ-PhN<sub>3</sub>H)Fe<sub>2</sub>(CO)<sub>6</sub>, 87

Reactions of [(μ-RS)(μ-S){Fe<sub>2</sub>(CO)<sub>6</sub>}<sub>2</sub>(μ<sub>4</sub>-S)]<sup>-</sup> with acid chlorides and diacid chlorides. Crystal structure of (μ-PhCH<sub>2</sub>S)[μ-CH<sub>2</sub>=C(Me)COS][Fe<sub>2</sub>(CO)<sub>6</sub>]<sub>2</sub>(μ<sub>4</sub>-S), 108

## Synthesis

Reactions of [(μ-RS)(μ-S){Fe<sub>2</sub>(CO)<sub>6</sub>}<sub>2</sub>(μ<sub>4</sub>-S)]<sup>-</sup> with acid chlorides and diacid chlorides. Crystal structure of (μ-PhCH<sub>2</sub>S)[μ-CH<sub>2</sub>=C(Me)COS][Fe<sub>2</sub>(CO)<sub>6</sub>]<sub>2</sub>(μ<sub>4</sub>-S), 108

Transportation in MOCVD of traces of oxygenated aluminum and gallium organometallics, 133

## Tautomerisation

Synthesis and characterisation of cyclometallated orthoazobenzene complexes of Ru(II): crystal and molecular structure of [RuCl(CO)(η<sup>2</sup>-C,N-C<sub>6</sub>H<sub>4</sub>N=NPh)(PPh<sub>3</sub>)<sub>2</sub>].0.5CHCl<sub>3</sub>.0.5Et<sub>2</sub>O. Is there a similarity to the hydroxyazo/ketohydrazone tautomerisation in *ortho*-hydroxyazobenzenes?, 164

## Tetraalkylsilane

Functionalisation of tetraalkylsilanes derived from C–H activation; towards annulations of diterpenoids, 172

## Tetrabromomethane

Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233

## Tetrachloromethane

Tetrahalogenomethanes: simple reagents for the synthesis of monohalogenated and mixed dihalogenated aromatic heterocycles via metal–halogen exchange from lithium compounds, 233

## Tetradentate ether–phosphine ligands

Synthesis, structure, and reactivity of ruthenium(II) complexes with a hemilabile tetradentate etherdiphosphine ligand, 220

## Tetramethyldigermene

Photolysis of 7,8-digermabicyclo[2.2.2]octadiene. The investigation of the elementary stages by means of <sup>1</sup>H CIDNP and laser pulse photolysis, 324

## Thienylimines

Cyclometallated platinum complexes with thienyl imines. X-ray crystal structure of [PtMe{3-(PhCH<sub>2</sub>NCH)C<sub>4</sub>H<sub>2</sub>S}PPh<sub>3</sub>], 22

## Thioethers

Synthesis, characterization and X-ray structural determination of palladium(0)–olefin complexes containing pyridinethioethers as ancillary ligands. Equilibria and rates of olefin and ligand exchange, 1

## Tin

Synthesis and structural characterisation of bis(trimethylsilyl)amidotin(II) triflate [{Sn(NR<sub>2</sub>)(μ-η<sup>2</sup>-OTf)<sub>2</sub>}]<sub>∞</sub> (R = SiMe<sub>3</sub>, -OTf = -OSO<sub>2</sub>CF<sub>3</sub>), 142

## Titanocene

Synthesis, electrochemistry and electronic spectra of tetranuclear bis(η<sup>2</sup>-alkynyl) transition-metal complexes. The molecular structure of [(η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>SiMe<sub>3</sub>)<sub>2</sub>Ti(C≡CfC)<sub>2</sub>]CuBr, 93

Zur Umsetzung von Bis(alkynyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226

- Transition metal  
 Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, 237
- Transition metal halides  
 Zur Umsetzung von Bis(alkinyl)-Titanocenen mit Übergangsmetall-Verbindungen von Cu(II), Pd(II), Pt(II), Fe(III) und Au(III), 226
- Triazenido ligand  
 Reaction of  $[\text{Et}_3\text{NH}][(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]$  (E = S, Se) with azides. Synthesis of  $(\mu\text{-RE})(\mu\text{-p-R}^1\text{C}_6\text{H}_4\text{N}_3\text{H})\text{Fe}_2(\text{CO})_6$  and crystal structure of  $(\mu\text{-Bu}^s\text{S})(\mu\text{-PhN}_3\text{H})\text{Fe}_2(\text{CO})_6$ , 87
- Trichlorostannate  
 Pentacoordinated diolefinic rhodium(I) organocomplexes with  $\alpha$ -diimine ligands. Crystal structures of  $[\text{Rh}(\text{Nbd})(\text{LL})(\text{PPh}_3)]\text{ClO}_4$  (Nbd = norbornadiene; LL = Bdh, biacetylidihydrazone; Pvdh, pyruvaldihydrazone; Bda, biacetyldianil), 311
- Triflate  
 Synthesis and structural characterisation of bis(trimethylsilyl)amidotin(II) triflate  $[\{\text{Sn}(\text{NR}_2)(\mu\text{-}\eta^2\text{-}\overline{\text{OTf}}_2)\}]_\infty$  (R = SiMe<sub>3</sub>, <sup>-</sup>OTf = <sup>-</sup>OSO<sub>2</sub>CF<sub>3</sub>), 142
- Trimethylacetylenes  
 On the in situ trimethylsilylation of zinc acetylides, 341
- Triphosphole  
 Ligating similarities between the novel five electron donor  $\eta^4\text{-P}_3\text{C}_2\text{Bu}_2(\text{R})\text{H}$  ring system, (R = CH(SiMe<sub>3</sub>)<sub>2</sub>) and the  $\eta^5\text{-cyclopentadienyl}$  ring. Syntheses, crystal and molecular structures of  $[\text{Co}_2(\text{CO})_5(\mu\text{-P}_3\text{C}_2\text{Bu}_2\text{CH}(\text{SiMe}_3)_2)]$  and  $[\text{Co}(\text{CO})_2(\eta^4\text{-P}_3\text{C}_2\text{Bu}_2\text{H}(\text{CH}(\text{SiMe}_3)_2))]$ , 335
- Tungsten  
 Functionalised alkenylcarbene metal complexes (M = Ru, W, Cr) by activation of propargyl alcohol derivatives, 78
- UV-vis  
 Synthesis, electrochemistry and electronic spectra of tetranuclear bis( $\eta^2\text{-alkynyl}$ ) transition-metal complexes. The molecular structure of  $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CFc})_2]\text{CuBr}$ , 93
- W(CO)<sub>6</sub>  
 Studies on the nature of active species in  $\text{W}(\text{CO})_6/\text{CCl}_4/h\nu$  system as applied to metathesis polymerisation reactions, 16
- X-ray  
 Synthesis, electrochemistry and electronic spectra of tetranuclear bis( $\eta^2\text{-alkynyl}$ ) transition-metal complexes. The molecular structure of  $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{Ti}(\text{C}\equiv\text{CFc})_2]\text{CuBr}$ , 93
- X-ray crystal structure  
 Oxidation potential of benzylferrocenes and related compounds: effects of the *ortho*-methoxy substituent in the phenyl group, 246
- X-ray structure  
 Synthesis and molecular structure of  $[\text{RuCl}\{\text{C}(\text{=CHPh})\text{OC}(\text{=O})\text{CH}_2\text{CH}_3\}(\text{CO})(\text{PPh}_3)_2]$ : a real intermediate in ruthenium complex-catalyzed selective synthesis of a (*Z*)-enol ester, 69
- X-ray structures  
*para*-Substituted diphenylborylated organocobaloximes: effects of substituents on conformation and redox properties, 114
- Zinc  
 Synthesis, structures and luminescent properties of metal complexes containing 4-[2-(9-anthryl)vinyl]pyridine, 237
- Zinc powder  
 On the in situ trimethylsilylation of zinc acetylides, 341