



ELSEVIER

www.elsevier.nl/locate/jorgchem

Journal of Organometallic Chemistry 604 (2000) 306–311

Journal
of Organo
metallic
Chemistry

Subject Index of Volume 604

Absorption spectrum

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: (η^5 -Cp)₃Er·CNC₆H₁₁, 296

Acetylacetonato zirconium complexes

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von [(acac)₃Zr—OCC₃(CO)₆], 68

Acidity

Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208

1,2-Addition

Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211

Alkyl

Synthesis and crystal structures of [Rh(TTP)(CH₃)₂(μ -CNpy) and [Rh(TTP)(C₈H₁₁)] (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNpy = 4-cyanopyridine; C₈H₁₁ = (5-norbornen-2-yl)methyl), 197

Alkylation of nickelocene

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Alkyl migration

Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Alkyne

2,2':6',2"-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of [MoI(CO)(terpy)(η^2 -PhC₂Ph)]I and [WI(terpy)(η^2 -PhC₂Ph)₂]I·CDCl₃, 191

Alkyne complexes

Diverse catalytic activity of the cationic actinide complex [(Et₂N)₃U][BPh₄]⁻ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex [(Et₂N)₂U(C≡C'Bu)(η^2 -HC≡C'Bu)][BPh₄]⁻, 83

π -Allyl complexes

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Aluminum

First structural characterization of completely alkyl-substituted Al-Sb Lewis acid-base adducts, 202

Synthesis and structure of fluorinated dialacycles, 132

Amides

Rigid five-coordinate diorganotin derivatives of oxalic acid di-amides, studied by ¹¹⁹Sn-NMR and X-ray structural analysis, 229

Amido cyclopentadienyl

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{(η^5 -C₅H₄)SiMe₂OSiMe₂(η^5 -C₅H₄)}Cl₂ and Zr{(η^5 -1,3-'Bu₂C₅H₃)(η^5 -C₅H₄)SiMe₂· η -N'Bu}Cl, 103

Aminomethylation-desilylation

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions

iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)- β -aminovinylsilanes, 186

Anionic phosphane ligands

Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp₃LnX with phosphinoethyl substituted cyclopentadienyl ligands, 72

ansa-Bis(tetrahydroindenyl)metal

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroindenyl)dimethylsilane ligand, 12

Antimony

First structural characterization of completely alkyl-substituted Al-Sb Lewis acid-base adducts, 202

Arene complexes

Novel synthesis of indazoles from (η^6 -arene)tricarbonylchromium complexes, 157

Asymmetric hydrogenation

Rhodium-catalyzed reduction of α -amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99

Azo ligands

Structures and spectroelectrochemistry (UV-vis, IR, EPR) of complexes [(OC)₃ClRe]_n(abpy), n = 1, 2; abpy = 2,2'-azobispyridine, 267

Bimetallic complexes

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von [(acac)₃Zr—OCC₃(CO)₆], 68

Bis(tetrahydroindenyl)lutetium chloride

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroindenyl)dimethylsilane ligand, 12

Bis(tetrahydroindenyl)yttrium chloride

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroindenyl)dimethylsilane ligand, 12

3,3-Bis(trimethylsilyl)propene

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (*E*)- β -aminovinylsilanes, 186

Boron

Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of (F₂C=CF)(F₃C)₂B·NHMe₂ and (HOOC)-(F₃C)₂B·NHMe₂, 43

Boron chelates

Synthesis and molecular structures of dimeric boron compounds, 273

Boronic acids

Synthesis and molecular structures of dimeric boron compounds, 273

Branched

Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Carbonyl

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

Carbonyl complexes

Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219

Carbonyl exchange

^{59}Co -NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27

Carboranes

Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh -, Cp^*Ir -, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Catalysis

Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex $[(Et_2N)_2U(C\equiv C'Bu)(\eta^2-HC\equiv C'Bu)][BPh_4]$, 83

Catalytic reaction

The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Cationic complexes

2,2':6,2''-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2-PhC_2Ph)]I$ and $[WI(terpy)(\eta^2-PhC_2Ph)_2]I\cdot CDCl_3$, 191

 C_6C_8 chains

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150

C–C reductive elimination

The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Cesium

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Charge-transfer

Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligand

Rhodium-catalyzed reduction of α -amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99

Chirality

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3-((S)-PhCHMeNCH)C_4H_2S\}SMe_2]$, 178

Chiral ligand

Syntheses and crystal structure of bridged Os_3 -clusters with chiral 3-carane-type ligands, 1

Chiral metallocenes

Synthesis and structure of *ansa*-metallocene complexes ($M = ZrCl_2$, $TiCl_2$, YCl , and $LuCl$) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12

Chlorodimethylsilyl-cyclopentadienyl

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5-C_5H_4)SiMe_2OSiMe_2(\eta^5-C_5H_4)\}Cl_2$ and $Zr(\eta^5-1,3'-Bu_2C_5H_3)(\eta^5-C_5H_4SiMe_2-\eta^5-Bu)Cl$, 103

Chromium

Novel synthesis of indazoles from (η^6 -arene)tricarbonylchromium complexes, 157

Clusters

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Cobalt

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150

Cobalt carbonyl cluster

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(acac)_3Zr-OCCo_3(CO)_9]$, 68

Complex

Reaction of $[(\mu\text{-RE})(\mu\text{-CO})Fe_2(CO)_6]^-$ ($E = S$, Se) with N_2CHCO_2Me . Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2-N=NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1-N=NCH(Me)CO_2Me]Fe_2(CO)_6$, 214

 π -Complexes

Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex $[(Et_2N)_2U(C\equiv C'Bu)(\eta^2-HC\equiv C'Bu)][BPh_4]$, 83

 ^{59}Co -NMR

^{59}Co -NMR spectroscopy of the tetrahedral cluster $Co_4(CO)_{12}$: relaxation and exchange, 27

15-Crown-5

Decomposition of the crown ether ring in the reaction of K^- , $K^+(15\text{-crown-}5)_2$ with oxetane, 283

18-Crown-6

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Crystal field analysis

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5-Cp)_3Er\cdot CNC_6H_{11}$, 296

Crystal structure

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3-((S)-PhCHMeNCH)C_4H_2S\}SMe_2]$, 178

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C=CF)(F_3C)_2B\cdot NHMe_2$ and $(HOOC)-(F_3C)_2B\cdot NHMe_2$, 43

Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(OC)_3ClRe]_n(abpy)$, $n = 1$, 2; abpy = 2,2'-azobispyridine, 267

Synthesis and crystal structures of $[Rh(TTP)(CH_3)]_2(\mu\text{-CNPy})$ and $[Rh(TTP)(C_8H_{11})]$ (TTP = 5,10,15,20-tetra(*p*-tolyl)porphyrin dianion; CNPy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197

Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tr-*t*-butylphenyl)-1-aza-3-phospha-allene, 260

2,2':6,2''-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2-PhC_2Ph)]I$ and $[WI(terpy)(\eta^2-PhC_2Ph)_2]I\cdot CDCl_3$, 191

Crystal structures

Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu\text{-dppm})_2(CO)(NCMe)_n]^+$ cations (dppm = $Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219

Cumulenes

Synthesis and properties of chiral rhodium pentatetraenylidene complexes of the formula $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\text{NO})(\text{PPh}_3)_2](=\text{C}=\text{C}=\text{C}=\text{CAr}_2)]^+ \text{BF}_4^-$ (CAr_2 = 9-fluorenylidene), 52

Cyclometallation

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[\text{PtMe}\{3-(S)\text{-PhCHMeNCH}\text{C}_4\text{H}_4\text{SMe}_2\}]$, 178

Cyclopentadienyl

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Cyclopentadienyl complexes

Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp_2LnX with phosphanoethyl substituted cyclopentadienyl ligands, 72

Cyclopentadienyl-ethyl ligand

Chelated η^5 -cyclopentadienyl- η -ethyl complexes of molybdenum and tungsten; molecular structure of $\text{W}(\eta^5\text{-C}_5\text{H}_4\text{CH}_2\text{-}\eta\text{-CH}_2)(\text{CO})_3$, 126

Cyclopentadienyl ligand

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-Cp})_3\text{Er}\cdot\text{CNC}_6\text{H}_{11}$, 296

Dialacycle

Synthesis and structure of fluorinated dialacycles, 132

Digermido ligand

Reaction of $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{S}, \text{ Se}$) with $\text{N}_2\text{CHCO}_2\text{Me}$. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-N=NCH(R)}\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-N=NCH(Me)}\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$, 214

1,3-Dibutadiynyl

Synthesis and properties of chiral rhodium pentatetraenylidene complexes of the formula $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\text{NO})(\text{PPh}_3)_2](=\text{C}=\text{C}=\text{C}=\text{CAr}_2)]^+ \text{BF}_4^-$ (CAr_2 = 9-fluorenylidene), 52

Digermene

Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211

Dimerization of alkynes

Diverse catalytic activity of the cationic actinide complex $[(\text{Et}_2\text{N})_3\text{U}][\text{BPh}_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex $[(\text{Et}_2\text{N})_2\text{U}(\text{C}\equiv\text{C}'\text{Bu})(\eta^2\text{-HC}\equiv\text{C}'\text{Bu})][\text{BPh}_4]$, 83

Dinuclear

Synthesis and crystal structures of $[\text{Rh}(\text{TPP})(\text{CH}_3)_2]_2(\mu\text{-CNPy})$ and $[\text{Rh}(\text{TPP})(\text{C}_8\text{H}_{11})]$ ($\text{TPP} = 5,10,15,20\text{-tetra}(p\text{-tolyl})\text{porphyrin dianion}$; CNPy = 4-cyanopyridine; C_8H_{11} = (5-norbornen-2-yl)methyl), 197

Dinuclear complex

Structures and spectroelectrochemistry (UV-vis, IR, EPR) of complexes $[(\text{OC})_3\text{ClRe}]_n(\text{abpy})$, $n = 1, 2$; abpy = 2,2'-azobispyridine, 267

Dirhenium(II) complexes

Mixed carbonyl-nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[\text{Re}_2\text{Cl}_3(\mu\text{-dppm})_2(\text{CO})(\text{NCMe})_n]^+$ cations (dppm = $\text{Ph}_2\text{PCH}_2\text{PPPh}_2$, $n = 1$ or 2), 219

Double metal cyanide

The organometallic double metal cyanide $[(\text{Me}_2\text{Sn})_3\{\text{Co}(\text{CN})_6\}_2\cdot 6\text{H}_2\text{O}]$. A three-dimensional framework of infinite, stapled ribbons, 34

(E)- β -Aminovinylsilanes

Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréosélectif à des (E)- β -aminovinylsilanes, 186

Epoxy silanes

Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

EPR spectrum

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-Cp})_3\text{Er}\cdot\text{CNC}_6\text{H}_{11}$, 296

Erbium

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5\text{-Cp})_3\text{Er}\cdot\text{CNC}_6\text{H}_{11}$, 296

Ferrocene

Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287

Ferrocene carboxylic acid

Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287

Ferrocenoyl chloride

Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287

Fluorenyl

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Synthesis and properties of chiral rhodium pentatetraenylidene complexes of the formula $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\text{NO})(\text{PPh}_3)_2](=\text{C}=\text{C}=\text{C}=\text{CAr}_2)]^+ \text{BF}_4^-$ (CAr_2 = 9-fluorenylidene), 52

Germanium

Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211

Hafnium

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $\text{Hf}[(\eta^5\text{-C}_5\text{H}_4)\text{SiMe}_2\text{OSiMe}_2(\eta^5\text{-C}_5\text{H}_4)]\text{Cl}_2$ and $\text{Zr}[(\eta^5\text{-C}_5\text{H}_4)\text{SiMe}_2\text{OSiMe}_2(\eta^5\text{-C}_5\text{H}_4)]\text{Cl}_2$, 103

Hafnium complexes

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von $[(\text{acac})_3\text{Zr}-\text{OCCO}_3(\text{CO})_6]$, 68

Hetero arene complexes

Novel synthesis of indazoles from $(\eta^6\text{-arene})\text{tricarbonylchromium}$ complexes, 157

Homoleptic zirconium phosphinoamide complex

Formation of elastomeric polypropylene promoted by the dynamic complexes $[\text{TiCl}_2\{\text{N}(\text{PPh}_2)_2\}_2]$ and $[\text{Zr}(\text{NPhPPPh}_4)_4]$, 116

Hydrazoic acid

Reaction of trimethylsilyl azide with a digermene in the presence of water: 1,2-addition of hydrazoic acid, 211

Hydrosilylation

Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex $[(Et_2N)_2U(C\equiv C'Bu)(\eta^2-HC\equiv C'Bu)][BPh_4]$, 83

Indazoles

Novel synthesis of indazoles from (η^6 -arene)tricarbonylchromium complexes, 157

Indenyl

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

Insertion

Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260

Ionic liquid

Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(F_2C=CF)(F_3C)_2B\cdot NHMe_2$ and $(HOOC)(F_3C)_2B\cdot NHMe_2$, 43

Iridium

Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh -, Cp^*Ir -, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Iron

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

Reaction of $[(\mu-RE)(\mu-CO)Fe_2(CO)_6]^-$ ($E = S$, Se) with $N_2\cdot CHCO_2Me$. Synthesis and characterisation of $(\mu-RE)[\mu-\eta^2-N=NCH(R')CO_2Me]Fe_2(CO)_6$ and $(\mu-PhSe)[\mu-\eta^1-N=NCH(Me)CO_2Me]Fe_2(CO)_6$, 214

Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150

Isotope effects

Rigid five-coordinate diorganotin derivatives of oxalic acid di-amides, studied by ^{119}Sn -NMR and X-ray structural analysis, 229

Lewis acid

Synthesis and structure of fluorinated dialacycles, 132

Lewis acid–base adducts

First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202

Linear

Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7

Macrocyclic chemistry

Synthesis and molecular structures of dimeric boron compounds, 273

Main group chemistry

First structural characterization of completely alkyl-substituted Al–Sb Lewis acid–base adducts, 202

Mixed dicyclopentadienyl

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of $Hf\{(\eta^5-C_5H_4)SiMe_2OSiMe_2(\eta^5-C_5H_4)\}Cl_2$ and $Zr(\eta^5-1,3-Bu_2C_5H_3)(\eta^5-C_5H_4SiMe_2-\eta^1Bu)Cl$, 103

Molecular structure

Formation of elastomeric polypropylene promoted by the dynamic complexes $[TiCl_2\{N(PPh_2)_2\}_2]$ and $[Zr(NPhPPh_2)_4]$, 116

Molybdenum

Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234

Chelated η^5 -cyclopentadienyl- η -ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5-C_5H_4CH_2-\eta^1-CH_2)(CO)_3$, 126

2,2':6,2"-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of $[MoI(CO)(terpy)(\eta^2-PhC_2Ph)]I$ and $[WI(terpy)(\eta^2-PhC_2Ph)_2]I\cdot CDCl_3$, 191

Nickel

Reactions of nickelocene with diphenylmethyl- and triphenylmethylolithium, 241

Nitrile complexes

Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[Re_2Cl_3(\mu-dppm)_2(CO)(NCMe)_n]^+$ cations ($dppm = Ph_2PCH_2PPh_2$, $n = 1$ or 2), 219

NMR

Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh -, Cp^*Ir -, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Rigid five-coordinate diorganotin derivatives of oxalic acid di-amides, studied by ^{119}Sn -NMR and X-ray structural analysis, 229

2D-NMR

The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290

Nonlinear optics

Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248

Organactinide

Diverse catalytic activity of the cationic actinide complex $[(Et_2N)_3U][BPh_4]$ in the dimerization and hydrosilylation of terminal alkynes. Characterization of the first f-element alkyne π -complex $[(Et_2N)_2U(C\equiv C'Bu)(\eta^2-HC\equiv C'Bu)][BPh_4]$, 83

 Os_3 clusters

Syntheses and crystal structure of bridged Os_3 -clusters with chiral 3-carane-type ligands, 1

Osmium

Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh -, Cp^*Ir -, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Osmium carbonyl clusters

Syntheses and crystal structure of bridged Os_3 -clusters with chiral 3-carane-type ligands, 1

Oxetane

Decomposition of the crown ether ring in the reaction of K^- , $K^+(15\text{-crown-}5)_2$ with oxetane, 283

Oxidative addition

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[PtMe\{3-((S)-PhCHMeNCH)C_4H_2S\}SMe_2]$, 178

Paramagnetic susceptibility

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: L. Experimentelle Erfassung und Simulation der Elektronenstruktur des ersten metallorganischen π -Komplexes eines Lanthanids der zweiten Halbserie: $(\eta^5-Cp)_3Er\cdot CNC_6H_{11}$, 296

Pentamethylcyclopentadienyl

Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59

- Pentatetraenylidene
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)\text{-}(\text{C}=\text{C}=\text{C}=\text{CAr}_2)]^+ \text{BF}_4^-$ ($\text{CAr}_2 = 9\text{-fluorenylidene}$), 52
- Perfluorinated
Synthesis and structure of fluorinated dialcycles, 132
- Phosphaazaallene
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
- Phosphinoalkyne
Cationic molybdenum complexes with P-coordinated (diphenylphosphino)alkynes, 234
- Phosphorus
Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260
- Photolysis of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20
- pK_a in THF
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
- Platinum
Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of $[\text{PtMe}\{3\text{-}((S)\text{-PhCHMeNCH})\text{C}_4\text{H}_2\text{S}\}\text{SMe}_2]$, 178
- Polymerisation of propylene
Formation of elastomeric polypropylene promoted by the dynamic complexes $[\text{TiCl}_2\{\text{N}(\text{PPh}_2)_2\}_2]$ and $[\text{Zr}(\text{NPhPPH}_2)_4]$, 116
- Potassium anion
Decomposition of the crown ether ring in the reaction of K^- , $\text{K}^+(15\text{-crown-5})_2$ with oxetane, 283
- Pt(IV)
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290
- $^{195}\text{Pt-NMR}$
The mechanism of C–C bond formation on the Pt(IV) center involving chelate metallocycle ligands, 290
- Rare earth metal complexes
Phosphane coordination to rare earth metal centers: monomeric, solvent-free complexes of type Cp_2^*LnX with phosphanoethyl substituted cyclopentadienyl ligands, 72
- Rhenium
Synthesis and properties of chiral rhenium pentatetraenylidene complexes of the formula $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PPh}_3)\text{-}(\text{C}=\text{C}=\text{C}=\text{CAr}_2)]^+ \text{BF}_4^-$ ($\text{CAr}_2 = 9\text{-fluorenylidene}$), 52
- Rhenium complexes
Mixed carbonyl–nitrile complexes of dirhenium(II). The structural characterization and reactivity of salts of the $[\text{Re}_2\text{Cl}_3(\mu\text{-dpmm})_2(\text{CO})(\text{NCMe})_n]^+$ cations (dpmm = $\text{Ph}_2\text{PCH}_2\text{PPh}_2$, $n = 1$ or 2), 219
- Rhenium compounds
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(\text{OC})_3\text{ClRe}]_n(\text{abpy})$, $n = 1, 2$; abpy = 2,2'-azobispyridine, 267
- Rhodium
Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh , Cp^*Ir , $(p\text{-cymene})\text{Ru}$ - and $(p\text{-cymene})\text{Os}$ half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170
- Rhodium-catalyzed reduction of α -amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99
- Rhodium porphyrin
Synthesis and crystal structures of $[\text{Rh}(\text{TPP})(\text{CH}_3)]_2(\mu\text{-CNPy})$ and $[\text{Rh}(\text{TPP})(\text{CH}_3)]_2(\mu\text{-CNPY})$ ($\text{TPP} = 5,10,15,20\text{-tetra}(p\text{-tolyl})\text{porphyrin}$ dianion; CNPy = 4-cyanopyridine; $\text{C}_8\text{H}_{11} = (5\text{-norbornen-2-yl)methyl}$), 197
- Rubidium
Novel 18-crown-6 organometallic rubidium and cesium complexes containing cyclopentadienyl, indenyl, pentamethylcyclopentadienyl, and fluorenyl as carbanions, 59
- Ruthenium
Syntheses and reactions of ruthenium complexes containing C_6 and C_8 chains, 150
- Ruthenium, Selenium
Metal-induced B–H activation. Addition of phenylacetylene to Cp^*Rh , Cp^*Ir , $(p\text{-cymene})\text{Ru}$ - and $(p\text{-cymene})\text{Os}$ half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170
- Salicylideneaminoethanol
Synthesis and molecular structures of dimeric boron compounds, 273
- Schiff-base
Schiff base linked ferrocenyl complexes for second-order nonlinear optics, 248
- Secondary amines
Réactivité du 3,3-bis(triméthylsilyl)propène vis-à-vis des ions iminium issus d'amines secondaires. Accès stéréoselectif à des (E)- β -aminovinylsilanes, 186
- Selectivity
Alkyl migration reactions—the direct observation of the preferential migration of branched over linear alkyl groups, 7
- Selenium
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{S}$, Se) with $\text{N}_2\text{CHCO}_2\text{Me}$. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-N=NCH(R')CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-N=NCH(Me)CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$, 214
- Silaaromatics
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20
- Silicon
Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141
- Silyl anions
Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208
- Small rings
Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of $(\text{F}_2\text{C}=\text{CF})(\text{F}_3\text{C})_2\text{B}\cdot\text{NHMe}_2$ and $(\text{HOOC})(\text{F}_3\text{C})_2\text{B}\cdot\text{NHMe}_2$, 43
- Solid state NMR
 $^{59}\text{Co-NMR}$ spectroscopy of the tetrahedral cluster $\text{Co}_4(\text{CO})_{12}$: relaxation and exchange, 27
- Spectroelectrochemistry
Structures and spectroelectrochemistry (UV–vis, IR, EPR) of complexes $[(\text{OC})_3\text{ClRe}]_n(\text{abpy})$, $n = 1, 2$; abpy = 2,2'-azobispyridine, 267
- Stapled ribbons
The organometallic double metal cyanide $[(\text{Me}_2\text{Sn})_3\{\text{Co}(\text{CN})_6\}_2\cdot 6\text{H}_2\text{O}]$. A three-dimensional framework of infinite, stapled ribbons, 34
- Structure
Reaction of $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ ($\text{E} = \text{S}$, Se) with $\text{N}_2\text{CHCO}_2\text{Me}$. Synthesis and characterisation of $(\mu\text{-RE})[\mu\text{-}\eta^2\text{-N=NCH(R')CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$ and $(\mu\text{-PhSe})[\mu\text{-}\eta^1\text{-N=NCH(Me)CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$, 214
- Structure of dihydro-9-silaanthracene
Synthesis, structure, and photochemical reaction of 9,10-dihydro-9-silaanthracene derivatives carrying bulky substituents, 20

Sulfur

Metal-induced B–H activation. Addition of phenylacetylene to Cp^{*}Rh-, Cp^{*}Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Reaction of $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ (E = S, Se) with N₂CHCO₂Me. Synthesis and characterisation of ($\mu\text{-RE}$) $[\mu\text{-}\eta^2\text{-N}=\text{NCH}(\text{R}')\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$ and ($\mu\text{-PhSe}$) $[\mu\text{-}\eta^1\text{-N}=\text{NCH}(\text{Me})\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$, 214

Surfactant

Rhodium-catalyzed reduction of α -amino acid precursors using chiral 4-(diphenylphosphanyl)-1-(dialkylamino)butane ligands, 99

Synthesis

Reaction of $[(\mu\text{-RE})(\mu\text{-CO})\text{Fe}_2(\text{CO})_6]^-$ (E = S, Se) with N₂CHCO₂Me. Synthesis and characterisation of ($\mu\text{-RE}$) $[\mu\text{-}\eta^2\text{-N}=\text{NCH}(\text{R}')\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$ and ($\mu\text{-PhSe}$) $[\mu\text{-}\eta^1\text{-N}=\text{NCH}(\text{Me})\text{CO}_2\text{Me}]\text{Fe}_2(\text{CO})_6$, 214

Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

Tcne

Syntheses and reactions of ruthenium complexes containing C₆ and C₈ chains, 150

Terpenoid

Syntheses and crystal structure of bridged Os₃-clusters with chiral 3-carane-type ligands, 1

Terpyridine

2,2':6',2"-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of [MoI(CO)(terpy)($\eta^2\text{-PhC}_2\text{Ph}$)] I and [WI(terpy)($\eta^2\text{-PhC}_2\text{Ph}$) I] CDCl_3 , 191

Tetracobaltddodecacarbonyl

⁵⁹Co-NMR spectroscopy of the tetrahedral cluster Co₄(CO)₁₂: relaxation and exchange, 27

Tetrahydroindenyl ligand

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12

Thienylimines

Oxidative addition of alkyl halides to chiral cyclometallated platinum(II) complexes with thienyl imines. X-ray crystal structure of [PtMe{3-((S)-PhCHMeNCH)C₄H₃S}SMe₂], 178

Three-dimensional framework

The organometallic double metal cyanide [(Me₂Sn)₃{Co(CN)₆}₂·6H₂O]. A three-dimensional framework of infinite, stapled ribbons, 34

Tin

Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ¹¹⁹Sn-NMR and X-ray structural analysis, 229

Titanium

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{($\eta^5\text{-C}_5\text{H}_4$)SiMe₂OSiMe₂($\eta^5\text{-C}_5\text{H}_4$)Cl₂} and Zr($\eta^5\text{-1,3'-Bu}_2\text{C}_5\text{H}_3$)($\eta^5\text{-C}_5\text{H}_4$ SiMe₂- $\eta\text{-N'Bu}$)Cl, 103

Titanium bisamido dichloride complex

Formation of elastomeric polypropylene promoted by the dynamic complexes [TiCl₂{N(PPh₂)₂}₂] and [Zr(NPhPPh₂)₄], 116

Titanocene dichloride

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12

Trifluoromethyl group

Reactions of trifluorovinyl-trifluoromethylboron derivatives, structure of (F₂C=CF)(F₃C)₂B·NHMe₂ and (HOOC)-(F₃C)₂B·NHMe₂, 43

3-Trimethylsilyl-3-silacyclopentenes

Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

Triphenylsilane

Carbanion mechanisms XXI. Solution acidity of triphenylsilane, 208

Triphosgene

Two convenient new syntheses of ferrocenoyl chloride by triphosgene, 287

Tungsten

Chelated η^5 -cyclopentadienyl- η -ethyl complexes of molybdenum and tungsten; molecular structure of W($\eta^5\text{-C}_5\text{H}_4\text{CH}_2$ - $\eta\text{-CH}_2$)(CO)₃, 126

2,2':6',2"-Terpyridine complexes of molybdenum(II) and tungsten(II). X-ray crystal structures of [MoI(CO)(terpy)($\eta^2\text{-PhC}_2\text{Ph}$)] I and [WI(terpy)($\eta^2\text{-PhC}_2\text{Ph}$) I] CDCl_3 , 191

Vinylsilanes

Unprecedented effects of the trimethylsilyl group on the reactivity of 3C-silylated silacyclopentenes and their derivatives, 141

X-ray

Metal-induced B–H activation. Addition of phenylacetylene to Cp^{*}Rh-, Cp^{*}Ir-, (*p*-cymene)Ru- and (*p*-cymene)Os half-sandwich complexes containing a chelating 1,2-dicarba-*clos*-dodecaborane-1,2-dichalcogenolate ligand, 170

Rigid five-coordinate diorganotin derivatives of oxalic acid diamides, studied by ¹¹⁹Sn-NMR and X-ray structural analysis, 229

X-ray structure

Darstellung und Eigenschaften Heterobimetallischer Komplexe — Kristallstruktur von [(acac)₂Zr—OCCo₃(CO)₉], 68

Yttrium trichlorides

Synthesis, structure and reactions of 1-(*p*-chlorophenyl)-3-(2,4,6-tri-*t*-butylphenyl)-1-aza-3-phospha-allene, 260

Zirconium

Synthetic and reactivity studies of mono- and dicyclopentadienyl titanium, zirconium and hafnium complexes with the chlorodimethylsilyl-cyclopentadienyl ligand. X-ray molecular structure of Hf{($\eta^5\text{-C}_5\text{H}_4$)SiMe₂OSiMe₂($\eta^5\text{-C}_5\text{H}_4$)Cl₂} and Zr($\eta^5\text{-1,3'-Bu}_2\text{C}_5\text{H}_3$)($\eta^5\text{-C}_5\text{H}_4$ SiMe₂- $\eta\text{-N'Bu}$)Cl, 103

Zirconocene dichloride

Synthesis and structure of *ansa*-metallocene complexes (M = ZrCl₂, TiCl₂, YCl, and LuCl) containing the bis(2-methyl-4,5,6,7-tetrahydroinden-yl)dimethylsilane ligand, 12