

Subject Index of Volume 606

Acetonitrile

Reactions of acetonitrile di-iron μ -aminocarbene complexes; synthesis and structure of $[\text{Fe}_2(\mu\text{-CNMe}_2)(\mu\text{-H})(\text{CO})_2(\text{Cp})_2]$, 163

Acyclic diyne metathesis

Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, 13

Alkoxide

Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $\text{Cp}_2^*\text{ZrCl}(\text{OCH}_2\text{CH}_2\text{SPh})$, 156

Alkyl

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Alkyldynes

Ring closing alkyne metathesis: stereoselective synthesis of cive-tone, 75

Alkyne metathesis

Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, 13

Alkynes

Ring closing alkyne metathesis: stereoselective synthesis of cive-tone, 75

Allylation/alkylation-RCM

Efficient synthesis of spiroactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, 93

Aluminium

Synthesis and structure of adduct stabilized Group III transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, 132

Amide

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169

Arylation

First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, 108

Aryl halides

First heterogeneously palladium catalysed α -arylation of diethyl malonate, 101

Azametallatrane

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Azulene

First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, 108

Basic organometallics

Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84

Carbene

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

Carbene complexes

Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, 88

Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylienes, 26

Carbenes

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(\text{=CHSC}_6\text{H}_5)(\text{P}^i\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-2-C}_5\text{H}_4\text{N})(\text{P}^i\text{Pr}_3)]$, 65

Carbonyl derivatives

First heterogeneously palladium catalysed α -arylation of diethyl malonate, 101

Carboranes

Revising the $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$ synthesis and comparison of its behavior with $[\text{PdCl}_2(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$. Crystal structure of $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$, 183

Carbonyl complexes

Reactions of acetonitrile di-iron μ -aminocarbene complexes; synthesis and structure of $[\text{Fe}_2(\mu\text{-CNMe}_2)(\mu\text{-H})(\text{CO})_2(\text{Cp})_2]$, 163

Catalysis

Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112

Catalyst

Hydrogenation of α -acetamidocinnamic acid with polystyrene-supported rhodium catalysts, 151

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(\text{=CHSC}_6\text{H}_5)(\text{P}^i\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-2-C}_5\text{H}_4\text{N})(\text{P}^i\text{Pr}_3)]$, 65

Chalcogens

Synthesis and characterisation of $[\text{Fe}_2\text{M}_3(\mu_4\text{-E})(\mu_3\text{-E}')(\text{CO})_{17}]$ and $[\text{Os}_3(\mu_3\text{-E})(\mu_3\text{-E}')(\text{CO})_9]$ ($\text{M} = \text{Os}$ or Ru ; $\text{E} = \text{S}$, Se , Te ; $\text{E}' = \text{Se}$, Te), 176

Charge transfer

Photoreactivity of the triphenylphosphine adduct of methyl(tri-oxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, 207

Chiral

Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[\text{Ru}\{\eta^5\text{-C}_5\text{H}_4(\text{neomenthyl})\}_2]\text{I}_3$, 188

Cluster

Revising the $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$ synthesis and comparison of its behavior with $[\text{PdCl}_2(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$. Crystal structure of $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$, 183

Clusters

Synthesis and characterisation of $[\text{Fe}_2\text{M}_3(\mu_4\text{-E})(\mu_3\text{-E}')(\text{CO})_{17}]$ and $[\text{Os}_3(\mu_3\text{-E})(\mu_3\text{-E}')(\text{CO})_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), 176

Cobalt carbonyl cluster

Formation of $\text{M}(\text{CO})_4^+$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Cobalt tetracarbonyl cation

Formation of $\text{M}(\text{CO})_4^+$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Conjugated polymers

Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, 13

Constrained-geometry

Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169

Correlations

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203

Cross-linking

Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37

Cross-metathesis

Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylenes, 26

Crotonates

Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylenes, 26

Crystal structure

Reactions of acetonitrile di-iron μ -aminocarbyne complexes; synthesis and structure of $[\text{Fe}_2(\mu\text{-CNMe}_2)(\mu\text{-H})(\text{CO})_2(\text{Cp})_2]$, 163

Crystal structures

Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112

Cyclic anhydrides

Efficient synthesis of spiroactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, 93

Cyclic voltammetry

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203

Cyclooctene

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

Cyclopentadienyl

Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169

Cyclopropanation

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

Deboronation

Revising the $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$ synthesis and comparison of its behavior with $[\text{PdCl}_2(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$. Crystal structure of $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 183

Density functional theory calculations

Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, 88

Dichloro

Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, 125

Dicyclopentadiene

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(=\text{CHSC}_6\text{H}_5)(\text{P}^i\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-}2\text{-C}_5\text{H}_4\text{N})(\text{P}^i\text{Pr}_3)]$, 65

Dienes and monoenes

Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84

Difluoro

Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, 125

Electrochemistry

Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[\text{Ru}\{\eta^5\text{-C}_5\text{H}_4(\text{neomenthyl})\}_2\text{I}]_3$, 188

Electronic spectra

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203

Ethenolysis

Ethenolysis of silicon containing cycloolefins, 3

Ethylene

Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112

Ferrocene

The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, 79

Frontier molecular orbitals

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203

Gallium

Synthesis and structure of adduct stabilized Group III transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, 132

Group III transition metal bonds

Synthesis and structure of adduct stabilized Group III transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, 132

Grubbs' catalyst

Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84

Hafnium

Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169

Heterodinuclear complexes

Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\mu\text{-pz})_3\text{PtMe}_3]$ (pz = pyrazolate), 197

Heterogeneous catalytic α -arylation

First heterogeneously palladium catalysed α -arylation of diethyl malonate, 101

Homogeneous catalysis

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

- Homogenous catalysis
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, 88
- Hydride
Reactions of acetonitrile di-iron μ -aminocarbyne complexes; synthesis and structure of $[\text{Fe}_2(\mu\text{-CNMe}_2)(\mu\text{-H})(\text{CO})_2(\text{Cp})_2]$, 163
- Hydrogenation
Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37
- Indium
Synthesis and structure of adduct stabilized Group III transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, 132
- Iridium
Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\mu\text{-pz})_3\text{PtMe}_3]$ (pz = pyrazolate), 197
- Iron
Synthesis and characterisation of $[\text{Fe}_2\text{M}_3(\mu_4\text{-E})(\mu_3\text{-E}')(\text{CO})_{17}]$ and $[\text{Os}_3(\mu_3\text{-E})(\mu_3\text{-E}')(\text{CO})_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), 176
- Macrocycles
Ring closing alkyne metathesis: stereoselective synthesis of civetone, 75
- Metalocene complexes
Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203
- Metathesis
Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, 88
Ring closing alkyne metathesis: stereoselective synthesis of civetone, 75
Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37
Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(\text{=CHSC}_6\text{H}_5)(\text{P}^i\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-2-C}_5\text{H}_4\text{N})(\text{P}^i\text{Pr}_3)]$, 65
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, 79
- 7-Methylbicyclo[2.2.1]hepta-2,5-diene
Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37
- 7-Methylnorbornadiene
Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37
- Molecular weight control
Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, 16
- Molybdenum
Ring closing alkyne metathesis: stereoselective synthesis of civetone, 75
- Molybdenum carbene complexes
Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37
- N*-Heterocyclic carbene
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8
- Nickel
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112
- Nitrogen ligand
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112
- NMR
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, 125
- Norbornene
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112
The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, 79
- Nuclear magnetic resonance
Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169
- Nucleophilic carbene
A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, 49
- Olefin metathesis
Ethenolysis of silicon containing cycloolefins, 3
- Olefin-metathesis
N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8
- Olefin metathesis
A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, 49
- α,ω -Olefins
Ethenolysis of silicon containing cycloolefins, 3
- Organic semiconductors
Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenylene-neethynylene)s, 13
- Osmium
Synthesis and characterisation of $[\text{Fe}_2\text{M}_3(\mu_4\text{-E})(\mu_3\text{-E}')(\text{CO})_{17}]$ and $[\text{Os}_3(\mu_3\text{-E})(\mu_3\text{-E}')(\text{CO})_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), 176
- Palladium
Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112
Revising the $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$ synthesis and comparison of its behavior with $[\text{PdCl}_2(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$. Crystal structure of $[\text{PdCl}_2(1,2\text{-}(\text{PPh}_2)_2\text{-1,2-C}_2\text{B}_{10}\text{H}_{10})]$, 183
- Palladium catalysis
First intermolecular palladium catalyzed arylation of an unfunctionalized aromatic hydrocarbon, 108
- p*-Benzoquinones
Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84
- Pentacoordinate
Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, 125
- Phosphines
Photoreactivity of the triphenylphosphine adduct of methyl(tri-oxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, 207

Photochemistry

Photoreactivity of the triphenylphosphine adduct of methyl(tri-oxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, 207

Platinum

Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\mu\text{-pz})_3\text{PtMe}_3]$ (pz = pyrazolate), 197

Polymer

N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8

The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, 79

Polymerization

Pyridinylimine-based nickel(II) and palladium(II) complexes: preparation, structural characterization and use as alkene polymerization catalysts, 112

Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37

Poly(*para*-phenyleneethynylene)

Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, 13

Polystyrene supported

Hydrogenation of α -acetamidocinnamic acid with polystyrene-supported rhodium catalysts, 151

Pyrazolate

Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\mu\text{-pz})_3\text{PtMe}_3]$ (pz = pyrazolate), 197

Quaternary ammonium salt

The synthesis and ring-opening metathesis polymerization of an amphiphilic redox-active norbornene, 79

Radical anions

Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84

Redox properties

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203

Rhenium

Photoreactivity of the triphenylphosphine adduct of methyl(tri-oxo)rhenium(VII) induced by ligand-to-metal charge transfer excitation, 207

Rhodium

Hydrogenation of α -acetamidocinnamic acid with polystyrene-supported rhodium catalysts, 151

Rhodium carbonyl cluster

Formation of $\text{M}(\text{CO})_4^+$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Rhodium tetracarbonyl cation

Formation of $\text{M}(\text{CO})_4^+$ (M = Co, Rh) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Ring closing metathesis

Reactions of complex ligands: Part 91. Application of ring closing metathesis to Fischer-type carbene complexes: synthesis and structure of medium-sized chromium oxacycloalkenylenes, 26

Ring-closing metathesis (RCM)

Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, 16

Ring-opening

Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37

Ring-opening metathesis

Ethenolysis of silicon containing cycloolefins, 3

Ring-opening metathesis polymerisation

Radical anion forming activity of the Grubbs' catalyst and related organometallics: Michael acceptors as metathesis promoters, 84

Ring-opening metathesis polymerization

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

Ring-opening metathesis polymerization (ROMP)

Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, 16

ROMP

N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(=\text{CHSC}_6\text{H}_5)(\text{P}^t\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-2-C}_5\text{H}_4\text{N})(\text{P}^t\text{Pr}_3)]$, 65

Ruthenium

Ethenolysis of silicon containing cycloolefins, 3

Isolation and characterization of a monomeric, solvent coordinated ruthenium(II)carbene cation relevant to olefin metathesis, 88

N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8

Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, 16

Synthesis and characterisation of $[\text{Fe}_2\text{M}_3(\mu_4\text{-E})(\mu_3\text{-E}')(\text{CO})_{17}]$ and $[\text{Os}_3(\mu_3\text{-E})(\mu_3\text{-E}')(\text{CO})_9]$ (M = Os or Ru; E = S, Se, Te; E' = Se, Te), 176

Synthesis and characterization of heterodinuclear RuPt and IrPt complexes containing pyrazolate bridging ligands. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Ir}(\mu\text{-pz})_3\text{PtMe}_3]$ (pz = pyrazolate), 197

Synthesis and evaluation of new $\text{RuCl}_2(p\text{-cymene})(\text{ER}_2\text{R}')$ and $(\eta^1:\eta^6\text{-phosphinoarene})\text{RuCl}_2$ complexes as ring-opening metathesis polymerization catalysts, 55

Synthesis and reactivity of novel ruthenium carbene catalysts. X-ray structures of $[\text{RuCl}_2(=\text{CHSC}_6\text{H}_5)(\text{P}^t\text{Pr}_3)_2]$ and $[\text{RuCl}_2(\text{CHCH}_2\text{CH}_2\text{-C,N-2-C}_5\text{H}_4\text{N})(\text{P}^t\text{Pr}_3)]$, 65

Ruthenium carbene complex

Ring-opening metathesis polymerization of 7-methylbicyclo[2.2.1]hepta-2,5-diene initiated by well-defined molybdenum and ruthenium carbene complexes, 37

Ruthenocene

Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[\text{Ru}\{\eta^5\text{-C}_5\text{H}_4(\text{neomenthyl})\}_2\text{I}]_3$, 188

Silica

Preparation and characterization of immobilized constrained-geometry hafnium complexes, 169

Silicon

Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on di and tri halosilanes, 125

Spirolactones

Efficient synthesis of spirolactones from cyclic anhydrides via an allylation/alkylation-RCM sequence, 93

Strong acid

Formation of $M(\text{CO})_4^+$ ($M = \text{Co}, \text{Rh}$) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Superacid

Formation of $M(\text{CO})_4^+$ ($M = \text{Co}, \text{Rh}$) by dissolution of neutral Co and Rh carbonyl clusters in strong acids under CO atmosphere, 147

Tacticity

N-Heterocyclic carbenes (NHC) in olefin metathesis: influence of the NHC-ligands on polymer tacticity, 8

Thermochemistry

A sterically demanding nucleophilic carbene: 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene). Thermochemistry and catalytic application in olefin metathesis, 49

Titanocene

Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $\text{Cp}_2^*\text{ZrCl}(\text{OCH}_2\text{CH}_2\text{SPh})$, 156

TREN

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Tungsten

Ring closing alkyne metathesis: stereoselective synthesis of civetone, 75

Tungsten hexacarbonyl

Alkyne metathesis with in situ catalysts: $\text{W}(\text{CO})_6$ and 4-chlorophenol are efficient in the formation of poly(*para*-phenyleneethynylene)s, 13

Vinylidene complexes

Olefin-metathesis reactions using vinylideneruthenium(II) complexes as catalyst precursors, 16

X-ray crystallography

Chiral sandwich compounds of ruthenium(II) and (IV): X-ray crystal structure of $[\text{Ru}\{\eta^5\text{-C}_5\text{H}_4(\text{neomenthyl})\}_2\text{I}]_3$, 188

X-ray single crystal structure

Synthesis and structure of adduct stabilized Group III transition metal carbonyl complexes: new examples for Fe–Ga, Fe–In, W–Al, Cr–Al and Cr–Ga bonds, 132

X-ray structure

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Zeolite supported palladium

First heterogeneously palladium catalysed α -arylation of diethyl malonate, 101

Zirconium

Complexes of zirconium with aryl substituted triamidoamines: molecular structures of amide and alkyl derivatives, 141

Zirconocene

Synthesis and characterisation of Group 4 metallocene alkoxide complexes. X-ray crystal structure of $\text{Cp}_2^*\text{ZrCl}(\text{OCH}_2\text{CH}_2\text{SPh})$, 156

Zirconocenes

Electrochemical versus optical insight in frontier orbitals of Ti(IV), Zr(IV), and Hf(IV) bent metallocenes, 203