

Subject Index of Volume 611

- Ab initio calculation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- Ab initio MO calculations
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
- Absorption spectrum
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
- Acetylenes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
- Acrylic acid thioester
Chalcogenide-TiCl₄-mediated reactions of S-ethyl thioacrylate with aldehydes, 455
- Active catalyst species
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
- Acyl cyanides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
- Acylpolysilane
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, 248
- Addition
Stable cyclic and acyclic persilyldisilenes, 236
- Affinity
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarbonylates [(RCSS)_xMPh_{4-x}], M = Ge, Sn, Pb; *x* = 1–3; affinity between thiocarbonyl sulfur and Group 14 elements, 190
- Alkenes
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
- Allene
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Allylation
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
- Allylic alcohol
Chalcogenide-TiCl₄-mediated reactions of S-ethyl thioacrylate with aldehydes, 455
- η³-Allyl reductive elimination
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- Amino acids and peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
- Anionic polymerization
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
- Antimony
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- Antimony-transition metal bond
¹²¹Sb, ⁵⁷Fe and ¹²⁷I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
- Areneselenenyl bromide
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
- Areneselenenyl chloride
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
- Aromaticity
Stable aromatic compounds containing heavier Group 14 elements, 228
- Arsenic
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- Arylation
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
- a-Si:H
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
- Asymmetric imidation
Asymmetric imidation of organic selenides into selenimides, 475
- Asymmetric synthesis
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
- Avalanche multiplication
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
- π-Back donation
The chemistry of transition metal complexes containing a phosphonium ligand, 349
- Band gap tuning
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
- Barium
High-pressure synthesis and structure of a new silicon clathrate Ba₂₄Si₁₀₀, 543
- Baylis–Hillman reaction
Chalcogenide-TiCl₄-mediated reactions of S-ethyl thioacrylate with aldehydes, 455

- B–C bond**
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- Benzeneselenenyl fluoride**
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
- Benzo-1,2-germacyclobutene**
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ -bond, 420
- B–Ge bond**
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- B₁₂-Icosahedron**
Preparation and crystal structure of chromium silicon selenide containing a B₁₂ icosahedron with a tunnel structure, 547
- Bicyclo[2.2.2]octanes**
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
- Bis(arylselanyl)benzene**
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
- Bismuth**
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- Bismuthonium ylides**
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
- Bis-silylation**
Photochemical bis-silylation of C₆₀: synthesis of a novel C₆₀ main chain polysilane, 78
- Bis(silyl)bis(phosphine)platinum**
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
- Bis(stannyl)bis(phosphine)palladium**
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
- Bis(stannyl)bis(phosphine)platinum**
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
- σ -Bond activation**
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- σ -Bond metathesis**
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ -bond, 420
- 2-Boryl(π -allyl)palladium complex**
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- 2-Borylallylsilane**
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Bridging ligand**
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
- B–Si bond**
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- B–Sn bond**
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- C₆₀**
C₆₀-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
Photochemical bis-silylation of C₆₀: synthesis of a novel C₆₀ main chain polysilane, 78
- Cage compounds**
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
- Calix[6]arenes**
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
- Carbon–carbon unsaturated bond**
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
- Carbonylation**
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
- Catalytic mechanism**
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
- Cationic phosphonium complexes**
The chemistry of transition metal complexes containing a phosphonium ligand, 349
- Chelate**
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
- Chemical annealing**
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
- Chiral crystallization**
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
- Chiral ferrocenyl group**
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- Chloramine–T trihydrate**
Asymmetric imidation of organic selenides into selenimides, 475
- Chlorosilane**
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Cobaltacyclopentadiene**
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5 -cyclopentadienyl)(η^5 -amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
- Cobaltadithiolenes**
Formation and reaction of three-membered cobaltthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κ N-thio- κ S-ethene-2-thiolato- κ S)cobalt(III). Ring opening and closure and transfer of imido group, 376
- Cobaltthiaziridine**
Formation and reaction of three-membered cobaltthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κ N-thio- κ S-ethene-2-thiolato- κ S)cobalt(III). Ring opening and closure and transfer of imido group, 376
- Cobalticinium**
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5 -cyclopentadienyl)(η^5 -amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
- Conducting polymer**
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)oligothienylenes], 537

- Configuration
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Conformational analysis
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
- σ -Conjugation
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
- $\sigma^*-\pi^*$ Conjugation
New type of polysilanes: poly(1,1-silole)s, 5
- Copper catalyst
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
- Copper complex
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
- σ -Coupling
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
- Coupling reactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S...S interaction in the crystallographic structure of the products, 172
- Cross-coupling
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Crystal growth
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si₂H₆ and GeF₄, 531
- C₆₀-Sensitization
C₆₀-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
- C–Si bond formation
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Cyclic voltammetry
Stable cyclic and acyclic persilyldisilenes, 236
- Cyclotetrasilene
Stable cyclic and acyclic persilyldisilenes, 236
- Cyclotrigermanium cation
Stable aromatic compounds containing heavier Group 14 elements, 228
- Cyclotrisilene
Stable cyclic and acyclic persilyldisilenes, 236
- Density functional theory
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
- Dewar-type
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
- α,α -D-fluoro- γ -lactam
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
- Diaryliodonium salt
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
- Dibismuthene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
- Diboran(4)
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
- Diboration
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
- β -dicarbonyl compounds
Reactions of a novel quadruply chelated molybdenum–silyl complex with β -dicarbonyl compounds, 308
- Dichalcogena dication
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
- 1,3-Dichlorotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
- Diels–Alder reaction
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
- Difluoromethylene compound
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
- Dihydro-selenophene
The reaction of 1,2,3-selenadiazole with olefins, 488
- Dihydro-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
- 1,3-Dihydrotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
- Dimethyldioxirane
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and ‘S₂O’, 127
- Dinuclear complex
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, (Pr₄N)₂[W₂(μ -S)₂{S₂C₂(CO₂Et)₂}]₄, 370
- Diselenide complex
Formation of μ_4 -Se₂ complex by the oxidative coupling of μ -SeH complex: double-site atomic inversion of the μ_4 -Se₂ complex [{(Cp**Rh*)₂(μ -CH₂)₂]₂(μ_4 -Se₂)]²⁺ (Cp* = η^5 -C₅Me₅), 386
- 1,4-Disilabenzene
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
- Disilane
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si₂H₆ and GeF₄, 531
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Disilirane
C₆₀-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
- Disilyne
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
- Distibene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
- Disulfide
Unsaturated cyclic compounds possessing disulfide linkage, 106
- 1,2-Dithiete
Unsaturated cyclic compounds possessing disulfide linkage, 106
- Dithiirane oxide
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and ‘S₂O’, 127

Dithiocarboxylates

Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}]$, $M = Ge, Sn, Pb$; $x = 1-3$: affinity between thiocarbonyl sulfur and Group 14 elements, 190

Dithiolate complexes

Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ ($M = V(IV)$ and $Mo(IV)$) salts, and high electrical conductivity of their oxidized species, 364

Dithiolene

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu-S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370

 σ -Donation

^{121}Sb , ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558

Dopant

Photochemical bis-silylation of C_{60} : synthesis of a novel C_{60} main chain polysilane, 78

Double bond

The chemistry of transition metal complexes containing a phosphonium ligand, 349

Double-site inversion

Formation of μ_4 - Se_2 complex by the oxidative coupling of μ - SeH complex: double-site atomic inversion of the μ_4 - Se_2 complex $[\{(Cp^*Rh)_2(\mu-CH_2)_2\}_2(\mu_4-Se_2)]^{2+}$ ($Cp^* = \eta^5-C_5Me_5$), 386

Doubly bonded systems

New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217

Electrical conductivity

Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ ($M = V(IV)$ and $Mo(IV)$) salts, and high electrical conductivity of their oxidized species, 364

Electrochemical oxidation

Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566

Electrochemistry

Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)oligothienylenes], 537

Electron distribution

^{121}Sb , ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558

Electronic structure

Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71

Electron transfer

Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrithalcohenoles containing sulfur and/or selenium atoms, 136

Electroreductive polymerization

Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26

Energy transfer

Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85

ESR spectrum

Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577

Ethylene-bridged

Preparation of ethylene-bridged Group 14 metal-zirconocene complexes, 299

Ethylene complexes

Preparation of ethylene-bridged Group 14 metal-zirconocene complexes, 299

Fluorescence spectrum

New type of polysilanes: poly(1,1-silole)s, 5

Fluoro-functionalization

Fluoro-functionalization mediated by the reactive chalcogen reagents, 158

Fluoro-selenenylation

Fluoro-functionalization mediated by the reactive chalcogen reagents, 158

Fluxional behavior

Structure and fluxional behavior of platinum and palladium complexes having M-Si or M-Sn ($M = Pt$ or Pd) inter-element linkages, 343

Fullerene

Photochemical bis-silylation of C_{60} : synthesis of a novel C_{60} main chain polysilane, 78

Gas-phase reaction

Quantum chemical study of parasitic reaction in III-V nitride semiconductor crystal growth, 514

1,2-Germacyclobutene

A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge-Ge σ -bond, 420

Germanium

Preparation of ethylene-bridged Group 14 metal-zirconocene complexes, 299

Germanium compound

A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge-Ge σ -bond, 420

Germanium tetrafluoride

Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4 , 531

Germole dianion

Stable aromatic compounds containing heavier Group 14 elements, 228

Glutathione

Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593

Glutathione s-transferase

Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593

Gold cluster

Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566

Grignard reagent

Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi-N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100

Group 16 inter-element linkage

Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463

Halogen adducts

Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178

Heavier Group 15 elements

New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217

- Heavier Group 14 elements
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
- Hetero Diels–Alder reaction
Unsaturated cyclic compounds possessing disulfide linkage, 106
- Heterostructure
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
- Hexacoordinate
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- High-pressure synthesis
High-pressure synthesis and structure of a new silicon clathrate $\text{Ba}_{24}\text{Si}_{100}$, 543
- Homo-Brook rearrangement
Small ring compounds containing highly coordinate Group 14 elements, 256
- Hydrido complexes
Reactions of a novel quadruply chelated molybdenum–silyl complex with β -dicarbonyl compounds, 308
- Hydrogermylation
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ -bond, 420
- Hydroselenide complex
Formation of μ_4 -Se₂ complex by the oxidative coupling of μ -SeH complex: double-site atomic inversion of the μ_4 -Se₂ complex $[\{(\text{Cp}^*\text{Rh})_2(\mu\text{-CH}_2)_2\}_2(\mu_4\text{-Se}_2)]^{2+}$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$), 386
- Hydrosilane
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
- Hyperconjugation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- Hypervalency
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
- Hypervalent
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- Hypervalent element
Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494
- Hypervalent interaction
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
- Hypervalent iodine compound
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
- Iminosilazirconacyclohexene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
- Iminotriaryl- λ^5 -bismuthanes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
- Insertion
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Inter band level
Optical properties of pyrrolyl-substituted polysilanes, 64
- Inter-element linkage
Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494
Protecting groups for stabilization of inter-element linkages, 210
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
- Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Intermolecular crystalline-state reaction
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
- Intermolecular interaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogeno dications and trichalcogeno hypervalent dications, 116
- Intramolecular coordination
Protecting groups for stabilization of inter-element linkages, 210
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- Intramolecular interaction
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarbonylates $[(\text{RCSS})_x\text{MPh}_{4-x}]$, M = Ge, Sn, Pb; $x = 1-3$: affinity between thiocarbonyl sulfur and Group 14 elements, 190
- Inversion
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- Iron complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
Synthesis and superoxide dismutase activity of novel iron complexes, 586
- Isocyanide
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly $[(\eta^2\text{-cyclopentadienyl})(\eta^2\text{-amino-cyclopentadienyl})\text{cobalticinium-diyl-}alt\text{-biphenyl-4,4'-diyl}]_n$, 570
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
- Isomerization
Stable cyclic and acyclic persilyldisilenes, 236
- Kinetic study
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Ladder oligogermane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
- Ladder oligosilane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
- Layer-by-layer growth
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
- Lewis acids
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfonamide by using Lewis acids and *tert*-amines, 445
- Ligand coupling
Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494
- Line-shape analysis
Formation of μ_4 -Se₂ complex by the oxidative coupling of μ -SeH complex: double-site atomic inversion of the μ_4 -Se₂ complex $[\{(\text{Cp}^*\text{Rh})_2(\mu\text{-CH}_2)_2\}_2(\mu_4\text{-Se}_2)]^{2+}$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$), 386
- Low coordination
Protecting groups for stabilization of inter-element linkages, 210

- Low-valent lanthanoid
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
- Magnesium electrode
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
- Masked disilene
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
- Metal carbonyl complex
¹²¹Sb, ⁵⁷Fe and ¹²⁷I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
- Metal-catalyzed reaction
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
- Metathesis
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge-Ge σ -bond, 420
- Migration
Formation and reaction of three-membered cobalthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κ N-thio- κ S-ethene-2-thiolato- κ S)cobalt(III). Ring opening and closure and transfer of imido group, 376
- Migratory insertion
The chemistry of transition metal complexes containing a phosphonium ligand, 349
- Molecular orientation
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
- Molecular structures
Molecular structure and packing of organopolysilanes, 36
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
- Molecular wire
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
- Molybdenum
Reactions of a novel quadruply chelated molybdenum-silyl complex with β -dicarbonyl compounds, 308
- Molybdenum-silicon bonds
Reactions of a novel quadruply chelated molybdenum-silyl complex with β -dicarbonyl compounds, 308
- Mössbauer spectroscopy
¹²¹Sb, ⁵⁷Fe and ¹²⁷I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
- N-Confused porphyrin
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
- Nitride semiconductor
Quantum chemical study of parasitic reaction in III-V nitride semiconductor crystal growth, 514
- Nitridosulfur(VI)
The structures of [Ph₂XS-N-SPh₂NH]⁺ cations (X=NH, O), 272
- Non-bonded interactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S...S interaction in the crystallographic structure of the products, 172
- N-(phenyliodonio)-*p*-toluenesulfonamide
Formation and reaction of three-membered cobalthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κ N-thio- κ S-ethene-2-thiolato- κ S)cobalt(III). Ring opening and closure and transfer of imido group, 376
- [N-(Tosyl)imino]phenyliodine
Asymmetric imidation of organic selenides into selenimides, 475
- Olefin formation
Small ring compounds containing highly coordinate Group 14 elements, 256
- Olefins
The reaction of 1,2,3-selenadiazole with olefins, 488
- Oligo-ethyleneoxy linkage
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
- Oligosilane
Photochemical bis-silylation of C₆₀: synthesis of a novel C₆₀ main chain polysilane, 78
- Oligothiophene
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], 537
- Optically active silyllithium
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Optically pure bismuthane
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi-N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- OR⁻ abstraction
The chemistry of transition metal complexes containing a phosphonium ligand, 349
- Organic-inorganic hybrid film
Optical properties of organic-inorganic hybrid thin films containing polysilane segments prepared from polysilane-methacrylate copolymers, 40
- Organic polysilane
Optical properties of organic-inorganic hybrid thin films containing polysilane segments prepared from polysilane-methacrylate copolymers, 40
- Organic selenides
Asymmetric imidation of organic selenides into selenimides, 475
- Organic selenimides
Asymmetric imidation of organic selenides into selenimides, 475
- Organoboron compound
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)-diborons, 392
- Organogermane
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge-Ge σ -bond, 420
- Organometallic polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5 -cyclopentadienyl)(η^5 -amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
- Organophosphorus compounds
Protecting groups for stabilization of inter-element linkages, 210
- Organopolysilane
Molecular structure and packing of organopolysilanes, 36
- Organosilane
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si-C bond and formation of Si-Cl and Si-SR bonds promoted by Rh complexes, 323
- Organosilicon polymer
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], 537

- Origosilane
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
- Oxazoles
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
- Oxidation
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S₂O', 127
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, [M(O)(C₈H₄S₈)₂]²⁻ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
- Oxomolybdenum complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, [M(O)(C₈H₄S₈)₂]²⁻ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
- Oxovanadium complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, [M(O)(C₈H₄S₈)₂]²⁻ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
- Packing
Molecular structure and packing of organopolysilanes, 36
- Packing force
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
- Palladium
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
- Palladium and compounds
Palladium-catalyzed carbostannylation by means of reagents containing carbon-tin-halogen inter-element linkages, 433
- Palladium catalyst
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Parasitic reactions
Quantum chemical study of parasitic reaction in III-V nitride semiconductor crystal growth, 514
- Pentacoordinate 1,2-oxagermetanide
Small ring compounds containing highly coordinate Group 14 elements, 256
- Pentacoordinate 1,2-oxasiletanide
Small ring compounds containing highly coordinate Group 14 elements, 256
- Pentacoordinate 1,2-oxastannetanide
Small ring compounds containing highly coordinate Group 14 elements, 256
- Peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
- Peterson-type reactions
Small ring compounds containing highly coordinate Group 14 elements, 256
- Phenylglycine
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
- 9-Phenyl-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
- [PH₂NHS-N-SPH₂NH]⁺ cation
The structures of [Ph₂XS-N-SPH₂NH]⁺ cations (X=NH, O), 272
- [PH₂OS-N-SPH₂NH]⁺ cation
The structures of [Ph₂XS-N-SPH₂NH]⁺ cations (X=NH, O), 272
- Phosphorus
The chemistry of Group 15 element porphyrins bearing element-carbon bonds: synthesis and properties, 200
- Photoinduced effect
Optical properties of organic-inorganic hybrid thin films containing polysilane segments prepared from polysilane-methacrylate copolymers, 40
- Photoinduced electron transfer
C₆₀-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
- Photoluminescence
Optical properties of pyrrolyl-substituted polysilanes, 64
- Photolysis
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
- Photophysical process
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
- Platinum
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Platinum catalyst
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Polarization memory
Optical properties of organic-inorganic hybrid thin films containing polysilane segments prepared from polysilane-methacrylate copolymers, 40
- Polar polysilanes
Thermochromism and solvatochromism of non-ionic polar polysilanes, 45
- Poly(dihexylsilane)
Molecular structure and packing of organopolysilanes, 36
- Poly(dimethylsilane)
Molecular structure and packing of organopolysilanes, 36
- Poly(*iso*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, 36
- Polymer reaction
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η⁵-cyclopentadienyl)(η⁵-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
- Poly(methylethylsilane)
Molecular structure and packing of organopolysilanes, 36
- Poly(*n*-butylethylsilane)
Molecular structure and packing of organopolysilanes, 36
- Poly(*n*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, 36
- Polysilanes
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
New type of polysilanes: poly(1,1-silole)s, 5
Optical properties of pyrrolyl-substituted polysilanes, 64

- Photochemical bis-silylation of C_{60} : synthesis of a novel C_{60} main chain polysilane, 78
- Polysilicon
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4 , 531
- Polysilole
New type of polysilanes: poly(1,1-silole)s, 5
- Porphyrin
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- Potentiometric titration
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
- Protecting group
Protecting groups for stabilization of inter-element linkages, 210
- Pulse radiolysis
Optical properties of pyrrolyl-substituted polysilanes, 64
- Pummerer-type reaction
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S··S interaction in the crystallographic structure of the products, 172
- Pyrrolyl
Optical properties of pyrrolyl-substituted polysilanes, 64
- Quantum chemical calculation
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
- Quinquidentate ligands
Reactions of a novel quadruply chelated molybdenum–silyl complex with β -dicarbonyl compounds, 308
- Radical ion pair
 C_{60} -sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
- Radical ions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
- Reactive polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5 -cyclopentadienyl)(η^5 -amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
- Redox
Photochemical bis-silylation of C_{60} : synthesis of a novel C_{60} main chain polysilane, 78
- Redox reactions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
- Reduction
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
- Reductive elimination
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Regio- and stereoselective addition
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
- Regional density functional theory
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
- Regioselection
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Remote reaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogeno dications and trichalcogeno hypervalent dications, 116
- Rhodium
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
- Rh–Rh bond
Formation of μ_4 -Se₂ complex by the oxidative coupling of μ -SeH complex: double-site atomic inversion of the μ_4 -Se₂ complex [(Cp*Rh)₂(μ -CH₂)₂(μ_4 -Se₂)]²⁺ (Cp* = η^5 -C₅Me₅), 386
- Ring conversion reaction
Unsaturated cyclic compounds possessing disulfide linkage, 106
- Ring opening
Formation and reaction of three-membered cobalthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κ N-thio- κ S-ethene-2-thiolato- κ S)cobalt(III). Ring opening and closure and transfer of imido group, 376
- Ring-opening reactions
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
- Rotational barrier
The chemistry of transition metal complexes containing a phosphonium ligand, 349
- Ruffling
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
- S₃
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S₂O', 127
- 1,2,3-Selenadiazole
The reaction of 1,2,3-selenadiazole with olefins, 488
- Selenide
Preparation and crystal structure of chromium silicon selenide containing a B₁₂ icosahedron with a tunnel structure, 547
- Selenium heterocycles
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
- Selenol
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
- Self-assembled monolayer
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
- Silabenzene
Stable aromatic compounds containing heavier Group 14 elements, 228
- Silaboration
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- 1,2-Silacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ -metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ -bond, 420
- Sila-Dewar benzene
Stable aromatic compounds containing heavier Group 14 elements, 228

- Silanaphthalene
Stable aromatic compounds containing heavier Group 14 elements, 228
- Silane–germane copolymers
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
- Silaprismane
Stable aromatic compounds containing heavier Group 14 elements, 228
- Silazirconacyclopentene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
- Silene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris-(trimethylsilyl)silane with mono(silyl)acetylenes, 248
- Silicon
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, 547
- Silicon clathrate
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
- Silicon–silicon bonds
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
- Silole
New type of polysilanes: poly(1,1-silole)s, 5
- Silole dianion
Stable aromatic compounds containing heavier Group 14 elements, 228
- Silyl
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
- Silyl acetylene
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris-(trimethylsilyl)silane with mono(silyl)acetylenes, 248
- Silylborane
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
- Silyl complexes
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
- Silylene complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
- Silyl ligand
Reactions of a novel quadruply chelated molybdenum–silyl complex with β -dicarbonyl compounds, 308
- Silylstannane
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Silyl thioketone
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
- Single electron transfer
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
- Single-point ab initio calculation
The structures of $[Ph_2XS-N-SPh_2NH]^+$ cations ($X=NH, O$), 272
- ^{29}Si -NMR
Stable cyclic and acyclic persilyldisilenes, 236
- 4*S*-Isopropyl-1,3-thiazolidine-2-thione
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S··S interaction in the crystallographic structure of the products, 172
- Si- sp^3 network
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
- Site-directed mutagenesis
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
- S_N2 reaction
Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494
- S_2O
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithirane 1-oxide and ‘ S_2O ’, 127
- Sol–gel method
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
- Solvatochromism
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5 -cyclopentadienyl)(η^5 -amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4'-diyl]s, 570
Thermochromism and solvatochromism of non-ionic polar polysilanes, 45
- Stereospecificity
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
- Steric protection
Protecting groups for stabilization of inter-element linkages, 210
Syntheses and structures of novel *m*-xylylene-bridged calix[6]-arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
- Stibine complex
 ^{121}Sb , ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
- Structural correlation
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
- Structural relaxation
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
- Substituent effects
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
- Substitution
Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
- Sulfenic acids
Syntheses and structures of novel *m*-xylylene-bridged calix[6]-arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
- Sulfenium cation
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
- Sulfide
Chalcogenide- $TiCl_4$ -mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455

Sulfinimines

Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfonamide by using Lewis acids and *tert*-amines, 445

Sulfonyl azide

Formation and reaction of three-membered cobalthiaziridine ring in (η^5 -cyclopentadienyl)(substituted imido- κN -thio- κS -ethene-2-thiolato- κS)cobalt(III). Ring opening and closure and transfer of imido group, 376

Sulfoxide

Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S...S interaction in the crystallographic structure of the products, 172

Sulfur heterocycles

Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrithalcohenoles containing sulfur and/or selenium atoms, 136

Sulfur-phosphorus bond

Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449

Sulfur-silicon bond

Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449

Superoxide

Synthesis and superoxide dismutase activity of novel iron complexes, 586

Superoxide dismutase

Synthesis and superoxide dismutase activity of novel iron complexes, 586

Synthesis

Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52

TB, MC

Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178

Tetranuclear complex

Formation of μ_4 -Se₂ complex by the oxidative coupling of μ -SeH complex: double-site atomic inversion of the μ_4 -Se₂ complex $[(\text{Cp}^*\text{Rh})_2(\mu\text{-CH}_2)_2(\mu_4\text{-Se}_2)]^{2+}$ ($\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$), 386

Tetrasilyldisilene

Stable cyclic and acyclic persilyldisilenes, 236

1,2,5,6-Tetrathiocin

Unsaturated cyclic compounds possessing disulfide linkage, 106

Tetrathiolane

Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S₂O', 127

Tetrathiotungstate

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(\text{Pr}_4\text{N})_2[\text{W}_2(\mu\text{-S})_2\{\text{S}_2\text{C}_2(\text{CO}_2\text{Et})_2\}_4]$, 370

Theoretical calculations

Synthesis and structures of polysilacage compounds containing a silicon-silicon inter-element linkage, 12

Theoretical study

Triple bonds between heavier Group 14 elements. A theoretical approach, 264

Thermal CVD

Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si₂H₆ and GeF₄, 531

Thermochromism

Thermochromism and solvatochromism of non-ionic polar polysilanes, 45

Thermolysis

Silicon-carbon unsaturated compounds. 62. Reactions of silenes

produced thermally from pivaloyl- and adamantoyl-tris(trimethylsilyl)silane with mono(silyl)acetylenes, 248

The reaction of 1,2,3-selenadiazole with olefins, 488

Thia–Brook rearrangement

Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449

1,3-Thiazolidine-2-thione

Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S...S interaction in the crystallographic structure of the products, 172

Thiol

Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463

Tin

Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299

Tin and compounds

Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433

Titanium tetrachloride

Chalcogenide-TiCl₄-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455

Transannular interaction

Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116

 σ – σ^* Transition

Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85

Transition metal–boryl bond

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288

Transition metal catalyst

Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463

Transition metal–germyl bond

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288

Transition metal–silyl bond

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288

Transition metal–stannyl bond

Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288

Trichalcogena hypervalent dication

Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116

Triple bonds

Triple bonds between heavier Group 14 elements. A theoretical approach, 264

Tungsten

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(\text{Pr}_4\text{N})_2[\text{W}_2(\mu\text{-S})_2\{\text{S}_2\text{C}_2(\text{CO}_2\text{Et})_2\}_4]$, 370

Tunnel structure

Preparation and crystal structure of chromium silicon selenide containing a B₁₂ icosahedron with a tunnel structure, 547

Unsaturated cyclic compound

Unsaturated cyclic compounds possessing disulfide linkage, 106

UV spectrum

New type of polysilanes: poly(1,1-silole)s, 5

UV–vis spectra

Stable cyclic and acyclic persilyldisilenes, 236

vic-Disulfoxide

Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithirane 1-oxide and 'S₂O', 127

Vidicon

High electric field photocurrent of Vidicon and diode devices using wide band gap α -Si:H prepared with intentional control of silicon network by chemical annealing, 525

Vinyl cation

Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494

Vinyliodane

Nucleophilic vinylic substitutions of λ^3 -vinyliodanes, 494

Voltammetry

Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrithalcohenoles containing sulfur and/or selenium atoms, 136

Wurtz-type coupling reaction

New type of polysilanes: poly(1,1-silole)s, 5

X-ray analysis

Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146

The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200

X-ray crystallographic analysis

Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S \cdots S interaction in the crystallographic structure of the products, 172

Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178

Small ring compounds containing highly coordinate Group 14 elements, 256

Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89

The structures of [Ph₂XS–N–SPh₂NH]⁺ cations (X=NH, O), 272

X-ray crystallography

Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577

X-ray crystal structures

Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrithalcohenoles containing sulfur and/or selenium atoms, 136

X-ray diffraction

Molecular structure and packing of organopolysilanes, 36

X-ray structural analysis

Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates [(RCSS)_xMPh_{4-x}, M = Ge, Sn, Pb; x = 1–3]: affinity between thiocarbonyl sulfur and Group 14 elements, 190

X-ray structures

Stable cyclic and acyclic persilyldisilenes, 236

Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, (Pr₄N)₂[W₂(μ -S)₂{S₂C₂(CO₂Et)₂}]₄, 370

The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332

X-ray structure analysis

Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314

Ytterbium

Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509

Zirconium–silene complex

Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304

Zirconocene

Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299