

Subject Index of Volume 613

Ab initio/HF

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^1H - and ^{13}C -NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Acetylene derivatives

Synthesis of coupling dinuclear iron complexes from μ -*N*-(2-oxo-2-methylethanamino)- μ -*N'*-(dimethylamino)- $\text{Fe}_2(\text{CO})_5$ complex with acetylene derivatives, 132

Alkali metal salts

Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

Alkaline earth metal stannides

Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139

η^3 -Allenyl

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3 -allenyl and η^1 -propargyl lanthanide complexes, 26

Aluminium

The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-C}_5\text{H}_5)_2\text{Al}(\mu\text{-OCH}_2\text{CH}_2\text{O-}^i\text{Pr})_2]$; synthesis and structure, 119

Aminocarbene complexes

Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56

Arene

Al_2O_3 -mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263

Arenetricarbonylchromium complexes

The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: $\text{Cr}(\text{CO})_3$ orientation controlled by short C–H \cdots O hydrogen bonding, 111

Arylboronic acids

Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236

Arylselenides

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220

Aryltrialkyltins

Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236

Azabutadiene

Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200

Azido complexes

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Azido–isocyanide complexes

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Bicyclic sila-heterocycles

New bicyclic sila-heterocycles: syntheses and crystal structure

analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19

Bidentate ligands

Coordination chemistry of 1,1'-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[\text{Ag}(\text{dpspf})\{\text{SPPPh}_2\text{CH}_2\}]\text{OTf}$ and $[\text{Au}(\text{dpspf})][\text{AuCl}_2]$, 50

Bifunctional

The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-C}_5\text{H}_5)_2\text{Al}(\mu\text{-OCH}_2\text{CH}_2\text{O-}^i\text{Pr})_2]$; synthesis and structure, 119

Bipyridine

Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[\text{Ru}(\rho\text{-cymene})\text{Cl}_2\text{L}]$ and *trans*- $[\text{PdCl}_2(\text{L})_2]$, 244

Borane

Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236

Branched oligosilanes

Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Carbonyl

Synthesis of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\}-$ via selective CO-substitution of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\}-$ by $\text{P}(\text{OR})_3$ (R = Ph, ^{*n*}Bu, ^{*n*}Pr, Et, and Me) under photochemical condition and molecular structure of *trans*- $\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\}-$, 1

Carbonylation

Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231

Carborane

Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99

Catalysis

Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77

Catalyst

New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68

Cation radicals

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220

Cobalt bis(dicarbollide)

Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99

Complexation

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl₂L] and *trans*-[PdCl₂(L)₂], 244

Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148

Complexes

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60

Conformational study

Solid state ¹³C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93

Conformations

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ¹H- and ¹³C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Coupling reactions

Synthesis of coupling dinuclear iron complexes from μ -*N*-(2-oxo-2-methylethanaminato)- μ -*N'*-(dimethylamino)-Fe₂(CO)₅ complex with acetylene derivatives, 132

Crystal structures

A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of [Ru(*p*-cymene)Cl₂L] and *trans*-[PdCl₂(L)₂], 244

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ¹H- and ¹³C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3 -allenyl and η^1 -propargyl lanthanide complexes, 26

New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19

Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128

Synthesis of novel quadruply bridged M₂Se₄ clusters *trans/anti* and *trans/syn*-[(η^5 -RC₅H₄)₂M₂(μ -Se)₂(μ -SeCH₂Ph)₂] (M = Mo, W) via an unexpected reaction of M=M triply bonded complexes [(η^5 -RC₅H₄)₂M₂(CO)₄] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans/anti*- and *trans/syn*-[(η^5 -EtO₂CC₅H₄)₂Mo₂(μ -Se)₂(μ -SeCH₂Ph)₂], 42

The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: Cr(CO)₃ orientation controlled by short C–H⋯O hydrogen bonding, 111

The structures of 1-chlorogermetrane and of 1-fluorogermetrane, revisited, 86

C-Tetrazolato complexes

New C-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

4-Cyanopyridine

Synthesis and characterization of some mono and binuclear (η^3 : η^3 -C₁₀H₁₆) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3 : η^3 -C₁₀H₁₆)Cl₂(CNPY)], 250

[3 + 2]-cycloadditions

New C-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Cyclometalated hexacarbonyldiiron complex

Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231

Cyclopentadienyl

A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ¹H- and ¹³C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

The cyclopentadienylaluminium etheralkoxide derivative [(η^1 -C₅H₅)₂Al(μ -OCH₂CH₂O-*n*Pr)]₂; synthesis and structure, 119

 η^5 -Cyclopentadienyl

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3 -allenyl and η^1 -propargyl lanthanide complexes, 26

Cyclopropenium

The peculiar behavior of a diphosphirenium salt towards sodium η^5 -cyclopentadienyl(dicarbonyl)ferrate, 33

Cyclosiloxane

Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

Decarbonylate

Al₂O₃-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263

DFT/B3LYP

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ¹H- and ¹³C-NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Dialkyldichlorosilanes

Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170

Diaryldichlorosilanes

Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170

Dibenzo[*a,e*]cyclooctatetraene

The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: Cr(CO)₃ orientation controlled by short C–H⋯O hydrogen bonding, 111

[4 + 2] Diels–Alder cycloaddition

Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of (η^6 -arene)Ru(DMPP)Cl₂ complexes with dieneophilic ligands, 177

Differential scanning calorimetry

Solid state ¹³C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93

Dimers

Reactions of [(CO)₃(P-P)Mn]₂ with primary alcohols, where, P-P is dppe {Ph₂P(CH₂)₂PPh₂}, dppp {Ph₂P(CH₂)₃PPh₂}, dppb {Ph₂P(CH₂)₄PPh₂}, dpppe {Ph₂P(CH₂)₅PPh₂}, dtpe {(*p*-tol)₂P(CH₂)₂P(*p*-tol)₂}, or dcpe {(^chex)₂P(CH₂)₂P(^chex)₂}. Synthesis of *fac*-(CO)₃(P-P)MnH and the X-ray structure of *fac*-(CO)₃(dtpe)MnH, 13

2,7-Dimethyloctadienediyl

Synthesis and characterization of some mono and binuclear (η^3 : η^3 -C₁₀H₁₆) containing ruthenium(IV) complexes. Crystal structure of [Ru(η^3 : η^3 -C₁₀H₁₆)Cl₂(CNPY)], 250

Diorganylsilanones

Electrochemical oxygenation of diorganyldichlorosilanes: a novel route to generation of diorganylsilanones, 170

Diphosphines

Reactions of [(CO)₃(P-P)Mn]₂ with primary alcohols, where, P-P is dppe {Ph₂P(CH₂)₂PPh₂}, dppp {Ph₂P(CH₂)₃PPh₂}, dppb {Ph₂P(CH₂)₄PPh₂}, dpppe {Ph₂P(CH₂)₅PPh₂}, dtpe {(*p*-tol)₂P(CH₂)₂P(*p*-tol)₂}, or dcpe {(^chex)₂P(CH₂)₂P(^chex)₂}. Synthesis of *fac*-(CO)₃(P-P)MnH and the X-ray structure of *fac*-(CO)₃(dtpe)MnH, 13

- Electrooxidation
Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220
- Electrosynthesis
Electrochemical oxygenation of diorganodichlorosilanes: a novel route to generation of diorganosilanones, 170
- Enamine tricarbonyliron
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200
- Ethene
Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257
- Ethylene
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124
- Ferrocene
Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77
- Germanium
The structures of 1-chlorogermetrane and of 1-fluogermetrane, revisited, 86
- Germetrane
The structures of 1-chlorogermetrane and of 1-fluogermetrane, revisited, 86
- 2*H*-Azaphosphirene complexes
Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56
- Heteroleptic lanthanide(II) complexes
Syntheses and crystal structures of two ytterbocene complexes [Yb(η-Cp'')₂I(THF)] and [Yb(η-Cp'')₂(μ-Cl)₂Li(THF)₂] (Cp'' = C₅H₃(SiMe₃)₂-1,3), 105
- Homoleptic
Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128
- Hydrides
Reactions of [(CO)₃(P-P)Mn]₂ with primary alcohols, where, P-P is dppe {Ph₂P(CH₂)₂PPh₂}, dppp {Ph₂P(CH₂)₃PPh₂}, dppb {Ph₂P(CH₂)₄PPh₂}, dpppe {Ph₂P(CH₂)₅PPh₂}, dtpe {(*p*-tol)₂P(CH₂)₂P(*p*-tol)₂}, or dcpe {(^ohex)₂P(CH₂)₂P(^ohex)₂}. Synthesis of *fac*-(CO)₃(P-P)MnH and the X-ray structure of *fac*-(CO)₃(dtpe)MnH, 13
- Hydroformylation
The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124
- Hydrogen bonding
The crystal structure of the bis-tricarbonylchromium complex of dibenzo[*a,e*]cyclooctatetraene: Cr(CO)₃ orientation controlled by short C–H···O hydrogen bonding, 111
- Hydrophosphoranes
Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148
- Iron
Al₂O₃-mediated deacetylation of CpFe(ethyl-2-phenylacetoacetate) hexafluorophosphate, 263
Conversion of (2-methyl-1-azabuta-1,3-diene)tricarbonyliron(0) complexes into tertiary (enamine)tricarbonyliron(0) complexes, 200
Synthesis of –{Me₂Si-η⁵-C₅H₄Fe(CO)[P(OR)₃]Me₂Si-η⁵-C₅H₄Fe(CO)[P(OR)₃]}– via selective CO-substitution of –[Me₂Si-η⁵-C₅H₄Fe(CO)₂Me₂Si-η⁵-C₅H₄Fe(CO)₂]}– by P(OR)₃ (R = Ph, ⁿBu, ⁿPr, Et, and Me) under photochemical condition and molecular structure of *trans*-{Me₂Si-η⁵-C₅H₄Fe(CO)[P(OMe)₃]Me₂Si-η⁵-C₅H₄Fe(CO)[P(OMe)₃]}–, 1
The peculiar behavior of a diphosphirenium salt towards sodium η⁵-cyclopentadienyl(dicarbonyl)ferrate, 33
- Iron complexes
Synthesis of coupling dinuclear iron complexes from μ-*N*-(2-oxo-2-methylethanaminato)-μ-*N'*-(dimethylamino)-Fe₂(CO)₅ complex with acetylene derivatives, 132
- Kinetics
New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19
- γ-Lactam
Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231
- Lanthanide(III) halides
Syntheses and crystal structures of two ytterbocene complexes [Yb(η-Cp'')₂I(THF)] and [Yb(η-Cp'')₂(μ-Cl)₂Li(THF)₂] (Cp'' = C₅H₃(SiMe₃)₂-1,3), 105
- Ligand
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
- Lithium
A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37
- Manganese
Reactions of [(CO)₃(P-P)Mn]₂ with primary alcohols, where, P-P is dppe {Ph₂P(CH₂)₂PPh₂}, dppp {Ph₂P(CH₂)₃PPh₂}, dppb {Ph₂P(CH₂)₄PPh₂}, dpppe {Ph₂P(CH₂)₅PPh₂}, dtpe {(*p*-tol)₂P(CH₂)₂P(*p*-tol)₂}, or dcpe {(^ohex)₂P(CH₂)₂P(^ohex)₂}. Synthesis of *fac*-(CO)₃(P-P)MnH and the X-ray structure of *fac*-(CO)₃(dtpe)MnH, 13
- Metallo-ligand
Synthesis and characterization of some mono and binuclear (η³:η³-C₁₀H₁₆) containing ruthenium(IV) complexes. Crystal structure of [Ru(η³:η³-C₁₀H₁₆)Cl₂(CNPy)], 250
- Metal–metal multiple bond
Synthesis of novel quadruply bridged M₂Se₄ clusters *trans/anti* and *trans/syn*-[(η⁵-RC₅H₄)₂M₂(μ-Se)₂(μ-SeCH₂Ph)₂] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η⁵-RC₅H₄)₂M₂(CO)₄] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans/anti*- and *trans/syn*-[(η⁵-EtO₂CC₅H₄)₂Mo₂(μ-Se)₂(μ-SeCH₂Ph)₂], 42
- Modification
New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68
- Mo₂Se₂ clusters
Synthesis of novel quadruply bridged M₂Se₄ clusters *trans/anti* and *trans/syn*-[(η⁵-RC₅H₄)₂M₂(μ-Se)₂(μ-SeCH₂Ph)₂] (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes [(η⁵-RC₅H₄)₂M₂(CO)₄] with dibenzyl diselenide. Crystal structures of a pair of isomers *trans/anti*- and *trans/syn*-[(η⁵-EtO₂CC₅H₄)₂Mo₂(μ-Se)₂(μ-SeCH₂Ph)₂], 42
- N₂ evolution
New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Nickel

A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37

Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257

Nickel clusters

A new type of tetranuclear cyclopentadienylnickel cluster: synthesis and structural characterisation, 37

Niobium

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^1H - and ^{13}C -NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Nitriles

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60

NMR

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^1H - and ^{13}C -NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

NMR spectroscopy

New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19

N-(2-thienylmethylidene)aniline

Reactions of cyclometalated carbonyliron complex derived from thienyl Schiff base, 231

Nucleophilic fluorination

Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

Olefin

New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68

Organotin hydrides

Transmetalations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236

Oxide

Chlorodicyclopentadienyloxoniobium(V) complexes revisited: the origin of the asymmetry in the ^1H - and ^{13}C -NMR spectra, X-ray crystal structures and ab initio/HF and DFT/B3LYP calculations, 7

Palladium

Bis(2-(1,3-dioxan-2-yl)ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[\text{Ru}(\text{p-cymene})\text{Cl}_2\text{L}]$ and *trans*- $[\text{PdCl}_2(\text{L})_2]$, 244

Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77

Palladium complexes

Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148

Perfluorinated complex anion

Fluoridative degradation of cyclosiloxanes with alkali metal salts of perfluorinated complex anion. Part 5, 239

 $(\text{PhCH}_2)_2\text{Se}_2$

Synthesis of novel quadruply bridged M_2Se_4 clusters *trans/anti* and *trans/syn*- $[(\eta^5\text{-RC}_3\text{H}_4)_2\text{M}_2(\mu\text{-Se})_2(\mu\text{-SeCH}_2\text{Ph})_2]$ (M = Mo, W) via an unexpected reaction of $\text{M}=\text{M}$ triply bonded complexes $[(\eta^5\text{-RC}_3\text{H}_4)_2\text{M}_2(\text{CO})_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans/anti*- and *trans/syn*- $[(\eta^5\text{-EtO}_2\text{CC}_3\text{H}_4)_2\text{Mo}_2(\mu\text{-Se})_2(\mu\text{-SeCH}_2\text{Ph})_2]$, 42

Phosphaalkenes

The peculiar behavior of a diphosphirenium salt towards sodium η^5 -cyclopentadienyl(dicarbonyl)ferrate, 33

Phosphine

Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77

Phosphole

Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of $(\eta^6\text{-arene})\text{Ru}(\text{DMPP})\text{Cl}_2$ complexes with dieneophilic ligands, 177

Phosphorus

Synthesis of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{-}$ via selective CO-substitution of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{-}$ by $\text{P}(\text{OR})_3$ (R = Ph, "Bu, "Pr, Et, and Me) under photochemical condition and molecular structure of *trans*- $\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{-}$, 1

The peculiar behavior of a diphosphirenium salt towards sodium η^5 -cyclopentadienyl(dicarbonyl)ferrate, 33

Photochemistry

Synthesis of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{-}$ via selective CO-substitution of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{-}$ by $\text{P}(\text{OR})_3$ (R = Ph, "Bu, "Pr, Et, and Me) under photochemical condition and molecular structure of *trans*- $\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{-}$, 1

P-ligands

Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128

Polymercury-containing macrocycles

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60

Polymerization

Four-coordinated bipyridine complexes of nickel for ethene polymerization — the role of ligand structure, 257

New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68

 η^1 -Propargyl

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of η^3 -allenyl and η^1 -propargyl lanthanide complexes, 26

2-Propoxyethanol

The cyclopentadienylaluminium etheralkoxide derivative $[(\eta^1\text{-C}_5\text{H}_5)_2\text{Al}(\mu\text{-OCH}_2\text{CH}_2\text{O}^-\text{Pr})_2]$; synthesis and structure, 119

Reactivity

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220

Rearrangements

Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56

Rhodium

Rhodium and palladium complexes from 1,1' and 1,2 ferrocenylphosphine as bidentate ligands. Versatile coordination, 77

Rhodium carbonyl complexes

The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tetrarhodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124

Rhodium complexes

Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148

Ru(IV) complexes

Synthesis and characterization of some mono and binuclear ($\eta^3:\eta^3\text{-C}_{10}\text{H}_{16}$) containing ruthenium(IV) complexes. Crystal structure of $[\text{Ru}(\eta^3:\eta^3\text{-C}_{10}\text{H}_{16})\text{Cl}_2(\text{CNPy})]$, 250

Ruthenium

Bis(2-{1,3-dioxan-2-yl}ethyl) telluride (L): synthesis and ligation with Pd(II) and Ru(II). Crystal structures of $[\text{Ru}(p\text{-cymene})\text{Cl}_2\text{L}]$ and $\text{trans-}[\text{PdCl}_2(\text{L})_2]$, 244

Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of ($\eta^6\text{-arene}$)Ru(DMPP)Cl₂ complexes with dieneophilic ligands, 177

Samarium

Coordination of allenyl/propargyl group to samarium(III): the first crystal structures of $\eta^1\text{-allenyl}$ and $\eta^1\text{-propargyl}$ lanthanide complexes, 26

Samarium(II)

Synthesis and crystal structure of a homoleptic, alkali metal-free lanthanide(II) phosphide complex, 128

Silanes

Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Silicon

Synthesis of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{-}$ via selective CO-substitution of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{-}$ by $\text{P}(\text{OR})_3$ (R = Ph, ⁿBu, ⁿPr, Et, and Me) under photochemical condition and molecular structure of $\text{trans-}\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{-}$, 1

Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Silicon organic compounds

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220

Silver

Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99

¹¹⁹Sn-NMR spectroscopy

Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139

Stannanes

Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139

Stereoelectronic effects

Stereoelectronic effects in the reactivity of electrogenerated cation radicals of arylselenides, 220

Structure

Monomeric and polymeric structures of silver salts of cobalt(III) bis(dicarbollide) ions, 99

Structure elucidation

Novel triphenyltin substituted derivatives of heavier alkaline earth metals, 139

Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Substitution

Synthesis of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OR})_3]\text{-}$ via selective CO-substitution of $-\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})_2\text{-}$ by $\text{P}(\text{OR})_3$ (R = Ph, ⁿBu, ⁿPr, Et, and Me) under photochemical condition and molecular structure of $\text{trans-}\{\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{Me}_2\text{Si-}\eta^5\text{-C}_5\text{H}_4\text{Fe}(\text{CO})[\text{P}(\text{OMe})_3]\text{-}$, 1

Superoxide anion

Electrochemical oxygenation of diorganodichlorosilanes: a novel route to generation of diorganylsilanones, 170

Syntheses

New bicyclic sila-heterocycles: syntheses and crystal structure analyses of *rac*-7-ethoxy-2,2-diorganyl-2,3,5,7a-tetrahydro-1*H*-3a,6-diaza-2-sila-inden-4-ones, 19

Synthon

Synthesis and characterization of some mono and binuclear ($\eta^3:\eta^3\text{-C}_{10}\text{H}_{16}$) containing ruthenium(IV) complexes. Crystal structure of $[\text{Ru}(\eta^3:\eta^3\text{-C}_{10}\text{H}_{16})\text{Cl}_2(\text{CNPy})]$, 250

Tetraethylpyrazabole

Solid state ¹³C-NMR and X-ray studies on the structure of tetraethylpyrazabole, 93

Tettrahodium dodecacarbonyl

The homogeneous rhodium catalyzed hydroformylation of ethylene starting with tettrahodium dodecacarbonyl — the observation of a new type of rhodium carbonyl spectrum, 124

Three-membered ring

The peculiar behavior of a diphosphonium salt towards sodium $\eta^3\text{-cyclopentadienyl}(\text{dicarbonyl})\text{ferrate}$, 33

Trans coordination

Coordination chemistry of 1,1'-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[\text{Ag}(\text{dpspf})\{\text{SPPH}_2\text{CH}_2\}]\text{OTf}$ and $[\text{Au}(\text{dpspf})][\text{AuCl}_2]$, 50

Transmetallations

Transmetallations between aryltrialkyltins and borane: synthesis of arylboronic acids and organotin hydrides, 236

Tungsten

Synthesis of the first stable Fischer-type carbene metal complex with a C–O–P structural motive of the carbene ligand, 56

UV–vis-spectroscopy

Synthesis, structure and spectroscopic properties of branched oligosilanes, 208

Vibrational spectroscopy

The structures of 1-chlorogermatrane and of 1-fluorogermatrane, revisited, 86

W₂Se₂ clusters

Synthesis of novel quadruply bridged M₂Se₄ clusters *trans/anti* and *trans/syn*- $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{M}_2(\mu\text{-Se})_2(\mu\text{-SeCH}_2\text{Ph})_2]$ (M = Mo, W) via an unexpected reaction of M≡M triply bonded complexes $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{M}_2(\text{CO})_4]$ with dibenzyl diselenide. Crystal structures of a pair of isomers *trans/anti*- and *trans/syn*- $[(\eta^5\text{-EtO}_2\text{CC}_5\text{H}_4)_2\text{Mo}_2(\mu\text{-Se})_2(\mu\text{-SeCH}_2\text{Ph})_2]$, 42

X-ray

Reactions of $[(\text{CO})_3(\text{P-P})\text{Mn}]_2$ with primary alcohols, where, P-P is dppe $\{\text{Ph}_2\text{P}(\text{CH}_2)_2\text{PPh}_2\}$, dppp $\{\text{Ph}_2\text{P}(\text{CH}_2)_3\text{PPh}_2\}$, dppb $\{\text{Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2\}$, dpppe $\{\text{Ph}_2\text{P}(\text{CH}_2)_5\text{PPh}_2\}$, dtpe $\{(p\text{-tol})_2\text{P}(\text{CH}_2)_2\text{P}(p\text{-tol})_2\}$, or dcpe $\{\text{c}^{\text{hex}}_2\text{P}(\text{CH}_2)_2\text{P}^{\text{c}^{\text{hex}}}_2\}$. Synthesis of *fac*- $(\text{CO})_3(\text{P-P})\text{MnH}$ and the X-ray structure of *fac*- $(\text{CO})_3(\text{dtpe})\text{MnH}$, 13

X-ray analysis

Complexation of hydrophosphoranes: possible mechanism and coordination activity, 148

X-ray crystallography

Scope and diastereoselectivity of intramolecular [4 + 2] Diels–Alder cycloaddition reactions of ($\eta^6\text{-arene}$)Ru(DMPP)Cl₂ complexes with dieneophilic ligands, 177

X-ray diffraction

Coordination chemistry of 1,1'-bis(diphenylselenophosphoryl)ferrocene (dpspf) towards Group 11 elements. Crystal structures of $[\text{Ag}(\text{dpspf})\{\text{SPPH}_2\text{CH}_2\}]\text{OTf}$ and $[\text{Au}(\text{dpspf})][\text{AuCl}_2]$, 50

X-ray structure analysis

Complexation of cyclic trimeric perfluoro-*o*-phenylenemercury with nitriles. A remarkable sensitivity of the composition and structure of the resulting complexes to the nature of a nitrile, 60

X-ray structures

New *C*-tetrazolato complexes of rhodium(III), palladium(II) and gold(III), 159

Ytterbium

Syntheses and crystal structures of two ytterbocene complexes [Yb(η -Cp'')₂I(THF)] and [Yb(η -Cp'')₂(μ -Cl)₂Li(THF)₂] (Cp'' = C₅H₃(SiMe₃)₂-1,3), 105

Zirconocene

New sterically hindered unbridged zirconocene complexes with 1,2-diphenylcyclopentadienyl ligands: synthesis, structure and properties as olefin polymerization catalysts, 68