



ELSEVIER

www.elsevier.nl/locate/jorgchem

Journal of Organometallic Chemistry 616 (2000) 171–174

Journal  
of Organo  
metallic  
Chemistry

## Subject Index of Volume 616

### Arene ruthenium complexes

Co-catalyst dependent cycloisomerization or ring closing metathesis of  $\alpha,\omega$ -dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135

### Aromatic phosphines

Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149

### Asymmetric catalysis

Chiral rhodium(I)–(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

### Azides

Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128

### 'Barf' anion

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{P}(4\text{-C}_6\text{H}_4\text{CH}_3)_3)(\text{CH}_3)]^{+}\text{B}(3,5\text{-C}_6\text{H}_3(\text{CF}_3)_2)^{-}$ : experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

### Carbocations

Synthesis, crystal and molecular structure of  $[\{\text{C}_5\text{Me}_5\text{Fe-C}_5\text{Me}_4\text{CH}_2\}^{+}\text{B}\{\text{C}_6\text{H}_3(\text{CF}_3)_2\}^{-}]$ , the first example of a structurally characterized primary ferrocenylcarbocation, 106

### Chemical vapour deposition

Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128

### Chlorodifluorovinyl

CFC replacement HCFC-133a ( $\text{CF}_3\text{CH}_2\text{Cl}$ ) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

### Cobalt

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral  $\text{W}_2\text{Fe}(\mu_3\text{-S})$  cluster cores  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]^{+}$  ( $n = 1\text{--}3$ ). Crystal structures of  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 2,3$ ), 140

### Copper catalyst

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

### Crown ether

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral  $\text{W}_2\text{Fe}(\mu_3\text{-S})$  cluster cores  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]^{+}$  ( $n = 1\text{--}3$ ). Crystal structures of  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 2,3$ ), 140

### Crystallographic data

Cyclotrimerization of phenylethyne to fulvene: reactivity of *cis*-dichloro(1,1'-bis(diphenylphosphino)ferrocene)palladium(II), 67

### Crystal structures

Reactivity of  $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  with organic heterothiols; X-ray structures of  $[\text{H}(\mu\text{-H})\text{Os}_3(\text{CO})_8(\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  and  $[\text{Os}_3(\text{CO})_8(\mu\text{-}\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ , 157

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral  $\text{W}_2\text{Fe}(\mu_3\text{-S})$  cluster cores  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{--}3$ ). Crystal structures of  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 2,3$ ), 140

Synthesis, crystal and molecular structure of  $[\{\text{C}_5\text{Me}_5\text{Fe-C}_5\text{Me}_4\text{CH}_2\}^{+}\text{B}\{\text{C}_6\text{H}_3(\text{CF}_3)_2\}^{-}]$ , the first example of a structurally characterized primary ferrocenylcarbocation, 106

### Cyclic voltammetry

Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula  $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PR}_3)(\text{CH}_3)$ : in search of radical cations with enhanced kinetic stabilities, 44

### Cycloisomerization

Co-catalyst dependent cycloisomerization or ring closing metathesis of  $\alpha,\omega$ -dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135

### Cyclotrimerization of phenylethyne

Cyclotrimerization of phenylethyne to fulvene: reactivity of *cis*-dichloro(1,1'-bis(diphenylphosphino)ferrocene)palladium(II), 67

### Density functional calculation

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{P}(4\text{-C}_6\text{H}_4\text{CH}_3)_3)(\text{CH}_3)]^{+}\text{B}(3,5\text{-C}_6\text{H}_3(\text{CF}_3)_2)^{-}$ : experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

### Density functional theory

Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

### Dibenzylideneacetone

Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10

### Direct synthesis

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

### Electrochemistry

Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

## Enyne

The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89

## ESR

Synthesis and oxidation of chiral rhodium phosphine methyl complexes of the formula ( $\eta^5\text{-C}_5\text{Me}_5\text{Re}(\text{NO})(\text{PR}_3)(\text{CH}_3)$ ): in search of radical cations with enhanced kinetic stabilities, 44

## Ferrocenes

Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29

## FTIR

Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

## FT-Raman spectroscopy

Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

## HCFC-133a

CFC replacement HCFC-133a ( $\text{CF}_3\text{CH}_2\text{Cl}$ ) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

## Heterobimetallic complexes

Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29

## Hydrogenation

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und  $\alpha,\beta$ -ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von  $[\text{Rh}(\text{PPh}_3)_2(2\text{-Ph}_2\text{PC}_6\text{H}_4\text{NH}\text{-}\kappa N,\kappa P)]$  und  $[\text{Ir}(\text{CO})(\text{PPh}_3)(2\text{-Ph}_2\text{PC}_6\text{H}_4\text{NH}\text{-}\kappa N,\kappa P)]$ , 19

## Indenes

Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29

## Indenyl

Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, 112

## Indium

Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128

## Indium nitride

Structural characterization of a dimeric dimethylindium azide and its use as a single-source precursor for InN thin films, 128

## Intramolecular exchange

Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10

## Iridium

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und  $\alpha,\beta$ -ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von  $[\text{Rh}(\text{PPh}_3)_2(2\text{-Ph}_2\text{PC}_6\text{H}_4\text{NH}\text{-}\kappa N,\kappa P)]$  und  $[\text{Ir}(\text{CO})(\text{PPh}_3)(2\text{-Ph}_2\text{PC}_6\text{H}_4\text{NH}\text{-}\kappa N,\kappa P)]$ , 19

## Iron

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral  $\text{W}_2\text{Fe}(\mu_3\text{-S})$  cluster cores  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{--}3$ ). Crystal structures of  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 2,3$ ), 140

Synthesis, crystal and molecular structure of  $[\{\text{C}_5\text{Me}_5\text{FeC}_5\text{Me}_4\text{CH}_2\}^+ \text{B}\{\text{C}_6\text{H}_3(\text{CF}_3)_2\}_4^-]$ , the first example of a structurally characterized primary ferrocenylcarbocation, 106

## Manganese and rhenium

Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

## Metal carbonyl

Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

## Metal containing oligomers

Preparation, properties and coordination of new conjugated ferrocenyl-based ligands with an end-capped nitrile, 80

## Metallic silicon

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

## Metallocene complexes

Zirconium bis-indenyl compounds. Synthesis and X-ray crystallography study of 1- and 2-substituted bis(R-indenyl)zirconium dichloride metallocenes, 112

## Metallonium cations

Synthesis, crystal and molecular structure of  $[\{\text{C}_5\text{Me}_5\text{FeC}_5\text{Me}_4\text{CH}_2\}^+ \text{B}\{\text{C}_6\text{H}_3(\text{CF}_3)_2\}_4^-]$ , the first example of a structurally characterized primary ferrocenylcarbocation, 106

## Methanol

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

## Methylidene complex

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{P}(4\text{-C}_6\text{H}_4\text{CH}_3)_3)(\text{CH}_3)]^+ \text{B}(3,5\text{-C}_6\text{H}_3(\text{CF}_3)_2)_4^-$ : experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

## NMR spectra

Synthesis, crystal and molecular structure of  $[\{\text{C}_5\text{Me}_5\text{FeC}_5\text{Me}_4\text{CH}_2\}^+ \text{B}\{\text{C}_6\text{H}_3(\text{CF}_3)_2\}_4^-]$ , the first example of a structurally characterized primary ferrocenylcarbocation, 106

*N,N*-dimethylbenzylamine

Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149

## Normal coordinate analysis

Analysis of the vibrational spectra, force fields, and molecular structures of pentacarbonyl(methyl)manganese(I) and pentacarbonyl(methyl)rhenium(I), 1

## Organosilane

Direct synthesis of methyldimethoxysilane from metallic silicon and methanol using copper(I) chloride catalyst, 74

## Palladium

Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10

## Palladium complexes

Reactions of palladium complex of *N,N*-dimethylbenzylamine with aromatic phosphines bearing the methoxy groups at the 2,6-positions, 149

## Perfluorovinyl

CFC replacement HCFC-133a ( $\text{CF}_3\text{CH}_2\text{Cl}$ ) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

*P,N* Ligands

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und  $\alpha,\beta$ -ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von  $[\text{Rh}(\text{PPh}_3)_2(2-\text{Ph}_2\text{PC}_6\text{H}_4\text{NH}-\kappa N,\kappa P)]$  und  $[\text{Ir}(\text{CO})(\text{PPh}_3)(2-\text{Ph}_2\text{PC}_6\text{H}_4\text{NH}-\kappa N,\kappa P)]$ , 19

## Pyridine-2-thiol

Reactivity of  $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  with organic heterothiols; X-ray structures of  $[\text{H}(\mu\text{-H})\text{Os}_3(\text{CO})_8(\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  and  $[\text{Os}_3(\text{CO})_8(\mu\text{-}\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ , 157

## Pyrimidine-2-thiol, Carbonyl

Reactivity of  $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  with organic heterothiols; X-ray structures of  $[\text{H}(\mu\text{-H})\text{Os}_3(\text{CO})_8(\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  and  $[\text{Os}_3(\text{CO})_8(\mu\text{-}\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ , 157

## Radical cation

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{P}(4\text{-C}_6\text{H}_4\text{CH}_3)_3)(\text{CH}_3)]^+ \text{B}(3,5\text{-C}_6\text{H}_3(\text{CF}_3)_2)_4^-$ : experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

## Radical cations

Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula  $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PR}_3)(\text{CH}_3)$ : in search of radical cations with enhanced kinetic stabilities, 44

## RCM

Co-catalyst dependent cycloisomerization or ring closing metathesis of  $\alpha,\omega$ -dienes catalyzed by arene ruthenium complex with side-arm alcohol, 135

## Rhenium

Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula  $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PR}_3)(\text{CH}_3)$ : in search of radical cations with enhanced kinetic stabilities, 44

Synthesis, crystal structure, and reactions of the 17-valence-electron rhenium methyl complex  $[(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{P}(4\text{-C}_6\text{H}_4\text{CH}_3)_3)(\text{CH}_3)]^+ \text{B}(3,5\text{-C}_6\text{H}_3(\text{CF}_3)_2)_4^-$ : experimental and computational bonding comparisons with 18-electron methyl and methylidene complexes, 54

## Rhodium

Funktionelle Phosphane: Part X. Die homogene Hydrierung von Ketonen und  $\alpha,\beta$ -ungesättigten Carbonylverbindungen mit 2-(diphenylpho = sphanyl)anilido-Komplexen des Iridiums und Rhodiums als Katalysatoren. Molekülstrukturen von  $[\text{Rh}(\text{PPh}_3)_2(2-\text{Ph}_2\text{PC}_6\text{H}_4\text{NH}-\kappa N,\kappa P)]$  und  $[\text{Ir}(\text{CO})(\text{PPh}_3)(2-\text{Ph}_2\text{PC}_6\text{H}_4\text{NH}-\kappa N,\kappa P)]$ , 19

## Rhodium(I) complexes

Chiral rhodium(I)-(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

## Single-source precursors

Structural characterization of a dimeric dimethylindium azide and

its use as a single-source precursor for InN thin films, 128

## Stannyll-cobalt complex

The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89

## Styrene

Chiral rhodium(I)-(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

## Synthesis

CFC replacement HCFC-133a ( $\text{CF}_3\text{CH}_2\text{Cl}$ ) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal derivatives of main group and transition metal elements: the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

## Tandem cyclization

The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89

## TCNE

Synthesis and oxidation of chiral rhenium phosphine methyl complexes of the formula  $(\eta^5\text{-C}_5\text{Me}_5)\text{Re}(\text{NO})(\text{PR}_3)(\text{CH}_3)$ : in search of radical cations with enhanced kinetic stabilities, 44

## Thermoregulated phase-transfer catalysis

Chiral rhodium(I)-(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

## Triosmium

Reactivity of  $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  with organic heterothiols; X-ray structures of  $[\text{H}(\mu\text{-H})\text{Os}_3(\text{CO})_8(\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$  and  $[\text{Os}_3(\text{CO})_8(\mu\text{-}\eta^2\text{-pyS})\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ , 157

## 2,3,5-Triphenylfulvene

Cyclotrimerization of phenylethyne to fulvene: reactivity of *cis*-dichloro(1,1'-bis(diphenylphosphino)ferrocene)

## palladium(II), 67

## Triphenylstannyl-acetylidyne

The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89

## Triphenylstannyl radical

The reaction of triphenylstannylcobaloxime with enynes under photochemical and thermal conditions, 89

## Tungsten

Syntheses, spectroscopic characterization and electrochemical properties of organometallic crown ethers containing tetrahedral  $\text{W}_2\text{Fe}(\mu_3\text{-S})$  cluster cores  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{-}3$ ). Crystal structures of  $[\text{W}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n\text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 2,3$ ), 140

## Two-phase hydroformylation

Chiral rhodium(I)-(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

## Water-soluble phosphite

Chiral rhodium(I)-(polyether-phosphite) complexes for the enantioselective hydroformylation of styrene: homogeneous and thermoregulated phase-transfer catalysis, 37

## X-ray

Synthetic, structural, and dynamic NMR studies of (bisphosphine)palladium(0) complexes of dibenzylideneacetone, 10

## X-ray crystal analysis

Syntheses and crystal structures of ferrocene substituted indenyl complexes, 29

## X-ray diffraction

CFC replacement HCFC-133a ( $\text{CF}_3\text{CH}_2\text{Cl}$ ) as a convenient precursor for the synthesis of chlorodifluorovinyl-metal

derivatives of main group and transition metal elements:  
the first X-ray structural characterisation of chlorodifluorovinyl-containing organometallic complexes, 96

#### X-ray structure analysis

Funktionelle Phosphane: Part X. Die homogene Hydrierung von  
Ketonen und  $\alpha,\beta$ -ungesättigten Carbonylverbindungen mit  
2-(diphenylphosphino = sphanyl)anilido-Komplexen des Iridiums  
und Rhodiums als Katalysatoren. Molekülstrukturen von  
[Rh(PPh<sub>3</sub>)<sub>2</sub>(2-Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>NH- $\kappa$ N, $\kappa$ P)] und [Ir(CO)(PPh<sub>3</sub>)<sub>2</sub>(2-  
Ph<sub>2</sub>PC<sub>6</sub>H<sub>4</sub>NH- $\kappa$ N, $\kappa$ P)], 19

#### X-ray study

Synthesis, crystal and molecular structure of [<{C<sub>5</sub>Me<sub>5</sub>Fe-C<sub>5</sub>Me<sub>4</sub>CH<sub>2</sub>}<sup>+</sup> B{C<sub>6</sub>H<sub>3</sub>(CF<sub>3</sub>)<sub>2</sub>}<sub>4</sub><sup>-</sup>], the first example of a  
structurally characterized primary ferrocenylcarbocation, 106

#### Zirconium

Zirconium bis-indenyl compounds. Synthesis and X-ray crystal-  
lography study of 1- and 2-substituted bis(R-in-  
denyl)zirconium dichloride metallocenes, 112