

## Subject Index of Volumes 617–618

### $\pi$ -Acceptor ligands

Complexes with phosphorus analogues of imidazolyl carbenes: unprecedented formation of phosphonium complexes by coordination induced P–Cl bond heterolysis, 383

### Acetylacetonate complexes

Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenorhodium(I) complexes, 502

### Acyl anion equivalent

Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329

### Adduct

A zwitterionic carbene–stannylenes adduct via cleavage of a dibenzotetraazafulvalene by a stannylenes, 629

### Alkaline earth compounds

Metallocenes of the alkaline earth metals and their carbene complexes, 588

### Alkene complexes

Chelated  $\eta^2$ -alkene- and  $\eta^3$ -allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346

### Alkenyl complexes

Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261

### Alkylation

Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399

### Alkylidene

Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne:  $MCX_2R$ ,  $X-M=CXR$  and  $X_2M=CR$ , 56

### Alkylidyne

Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne:  $MCX_2R$ ,  $X-M=CXR$  and  $X_2M=CR$ , 56

### Alkyne

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3

### Alkyne cyclopropanation

The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110

### Alkynyl alcohols

Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444

### Alkynyl carbene complexes

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

### Alkynyl complexes

Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand  $Ph_2PCH_2CH_2OMe$ : Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301

### Allene

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

### Allenyl

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

### Allenylidene

Activation of 2-propyn-1-ols by the rhenium(I) fragment  $[MeC(CH_2PPh_2)_3Re(CO)_2]^+$ . Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233

### Allyl complexes

Chelated  $\eta^2$ -alkene- and  $\eta^3$ -allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346

### Aluminum

Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702

### Aminal

Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242

### Aminations

An improved synthesis of bis(1,3-di-*N-tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635

### Amino acids

Aminolysis of 3-alkoxy-substituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464

### Aminocarbene

Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329

### Aminocarbene complexes

Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423

Tethering strategies in alkynylamino carbene complexes, 334

### Aminocarbyne

Coordination chemistry of  $CNH_2$ , the simplest aminocarbyne, 65

### Aminolysis

Aminolysis of 3-alkoxy-substituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464

### Aminophosphinidene

Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696

### Application in organic synthesis

Chemistry of thermally stable bis(amino)silylenes, 209

## Arene chromium complexes

Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709

## Arsenidenes

Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105

## Aryl carboxamides

Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709

## Aryllithium reagents

Reactions of di- $\mu$ -carbonyl-*cis*- $\mu$ -(1-5- $\eta$ :1'-5'- $\eta$ -dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_5\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\text{Si}(\text{CH}_3)_2\}]$  and  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_4\text{OCH}_3\text{-p}\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\text{Si}(\text{CH}_3)_2\}]$ , 292

## Asymmetric catalysis

Catalyst selection for metal carbene transformations, 98  
Synthesis of chiral triazolinyldene and imidazolinyldene transition metal complexes and first application in asymmetric catalysis, 70

## Asymmetric synthesis

Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119

## Azaallenylidene

2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenyldene)-2-azaethenyldene ligand, 640

## Bioorganometallics

Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, 376

## Biscarbene complexes

Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280

## Bond heterolysis

Complexes with phosphorus analogues of imidazolyl carbenes: unprecedented formation of phosphonium complexes by coordination induced P–Cl bond heterolysis, 383

## Bridging bis(phosphorus) metal carbenes

Early transition metal and lanthanide bis(iminophosphorano)-methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes, 158

## Bridging carbene complexes

Reactions of di- $\mu$ -carbonyl-*cis*- $\mu$ -(1-5- $\eta$ :1'-5'- $\eta$ -dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_5\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\text{Si}(\text{CH}_3)_2\}]$  and  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_4\text{OCH}_3\text{-p}\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\text{Si}(\text{CH}_3)_2\}]$ , 292

## Carbamoyl

Mechanism of formation of the metallacyclic iron carbenes  $(\text{CO})_3\text{Fe}[\text{C}(\text{NR}_2)\text{OC}(\text{O})\text{NR}_2]$  formed by thermal evolution of bis carbamoyl complexes, characterization of  $\eta^2$ -carbamoyl intermediates, 483

 $\eta^2$ -Carbamoyl

Mechanism of formation of the metallacyclic iron carbenes  $(\text{CO})_3\text{Fe}[\text{C}(\text{NR}_2)\text{OC}(\text{O})\text{NR}_2]$  formed by thermal evolution of bis carbamoyl complexes, characterization of  $\eta^2$ -carbamoyl intermediates, 483

## Carbene

A zwitterionic carbene–stannylenes adduct via cleavage of a dibenzotetraazafulvalene by a stannylenes, 629

Carbenes with ferrocenyl substituents, 28

Coordination chemistry of  $\text{CNH}_2$ , the simplest aminocarbyne, 65  
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133

Mechanism of formation of the metallacyclic iron carbenes  $(\text{CO})_3\text{Fe}[\text{C}(\text{NR}_2)\text{OC}(\text{O})\text{NR}_2]$  formed by thermal evolution of bis carbamoyl complexes, characterization of  $\eta^2$ -carbamoyl intermediates, 483

X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520

## Carbene analogues

Complexes with phosphorus analogues of imidazolyl carbenes: unprecedented formation of phosphonium complexes by coordination induced P–Cl bond heterolysis, 383

## Carbene anion

Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}_2\text{CH}_2\text{-}(\text{EtO})\text{C}=\}$ ,  $(E)\text{-}\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}=\text{CH}(\text{EtO})\text{-C}=\}$  and  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-}\overline{\text{C}}\text{N}(\text{Ph})\text{CH}(\text{Ph})\overline{\text{C}}\text{H-CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$ , 681

## Carbene complex

Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}_2\text{CH}_2\text{-}(\text{EtO})\text{C}=\}$ ,  $(E)\text{-}\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}=\text{CH}(\text{EtO})\text{-C}=\}$  and  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-}\overline{\text{C}}\text{N}(\text{Ph})\text{CH}(\text{Ph})\overline{\text{C}}\text{H-CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$ , 681

## Carbene complexes

Aminolysis of 3-alkoxy-substituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464

Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

Carbene complexes of titanium group metals — formation and reactivity, 81

Chelated  $\eta^2$ -alkene- and  $\eta^3$ -allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346

Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288

Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne:  $\text{MCX}_2\text{R}$ ,  $\text{X-M=CXR}$  and  $\text{X}_2\text{M=CR}$ , 56

Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364

Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119

Metallocenes of the alkaline earth metals and their carbene complexes, 588

Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities ( $\text{M} = \text{W}, \text{Cr}$ ): Crystal structure analyses, 322

Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenorhodium(I) complexes, 502

The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to  $[\text{RuH}_2\text{Cl}_2(\text{PH}_3)_2]$ : a quantum chemical study, 225

## Carbenes

Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17

- Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with  $\text{PPh}_2(2\text{-MeC}_6\text{H}_4)$ , 511
- Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
- Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-( $\text{CH}_2$ ,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
- Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
- Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Carbene transfer agents
- Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
- Carbenoids
- Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
- Carbenoid species
- Formation of carbenoid intermediates in the reaction of ditiobutyl ketone with low-valent titanium reagents, 744
- Carbiminium carbonylmetalates
- Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities ( $\text{M} = \text{W}, \text{Cr}$ ): Crystal structure analyses, 322
- Carbohydrate glycals
- Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444
- Carbohydrates
- Metal glycosylidenes: novel organometallic tools for C-glycosidation: Part 19. Organotransition metal modified sugars, 119
- Carbon monoxide
- Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
- Carbon–oxygen coupling
- Mechanism of formation of the metallacyclic iron carbenes  $(\text{CO})_3\text{Fe}=\text{C}(\text{NR}_2)\text{OC}(\text{O})\text{NR}_2$  formed by thermal evolution of bis carbamoyl complexes, characterization of  $\eta^2$ -carbamoyl intermediates, 483
- Carbonyl insertion
- Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741
- Carbyne complex
- Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu-\text{C}(\text{OEt})\text{CH}_2\text{C}-\text{H}_2(\text{EtO})\text{C}=\}$ ,  $(E)\text{-}\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu-\text{C}(\text{OEt})\text{CH}=\text{CH}(\text{EtO})\text{C}=\}$  and  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu-\text{CN}(\text{Ph})\text{CH}(\text{Ph})\text{CH}-\text{CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$ , 681
- Carbyne complexes
- Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656
- Catalysis
- Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360
- Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{OMe}$ : Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
- Catalyst
- Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
- C–C cleavage
- A zwitterionic carbene–stannylenes adduct via cleavage of a dibenzotetraazafulvalene by a stannylenes, 629
- CC-coupling
- Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
- C–C-couplings
- Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
- C-Glycosidation
- Metal glycosylidenes: novel organometallic tools for C-glycosidation: Part 19. Organotransition metal modified sugars, 119
- C–H activation
- Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47
- Chelated Fischer carbene complexes
- The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
- Chelate Fischer carbenes
- Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
- C–H insertion
- Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329
- Chiral catalysts
- Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47
- Chiral imidazolinyldenes
- Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
- Chiral triazolinyldenes
- Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70
- Chloroaminophosphido
- Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
- Chromium
- 2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenyldene)-2-azaethenyldene ligand, 640
- Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
- The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
- Chromium and tungsten complexes
- Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities ( $\text{M} = \text{W}, \text{Cr}$ ): Crystal structure analyses, 322
- Chromium carbenes
- A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269
- Cluster family
- Methylidene and hydrazone complexes of the cluster family:  $\text{Cp}'_2\text{M}_3(\text{CO})_2(\text{CH}_2)$  ( $\text{M} = \text{Co}, \text{Rh}, \text{Ir}$ ), 561
- Conjugated carboxylic acids
- Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571
- Coordination chemistry
- Chemistry of thermally stable bis(amino)silylenes, 209

## Coupling reactions

An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635

## Crystal structure

Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280

## Crystal structures

Reactions of di- $\mu$ -carbonyl-*cis*- $\mu$ -(1-5- $\eta$ :1'-5'- $\eta$ -dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_5\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$  and  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{C}_6\text{H}_4\text{OCH}_3\text{-p}\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$ , 292

Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-( $\text{CH}_2$ ,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671

## Cyanide

Coordination chemistry of  $\text{CNH}_2$ , the simplest aminocarbyne, 65

## Cyclobutenylidene complexes

Aminolysis of 3-alkoxy-substituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464

## Cyclometalation

Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with  $\text{PPh}_2(2\text{-MeC}_6\text{H}_4)$ , 511

## Cyclopentadienyl

Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601

## Cyclopentadienyl complexes

Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

## Cyclopropanation

Catalyst selection for metal carbene transformations, 98  
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}\{(\eta^6\text{-}o\text{-CH}_3\text{OC}_6\text{H}_4)\text{Cr}(\text{CO})_3\}]^+$ , 751

## Cyclopropanes

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571

## Cyclopropenation

Cyclopropenation of organometallic vinylidene complexes, 141

## Cyclopropenylium

2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenyli-dene)-2-azaethenylidene ligand, 640

## Deoxygenation

Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242

## DFT calculations

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737

Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242

## Diaminophosphenium unit

Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435

## Diastereoselectivity

The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}\{(\eta^6\text{-}o\text{-CH}_3\text{OC}_6\text{H}_4)\text{Cr}(\text{CO})_3\}]^+$ , 751

## Diazocarbonyl

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3

## Diazo compound

Catalyst selection for metal carbene transformations, 98

## Diazo compounds

(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339

## Dibenzotetraazafulvalene

A zwitterionic carbene–stannylenes adduct via cleavage of a dibenzotetraazafulvalene by a stannylenes, 629

2,3-Dihydro-1*H*-imidazol-2-ylidene complexes

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

2,5-Dihydro-1*H*-pyrazol-5-ylidene complexes

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

## 2,5-Dihydro-isothiazol-5-ylidene complexes

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

## Dihyronicotines

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571

## Dihydrophospholium

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

## Dihydropyridines

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571

## 1,2-Dihydro-pyridin-2-ylidene complexes

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

## 2,3-Dihydro-thiazol-2-ylidene complexes

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetalation, 170

## Diiron

Reactions of di- $\mu$ -carbonyl-*cis*- $\mu$ -(1-5- $\eta$ :1'-5'- $\eta$ -dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_5\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$  and  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{C}_6\text{H}_4\text{OCH}_3\text{-p}\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$ , 292

## Dimetal

Bis(iodozincio)methane — preparation, structure, and reaction, 39

## Dirhodium(II) carboxamidates

Catalyst selection for metal carbene transformations, 98

## Diruthenium bridging alkylidene complexes

Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on  $\text{Cp}_2\text{Ru}_2(\mu\text{-CH}_2)(\mu\text{-CHR})(\text{CO})_2$  (R = H, Me), 254

## Disaccharide synthesis

Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444

## Ditertibutyl ketone

Formation of carbenoid intermediates in the reaction of ditertibutyl ketone with low-valent titanium reagents, 744

## 1,2-Dithiolato ligands

Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

- Donor-acceptor complex  
Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435
- Double bond  
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
- Double helicates  
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364
- Electrochemistry  
Coordination chemistry of CNH<sub>2</sub>, the simplest aminocarbyne, 65
- Electrophiles  
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
- Electrophilic  
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
- Enamines  
Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322
- Enantiomer  
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
- Enynes  
Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>OMe: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
- EXAFS  
Bis(iodozincio)methane — preparation, structure, and reaction, 39
- Fe  
Chelated  $\eta^2$ -alkene- and  $\eta^3$ -allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346
- Ferrocene  
Carbenes with ferrocenyl substituents, 28
- Fischer carbene complexes  
Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference, 709
- Fischer-type carbene complexes  
(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339
- Fischer-type carbenes  
Transition metal ('Fischer-type') carbene complexes as protein labelling reagents, 376
- Flash photolysis  
A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269
- Glycosylidenes  
Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars, 119
- 2*H*-Azaphosphirene complexes  
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
- Heck reactions  
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
- Heterocumulene  
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640
- Heterocyclic carbene complexes  
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
- Heterocyclic carbenes  
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
- Heterocyclic compounds  
Cyclopropanation of organometallic vinylidene complexes, 141
- Heterogeneous catalysis  
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
- Homogeneous catalysis  
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
- Homogenous catalysis  
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288
- Homoleptic carbene complexes  
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530
- Hydrazides  
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
- Hydrazino carbenes  
Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes, 399
- Hydrazone complexes  
Methylidene and hydrazone complexes of the cluster family: Cp<sub>3</sub>M<sub>3</sub>(CO)<sub>2</sub>(CH<sub>2</sub>) (M = Co, Rh, Ir), 561
- Hydridotris(3,5-dimethylpyrazolyl)borate  
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
- Hydrido-trispyrazolylborate  
Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand Ph<sub>2</sub>PCH<sub>2</sub>CH<sub>2</sub>OMe: Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
- Hydrogenase  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Hydrogenation  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Hydrogen–deuterium exchange  
Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737
- Hydrolysis  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Hydroxycarbene  
Activation of 2-propyn-1-ols by the rhenium(I) fragment [{MeC(CH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>}Re(CO)<sub>2</sub>]<sup>+</sup>. Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233
- Hydroxyvinylidene  
Activation of 2-propyn-1-ols by the rhenium(I) fragment [{MeC(CH<sub>2</sub>PPh<sub>2</sub>)<sub>3</sub>}Re(CO)<sub>2</sub>]<sup>+</sup>. Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233

## Imidazaolindinone

The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182

## Imidazol-2-ylidene

1,1'-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395

## Imidazol-2-ylidenes

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737

## Immobilized triazolium salts

Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis, 70

## Indenyl

Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261

## Insertion

Catalyst selection for metal carbene transformations, 98  
Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741

## Interligand H-exchange

Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on  $Cp_2Ru_2(\mu-CH_2)(\mu-CHR)(CO)_2$  (R = H, Me), 254

## Iron

Carbenes with ferrocenyl substituents, 28  
Mechanism of formation of the metallacyclic iron carbenes  $(CO)_3Fe[C(NR_2)OC(O)NR_2]$  formed by thermal evolution of bis carbamoyl complexes, characterization of  $\eta^2$ -carbamoyl intermediates, 483  
Reaction of iron aminocarbene complexes with electronically deficient alkenes, 329

## Iron carbene

The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex  $[(\eta^5-C_5H_5)(CO)_2Fe=CH[(\eta^6-o-CH_3OC_6H_4)Cr(CO)_3]]^+$ , 751

## Isocyanide

Coordination chemistry of  $CNH_2$ , the simplest aminocarbyne, 65

## Lanthanide bis(iminophosphorano)methandiide

Early transition metal and lanthanide bis(iminophosphorano)methandiide complexes; ‘pincer’ and bridging bis(phosphorus) metal carbenes, 158

## Lithium diisopropylamide

Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3- $\eta$ )-*trans*-butadienyl complexes, 748

## Low-valent titanium reagents

Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744

## Macromolecules

Tethering strategies in alkynylamino carbene complexes, 334

## Manganese

Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{Cp'(CO)_2Mn\}_2\{\mu-C(OEt)CH_2CH_2-(EtO)C=\}$ ,  $(E)-\{Cp'(CO)_2Mn\}_2\{\mu-C(OEt)CH=CH(EtO)C=\}$  and  $\{Cp'(CO)_2Mn\}_2\{\mu-CN(Ph)CH(Ph)CH-CHCH(Ph)N(Ph)C=\}$ , 681

## Matrix isolation

A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes, 269

## McMurry reaction

Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents, 744

## Mechanism

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737

## Mercury

Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364

## Metal carbene

Catalyst selection for metal carbene transformations, 98

## Metal-labelled proteins

Transition metal (‘Fischer-type’) carbene complexes as protein labelling reagents, 376

## Metallacycles

Chelated  $\eta^2$ -alkene- and  $\eta^3$ -allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes, 346

## Metallahexatrienes

Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses, 322

## Metallation

Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3- $\eta$ )-*trans*-butadienyl complexes, 748

## Metal–ligand multiple bonding

Complexes with phosphorus analogues of imidazolyl carbenes: unprecedented formation of phosphonium complexes by coordination induced P–Cl bond heterolysis, 383

## Metallocenes

Metallocenes of the alkaline earth metals and their carbene complexes, 588  
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105

## Metathesis

Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17  
Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288

## Methylene

X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520

## Methylidene

Carbenes with ferrocenyl substituents, 28

## Methylidene complexes

Methylidene and hydrazone complexes of the cluster family:  $Cp_3^*M_3(CO)_2(CH_2)$  (M = Co, Rh, Ir), 561

## Migration

Conversion of a stannyl–phosphonium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453

## Migratory insertion

Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-( $CH_2,P$ )-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671

## Molybdenum

Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656

Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495

- Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
- N*-heterocyclic carbene  
Carbenes with ferrocenyl substituents, 28
- N*-heterocyclic carbenes  
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635  
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
- Nitronyl nitroxides  
Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes, 473
- Nucleophilic additions  
Tethering strategies in alkynylamino carbene complexes, 334
- Nucleophilic carbenes  
Synthesis of chiral triazolonylidene and imidazolonylidene transition metal complexes and first application in asymmetric catalysis, 70
- Olefin aziridination  
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
- Olefin cyclopropanation  
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
- Olefin epoxidation  
The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes, 110
- Organometallic vinylidene complexes  
Cyclopropanation of organometallic vinylidene complexes, 141
- Organosilicon chemistry  
Chemistry of thermally stable bis(amino)silylenes, 209
- Oxazolidinone  
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182
- Oxidative coupling  
Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{\text{Cp}^*(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}_2\text{CH}_2\text{-}(\text{EtO})\text{C}=\}$ ,  $(E)\text{-}\{\text{Cp}^*(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}=\text{CH}(\text{EtO})\text{-C}=\}$  and  $\{\text{Cp}^*(\text{CO})_2\text{Mn}\}_2\{\mu\text{-CN}(\text{Ph})\text{CH}(\text{Ph})\text{CH-CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$ , 681
- Oxygen  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Palladium  
Bis(iodozincio)methane — preparation, structure, and reaction, 39  
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
- Palladium complexes  
An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions, 635
- Palladium(II) complexes  
Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions, 546
- Pentamethylferrocene  
Carbenes with ferrocenyl substituents, 28
- Phosphenium complex  
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
- Phosphenium complexes  
Complexes with phosphorus analogues of imidazolyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis, 383
- Phosphido  
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
- Phosphine complexes  
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenorhodium(I) complexes, 502
- Phosphines  
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH<sub>2</sub>,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671  
Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines, 616
- Phosphinidene  
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311  
Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum, 696
- Phosphinidene  
Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes, 105
- Phosphorus  
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423
- Photochemical C–H bond activation  
Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on Cp<sub>2</sub>Ru<sub>2</sub>( $\mu$ -CH<sub>2</sub>)( $\mu$ -CHR)(CO)<sub>2</sub> (R = H, Me), 254
- Photoluminescence  
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133
- Planar chiral  
Synthesis and characterization of planar-chiral cyclopentadienyl-ruthenium–vinylidene complexes, 601
- Platinum  
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133  
Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-(CH<sub>2</sub>,*P*)-chloro(chloromethyl)-(dimethylaminomethylene)(triphenylphosphine)platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluorophosphate), 671
- Porphyrins  
Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360

## Propargyl alcohols

Activation of 2-propyn-1-ols by the rhenium(I) fragment  $[\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}\text{Re}(\text{CO})_2]^+$ . Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233

## Proton affinities

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes), 737

## Protonation

Coordination chemistry of  $\text{CNH}_2$ , the simplest aminocarbyne, 65  
Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133

## Pyridine

1,1'-(Pyridine-2,6-diyl)

bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395

## Pyridinium ylid complexes

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571

## Quantum chemical study

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to  $[\text{RuH}_2\text{Cl}_2(\text{PH}_3)_2]$ : a quantum chemical study, 225

## Reaction pathways

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to  $[\text{RuH}_2\text{Cl}_2(\text{PH}_3)_2]$ : a quantum chemical study, 225

## Reactions

Reactions of di- $\mu$ -carbonyl-*cis*- $\mu$ -(1-5- $\eta$ :1'-5'- $\eta$ -dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{-C}_6\text{H}_5\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$  and  $[\text{Fe}_2(\mu\text{-CO})\{\mu\text{-C}(\text{OC}_2\text{H}_5)\text{C}_6\text{H}_4\text{OCH}_3\text{-p}\}(\text{CO})_2\{\eta^5\text{-C}_5\text{H}_4\}_2\text{Si}(\text{CH}_3)_2\}]$ , 292

## Reactivity

Carbene complexes of titanium group metals — formation and reactivity, 81

Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311

## Rhenium

Activation of 2-propyn-1-ols by the rhenium(I) fragment  $[\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}\text{Re}(\text{CO})_2]^+$ . Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233

Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723

## Rhodium

Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenrhodium(I) complexes, 502

## Rhodium carbenoid

Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates, 47

## Rhodium(II)

Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3

## Ring cleavage

Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3- $\eta$ )-*trans*-butadienyl complexes, 748

## Ring-closure

Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423

## Ruthenium

Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand, 288

Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261

Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with  $\text{PPh}_2(2\text{-MeC}_6\text{H}_4)$ , 511

Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360

Synthesis and characterization of planar-chiral cyclopentadienyl–ruthenium–vinylidene complexes, 601

Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{OMe}$ : Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301

## Ruthenium complexes

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to  $[\text{RuH}_2\text{Cl}_2(\text{PH}_3)_2]$ : a quantum chemical study, 225

## Samarium

Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702

## Schrock type

Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods, 435

## Sensors

Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds, 133

## Sigmatropic

Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides, 360

## Silane reduction

Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741

## Silicon migration

Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741

## Silver

1,1'-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative, 395

## Silylenes

Chemistry of thermally stable bis(amino)silylenes, 209

## Silylene transition metal complexes

Chemistry of thermally stable bis(amino)silylenes, 209

## Silyl-substituted Fischer-type carbene complexes

Reactions of silyl-substituted Fischer-type carbene complexes with silanes, 741

## Silyl triflates

(Diazomethyl)silyl-functionalized Fischer-type carbene complexes, 339



- Simmons–Smith  
Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702
- $\pi$  Stacking  
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}[(\eta^6\text{-}o\text{-CH}_3\text{OC}_6\text{H}_4)\text{Cr}(\text{CO})_3]]^+$ , 751
- Stannylene  
A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene, 629
- Stannylene complex  
Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn, 453
- Stibine complexes  
Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenorhodium(I) complexes, 502
- Substitution  
Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes, 464
- Supramolecules  
Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes, 364
- Thermochemistry  
Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands, 17  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Thioformaldehyde  
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
- Thiophene derivatives  
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280
- Titanium  
Bis(iodozincio)methane — preparation, structure, and reaction, 39
- Titanium group metals  
Carbene complexes of titanium group metals — formation and reactivity, 81
- Transition metals  
Early transition metal and lanthanide bis(iminophosphorano)-methandiide complexes; ‘pincer’ and bridging bis(phosphorus) metal carbenes, 158
- Transition-state  
The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex  $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe}=\text{CH}[(\eta^6\text{-}o\text{-CH}_3\text{OC}_6\text{H}_4)\text{Cr}(\text{CO})_3]]^+$ , 751
- Tricarbene chelating ligands  
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530
- Triphos ligand  
Activation of 2-propyn-1-ols by the rhenium(I) fragment  $[\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}\text{Re}(\text{CO})_2]^+$ . Synthesis and characterization of cationic Re(I) complexes containing unsaturated  $\eta^1$ -carbon ligands, 233
- Tungsten  
Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands, 656  
2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand, 640  
Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes, 423  
Synthesis and crystal structures of carbene complexes with conjugated thiophene units, 280  
The preparation of imidazolidinone and oxazolidinone chelated carbene complexes, 182  
Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity, 571  
X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex, 520
- Tungsten alkyl complexes  
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
- Tungsten Aryl complexes  
Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide, 495
- Tungsten vinylidenes  
Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin, 444
- $\alpha,\beta$ -Unsaturated carbene complexes  
Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261
- Unsaturated phosphorus heterocycles  
Phosphinidene reactivity toward unsaturated phosphorus heterocycles, 311
- Urea  
Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes, 242
- Vinyl carbenoid  
Rhodium(II) mediated cyclizations of diazo alkynyl ketones, 3
- Vinylidene complex  
Synthesis and reactivity of  $\mu$ -bis(carbene)dimanganese complexes. X-ray structures of  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}_2\text{CH}_2(\text{EtO})\text{C}=\}$ ,  $(E)\text{-}\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-C}(\text{OEt})\text{CH}=\text{CH}(\text{EtO})\text{C}=\}$  and  $\{\text{Cp}'(\text{CO})_2\text{Mn}\}_2\{\mu\text{-CN}(\text{Ph})\text{CH}(\text{Ph})\text{CHCH}(\text{Ph})\text{N}(\text{Ph})\text{C}=\}$ , 681
- Vinylidene complexes  
Intramolecular carbon–carbon coupling reactions of a  $\kappa^2(P,P)$ -bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes, 261  
Synthesis and characterization of planar-chiral cyclopentadienyl–ruthenium–vinylidene complexes, 601  
Synthesis and reactivity of neutral vinylidene and  $\sigma$ -alkynyl complexes containing the hemilabile ligand  $\text{Ph}_2\text{PCH}_2\text{CH}_2\text{OMe}$ : Part 16. Ruthenium tris(pyrazolyl)borate complexes, 301
- Vinylidenes  
Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with  $\text{PPh}_2(2\text{-MeC}_6\text{H}_4)$ , 511
- X-ray structures  
Homoleptic carbene complexes: Part VIII. Hexacarbene complexes, 530

- Metallocenes of the alkaline earth metals and their carbene complexes, 588
- Ylide
- Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process, 723
- Zinc
- Bis(iodozincio)methane — preparation, structure, and reaction, 39
  - Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols, 702