

Contents of Volume 619

Regular papers

- Synthesis of rhodium(III) complexes with the chiral phosphine (*S*)-Ph₂PCH₂CHMeCH₂OH. Crystal structure of (*S*_{Rh},*S*_C)-[(η⁵-C₅Me₅)RhCl(η²-PPH₂CH₂CHMeCH₂OH–P,O)]BF₄
M. Valderrama, R. Contreras, G. Araos, D. Boys 1
- Syntheses and ligand properties of 1,3-*dir*-butyl-2,3-dihydro-1,3-diboroles. Rhodium-(η⁵-2,3-dihydro-1,3-diborole) and rhodium-(η⁵-2,3-dihydro-1,3-diboroly) complexes
A. Ginsberg, H. Pritzkow, W. Siebert 7
- Organometallic rhodium (I) complexes with 1-alkylaminopyrazole ligands
G. Esquiús, J. Pons, R. Yáñez, J. Ros 14
- Nature of the metal–ligand bond in trivalent neodymium complexes with neutral π-donor ligands. A theoretical study
S. Tobisch, T. Nowak, H. Bögel 24
- Preparations and selectivities of magnesium-based mixed cuprates
S.M. Humayun Kabir, M.T. Rahman 31
- Aluminium zirconium (+3 and +4) heterometallic hydrido complexes of compositions [(η⁵-C₅H₅)₂Zr(μ-H)]₂(μ-H)AlCl₂ and [(η⁵-C₅H₅)₂ZrH(μ-H)]₃Al
A.I. Sizov, T.M. Zvukova, V.K. Belsky, B.M. Bulychev 36
- Synthesis and structural characterization of several tris(2-methyl-2-phenylpropyl)tin carboxylates containing germanium
X. Fang, X. Song, Q. Xie 43
- Synthesis of highly ethynylated mono and dinuclear Pt(II) tethers bearing the 4,4'-bis(ethynyl)biphenyl (debp) unit as central core
M.V. Russo, C. Lo Sterzo, P. Franceschini, G. Biagini, A. Furlani 49
- Benzyl group abstraction from Ti(CH₂Ph)₄ by B(C₆F₅)₃ and [Ph₃C][B(C₆F₅)₄] to form Ziegler–Natta and carbocationic alkene polymerization initiators
M. Lin, M.C. Baird 62
- Multiply trimethylstannyl substituted ferrocenes synthesis, NMR studies, X-ray structural analysis and electrochemistry
N. Lenze, B. Neumann, A. Salmon, A. Stammler, H.-G. Stammler, P. Jutzi 74
- Funktionelle Phosphane: Part XI. Optisch reine β-Aminophosphane und β-Aminophosphinite für die komplexkatalysierte Reduktion organischer Carbonylverbindungen. Molekülstrukturen von [(1*R*,2*R*)-Ph₂PCH(Ph)CH(Me)NH₂Me]Cl, (1*R*,2*S*)-Ph₂PCH(Ph)CH(Me)NHSO₂Me und [{(1*R*,2*R*)-Ph₂PCH(Ph)CH(Me)NHMe-κ*N*,κ*P*}Rh(η⁴-1,5-C₈H₁₂)]BF₄
L. Dahlenburg, R. Götz 88
- Donor-funktionalisierte Alkinylyle von Titan(IV), Kupfer(I) und Silber(I); Festkörperstrukturen von [Ti](C≡CCH₂NMe₂)₂ und {[Ti](C≡C*t*Bu)₂}CuC≡CC≡CC₂H₅
W. Frosch, S. Back, H. Müller, K. Köhler, A. Driess, B. Schiemenz, G. Huttner, H. Lang 99
- Disilene R^{*}XSi=SiXR^{*} (R^{*}=Si*t*Bu₃) mit siliciumgebundenen H- und Hal-Atomen X: Bildung, Isomerisierung, Reaktionen
N. Wiberg, H. Auer, S. Wagner, K. Polborn, G. Kramer 110
- Modelling nucleophilic substitution at silicon using hypervalent silicon compounds based on urea ligands
A.R. Bassindale, S.J. Glynn, P.G. Taylor, N. Auner, B. Herrschaft 132
- The effect of different bithienyl spacers on the linear and non-linear optical properties of organometallic chromophores derived from [Fe₂(η⁵-C₅H₅)₂(CO)₂(μ-CO)(μ-C-CH₃)]⁺ [BF₄]⁻. Crystal structure of [Fe₂(η⁵-C₅H₅)₂(CO)₂(μ-CO)(μ-(*E*)-C-CH=CH-7-(thieno[3,2-*e*][1]benzothiophene))]⁺ [BF₄]⁻
R.D.A. Hudson, A.R. Manning, D.F. Nolan, I. Asselberghs, R. Van Boxel, A. Persoons, J.F. Gallagher 141

Charge transfer salts of the lanthanides: the crystal structure of $[\text{Yb}(\text{Tp}^{\text{Me,Me}})_2][\text{TCNE}] \cdot (\text{THF})_6$ G.H. Maunder, A. Sella, M.R.J. Elsegood	152
Structural studies of diorganotin(IV) sulphonates The crystal structures of $[(n\text{-C}_4\text{H}_9)_2\text{Sn}\{\mu\text{-OSO}_2\text{C}_6\text{H}_2(\text{CH}_3)_3\}_2]_n$ and its partially hydrolyzed product $[(n\text{-C}_4\text{H}_9)_2\text{Sn}\{\mu\text{-OH}\}(\mu\text{-OSO}_2\text{C}_6\text{H}_2(\text{CH}_3)_3)]_n$ R. Kapoor, A. Gupta, P. Kapoor, P. Venugopalan	157
Thioether- and selenoether-carboxylates in palladium chemistry: conclusive proof of hemilabile properties of O–Se ligands M.W. Esterhuysen, R. Brüll, H.G. Raubenheimer, C. Esterhuysen, G.J. Kruger	164
New trisubstituted cyclopentadienyl ligands: synthesis, characterisation and catalytic properties of mono and dinuclear cobalt, rhodium, iron and ruthenium complexes M. Costa, E. Dalcanele, F.S. Dias, C. Graiff, A. Tiripicchio, L. Bigliardi	179
Selective CO oxidation of heterometallic carbonyl clusters with the oxygen transfer reagent (<i>p</i> -CH ₃ OC ₆ H ₄) ₂ TeO. Crystal structures of $(\mu_3\text{-S})\text{FeCoMo}(\text{CO})_7(\eta^5\text{-C}_3\text{H}_4\text{COCH}_3)(\text{PPh}_3)$ and $(\mu_3\text{-Se})\text{FeCoMo}(\text{CO})_7(\eta^5\text{-C}_3\text{H}_4\text{COCH}_3)(\text{PPh}_3)$ L.-C. Song, Q.-S. Li, Q.-M. Hu, Y.-B. Dong	194
Synthesis and crystal structure of bis[(4 <i>S</i> ,5 <i>S</i>)-4,5-dihydro-4,5-diphenyl-2-(2'-oxidophenyl- χ O)oxazole- χ N]copper(II) and its application in the asymmetric Baeyer–Villiger reaction Y. Peng, X. Feng, K. Yu, Z. Li, Y. Jiang, C.-H. Yeung	204
Stabilisation of alkynyl dithiocarboxylates at a ruthenium centre: X-ray crystal structures of $[\text{Ru}(\text{H})(\text{CO})(\text{S}_2\text{CC}\equiv\text{CPh})(\text{PPh}_3)_2]$, $[\text{Ru}(\text{CO})(\text{CPh}=\text{CHPh})(\text{S}_2\text{CC}\equiv\text{CPh})(\text{PPh}_3)_2]$ and $[\text{Ru}(\text{CO})(\text{C}\equiv\text{CMes})(\text{S}_2\text{CC}\equiv\text{CPh})(\text{PPh}_3)_2]$ H. Adams, P.E. McHugh, M.J. Morris, S.E. Spey, P.J. Wright	209
Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, <i>o</i> -C ₆ H ₄ (CH ₂ TeMe) ₂ . X-ray structures of $[\text{Mn}(\text{CO})_3\text{Cl}\{o\text{-C}_6\text{H}_4(\text{CH}_2\text{TeMe})_2\}]$ and $[\text{W}(\text{CO})_4\{o\text{-C}_6\text{H}_4(\text{CH}_2\text{TeMe})_2\}]$ W. Levason, B. Patel, G. Reid, A.J. Ward	218
Synthesis, solution and solid-state NMR spectra of methyl 4,6- <i>O</i> -benzylidene-2,3-bis- <i>O</i> -(organostannylmethyl)- α -D-glucopyranosides: Crystal structure of methyl 4,6- <i>O</i> -benzylidene-2,3-bis- <i>O</i> -[(dimethylphenylstannyl)methyl]- α -D-glucopyranoside S.J. Garden, W.T.A. Harrison, R.A. Howie, H. Rufino, J.L. Wardell	226
Direct synthesis of alkyldialkoxysilanes by the reaction of silicon, alcohol and alkene using a high-pressure flow reactor M. Okamoto, J.-i. Komai, M. Uematsu, E. Suzuki, Y. Ono	235
A shortcut hydroformylation route to 7-formyl-5,6-dihydroindolizine from 1-allyl-2-formylpyrrole R. Settambolo, S. Savi, A. Caiazzo, R. Lazzaroni	241
Transition metal clusters containing carbosilane dendrimers M. Benito, O. Rossell, M. Seco, G. Segalés	245
Organometallic complexes for second-order non-linear optics: synthesis and molecular quadratic hyperpolarizabilities of η^5 -monocyclopentadienyliron(II) nitrile derivatives with different phosphines. X-ray crystal structure of $[\text{FeCp}(\text{DPPE})(p\text{-NCC}_6\text{H}_4\text{NO}_2)][\text{PF}_6] \cdot \text{CH}_2\text{Cl}_2$ M.H. Garcia, M.P. Robalo, A.R. Dias, M.F.M. Piedade, A. Galvão, W. Wenseleers, E. Goovaerts	252
A new class of triazepine–ruthenium(II) complexes: synthesis, crystal structure and NMR spectroscopic properties M. Aitali, M.Y. Ait Itto, A. Hasnaoui, A. Riahi, A. Karim, J.-C. Daran	265
Insertion of bis-ferrocenylbutadiyne into an osmium hydride bond. The synthesis, structure and electrochemical response of $\text{Os}_4(\text{CO})_{11}(\mu\text{-}\eta\text{-Z-FcCC}(\text{H})\text{C}_2\text{Fc})(\mu\text{-H})_3$ R.D. Adams, B. Qu	271
New routes to diarsenes and arsaphosphenes involving fluorinated arsines M. Bouslikhane, H. Gornitzka, J. Escudicé, H. Ranaivonjatovo	275
Synthesis and X-ray crystal structures of <i>ansa</i> -complexes of titanium, zirconium, and hafnium involving methylene-bis(indenyl) ligand A.Y. Agarkov, V.V. Izmer, A.N. Riabov, L.G. Kuz'mina, J.A.K. Howard, I.P. Beletskaya, A.Z. Voskoboynikov	280
New catalysts for the alternating copolymerization of 4- <i>tert</i> -butylstyrene/CO A. Bastero, A. Ruiz, J.A. Reina, C. Claver, A.M. Guerrero, F.A. Jalón, B.R. Manzano	287
Phenyl derivatives of mercury functionalised in the 2-position with either a formyl or a vinyl group. Crystal structures of $\text{Hg}[\text{C}_6\text{H}_4(\text{CHO})\text{-}2]\text{Cl}$ and $\text{Hg}[\text{C}_6\text{H}_4(\text{CH}=\text{CH}_2)\text{-}2]_2$ C.E.F. Rickard, W.R. Roper, F. Tutone, S.D. Woodgate, L.J. Wright	293

Structural and spectroscopic characterization of ruthenium(II) complexes with methyl, formyl, and acetyl groups as model species in multi-step CO ₂ reduction D. Ooyama, T. Tomon, K. Tsuge, K. Tanaka	299
Synthesis and structure of aminobis(η ¹ -cyclopentadienyl)boranes and related compounds H. Braunschweig, C. von Koblinski, M. Neugebauer, U. Englert, X. Zheng	305
Note	
Palladium complex-catalyzed germylation of allylic halides using (germyl)stannanes T. Nakano, K. Ono, Y. Senda, T. Migita	313
Book Reviews	319
Corrigendum	321
Author index of Volume 619	323
Subject index of Volume 619	325
Contents of Volume 619	331