

Contents of Volume 621

Preface	1
Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of $\text{Ti}\{2,2'\text{-S}(\text{OC}_6\text{H}_2\text{-4-Me-6}'\text{Bu})_2\}(\eta^5\text{-C}_5\text{H}_5)\text{Cl}$ F. Amor, S. Fokken, T. Kleinhenn, T.P. Spaniol, J. Okuda	3
Silaheterocyclen XXXVII. Die Kombination Alkeninylhalogensilan/Lithium- <i>tert</i> -Butyl als Synthesebaustein zum Aufbau von Silaheterocyclen mit kumulierten CC-Doppelbindungen N. Auner, M. Grasmann	10
Transition metal complexes with the C_1 -symmetric diphosphines (<i>R</i>)-(<i>R</i>)-3-benzyl-2,4-bis(diphenylphosphino)pentane and (<i>R</i>)-(<i>R</i>)-3-benzyl(<i>p</i> -sulphonate)-2,4-bis(diphenylphosphino)pentane sodium salt. Applications to enantioselective catalysis in different phase systems C. Bianchini, P. Barbaro, G. Scapacci	26
Tunable ferrocenyl diphosphine ligands for the Ir-catalyzed enantioselective hydrogenation of <i>N</i> -aryl imines H.-U. Blaser, H.-P. Buser, R. Häusel, H.-P. Jalett, F. Spindler	34
Stereoselective synthesis of chiral terminal (<i>E</i>)-1,3-enynes derived from the aldehydes (1 <i>R</i>)-(–)-myrtenal and (<i>S</i>)-(–)-perillaldehyde using the alkynyl-phosphonio complex $[\text{Ru}\{\text{C}\equiv\text{CCH}_2(\text{PPh}_3)\}(\eta^5\text{-C}_9\text{H}_7)(\text{PPh}_3)_2][\text{PF}_6]$ as synthon V. Cadierno, M.P. Gamasa, J. Gimeno	39
Synthesis of poly(ferrocenyldialkoxysilane) polymers and their introduction into oxide matrices G. Calléja, G. Cerveau, R.J.P. Corriu	46
Reactions of $\text{Cp}^*\text{Ir}(2,5\text{-dimethylthiophene})$ with electrophiles, acids, and maleic anhydride J. Chen, R.J. Angelici	55
The electronic structure and bonding in $\text{W}_2(\mu\text{-H})_2(\text{O}^i\text{Pr})_4(\text{DMPE})_2$ and a comparison with $\text{Mo}_2(\text{O}^i\text{Pr})_4(\text{DMPE})_2$ M.H. Chisholm, M.A. Lynn	66
Dihydroxylation of olefins using air as the terminal oxidant C. Döbler, G.M. Mehlretter, U. Sundermeier, M. Beller	70
Organotransition-metal-modified sugars: Part 17. Glucal-derived carbene complexes: synthesis and diastereoselective benzannulation K.H. Dötz, F. Otto, M. Nieger	77
Part III. COD versus NBD precatalysts. Dramatic difference in the asymmetric hydrogenation of prochiral olefins with five-membered diphosphine Rh-hydrogenation catalysts H.-J. Drexler, W. Baumann, A. Spannenberg, C. Fischer, D. Heller	89
Catalytic hydrogenation of aromatics under biphasic conditions: isolation and structural characterisation of the cluster intermediate $[(\eta^6\text{-C}_6\text{Me}_6)_2(\eta^6\text{-C}_6\text{H}_6)\text{Ru}_3(\mu_2\text{-H})_2(\mu_2\text{-OH})(\mu_3\text{-O})]^+$ M. Faure, A. Tesouro Vallina, H. Stoeckli-Evans, G. Süß-Fink	103
Metallkomplexe mit biologisch wichtigen Liganden, CXXVII: Halbsandwich-Komplexe von Ruthenium, Rhodium und Iridium sowie phosphanhaltige Palladium- und Platin(II)-Komplexe mit Schiff-Basen aus α -Aminosäureanionen und Aldehyden A. Fehn, T. Ederer, S. Mihan, W. Beck	109
Synthesis of achiral, but unsymmetric, seven-membered rhodium(I)-chelates for hydrogenation in the chiral environment of alkyl polyglucoside micelles V. Fehring, R. Kadyrov, M. Ludwig, J. Holz, K. Haage, R. Selke	120

Highly efficient enantioselective catalysis in supercritical carbon dioxide using the perfluoroalkyl-substituted ligand (<i>R,S</i>)-3-H ² F ⁶ -BINAPHOS G. Franciò, K. Wittmann, W. Leitner	130
Alkinstabilisierte monomere Organo-Kupfer(I)-Verbindungen als Organyl-Transfer Reagenzien W. Frosch, S. Back, H. Lang	143
Ligands with cycloalkane backbones VIII. Steric effects in the ligand accelerated enantioselective alkylation of benzaldehyde H. Glas, M. Barz, W.R. Thiel	153
Aqueous micellar and non-micellar effects during the asymmetric hydrogenation of dehydroamino acid derivatives: influence of amphiphiles on enantioselectivity and α -CH/CD exchange I. Grassert, G. Oehme	158
Cationic derivatives of RhCl[P(η^2 -C ₇ H ₇) ₃]. An intramolecular Diels–Alder rearrangement in the tripodal ligand tri(1-cyclohepta-2,4,6-trienyl)phosphane, P(C ₇ H ₇) ₃ M. Herberhold, S. Eibl, W. Milius	166
Improved synthesis of the radical source bis[2,2,6,6-tetramethylpiperidyl-(1)]-disulfide and photoinduced reactions with M ₂ (CO) ₁₀ (M = Mn, Re) P. Jaitner, K. Jäger, A. Dorfer, K.-E. Schwarzahns	173
Syntheses and properties of the novel co-catalysts <i>N,N</i> -dimethylanilinium- and trityl{tetrakis[4-(trifluoromethyl)-2,3,5,6-tetrafluorophenyl]borate} F.A.R. Kaul, G.T. Puchta, H. Schneider, M. Grosche, D. Mihaios, W.A. Herrmann	177
Trimethylammonium[tetrakis(pentafluorophenoxy)borate], a safe way to synthesize novel co-catalysts for olefin polymerization F.A.R. Kaul, G.T. Puchta, H. Schneider, M. Grosche, D. Mihaios, W.A. Herrmann	184
Synthesis and characterization of platinum(II)-terminated dendritic carbosilanes: X-ray crystal structure of the model species [Pt-Cl(C ₆ H ₃ {CH ₂ NMe ₂ }-2-SiMe ₃ -5)(PPh ₃)] A.W. Kleij, R.J.M. Klein Gebbink, M. Lutz, A.L. Spek, G. van Koten	190
Preparation and structural features of 1-(2-pyridyl)- and 1-(2-furyl)indenyl-zirconium complexes T. Dreier, R. Fröhlich, G. Erker	197
Chiral bis(oxazoline) and pyridyl alcoholate dioxo-molybdenum(VI) complexes: synthesis, characterization and catalytic examinations F.E. Kühn, A.M. Santos, A.D. Lopes, I.S. Gonçalves, J.E. Rodríguez-Borges, M. Pillinger, C.C. Romão	207
Chelating behaviour of a phosphinoalcohol leading to a stable alcohol palladium complex C. Mattheis, P. Braunstein	218
'Supine' or 'prone' ligands: geometric preference of conjugated diene, 1-azadiene, and 1,4-diazadiene ligands on half-metallocene complexes of early transition metals A. Nakamura, K. Mashima	224
A study of Noyori's reagent H. Nöth, A. Schlegel, M. Suter	231
High performance liquid chromatography for facile analytical separation of the enantiomers of chiral organometallic complexes S.N. Paisner, R.G. Bergman	242
Stoichiometric cyclotrimerisation of chiral alkynes at a ruthenium centre: preparation of optically active (η^6 -arene)(η^4 -cycloocta-1,5-diene)ruthenium(0) complexes P. Pertici, A. Verrazzani, E. Pitzalis, A.M. Caporusso, G. Vitulli	246
Self-assembly of [Cu(CN) ₄] ³⁻ ions with cationic {Me ₃ Sn} ⁺ or {Me ₂ Sn(CH ₂) ₃ SnMe ₂ } ²⁺ fragments in the presence of a "Bu ₄ N ⁺ template E.-M. Poll, J.-U. Schütze, R.D. Fischer, N.A. Davies, D.C. Apperley, R.K. Harris	254
Intramolecularly donor-stabilized silenes: Part 3. Synthesis and structure of 1-[2,6-bis(dimethylaminomethyl)phenyl]-1,2,2-tris(trimethylsilyl)silene M. Pötter, U. Bäumer, M. Mickoleit, R. Kempe, H. Oehme	261
Preparation and crystal structures of the complexes (η^5 -C ₅ H ₃ TMS-CMe ₂ - η^5 -C ₁₃ H ₈)MCl ₂ and [3,6-di ⁱ ButC ₁₃ H ₆ -SiMe ₂ -N ⁱ Bu]MCl ₂ (M = Hf, Zr or Ti): mechanistic aspects of the catalytic formation of an isotactic–syndiotactic stereoblock-type polypropylene A. Razavi, U. Thewalt	267

Cyclooctatetraene complexes of yttrium and the lanthanides with chiral and achiral aminotroponimines P.W. Roesky	277
<i>Meta, para</i> and <i>meta, ortho</i> double <i>exo</i> nucleophilic additions of trimethylsilyl ester enolates derived from saturated and unsaturated carboxylic acids to tricarbonylchromium complexes of aryl ethers: dearomatizing cyclization to lactones H. Rudler, V. Comte, E. Garrier, M. Bellassoued, E. Chelain, J. Vaissermann.	284
Insertion of carbon dioxide and isocyanide into tantalum–amide and tantalum–methyl bonds J. Sánchez-Nieves, P. Royo	299
Unbridged metallocene dichloride complexes with mono-substituted indenyl ligands and their application for the polymerization of propene R. Schmidt, H.G. Alt	304
Preparation of bistrimethylsilylmethylniobiumtetrafluoride and the application of KHF_2 and $n\text{-Bu}_4\text{NHF}_2$ as fluorinating reagents M. Schormann, S.P. Varkey, H.W. Roesky, M. Noltemeyer	310
Synthese und Charakterisierung chiraler Organogallium- und -aluminiumalkoholate mit intramolekularer Stickstoffstabilisierung. Röntgenstrukturanalyse von Dimethylgallium-(<i>S</i>)-2-dimethylamino-3-methyl-1-butanolat, Dimethylgallium-(<i>S</i>)-2-dimethylamino-3-phenyl-1-propanolat und Dimethylgallium-(<i>R</i>)-2-dimethylamino-1-butanolat H. Schumann, S. Wernik, B.C. Wassermann, F. Girgsdies	317
Komplekxkatalyse: LVII. Vereinfachte Synthese des $\text{Nd}(\pi\text{-C}_3\text{H}_5)_3\cdot\text{C}_4\text{H}_8\text{O}_2$ nach der Grignard-Methode und Darstellung der neuen Allylneodym(III)-Komplexe $[\text{Nd}(\pi\text{-C}_5\text{Me}_5)(\pi\text{-C}_3\text{H}_5)_2\cdot\text{C}_4\text{H}_8\text{O}_2]$ und $[\text{Nd}(\pi\text{-C}_3\text{H}_5)\text{Cl}(\text{THF})_5]\text{B}(\text{C}_6\text{H}_5)_4\cdot\text{THF}$ als Prækatalysatoren für die stereospezifische Butadienpolymerisation R. Taube, S. Maiwald, J. Sieler	327
Catalytic conversions in water: Part 19. Smooth hydroformylation of <i>N</i> -allylacetamide in mono- and biphasic aqueous media G. Verspui, G. Elbertse, G. Papadogianakis, R.A. Sheldon	337
Synthesis of chiral β -aminoalcohol-substituted carbene complexes of manganese and influence of the chiral carbene ligand on the diastereoselectivity of the CO/PR_3 exchange K. Weißenbach, H. Fischer	344
Diastereoselective oxidative addition of cyclic thiosulfonates to platinum(0) compounds: chiral platinum(II) complexes with sulfenato ligands Crystal structures of $\overline{\text{S}(\text{O})\text{-CH}_2\text{-CH}(\text{OAc})\text{-CH}(\text{OAc})\text{-CH}_2\text{-S}}$ and $\text{dppePt}[\text{S}(\text{O})\text{-(CH}_2)_4\text{-S}]$: Part 16. Metal complexes of functionalized sulfur-containing ligands R. Wunsch, G. Bosl, C. Robl, W. Weigand	352
Author index of Volume 621	359
Subject index of Volume 621	361
Contents of Volume 621	369