

## Subject Index of Volume 622

### Ab initio calculations

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[\text{MR}(\text{Cl})\{\text{P}(\text{CH}_3)_3\}_2]$  and  $[\text{MR}\{\text{P}(\text{CH}_3)_3\}_2(\text{s})]^+ \text{BF}_4^-$  (M = Pt, Pd, R = CH<sub>3</sub>, C<sub>6</sub>H<sub>5</sub>, s = coordinated solvent), 199

### Acetylenes

Synthesis of (Z)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via Pd(dba)<sub>2</sub>–P(OCH<sub>2</sub>)<sub>3</sub>CEt-catalyzed germastannation of acetylenes in THF, 302

### Aldol condensation

Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

### Alkyne complexes

Photosubstitution of carbon monoxide in W(CO)<sub>6</sub> by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

### Alk-1-ynes

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84

### Amides

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84

### Aminoalkynes

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149

### Aminocarbonylation

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84

### Anionic benzyl phosphines

*ortho*-Lithiated benzyl diorganophosphines [*o*-(R<sub>2</sub>PCH<sub>2</sub>)-C<sub>6</sub>H<sub>4</sub>Li(Et<sub>2</sub>O)], R = Ph, Me. Synthesis, structural characterization, and reactions, 121

### Antimony

Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265

### Aryl halides

NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

### 1,4-Benzenedimethanol

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

### bis(Hexafluoro-2,4-pentandionato)nickel(II)

Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

### bis(Tetradecafluoro-4,6-nonandionato) nickel(II)·2dmf

Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

### Bond-valence sum model

Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, 166

### Caffeine

Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, 166

### Cage compound

The synthesis and structural characterisation of a diphosphatobibolyl potassium complex,  $[\{\{\text{K}(\text{DME})\}[1,4,2\text{-P}_2\text{SbC}_2\text{-Bu}_2\}_2]_\infty$ , and a novel hetero-cage compound, 61

### Carbene complexes

Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

### Carbonyl

*cis*- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0),  $[\text{Mo}(\text{CO})_4(\text{tmpPh})_2]$ . Syntheses and structures, 297

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[\text{MoI}_2(\text{CO})(\text{NCMe})\{\text{P}(\text{O}^i\text{Pr})_3\}(\eta^2\text{-EtC}_2\text{Et})]$ ,  $[\text{MoI}_2(\text{CO})(\text{dppe})(\eta^2\text{-EtC}_2\text{Et})]$  and  $[\text{MI}_2(\text{CO})\{\text{P}(\text{O}^i\text{Pr})_3\}_2(\eta^2\text{-EtC}_2\text{Et})]$  (M = Mo and W), 228

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

The synthesis and structure of the thiosulfonato iron complexes CpFe(CO)<sub>2</sub>SS(O)<sub>2</sub>R, 293

### Carbonylation

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-ynes, 84

### Carbonyl complexes

Photosubstitution of carbon monoxide in W(CO)<sub>6</sub> by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

### Carbonyls

Halo-carbonyl complexes of platinum(II) and palladium(II), 180

### Carbyne tungsten complexes

Cationic chelate phosphane substituted carbyne tungsten complexes, 97

### Catalysis

NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

### C–F Activation

ω-Monofluoroalkylrhodoximes: synthesis and structures of  $[\text{Rh}\{(\text{CH}_2)_n\text{F}\}(\text{dmgH})_2(\text{PPh}_3)]$  (n = 1, 3) and C–F activation reactions, 172

## Cis–trans isomerization

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[\text{MR}(\text{Cl})\{\text{P}(\text{CH}_3)_3\}_2]$  and  $[\text{MR}\{\text{P}(\text{CH}_3)_3\}_2(\text{s})]^+ \text{BF}_4^-$  (M = Pt, Pd, R = CH<sub>3</sub>, C<sub>6</sub>H<sub>5</sub>, s = coordinated solvent), 199

## Claus process

The synthesis and structure of the thiosulfonato iron complexes  $\text{CpFe}(\text{CO})_2\text{SS}(\text{O})_2\text{R}$ , 293

## Cluster

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33

## Cobalt

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral  $\text{Mo}_2\text{Fe}(\mu_3\text{-S})$  cluster cores. Crystal structures of  $[\text{Mo}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n \text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{--}3$ ), 210

## CO insertion

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[\text{MR}(\text{Cl})\{\text{P}(\text{CH}_3)_3\}_2]$  and  $[\text{MR}\{\text{P}(\text{CH}_3)_3\}_2(\text{s})]^+ \text{BF}_4^-$  (M = Pt, Pd, R = CH<sub>3</sub>, C<sub>6</sub>H<sub>5</sub>, s = coordinated solvent), 199

## Copper complex

Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(cafeine)dicopper(II) at 210 K, 166

## Crown ether

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral  $\text{Mo}_2\text{Fe}(\mu_3\text{-S})$  cluster cores. Crystal structures of  $[\text{Mo}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n \text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{--}3$ ), 210

## Crown ethers

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Crystal and molecular structures

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $\text{Cp}_3\text{Nd}(\text{NCCCH}_3)_2$ , 19

## Crystal field analysis

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $\text{Cp}_3\text{Nd}(\text{NCCCH}_3)_2$ , 19

## Crystal structure

Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(cafeine)dicopper(II) at 210 K, 166

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

The synthesis and structural characterisation of a diphosphatobolyl potassium complex,  $[\{\{\text{K}(\text{DME})\}[1,4,2\text{-P}_2\text{SbC}_2\text{-Bu}_2\}_2]_\infty$ , and a novel hetero-cage compound, 61

## Crystal structure elucidation

*ortho*-Lithiated benzyl diorganophosphines  $[o\text{-}(\text{R}_2\text{PCH}_2)\text{C}_6\text{H}_4\text{Li}(\text{Et}_2\text{O})]$ , R = Ph, Me. Synthesis, structural characterization, and reactions, 121

## Crystal structures

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[\text{MoI}_2(\text{CO})(\text{NCMe})\{\text{P}(\text{OPh})_3\}(\eta^2\text{-EtC}_2\text{Et})]$ ,  $[\text{MoI}_2(\text{CO})(\text{dppe})(\eta^2\text{-EtC}_2\text{Et})]$  and  $[\text{MI}_2(\text{CO})\{\text{P}(\text{O}^i\text{Pr})_3\}_2(\eta^2\text{-EtC}_2\text{Et})]$  (M = Mo and W), 228

$\omega$ -Monofluoroalkylrhodoximes: synthesis and structures of  $[\text{Rh}\{(\text{CH}_2)_n\text{F}\}(\text{dmgH})_2(\text{PPh}_3)]$  ( $n = 1, 3$ ) and C–F activation reactions, 172

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral  $\text{Mo}_2\text{Fe}(\mu_3\text{-S})$  cluster cores. Crystal structures of  $[\text{Mo}_2\text{Fe}(\mu_3\text{-S})(\text{CO})_7][\eta^5\text{-C}_5\text{H}_4\text{CH}_2(\text{CH}_2\text{OCH}_2)_n \text{CH}_2\text{C}_5\text{H}_4\text{-}\eta^5]$  ( $n = 1\text{--}3$ ), 210

## Cumulene

In situ synthesis of the first C<sub>7</sub> cumulene  $(\text{Fc})_2\text{C}=\text{C}=\text{C}=\text{C}=\text{C}=\text{C}=\text{C}(\text{Fc})_2$  via deprotonation of its conjugate acid  $[(\text{Fc})_2\text{C}_7\text{H}(\text{Fc})_2]^+ \text{BF}_4^-$  (Fc = ferrocenyl), 135

## Cyclization

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149

## Cyclometalation

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Cyclometallated species

Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47

## Cyclometallation

Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265

## Cyclopentadienyl ligands

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $\text{Cp}_3\text{Nd}(\text{NCCCH}_3)_2$ , 19

## Dendrimer

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33

## Deuterium

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

## Diiodo

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[\text{MoI}_2(\text{CO})(\text{NCMe})\{\text{P}(\text{OPh})_3\}(\eta^2\text{-EtC}_2\text{Et})]$ ,  $[\text{MoI}_2(\text{CO})(\text{dppe})(\eta^2\text{-EtC}_2\text{Et})]$  and  $[\text{MI}_2(\text{CO})\{\text{P}(\text{O}^i\text{Pr})_3\}_2(\eta^2\text{-EtC}_2\text{Et})]$  (M = Mo and W), 228

## Diketiminato-ligands

Three coordinate divalent Group 14 element compounds with a  $\beta$ -diketiminato as supporting ligand  $\text{L}^2\text{MX}$  [ $\text{L}^2 = \text{PhNC}(\text{Me})\text{CHC}(\text{Me})\text{NPh}$ , X = Cl, I; M = Ge, Sn], 190

## Dimers

The reactions of  $\text{CpRu}(\text{PPh}_3)_2\text{SR}$  with the electrophiles  $\text{HBF}_4$ ,  $[\text{MeSSMe}_2]\text{BF}_4$  and  $\text{MeSphth}$  where R =  $\text{CMe}_3$ ,  $\text{CHMe}_2$ ,  $4\text{-C}_6\text{H}_4\text{Me}$  and  $\text{phth} = \text{phthalimide}$ , 1

## 2,3-Dimethylbutenes

Novel nickel catalysts based on perfluoroalkyl- $\beta$ -diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

## Dinuclear complexes

$\omega$ -Monofluoroalkylrhodoximes: synthesis and structures of  $[\text{Rh}\{(\text{CH}_2)_n\text{F}\}(\text{dmgH})_2(\text{PPh}_3)]$  ( $n = 1, 3$ ) and C–F activation reactions, 172

## Diphosphatobolyl

The synthesis and structural characterisation of a diphosphatobolyl potassium complex,  $[\{\{\text{K}(\text{DME})\}[1,4,2\text{-P}_2\text{SbC}_2\text{-Bu}_2\}_2]_\infty$ , and a novel hetero-cage compound, 61

## Elastomeric polypropylene

Group 4 metallocenes containing hetaryl substituents at their  $\pi$ -ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143

## Electrochemistry

Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47

## Electronic structure

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

## Electrophiles

The reactions of CpRu(PPh<sub>3</sub>)<sub>2</sub>SR with the electrophiles HBF<sub>4</sub>, [MeSSMe<sub>2</sub>]BF<sub>4</sub> and MeSphth where R = CMe<sub>3</sub>, CHMe<sub>2</sub>, 4-C<sub>6</sub>H<sub>4</sub>Me and ptht = phthalimide, 1

## Enols

Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242

## Ester

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Ferrocene

In situ synthesis of the first C<sub>7</sub> cumulene (Fc)<sub>2</sub>C=C=C=C=C=C=C-(Fc)<sub>2</sub> via deprotonation of its conjugate acid [(Fc)<sub>2</sub>C<sub>7</sub>H(Fc)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup> (Fc = ferrocenyl), 135

## Fluoroalkyl complexes

ω-Monofluoroalkylrhodioximes: synthesis and structures of [Rh{(CH<sub>2</sub>)<sub>n</sub>F}(dmgH)<sub>2</sub>(PPh<sub>3</sub>)] (n = 1, 3) and C–F activation reactions, 172

## Germastannation

Synthesis of (Z)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via Pd(dba)<sub>2</sub>–P(OCH<sub>2</sub>)<sub>3</sub>CEt-catalyzed germastannation of acetylenes in THF, 302

## Germylstannane

Synthesis of (Z)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via Pd(dba)<sub>2</sub>–P(OCH<sub>2</sub>)<sub>3</sub>CEt-catalyzed germastannation of acetylenes in THF, 302

## Gold

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33

## Gold compounds

Electrochemical behaviour of cyclometallated gold(III) complexes. Evidence of transcyclometallation in the fate of electroreduced species, 47

## Group 15

The synthesis and structural characterisation of a diphosphastibolyl potassium complex, {[K(DME)][1,4,2-P<sub>2</sub>SbC<sub>2</sub>-Bu<sub>2</sub>]<sup>+</sup>]<sub>∞</sub>}, and a novel hetero-cage compound, 61

## Heck-couplings

*N*-Acyl-*N,N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6

## Heck reaction

NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

## Hemilabile ligands

Synthesis and coordination behaviour of the new (8-quinolyl)-cyclopentadienyl ligand, 66

## Heptaheptaene

In situ synthesis of the first C<sub>7</sub> cumulene (Fc)<sub>2</sub>C=C=C=C=C=C=C-(Fc)<sub>2</sub> via deprotonation of its conjugate acid [(Fc)<sub>2</sub>C<sub>7</sub>H(Fc)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup> (Fc = ferrocenyl), 135

## Heterocycle

The synthesis and structural characterisation of a diphosphasti-

bolyl potassium complex, {[K(DME)][1,4,2-P<sub>2</sub>SbC<sub>2</sub>-Bu<sub>2</sub>]<sup>+</sup>]<sub>∞</sub>}, and a novel hetero-cage compound, 61

## Heteronuclear derivatives

Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of [AgSn(μ-SC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>)<sub>2</sub>Me<sub>2</sub>(PPh<sub>2</sub>Me)]CF<sub>3</sub>SO<sub>3</sub>·CH<sub>2</sub>Cl<sub>2</sub>, 274

## 1-Hexene

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

## 3-Hexyne

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of [MoI<sub>2</sub>(CO)(NCMe){P(OPh)<sub>3</sub>}(η<sup>2</sup>-EtC<sub>2</sub>Et)], [MoI<sub>2</sub>(CO)(dppe)(η<sup>2</sup>-EtC<sub>2</sub>Et)] and [MI<sub>2</sub>(CO){P(O<sup>i</sup>Pr)<sub>3</sub>}(η<sup>2</sup>-EtC<sub>2</sub>Et)] (M = Mo and W), 228

## Homogeneous catalysis

Novel nickel catalysts based on perfluoroalkyl-β-diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

## Homogeneous Ziegler-Natta catalysis

Group 4 metallocenes containing hetaryl substituents at their π-ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143

## Hydroamination

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149

## Hydrolysis

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Imines

New boron macrocycles based on self-assembly of Schiff bases, 259

## 2-Iodobenzoate

Bond-valence approach to the copper–copper and copper–nitrogen bonding in binuclear copper(II) complexes: Structure of tetrakis(2-iodobenzoato)bis(caffeine)dicopper(II) at 210 K, 166

## Iron

In situ synthesis of the first C<sub>7</sub> cumulene (Fc)<sub>2</sub>C=C=C=C=C=C=C-(Fc)<sub>2</sub> via deprotonation of its conjugate acid [(Fc)<sub>2</sub>C<sub>7</sub>H(Fc)<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup> (Fc = ferrocenyl), 135

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral Mo<sub>2</sub>Fe(μ<sub>3</sub>-S) cluster cores. Crystal structures of [Mo<sub>2</sub>Fe(μ<sub>3</sub>-S)(CO)<sub>7</sub>][η<sup>5</sup>-C<sub>5</sub>H<sub>4</sub>CH<sub>2</sub>(CH<sub>2</sub>OCH<sub>2</sub>)<sub>n</sub>CH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>-η<sup>5</sup>] (n = 1–3), 210

The synthesis and structure of the thiosulfonato iron complexes CpFe(CO)<sub>2</sub>SS(O)<sub>2</sub>R, 293

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33

## Isomerisation

*cis*- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0), [Mo(CO)<sub>4</sub>(tmpPh)<sub>2</sub>]. Syntheses and structures, 297

## Kinetics

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Ligand exchange

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Lithium organyls

*ortho*-Lithiated benzyl diorganophosphines [*o*-(R<sub>2</sub>PCH<sub>2</sub>)C<sub>6</sub>H<sub>4</sub>Li(Et<sub>2</sub>O)], R = Ph, Me. Synthesis, structural characterization, and reactions, 121

## Low coordination

The synthesis and structural characterisation of a diphosphatobolyl potassium complex,  $[\{[K(DME)](1,4,2-P_2SbC_2-Bu_2)\}_\infty]$ , and a novel hetero-cage compound, 61

## Macrocyclic boronates

New boron macrocycles based on self-assembly of Schiff bases, 259

 $M_{14}$  Divalent species

Three coordinate divalent Group 14 element compounds with a  $\beta$ -diketiminato as supporting ligand  $L^2MX$  [ $L^2 = Ph-NC(Me)CHC(Me)NPh$ ,  $X = Cl, I$ ;  $M = Ge, Sn$ ], 190

## Mechanism

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

## Metal center

Cationic chelate phosphane substituted carbyne tungsten complexes, 97

## Metallacycles

NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

## Metallanthio- or selenoacid chloride

Three coordinate divalent Group 14 element compounds with a  $\beta$ -diketiminato as supporting ligand  $L^2MX$  [ $L^2 = Ph-NC(Me)CHC(Me)NPh$ ,  $X = Cl, I$ ;  $M = Ge, Sn$ ], 190

## Metallocene conformation

Group 4 metallocenes containing hetaryl substituents at their  $\pi$ -ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143

## Molecular orbital schemes

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $Cp_3Nd(NCCH_3)_2$ , 19

## Molybdenum

*cis*- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0),  $[Mo(CO)_4(tmpPh)_2]$ . Syntheses and structures, 297

Synthesis and electrochemical properties of organometallic macrocyclic crown ethers containing redox-active tetrahedral  $Mo_2Fe(\mu_3-S)$  cluster cores. Crystal structures of  $[Mo_2Fe(\mu_3-S)(CO)_7][\eta^5-C_5H_4CH_2(CH_2OCH_2)_n CH_2C_5H_4-\eta^5]$  ( $n = 1-3$ ), 210

## Molybdenum(II)

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2-EtC_2Et)]$ ,  $[MoI_2(CO)(dppe)(\eta^2-EtC_2Et)]$  and  $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2-EtC_2Et)]$  ( $M = Mo$  and  $W$ ), 228

## Monoalkyl complexes

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[MR(Cl)\{P(CH_3)_3\}_2]$  and  $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$  ( $M = Pt, Pd$ ,  $R = CH_3, C_6H_5$ ,  $s =$  coordinated solvent), 199

## Neodymium

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $Cp_3Nd(NCCH_3)_2$ , 19

*N*-functionalized cyclopentadienyl ligands

Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

## NMR spectroscopy

Photosubstitution of carbon monoxide in  $W(CO)_6$  by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

## Norbornene

Ring-opening polymerisation of norbornene by  $(\mu-H)_2Os_3(CO)_{10}$  complex, 43

*O*- and *C*-glycosides

Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

## Olefin complexes

Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242

## Olefin exchange path

Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155

*o*-Phenylene

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

## Organoaluminium co-catalysts

Novel nickel catalysts based on perfluoroalkyl- $\beta$ -diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

## Organometallic disaccharides

Organotransition metal modified sugars: Part 21. Synthesis of organometallic disaccharides bearing two monosaccharide moieties linked by a chromium carbene spacer, 251

## Organorhodoximes

$\omega$ -Monofluoroalkylrhodoximes: synthesis and structures of  $[Rh\{(CH_2)_nF\}(dmgH)_2(PPh_3)]$  ( $n = 1, 3$ ) and C–F activation reactions, 172

## Osmium complexes

Ring-opening polymerisation of norbornene by  $(\mu-H)_2Os_3(CO)_{10}$  complex, 43

## Palladium

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[MR(Cl)\{P(CH_3)_3\}_2]$  and  $[MR\{P(CH_3)_3\}_2(s)]^+ BF_4^-$  ( $M = Pt, Pd$ ,  $R = CH_3, C_6H_5$ ,  $s =$  coordinated solvent), 199

Halo-carbonyl complexes of platinum(II) and palladium(II), 180  
NC-palladacycles as highly effective cheap precursors for the phosphine-free Heck reactions, 89

Reversibility of palladium-alkyl intermediate formation in deuterioalkoxycarbonylation of 1-hexene, 112

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-yne, 84

Water-soluble cyclopalladated aryl oxime: a potent 'green' catalyst, 38

## Palladium catalysis

Synthesis of (*Z*)-1-aryl-2-(germyl)-1-(stannyl)ethenes and the related ethenes, precursors to stereodefined germylethenes, via  $Pd(dba)_2-P(OCH_2)_3CET$ -catalyzed germastannation of acetylenes in THF, 302

## Palladium-catalyzed cross-coupling

Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

## Palladium(II)-catalysts

*N*-Acyl-*N,N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6

## Palladium(0)–olefin complexes

Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155

## Pentacoordinated

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

## Phosphine ligands

Novel nickel catalysts based on perfluoroalkyl- $\beta$ -diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

## Phosphinethiolate

Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of  $[\text{AgSn}(\mu\text{-SC}_6\text{H}_4\text{PPh}_2)_2\text{Me}_2(\text{PPh}_2\text{Me})]\text{CF}_3\text{SO}_3\cdot\text{CH}_2\text{Cl}_2$ , 274

## Phosphites

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[\text{MoI}_2(\text{CO})(\text{NCMe})\{\text{P}(\text{OPh})_3\}(\eta^2\text{-EtC}_2\text{Et})]$ ,  $[\text{MoI}_2(\text{CO})(\text{dppe})(\eta^2\text{-EtC}_2\text{Et})]$  and  $[\text{MI}_2(\text{CO})\{\text{P}(\text{O}^i\text{Pr})_3\}_2(\eta^2\text{-EtC}_2\text{Et})]$  ( $\text{M} = \text{Mo}$  and  $\text{W}$ ), 228

## Phosphole

*cis*- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0),  $[\text{Mo}(\text{CO})_4(\text{tmpPh})_2]$ . Syntheses and structures, 297

## Phosphorus

Very large neutral and polyanionic Fe/Au cluster-containing dendrimers, 33

## Photolysis

Photosubstitution of carbon monoxide in  $\text{W}(\text{CO})_6$  by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

## Physical properties

Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente: LI. Synthese, Kristall-, Molekül- und Elektronenstruktur von  $\text{Cp}_3\text{Nd}(\text{NCCCH}_3)_2$ , 19

## Platinum

Experimental and theoretical studies on the course of CO insertion into Pt–C and Pd–C bonds in neutral and cationic complexes,  $[\text{MR}(\text{Cl})\{\text{P}(\text{CH}_3)_3\}_2]$  and  $[\text{MR}\{\text{P}(\text{CH}_3)_3\}_2(\text{s})]^+\text{BF}_4^-$  ( $\text{M} = \text{Pt}$ ,  $\text{Pd}$ ,  $\text{R} = \text{CH}_3$ ,  $\text{C}_6\text{H}_5$ ,  $\text{s} =$  coordinated solvent), 199

Halo-carbonyl complexes of platinum(II) and palladium(II), 180

Stabilization of unstable unsaturated molecules in five-coordinate TBP complexes of Pt(II): enol, diol and dialdehyde derivatives, 242

Synthesis of platinum complexes with  $\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}$  ligand. X-ray structure of  $[\text{Pt}(\eta^4\text{-C}_5\text{Me}_4\text{H}_2)\text{Cl}_2]$  and  $[\text{Pt}\{\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}\}(\eta^5\text{-C}_5\text{H}_5)]\text{PF}_6$ , 221

## Polymerizations

*N*-Acyl-*N,N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6

## Propylene oligomerization

Novel nickel catalysts based on perfluoroalkyl- $\beta$ -diketone ligands for the selective dimerization of propylene to 2,3-dimethylbutenes, 286

## Pyridinediols

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

## Ring-opening polymerisation

Ring-opening polymerisation of norbornene by  $(\mu\text{-H})_2\text{Os}_3(\text{CO})_{10}$  complex, 43

## Ruthenium

Syntheses of new ruthenium carbonyl terpyridine *o*-phenylene complexes: strong interaction between carbonyl and *o*-phenylene ligands, 280

The reactions of  $\text{CpRu}(\text{PPh}_3)_2\text{SR}$  with the electrophiles  $\text{HBF}_4$ ,  $[\text{MeSSMe}_2]\text{BF}_4$  and  $\text{MeSphth}$  where  $\text{R} = \text{CMe}_3$ ,  $\text{CHMe}_2$ ,  $4\text{-C}_6\text{H}_4\text{Me}$  and  $\text{phth} =$  phthalimide, 1

## Ruthenium catalyst

Ruthenium-catalyzed intramolecular hydroamination of aminoalkynes, 149

## Schiff bases

New boron macrocycles based on self-assembly of Schiff bases, 259

## Self-assembly

New boron macrocycles based on self-assembly of Schiff bases, 259

## Silane

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

## Silver

Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of  $[\text{AgSn}(\mu\text{-SC}_6\text{H}_4\text{PPh}_2)_2\text{Me}_2(\text{PPh}_2\text{Me})]\text{CF}_3\text{SO}_3\cdot\text{CH}_2\text{Cl}_2$ , 274

 $^{29}\text{Si}$ -NMR

Synthesis and structure of pentacoordinated monoorganosilane derivatives of pyridine ligands, 54

## Solvatochromism

Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

## Structure

The reactions of  $\text{CpRu}(\text{PPh}_3)_2\text{SR}$  with the electrophiles  $\text{HBF}_4$ ,  $[\text{MeSSMe}_2]\text{BF}_4$  and  $\text{MeSphth}$  where  $\text{R} = \text{CMe}_3$ ,  $\text{CHMe}_2$ ,  $4\text{-C}_6\text{H}_4\text{Me}$  and  $\text{phth} =$  phthalimide, 1

The synthesis and structure of the thiosulfonato iron complexes  $\text{CpFe}(\text{CO})_2\text{SS}(\text{O})_2\text{R}$ , 293

## Structures

Halo-carbonyl complexes of platinum(II) and palladium(II), 180

## Sulfur

The synthesis and structure of the thiosulfonato iron complexes  $\text{CpFe}(\text{CO})_2\text{SS}(\text{O})_2\text{R}$ , 293

## Synthesis

Synthesis of platinum complexes with  $\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}$  ligand. X-ray structure of  $[\text{Pt}(\eta^4\text{-C}_5\text{Me}_4\text{H}_2)\text{Cl}_2]$  and  $[\text{Pt}\{\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}\}(\eta^5\text{-C}_5\text{H}_5)]\text{PF}_6$ , 221

## Terdentate nitrogen–sulfur ligands

Palladium(0)–olefin complexes with potentially terdentate nitrogen–sulfur ligands. The role of the chelate in the olefin exchange path, 155

## Tetramethyl(trifluoromethyl)cyclopentadiene complexes

Synthesis of platinum complexes with  $\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}$  ligand. X-ray structure of  $[\text{Pt}(\eta^4\text{-C}_5\text{Me}_4\text{H}_2)\text{Cl}_2]$  and  $[\text{Pt}\{\eta^4\text{-C}_5\text{Me}_4(\text{CF}_3)\text{H}\}(\eta^5\text{-C}_5\text{H}_5)]\text{PF}_6$ , 221

## Thiolate

The reactions of  $\text{CpRu}(\text{PPh}_3)_2\text{SR}$  with the electrophiles  $\text{HBF}_4$ ,  $[\text{MeSSMe}_2]\text{BF}_4$  and  $\text{MeSphth}$  where  $\text{R} = \text{CMe}_3$ ,  $\text{CHMe}_2$ ,  $4\text{-C}_6\text{H}_4\text{Me}$  and  $\text{phth} =$  phthalimide, 1

## Thiosulfonato

The synthesis and structure of the thiosulfonato iron complexes  $\text{CpFe}(\text{CO})_2\text{SS}(\text{O})_2\text{R}$ , 293

## Tin

Heteronuclear tin(IV)–silver(I) complexes with phosphinothiolate ligands. X-ray structure of  $[\text{AgSn}(\mu\text{-SC}_6\text{H}_4\text{PPh}_2)_2\text{Me}_2(\text{PPh}_2\text{Me})]\text{CF}_3\text{SO}_3\cdot\text{CH}_2\text{Cl}_2$ , 274

## 1,3-Transannular interactions

Synthesis and structure of organoantimony (V) cyclometallates: transannular interactions and the barrier to cyclisation, 265

*trans*-Influence

*cis*- and *trans*-Bis(1-phenyl-2,3,4,5-tetramethylphosphole)tetracarbonylmolybdenum(0),  $[\text{Mo}(\text{CO})_4(\text{tmpPh})_2]$ . Syntheses and structures, 297

## Transition metal complexes

Three coordinate divalent Group 14 element compounds with a  $\beta$ -diketiminato as supporting ligand  $L^2MX$  [ $L^2 = Ph-NC(Me)CHC(Me)NPh$ ,  $X = Cl, I$ ;  $M = Ge, Sn$ ], 190

## Triple bonded ligand system

Cationic chelate phosphane substituted carbyne tungsten complexes, 97

## Tungsten

Photosubstitution of carbon monoxide in  $W(CO)_6$  by alkyne: NMR detection of thermally unstable alkyne tungsten(0) carbonyl complexes, 74

## Tungsten(II)

3-Hexyne complexes of molybdenum(II) and tungsten(II) containing phosphite ligands: X-ray crystal structures of  $[MoI_2(CO)(NCMe)\{P(OPh)_3\}(\eta^2-EtC_2Et)]$ ,  $[MoI_2(CO)(dppf)(\eta^2-EtC_2Et)]$  and  $[MI_2(CO)\{P(O^iPr)_3\}_2(\eta^2-EtC_2Et)]$  ( $M = Mo$  and  $W$ ), 228

## X-ray structures

In situ synthesis of the first  $C_7$  cumulene  $(Fc)_2C=C=C=C=C=C-(Fc)_2$  via deprotonation of its conjugate acid  $[(Fc)_2C_7H-(Fc)_2]^+ BF_4^-$  ( $Fc = ferrocenyl$ ), 135

*N*-Acyl-*N,N*-dipyridyl and *N*-acyl-*N*-pyridyl-*N*-quinoyl amine

based palladium complexes. Synthesis, X-ray structures, heterogenization and use in Heck couplings, 6

Synthesis of platinum complexes with  $\eta^4-C_5Me_4(CF_3)H$  ligand. X-ray structure of  $[Pt(\eta^4-C_5Me_4H_2)Cl_2]$  and  $[Pt\{\eta^4-C_5Me_4(CF_3)H\}(\eta^5-C_5H_5)]PF_6$ , 221

## 2-Ynamides

Synthesis of 2-ynamides by direct palladium-catalyzed oxidative aminocarbonylation of alk-1-yne, 84

*(Z)*-Germylethynes

Synthesis of *(Z)*-1-aryl-2-(germyl)-1-(stannyl)ethynes and the related ethynes, precursors to stereodefined germylethynes, via  $Pd(dba)_2-P(OCH_2)_3CEt$ -catalyzed germastannylation of acetylenes in THF, 302

## Zincated cyclopentadienyl compounds

Synthesis and coordination behaviour of the new (8-quinolyl)cyclopentadienyl ligand, 66

## Zirconocene complexes

Group 4 metallocenes containing hetaryl substituents at their  $\pi$ -ligands: synthesis and characterization of the parent bis[2-(2-furyl)indenyl]zirconocene system, 143