

Subject Index of Volume 625

- Ab initio calculations
UV photoelectron and ab initio study of intramolecular interactions in α -diethoxyphosphoryl carbonyl derivatives, 121
- Acetylenes
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocene salts, 200
- Acyl chlorides
C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}=\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140
- Alkenes
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
- Alkoxysilanes
 α -Lithioalkoxysilanes: applications to alkene synthesis, 13
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
- Alkynes
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β -unsaturated carbonyl compounds and terminal alkynes, 47
- Anaerobic reaction
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te -, $^{13}\text{C}\{^1\text{H}\}$ -, ^1H -) studies, 23
- Anhydrides
C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}=\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140
- ansa*-Metallocenes
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
- Argon
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an ‘additional gas’ on the reaction rate, 255
- Arsenic
The thermolysis products of $\text{Os}_3(\text{CO})_{11}(\text{AsPh}_3)$, 231
- Arsine
Fragmentation of a As_4Ph_4 -chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $\text{Fe}_2(\text{CO})_9$, 245
- Aryl complexes
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})_2(\text{PPh}_3)_2$ (R = phenyl or *o*-tolyl), 77
- Arylethynyl
Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6$ -arylethynyl ruthenium complexes $[\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-Cl}$ (R = Ph, Me; Cp = $\eta^5\text{-C}_5\text{H}_5$, Cp* = $\eta^5\text{-C}_5\text{Me}_5$). The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-PF}_6$, 133
- Benzoquinone
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108
- Carbene complexes
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
- Carbonyl
Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\text{-}\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ with dithiols; X-ray structures of $[\text{Os}_3(\text{CO})_8(\mu\text{-SCH}_2\text{CH}_2\text{CH}_2\text{S})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]\cdot 1/2\text{CH}_2\text{Cl}_2$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\mu_3\text{-}\eta^3\text{-SCH}_2\text{CH}_2\text{CHS})(\text{Ph}_2\text{PCH}_2\text{-PPh}_2)]\cdot 1/2\text{H}_2\text{O}$, 112
- Catalysts
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
- C–C-bond formation
C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}=\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140
- Chain
Fragmentation of a As_4Ph_4 -chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $\text{Fe}_2(\text{CO})_9$, 245
- Chiral metallocene
Synthesis, characterization and polymerization properties of isopropylidene(η^5 -3-neomenthylcyclopentadienyl)(η^5 -fluorenyl)zirconium dichloride, 154
- Cluster
Fragmentation of a As_4Ph_4 -chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $\text{Fe}_2(\text{CO})_9$, 245
- Clusters
The thermolysis products of $\text{Os}_3(\text{CO})_{11}(\text{AsPh}_3)$, 231
- Cobalt
Fragmentation of a As_4Ph_4 -chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $\text{Fe}_2(\text{CO})_9$, 245
- Co(III) complexes
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186
- Condensation
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
- Conformational analysis
UV photoelectron and ab initio study of intramolecular interactions in α -diethoxyphosphoryl carbonyl derivatives, 121
- Conjugate addition
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β -unsaturated carbonyl compounds and terminal alkynes, 47
- Copper
C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}=\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140
- Copper halides
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β -unsaturated carbonyl compounds and terminal alkynes, 47
- Cryptand
Complexation behavior of 1,1'':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyl)dimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
- Crystal structures
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

- Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ with dithiols; X-ray structures of $[\text{Os}_3(\text{CO})_8(\mu\text{-SCH}_2\text{CH}_2\text{CH}_2\text{S})(\text{Ph}_2\text{PCH}_2\text{-PPh}_2)]\cdot 1/2\text{CH}_2\text{Cl}_2$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\mu_3\text{-}\eta^3\text{-SCH}_2\text{CH}_2\text{-CHS})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]\cdot 1/2\text{H}_2\text{O}$, 112
- Cyclopalladates
Trans-influences in mononuclear cyclopalladated compounds containing a $\sigma(\text{Pd}\text{-C}_{\text{sp}^2}$, ferrocene) bond. X-ray crystal structures of $[\text{Pd}\{[(\eta^5\text{-C}_5\text{H}_5)\text{-CH=N-CH}_2\text{-C}_6\text{H}_5]\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\}_2(\text{X})(\text{PPh}_3)]$ with $\text{X}^- = \text{Br}^-$ and I^- , 67
- Cyclopentadienyl
 Synthesis, characterization and polymerization properties of isopropylidene($\eta^5\text{-3-neomenthylcyclopentadienyl})(\eta^5\text{-fluor-enyl})\text{zirconium dichloride}$, 154
- Cyclopentadienyl complexes
 A novel cyclic titanasiloxane derived from $[\text{Ph}_2\text{Si}(\text{OH})_2]\text{O}$: synthesis and crystal structure of $[\text{Cp}^*\text{Ti}(\text{Cl})(\text{OSiPh}_2\text{OSiPh}_2\text{-OSiPh}_2\text{O})]$, 195
- Deshielded resonances
 Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te -, $^{13}\text{C}\{^1\text{H}\}$ -, ^1H -) studies, 23
- Destannylation
 Synthesis and destannylation of $\eta^3\text{-1-stannylallylpalladium(II)}$ complexes, 54
- DFT calculations
 Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III) : the orthometalation of *trans*-azobenzene, 186
- Diazeno
 Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
- Diazenido
 Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
- Diborons
 A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β -unsaturated carbonyl compounds and terminal alkynes, 47
- Dicyanovinyl
 Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32
- Dinuclear complexes
 Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6\text{-arylethynyl ruthenium complexes } [\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-Cl}$ ($\text{R} = \text{Ph}$, Me ; $\text{Cp} = \eta^5\text{-C}_5\text{H}_5$, $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-PF}_6$, 133
- Dinuclear compounds
 Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
- Diphosphines
 Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
- Dithiolate
 Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ with dithiols; X-ray structures of $[\text{Os}_3(\text{CO})_8(\mu\text{-SCH}_2\text{CH}_2\text{CH}_2\text{S})(\text{Ph}_2\text{PCH}_2\text{-PPh}_2)]\cdot 1/2\text{CH}_2\text{Cl}_2$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\mu_3\text{-}\eta^3\text{-SCH}_2\text{CH}_2\text{CHS})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]\cdot 1/2\text{H}_2\text{O}$, 112
- Dithiolate complexes
 $\eta^5\text{-C}_5\text{H}_5\text{-}$ and $\eta^5\text{-C}_5\text{Me}_5\text{-metal complexes}$ ($\text{M} = \text{Zr(IV)}$ and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7
- Electrical conductivity
 $\eta^5\text{-C}_5\text{H}_5\text{-}$ and $\eta^5\text{-C}_5\text{Me}_5\text{-metal complexes}$ ($\text{M} = \text{Zr(IV)}$ and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7
- Electronic structures
 UV photoelectron and ab initio study of intramolecular interactions in α -diethoxyphosphoryl carbonyl derivatives, 121
- Electrospray mass spectrometry
 Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
- Ethylene
 Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95
- Ethynyl-metallocenes
 X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
- Exocyclic alkenes
 α -Lithioalkoxysilanes: applications to alkene synthesis, 13
- Ferrocene
 Complexation behavior of 1,1':1'',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyl(dimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
Trans-influences in mononuclear cyclopalladated compounds containing a $\sigma(\text{Pd}\text{-C}_{\text{sp}^2}$, ferrocene) bond. X-ray crystal structures of $[\text{Pd}\{[(\eta^5\text{-C}_5\text{H}_5)\text{-CH=N-CH}_2\text{-C}_6\text{H}_5]\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\}_2(\text{X})(\text{PPh}_3)]$ with $\text{X}^- = \text{Br}^-$ and I^- , 67
- Ferrocenylethene derivative
 Solvent-free synthesis of ferrocenylethene derivatives, 128
- Fluorenyl
 Synthesis, characterization and polymerization properties of isopropylidene($\eta^5\text{-3-neomenthylcyclopentadienyl})(\eta^5\text{-fluor-enyl})\text{zirconium dichloride}$, 154
- Fragmentation
 Fragmentation of a As_4Ph_4 -chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $\text{Fe}_2(\text{CO})_9$, 245
- Fulvene
 Synthesis, characterization and polymerization properties of isopropylidene($\eta^5\text{-3-neomenthylcyclopentadienyl})(\eta^5\text{-fluor-enyl})\text{zirconium dichloride}$, 154
- Functionalised vinylstannanes
 Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86
- GIAO calculations
 Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
- Hafnium complexes
 $\eta^5\text{-C}_5\text{H}_5\text{-}$ and $\eta^5\text{-C}_5\text{Me}_5\text{-metal complexes}$ ($\text{M} = \text{Zr(IV)}$ and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7
- Hydrazine
 Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
- Hydrolysis
 Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
- Hydrostannylation
 Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86
- Iodovinylidene
 Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6\text{-arylethynyl ruthenium complexes } [\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-Cl}$ ($\text{R} = \text{Ph}$, Me ; $\text{Cp} = \eta^5\text{-C}_5\text{H}_5$

- Cp* = $\eta^5\text{-C}_5\text{Me}_5$. The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{C}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{PF}_6$, 133
- Iridium**
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
- Isomerization**
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
- Kinetics**
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86
- Lithiation**
Lithiation studies of $[\text{PhP}(\text{CH}_2\text{Ph})_3]\text{Cl}$; X-ray crystal structure of the phosphoniodiylide $[(\text{TMEDA})\text{Li}(\text{PhCH})_2\text{PPh}(\text{CH}_2\text{Ph})]$ and its rhodium and chromium complexes, 236
- α -Lithiosilanes
 α -Lithioalkoxysilanes: applications to alkene synthesis, 13
- Lithium hex-1-ynyl telluroate**
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te -, $^{13}\text{C}\{^1\text{H}\}$ -, ^1H -) studies, 23
- Long wavelength hyper-Rayleigh scattering (HRS)**
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32
- Manganese**
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
- MAO**
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
- Merocyanine**
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32
- Metal atom motion**
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
- Metallocene**
Complexation behavior of 1,1':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyl(dimethyl))bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
- Metallocene catalyzed polymerization**
Synthesis, characterization and polymerization properties of isopropylidene(η^5 -3-neomenthylcyclopentadienyl)(η^5 -fluorenyl)zirconium dichloride, 154
- Metathesis**
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
- Mössbauer**
Complexation behavior of 1,1':1',1'''-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyl(dimethyl))bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
- Mössbauer spectroscopy**
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
- Neomenthylcyclopentadienyl**
Synthesis, characterization and polymerization properties of isopropylidene(η^5 -3-neomenthylcyclopentadienyl)(η^5 -fluorenyl)zirconium dichloride, 154
- Nitrogen**
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
- N-Ligands**
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
- NMR**
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86
- ^{15}N -NMR
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
- Non-cyclopentadienyl**
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95
- Nonlinear optics (NLO)**
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32
- Olefin**
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
- Organocadmium**
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108
- Organometallic**
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32
- Organometallic tweezer**
C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}\equiv\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140
- Orthometallation**
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometallation of *trans*-azobenzene, 186
- Osmium**
Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ with dithiols; X-ray structures of $[\text{Os}_3(\text{CO})_8(\mu\text{-SCH}_2\text{CH}_2\text{CH}_2\text{S})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]\cdot 1/2\text{CH}_2\text{Cl}_2$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\mu_3\text{-}\eta^3\text{-SCH}_2\text{CH}_2\text{-CHS})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]\cdot 1/2\text{H}_2\text{O}$, 112
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})_2(\text{PPh}_3)_2$ (R = phenyl or *o*-tolyl), 77
The thermolysis products of $\text{Os}_3(\text{CO})_{11}(\text{AsPh}_3)$, 231
- Pentamethylcyclopentadienyl**
Lithiation studies of $[\text{PhP}(\text{CH}_2\text{Ph})_3]\text{Cl}$; X-ray crystal structure of the phosphoniodiylide $[(\text{TMEDA})\text{Li}(\text{PhCH})_2\text{PPh}(\text{CH}_2\text{Ph})]$ and its rhodium and chromium complexes, 236
- Pentamethylcyclopentadienyl complexes**
 $\eta^5\text{-C}_5\text{H}_5$ - and $\eta^5\text{-C}_5\text{Me}_5$ -metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7
- Peterson olefination**
 α -Lithioalkoxysilanes: applications to alkene synthesis, 13

Phosphine

Reactivity of the unsaturated triosmium cluster $[(\mu\text{-H})\text{Os}_3(\text{CO})_8\{\text{Ph}_2\text{PCH}_2\text{P}(\text{Ph})\text{C}_6\text{H}_4\}]$ with dithiols; X-ray structures of $[\text{Os}_3(\text{CO})_8(\mu\text{-SCH}_2\text{CH}_2\text{CH}_2\text{S})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)]$; $1/2\text{CH}_2\text{Cl}_2$ and $[(\mu\text{-H})\text{Os}_3(\text{CO})_7(\mu_3\text{-}\eta^3\text{-SCH}_2\text{CH}_2\text{CHS})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)] \cdot 1/2\text{H}_2\text{O}$, 112

Phosphoniodiylide

Lithiation studies of $[\text{PhP}(\text{CH}_2\text{Ph})_3]\text{Cl}$; X-ray crystal structure of the phosphoniodiylide $[(\text{TMEDA})\text{Li}(\text{PhCH})_2\text{PPh}(\text{CH}_2\text{Ph})]$ and its rhodium and chromium complexes, 236

Photoelectron spectroscopy

UV photoelectron and ab initio study of intramolecular interactions in α -diethoxyphosphoryl carbonyl derivatives, 121

Polymerization

Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180

Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95

Polypropylene

Synthesis, characterization and polymerization properties of isopropylidene(η^5 -3-neomenthylcyclopentadienyl)(η^5 -fluorenyl)zirconium dichloride, 154

Protodestannylation

Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86

Reaction rates

Organofunctional alkoxy silanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208

Rhodium

Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

Ru(II)-ring-closing metathesis

Synthesis of silacycloalkenes and silaspires by Ru(II)-catalyzed ring-closing metathesis reactions, 160

Ruthenium

Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255

Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58

Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6\text{-arylethynyl}$ ruthenium complexes $[\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{Cl}$ ($\text{R} = \text{Ph}, \text{Me}$; $\text{Cp} = \eta^5\text{-C}_5\text{H}_5$, $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$). The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{-Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{PF}_6$, 133

Semiempirical theory

Trans-influences in mononuclear cyclopalladated compounds containing a $\sigma(\text{Pd}\text{-C}_{\text{sp}^2}$, ferrocene) bond. X-ray crystal structures of $[\text{Pd}\{(\eta^5\text{-C}_5\text{H}_5)\text{-CH=N-CH}_2\text{-C}_6\text{H}_5\}]\text{Fe}(\eta^5\text{-C}_5\text{H}_5)\{\text{X}\}(\text{PPh}_3)]$ with $\text{X}^- = \text{Br}^-$ and I^- , 67

Silacycloalkenes

Synthesis of silacycloalkenes and silaspires by Ru(II)-catalyzed ring-closing metathesis reactions, 160

Silanes

Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148

Silanols

A novel cyclic titanasiloxane derived from $[\text{Ph}_2\text{Si}(\text{OH})_2]\text{O}$: synthesis and crystal structure of $[\text{Cp}^*\text{Ti}(\text{Cl})(\text{OSiPh}_2\text{OSiPh}_2\text{OSiPh}_2\text{O})]$, 195

Silatranes

Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148

Silica

Surface organometallic chemistry of vanadium(V): reactivity of $(\text{Bu}'\text{N}=\text{V})\text{Np}_3$ towards silica, 101

Siloxanes

Organofunctional alkoxy silanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208

Siloxides

A novel cyclic titanasiloxane derived from $[\text{Ph}_2\text{Si}(\text{OH})_2]\text{O}$: synthesis and crystal structure of $[\text{Cp}^*\text{Ti}(\text{Cl})(\text{OSiPh}_2\text{OSiPh}_2\text{OSiPh}_2\text{O})]$, 195

Silsesquioxanes

Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1

Silylation

Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1

Silyl complexes

Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})_2(\text{PPh}_3)_2$ ($\text{R} = \text{phenyl}$ or *o*-tolyl), 77

Single electron transfer

Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108

²⁹Si-NMR

Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148

Solvatochromism

Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ -vinylidene di-iron donor based organometallic merocyanines, 32

Solvent-free reaction

Solvent-free synthesis of ferrocenylethene derivatives, 128

Spiroannulation

Synthesis of silacycloalkenes and silaspires by Ru(II)-catalyzed ring-closing metathesis reactions, 160

 η^3 -1-Stannylallylpalladium(II) complexes

Synthesis and destannylation of η^3 -1-stannylallylpalladium(II) complexes, 54

Surface organometallic chemistry

Surface organometallic chemistry of vanadium(V): reactivity of $(\text{Bu}'\text{N}=\text{V})\text{Np}_3$ towards silica, 101

Synthesis

Synthesis of silacycloalkenes and silaspires by Ru(II)-catalyzed ring-closing metathesis reactions, 160

Terminal alkenes

α -Lithioalkoxy silanes: applications to alkene synthesis, 13

Thiosalicylate

Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

Titanasiloxanes

A novel cyclic titanasiloxane derived from $[\text{Ph}_2\text{Si}(\text{OH})_2]\text{O}$: synthesis and crystal structure of $[\text{Cp}^*\text{Ti}(\text{Cl})(\text{OSiPh}_2\text{OSiPh}_2\text{OSiPh}_2\text{O})]$, 195

Titanium

C–C-bond formation in reactions of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)_2\text{-Ti}(\text{C}\equiv\text{CR}^1)_2]\text{CuR}$ with acyl chlorides and anhydrides, 140

Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95

Titanium complexes

$\eta^5\text{-C}_5\text{H}_5\text{-}$ and $\eta^5\text{-C}_5\text{Me}_5\text{-metal}$ complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7

Trans-influence

Trans-influences in mononuclear cyclopalladated compounds containing a $\sigma(\text{Pd}-\text{C}_{\text{sp}^2}$, ferrocene) bond. X-ray crystal structures of $[\text{Pd}\{[(\eta^5\text{-C}_5\text{H}_5)\text{-CH=N-CH}_2\text{-C}_6\text{H}_5]\text{-Fe}(\eta^5\text{-C}_5\text{H}_5)\}(\text{X})(\text{PPh}_3)]$ with $\text{X}^- = \text{Br}^-$ and I^- , 67

Vanadium(V)

Surface organometallic chemistry of vanadium(V): reactivity of $(\text{Bu}'\text{N}=\text{V})\text{Np}_3$ towards silica, 101

Vinylidene

Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6\text{-arylethynyl}$ ruthenium complexes $[\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-Cl}$ (R = Ph, Me; Cp = $\eta^5\text{-C}_5\text{H}_5$, Cp* = $\eta^5\text{-C}_5\text{Me}_5$). The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{-Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-PF}_6$, 133

Vinylsilanes

α -Lithioalkoxysilanes: applications to alkene synthesis, 13
Silsequioxane chemistry: Part 5. New silyl-functionalized silsequioxanes, 1

Wittig reaction

Solvent-free synthesis of ferrocenylethene derivatives, 128

Xenon

Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255

X-ray crystal structures

Lithiation studies of $[\text{PhP}(\text{CH}_2\text{Ph})_3]\text{Cl}$; X-ray crystal structure of the phosphoniodylide $[(\text{TMEDA})\text{Li}(\text{PhCH})_2\text{PPh}(\text{CH}_2\text{Ph})]$

and its rhodium and chromium complexes, 236

Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}[\text{Si}(\text{OEt})_3]\text{R}(\text{CO})_2(\text{PPh}_3)_2$ (R = phenyl or *o*-tolyl), 77

Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6\text{-arylethynyl}$ ruthenium complexes $[\text{Cp}(\text{PR}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-Cl}$ (R = Ph, Me; Cp = $\eta^5\text{-C}_5\text{H}_5$, Cp* = $\eta^5\text{-C}_5\text{Me}_5$). The molecular structure of $[\text{Cp}(\text{PPh}_3)_2\text{Ru}(\mu\text{-}\eta^1\text{:}\eta^6\text{-C}\equiv\text{CC}_6\text{H}_4\text{Me-}p)\text{RuCp}^*]\text{-PF}_6$, 133

X-ray structure

Silsequioxane chemistry: Part 5. New silyl-functionalized silsequioxanes, 1

X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200

X-ray structures

Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186

Z,E-separation

Solvent-free synthesis of ferrocenylethene derivatives, 128

Zirconium

Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180

Zirconium complexes

$\eta^5\text{-C}_5\text{H}_5\text{-}$ and $\eta^5\text{-C}_5\text{Me}_5\text{-metal}$ complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $\text{C}_8\text{H}_4\text{S}_8$ ligand and high electrical conductivities of their oxidized species, 7

Zirconocene dichloride

Synthesis, characterization and polymerization properties of isopropylidene($\eta^5\text{-3-neomenthylcyclopentadienyl}$)($\eta^5\text{-fluorenyl}$)zirconium dichloride, 154