

## Subject Index of Volume 629

- ab initio  
A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165
- Acetylide  
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{\eta^5\text{-C}_5\text{H}_5\}\text{W}(\text{CO})_3\text{-}(\text{CCPh})\}_2]$ , 160
- [4 + 2] Adduct  
Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44
- Alkanoylferrocenes  
A convenient synthesis of *E*-alkenylferrocenes, 208
- Alkenylferrocene  
A convenient synthesis of *E*-alkenylferrocenes, 208
- Alkynyl  
Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of  $[\text{Au}(\text{C}\equiv\text{CPh})\{6\text{-P}(\text{Ph})_2\text{-1-(4-Me}_2\text{N-C}_6\text{H}_4\text{N}_2\text{-C}_{10}\text{H}_5\text{-2-OH)}\}\cdot\text{CHCl}_3]$ , 153
- Alkynylaminocarbenes  
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131
- Arene  
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7
- Base catalysts  
Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1
- Cage  
The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109
- Carbene complexes  
Versatile behaviour of iron–arylcabene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
- Carbonyl  
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{\eta^5\text{-C}_5\text{H}_5\}\text{W}(\text{CO})_3\text{-}(\text{CCPh})\}_2]$ , 160
- Carbonyl attack  
Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})]^+$  salts and  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{X}]$  complexes, 182
- Carbosilane  
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194
- Cationic complex  
Reactions of  $\text{HOSiMe}_2\text{Ar}$  with  $\text{Pt-PPh}_3$  complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61
- C–C activation  
Versatile behaviour of iron–arylcabene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
- C–Cl activation  
Versatile behaviour of iron–arylcabene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
- Chalcogen  
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{\eta^5\text{-C}_5\text{H}_5\}\text{W}(\text{CO})_3\text{-}(\text{CCPh})\}_2]$ , 160
- Chelating ligand  
Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7
- Cholesterol  
End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194
- Chromium  
 $\beta$ -Lactams (including polycyclic) derived from chromium carbenes, 114  
Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131
- cis*–*trans* Influence  
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of  $\text{N}_3\text{Co}^{\text{III}}(\text{dmgH})(\text{dpgH})\text{Py}$  and  $\text{N}_3\text{Co}^{\text{III}}(\text{chgH})(\text{dpgH})\text{Py}$ , 83
- Cleavage reactions  
Versatile behaviour of iron–arylcabene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19
- Clusters  
Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{\eta^5\text{-C}_5\text{H}_5\}\text{W}(\text{CO})_3\text{-}(\text{CCPh})\}_2]$ , 160  
 $(\text{C}_5\text{Me}_5)(\text{dppe})\text{FeC}\equiv\text{C-C}\equiv\text{C-Fe}(\text{dppe})(\text{C}_5\text{Me}_5)$   
Reaction of 1,3-diynes with the electron rich iron complex  $(\eta^5\text{-C}_5\text{Me}_5)(\eta^2\text{-dppe})\text{Fe-Cl}$ . A new and direct access to the iron butadiynyl complex  $(\eta^5\text{-C}_5\text{Me}_5)(\eta^2\text{-dppe})\text{Fe-C}\equiv\text{CC}\equiv\text{CSiMe}_3$ , 39  
 $(\text{C}_5\text{Me}_5)\text{Fe}(\text{dppe})(\text{C}\equiv\text{C-C}\equiv\text{CSiMe}_3)$   
Reaction of 1,3-diynes with the electron rich iron complex  $(\eta^5\text{-C}_5\text{Me}_5)(\eta^2\text{-dppe})\text{Fe-Cl}$ . A new and direct access to the iron butadiynyl complex  $(\eta^5\text{-C}_5\text{Me}_5)(\eta^2\text{-dppe})\text{Fe-C}\equiv\text{CC}\equiv\text{CSiMe}_3$ , 39
- Cobaloxime  
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of  $\text{N}_3\text{Co}^{\text{III}}(\text{dmgH})(\text{dpgH})\text{Py}$  and  $\text{N}_3\text{Co}^{\text{III}}(\text{chgH})(\text{dpgH})\text{Py}$ , 83
- Cobalt  
Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of  $\text{N}_3\text{Co}^{\text{III}}(\text{dmgH})(\text{dpgH})\text{Py}$  and  $\text{N}_3\text{Co}^{\text{III}}(\text{chgH})(\text{dpgH})\text{Py}$ , 83

## Crystal structure

Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of  $[\text{Au}(\text{C}\equiv\text{CPh})\{6\text{-P}(\text{Ph})_2\text{-1-(4-Me}_2\text{N-C}_6\text{H}_4\text{N}_2\text{)-C}_{10}\text{H}_5\text{-2-OH}\}]\cdot\text{CHCl}_3$ , 153

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Crystal structures

Synthesis, characterization and crystal structure of  $[\text{Pt}(\text{Me})(\text{dppe})\{\eta^1\text{-CH}(\text{PPh}_3)(\text{COOEt})\}]\text{BF}_4$ . An example of overcrowded molecule and correlated properties, 201

## Cyclometallation

Versatility in the mode of coordination  $[(\text{C})^-$ , (N,S), (C,N) $^-$  or (C,N,S) $^-$ ] of the Schiff base:  $\text{C}_6\text{H}_5\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}$  to palladium(II). X-ray crystal structures of *cis*- $[\text{Pd}\{\text{C}_6\text{H}_5\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}\}\text{Cl}_2]$  and  $[\text{Pd}\{\text{C}_6\text{H}_4\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}\}\text{Cl}]$ , 97

## Cyclopalladated compound

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## Cyclopentadienyl

Synthesis and spectroscopic characterization of  $\alpha$ -keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of  $[\text{Cp}^*\text{ZrCl}_3(2\text{-TCMP})]$ ,  $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ , 2-TCMP =  $\{2\text{-thiazolylcarbonyl}\}\text{methylene}\}\text{triphenylphosphorane}$ , 68

## Cyclopentadienylnickel(II)

Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of  $\text{Ni}(\eta^5\text{-C}_5\text{H}_5)(\text{PBu}_3)(\text{SC}_6\text{H}_4\text{NC}(\text{H})\text{C}_6\text{H}_4\text{C}_6\text{H}_5)$  and  $\text{Ni}(\eta^5\text{-C}_5\text{H}_5)(\text{PBu}_3)(\text{SC}_6\text{H}_4\text{NC}(\text{H})\text{C}_6\text{H}_4\text{OC}_4\text{H}_9)$ , 171

## Dehydrogenation

Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44

## Dendrimer

End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194

## Dialkanylferrocenes

A convenient synthesis of *E*-alkenylferrocenes, 208

## Dialkenylferrocene

A convenient synthesis of *E*-alkenylferrocenes, 208

## Dicarboxylato ligand

Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54

## Diethyl selenium

UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93

## Diethyl tellurium

UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93

## Dihydroxyalkylferrocene

A convenient synthesis of *E*-alkenylferrocenes, 208

## Dimanganese complexes

A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165

## Dioxime

Inorganic cobaloximes with mixed dioxime equatorial ligands: a convenient one pot synthesis and *cis* influence studies: X-ray crystal structures of  $\text{N}_3\text{Co}^{\text{III}}(\text{dmgH})(\text{dpgH})\text{Py}$  and  $\text{N}_3\text{Co}^{\text{III}}(\text{chgH})(\text{dpgH})\text{Py}$ , 83

## Diphosphine

Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187

Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77

## 9,10-Disilaanthracene

Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44

## Disproportionation reactions

Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1

## Diterpenoid

$\beta$ -Lactams (including polycyclic) derived from chromium carbenes, 114

Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131

## EHMO calculations

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## Electrochemistry

Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54

Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{(\eta^5\text{-C}_5\text{H}_5)\text{W}(\text{CO})_3\text{-}(\text{CCPh})_2\}]_2$ , 160

Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7

## ESR spectroscopy

Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54

## Fischer carbene

$\beta$ -Lactams (including polycyclic) derived from chromium carbenes, 114

## Fluoride

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})]^+$  salts and  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{X}]$  complexes, 182

## Gold

Synthesis and characterisation of some azo-containing phosphine complexes of Au(I): crystal and molecular structure of  $[\text{Au}(\text{C}\equiv\text{CPh})\{6\text{-P}(\text{Ph})_2\text{-1-(4-Me}_2\text{N-C}_6\text{H}_4\text{N}_2\text{)-C}_{10}\text{H}_5\text{-2-OH}\}]\cdot\text{CHCl}_3$ , 153

## Group 13

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Group 15

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Heterocycle

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Hydroxide

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})]^+$  salts and  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{X}]$  complexes, 182

## Hydroxyalkylferrocene

A convenient synthesis of *E*-alkenylferrocenes, 208

## Hydroxylation

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## Indole

Synthesis of diterpenoid indole derivatives via tethered chromium alkynylaminocarbenes, 131

## Interfacial reaction

Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

## Iron

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})]^+$  salts and  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{X}]$  complexes, 182

Versatile behaviour of iron–arylcabene complexes towards alkoxides: C–Cl and C–C bond activation reactions, 19

## Isocyanides complexes

$^1\text{H-NMR}$  and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual  $(d_{xz}, d_{yz})^4 (d_{xy})^1$  configuration, 145

 $\alpha$ -Keto ylide

Synthesis and spectroscopic characterization of  $\alpha$ -keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of  $[\text{Cp}^*\text{ZrCl}_3(2\text{-TCMP})]$ ,  $\text{Cp}^* = \eta^5\text{-C}_5\text{Me}_5$ , 2-TCMP =  $\{2\text{-thiazolylylcarbonyl}\}$ methylene]triphenylphosphorane, 68

 $\beta$ -Lactam

$\beta$ -Lactams (including polycyclic) derived from chromium carbenes, 114

## Laser photolysis

UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93

## Low coordination

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Metal complexes

Synthesis, characterization and crystal structure of  $[\text{Pt}(\text{Me})(\text{dppe})\{\eta^1\text{-CH}(\text{PPh}_3)(\text{COOEt})\}]\text{BF}_4$ . An example of overcrowded molecule and correlated properties, 201

## Mixed-metal

Synthesis, structure and electrochemistry of acetylide-bridged mixed metal cluster  $[\text{Fe}_2(\text{CO})_6(\mu_3\text{-S})_2\text{W}\{\eta^5\text{-C}_5\text{H}_5\}\text{W}(\text{CO})_3(\text{CCPh})_2]$ , 160

## Molecular mechanism

UV laser-induced photolysis of diethyl selenium and diethyl tellurium: extrusion of selenium and tellurium via molecular elimination of ethene, 93

 $\alpha$ -Naphthylazoimidazoles

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## Niobocene

Electrochemical and spectroscopic studies on dicarboxylato niobocene complexes, 54

## NMR characterisation

Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77

## Nuclear magnetic resonance

$^1\text{H-NMR}$  and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual  $(d_{xz}, d_{yz})^4 (d_{xy})^1$  configuration, 145

## Palladium

Versatility in the mode of coordination  $[(\text{C})^-, (\text{N}, \text{S}), (\text{C}, \text{N})^- \text{ or } (\text{C}, \text{N}, \text{S})^-]$  of the Schiff base:  $\text{C}_6\text{H}_5\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}$  to palladium(II). X-ray crystal structures of

$\text{cis-}[\text{Pd}\{\text{C}_6\text{H}_5\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}\}\text{Cl}_2]$  and  $[\text{Pd}\{\text{C}_6\text{H}_4\text{-CH=N-CH}_2\text{-CH}_2\text{-SEt}\}\text{Cl}]$ , 97

## Palladium catalyst

Reaction of 9,10-dimethyl-9,10-dihydro-9,10-disilaanthracene with alkyne in the presence of palladium, 44

## Palladium(II) complex

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## Paramagnetic complexes

$^1\text{H-NMR}$  and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual  $(d_{xz}, d_{yz})^4 (d_{xy})^1$  configuration, 145

## Phenylacetylene

Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187

## Phenylsilane

Disproportionation reactions of organohydrosilanes in the presence of base catalysts, 1

## Phosphavinyl

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Phosphine

Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7

## Phosphorus

The synthesis and structural characterisation of the first phosphavinyl–Group 13 complexes, 109

## Phosphorus ylides

Synthesis, characterization and crystal structure of  $[\text{Pt}(\text{Me})(\text{dppe})\{\eta^1\text{-CH}(\text{PPh}_3)(\text{COOEt})\}]\text{BF}_4$ . An example of overcrowded molecule and correlated properties, 201

## Photochemistry

$\beta$ -Lactams (including polycyclic) derived from chromium carbenes, 114

## Platinum

Reactions of  $\text{HOSiMe}_2\text{Ar}$  with Pt– $\text{PPh}_3$  complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

Synthesis, characterization and crystal structure of  $[\text{Pt}(\text{Me})(\text{dppe})\{\eta^1\text{-CH}(\text{PPh}_3)(\text{COOEt})\}]\text{BF}_4$ . An example of overcrowded molecule and correlated properties, 201

## Polymerization

Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187

## Pyridine

End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194

## Reduction

Tetraethylammonium fluoride as a convenient source of hydroxide ions in acetonitrile solution. Its reaction with  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})]^+$  salts and  $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{X}]$  complexes, 182

## Reductive coupling

A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by  $\text{TiCl}_4\text{-Zn}$ , 213

## Rhodium

Stereoselective *living* polymerization of phenylacetylene promoted by rhodium catalysts with bidentate phosphines, 187

## Rhodium complexes

Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77

## Ruthenium

Synthesis, structure and redox behaviour of tethered arene–ruthenium(II) complexes, 7

## Ruthenium porphyrins

<sup>1</sup>H-NMR and EPR studies of the electronic structure of low-spin ruthenium(III) isocyanide porphyrin complexes: unusual ( $d_{xz}, d_{yz}$ )<sup>4</sup> ( $d_{xy}$ )<sup>1</sup> configuration, 145

## Salicylic acid

Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

## Schiff base

Versatility in the mode of coordination [(C)<sup>-</sup>, (N,S), (C,N)<sup>-</sup> or (C,N,S)<sup>-</sup>] of the Schiff base: C<sub>6</sub>H<sub>5</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C<sub>6</sub>H<sub>5</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt}Cl<sub>2</sub>] and [Pd{C<sub>6</sub>H<sub>4</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt}Cl], 97

## Silanol

Reactions of HOSiMe<sub>2</sub>Ar with Pt–PPh<sub>3</sub> complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

## Siloxane

End-capped carbosiloxane dendrimers with cholesterol and pyridine derivatives, 194

## Siloxo complex

Reactions of HOSiMe<sub>2</sub>Ar with Pt–PPh<sub>3</sub> complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

## Silver

Synthesis and spectroscopic characterization of  $\alpha$ -keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp\*ZrCl<sub>3</sub>(2-TCMP)], Cp\* =  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>, 2-TCMP = [{2-thiazolylylcarbonyl}methylene]triphenylphosphorane, 68

## Strong hydrogen bonds

A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165

## 4-Substituted cyclobutene-1,2-diones

A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by TiCl<sub>4</sub>–Zn, 213

## Sugar derivatives

Synthesis and structural studies of rhodium(I)-catalytic precursors containing two furanoside diphosphines, 77

## Synthesis

Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

## Thermal behaviour

Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of

Ni( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(PBu<sub>3</sub>)(SC<sub>6</sub>H<sub>4</sub>NC(H)C<sub>6</sub>H<sub>4</sub>C<sub>6</sub>H<sub>5</sub>) and Ni( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(PBu<sub>3</sub>)(SC<sub>6</sub>H<sub>4</sub>NC(H)C<sub>6</sub>H<sub>4</sub>OC<sub>4</sub>H<sub>9</sub>), 171

## Thioimine

Versatility in the mode of coordination [(C)<sup>-</sup>, (N,S), (C,N)<sup>-</sup> or (C,N,S)<sup>-</sup>] of the Schiff base: C<sub>6</sub>H<sub>5</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt to palladium(II). X-ray crystal structures of *cis*-[Pd{C<sub>6</sub>H<sub>5</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt}Cl<sub>2</sub>] and [Pd{C<sub>6</sub>H<sub>4</sub>–CH=N–CH<sub>2</sub>–CH<sub>2</sub>–SEt}Cl], 97

## Thiolato Schiff base complexes

Synthesis and thermal behaviour of cyclopentadienylnickel(II) thiolato Schiff base complexes. Molecular structures of Ni( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(PBu<sub>3</sub>)(SC<sub>6</sub>H<sub>4</sub>NC(H)C<sub>6</sub>H<sub>4</sub>C<sub>6</sub>H<sub>5</sub>) and Ni( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(PBu<sub>3</sub>)(SC<sub>6</sub>H<sub>4</sub>NC(H)C<sub>6</sub>H<sub>4</sub>OC<sub>4</sub>H<sub>9</sub>), 171

TiCl<sub>4</sub>–Zn reagent

A novel coupling reaction of 3-substituted 4-alkoxy and 4-aminocyclobutene-1,2-diones induced by TiCl<sub>4</sub>–Zn, 213

## Titanium

Synthesis and spectroscopic characterization of  $\alpha$ -keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp\*ZrCl<sub>3</sub>(2-TCMP)], Cp\* =  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>, 2-TCMP = [{2-thiazolylylcarbonyl}methylene]triphenylphosphorane, 68

## Titanocene

Preparation of the substituted salicylato of titanocene derivatives by the liquid–liquid interfacial reaction, 47

## Transmetalation

Reactions of HOSiMe<sub>2</sub>Ar with Pt–PPh<sub>3</sub> complexes leading to Si–C bond activation or formation of a siloxoplatinum complex, 61

## Triethylamine

Reaction of 1,3-diyne with the electron rich iron complex ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)( $\eta^2$ -dppe)Fe–Cl. A new and direct access to the iron butadiynyl complex ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)( $\eta^2$ -dppe)Fe–C≡CC=CSiMe<sub>3</sub>, 39

## X-ray structure

Cyclopalladation versus hydroxylation. A case of pH dependence, 28

## X-ray structures

A novel dimanganese complex linked by an unusually strong hydrogen bond. X-ray structure of the hydrogen-bonded complex and ab initio calculations, 165

## Zirconium

Synthesis and spectroscopic characterization of  $\alpha$ -keto ylide-containing Group 4 metal complexes. The X-ray molecular structure of [Cp\*ZrCl<sub>3</sub>(2-TCMP)], Cp\* =  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>, 2-TCMP = [{2-thiazolylylcarbonyl}methylene]triphenylphosphorane, 68