

Subject Index of Volume 630

- Acetals
 Triformylferrocenes, novel modules for organometallic scaffolds, 132
- Addition
 Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, 198
- Aldehydes
 Triformylferrocenes, novel modules for organometallic scaffolds, 132
- Alkynes
 Triformylferrocenes, novel modules for organometallic scaffolds, 132
- Allenes
 Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, 198
- η^1 -Allenyl
 Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, 44
- Allyl complexes
 Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2 -ketone complex, 215
- Allylsilanes
 Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans-cis* stereoselection, 57
- Allylstannanes
 Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans-cis* stereoselection, 57
- Arene complexes
 Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, 198
- Asymmetric catalysis
 Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, 17
- Aziridines
 An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, 78
- bicyclo[3.3.0]octane skeleton
 Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, 139
- Carbon–carbon coupling
 Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2 -ketone complex, 215
- Carbonyl iron complexes
 Reactivity of acyclic (pentadienyl)iron(1+) cations with weak carbon nucleophiles, 5
- Catalysis
 Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
- Chemical shift parameters
 Chemical shift effects in the ¹³C-NMR spectra of [(C₅H₅)(CO)₂Fe^{II}]-substituted cyclohexanes, dioxanes and tetrahydropyrans, 33
- Chiral
 Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5- η)-1-R-4-methoxycyclohexadienyl]-iron(1+) hexafluorophosphate(1-) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh₃)] and tricarbonyl[methyl(2,3,4,5- η)-2-carbomethoxy-2-(4-methoxy-1-(1'-methylene)phenyl)cyclohexadien-1-yl]ethanoate]iron(0), 88
- Chirality
 Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
- Chromium
 Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, 198
- Clusters
 Monomeric, dimeric and polymeric [Cp₂MoH₂] complexes with Ag–S bonds, 169
- Combinatorial virtual libraries
 Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
- Complexes
 Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
 Synthesis, characterization and reactivity of tetracyclopentadienyl-niobium(IV), a precursor to organometallic derivatives of niobium(IV), 275
- copper
 New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, 253
- Cross-coupling
 Highly reactive σ -organonickel complexes in electrocatalytic processes, 185
- Crystal structures
 Monomeric, dimeric and polymeric [Cp₂MoH₂] complexes with Ag–S bonds, 169
 Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di- μ_2 -2-[(2,3-dimethylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-methyltin(IV)]] and 1,2:3,4-di- μ_2 -2-[-[(2,3-dimethylphenyl)amino]benzoato-*O,O*-1,3-bis-2-[-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-*n*-butyltin(IV)]]], 205

- Triphosphane formation from the terminal zirconium phosphinidene complex $[Cp_2Zr=PDmp(PMe_3)]$ (Dmp = 2,6-Mes₂C₆H₃) and crystal structure of DmpP(PPh₂)₂, 193
- Cycloaddition
Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodiacyclopent-3-ene-2-one complexes, 44
- Cyclohexadienyliron
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5-η)-1-R-4-methoxycyclohexadienyl]iron(1+) hexafluorophosphate(1-) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh₃)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1'-methylthienyl)cyclohexadien-1-yl)ethanoate]iron(0), 88
- Cyclohexanes
Chemical shift effects in the ¹³C-NMR spectra of [(C₅H₅)(CO)₂Fe^{II}]-substituted cyclohexanes, dioxanes and tetrahydropyrans, 33
- Cyclopentadienyl
Synthesis, characterization and reactivity of tetracyclopentadienyl-niobium(IV), a precursor to organometallic derivatives of niobium(IV), 275
- Cyclopropanation
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans-cis* stereoselection, 57
- density functional theory calculations
Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, 139
- DFT calculations
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, 157
- Diastereomeric ratio
[2-(*N,N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, 149
- Diels–Alder reaction
Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, 17
- Diene–iron tricarbonyl complexes
Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, 23
- Dienyl
Reactivity of acyclic (pentadienyl)iron(1+) cations with weak carbon nucleophiles, 5
- Diorganotin
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di-μ₂-2-[(2,3-dimethylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ₃-oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di-μ₂-2-[-[(2,3-dimethylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di-μ₃-oxo-tetrakis[di-*n*-butyltin(IV)]], 205
- Dioxadiazadecalins
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
- Dioxanes
Chemical shift effects in the ¹³C-NMR spectra of [(C₅H₅)(CO)₂Fe^{II}]-substituted cyclohexanes, dioxanes and tetrahydropyrans, 33
- Diphenyl carbonate
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, 11
- Electrochemistry
Highly reactive σ-organonickel complexes in electrocatalytic processes, 185
- Electrophile addition
Triphosphane formation from the terminal zirconium phosphinidene complex $[Cp_2Zr=PDmp(PMe_3)]$ (Dmp = 2,6-Mes₂C₆H₃) and crystal structure of DmpP(PPh₂)₂, 193
- Enantioselective catalysis
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
- Ethyl diazoacetate
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, 78
- Ethylene equivalent
Behaviour of monocomplexed 1,4-diynes in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- ⁵⁷Fe-NMR
⁵⁷Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, 263
- Ferrocene
Triformylferrocenes, novel modules for organometallic scaffolds, 132
- Ferrocenes
⁵⁷Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, 263
- Group 14 chalcogenides
Group 14 chalcogenides featuring a bicyclo[3.3.0]octane skeleton, 139
- heterometallic alkoxides
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, 253
- Heteropolyacid
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, 11
- High dilution
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, 266
- Homogeneous redox catalysis
Highly reactive σ-organonickel complexes in electrocatalytic processes, 185
- Hydroformylation
Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177
- 2-Imidazolium phosphine
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177

- Imines**
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, 78
- Ionic liquids**
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177
- Iron Lewis acid**
An explanation for the apparent *cis*-aziridine selectivity in the iron Lewis acid-catalyzed reaction of *N*-benzylidene aniline and ethyl diazoacetate, 78
- Ketone**
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2 -ketone complex, 215
- Khand reaction**
Behaviour of monocomplexed 1,4-diyne in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- Lewis acid catalysis**
Highly enantioselective Diels–Alder catalysis with a chiral ruthenium bisoxazoline complex, 17
- Lithiation**
Triferylferrocenes, novel modules for organometallic scaffolds, 132
- Macrocyclization**
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, 266
- Manganese**
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, 84
- Mefenamic acid**
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di- μ_2 -2-[(2,3-dimethylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di- μ_2 -2-[-[(2,3-dimethylphenyl)amino]-benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-*n*-butyltin(IV)], 205
- Mercury**
[2-(*N,N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, 149
- Metallacyclophanes**
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platina-cyclophanes, 244
- Metallation**
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177
- Methyl dehydrojasmonate**
Behaviour of monocomplexed 1,4-diyne in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
- Methyl jasmonate**
Behaviour of monocomplexed 1,4-diyne in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
- ⁵⁵Mn-NMR**
⁵⁷Fe-NMR spectroscopy revisited: ferrocene derivatives containing heterosubstituents, 263
- Molecular modeling**
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, 157
- Molybdenum**
Monomeric, dimeric and polymeric [Cp₂MoH₂] complexes with Ag-S bonds, 169
- Nickel**
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η^2 -ketone complex, 215
- Ni(0) complexes**
Highly reactive σ -organonickel complexes in electrocatalytic processes, 185
- Niobium**
Synthesis, characterization and reactivity of tetracyclopentadienyl-niobium(IV), a precursor to organometallic derivatives of niobium(IV), 275
- Nitrosyl**
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, 84
1-[2-(*N,N*-dimethylaminomethyl)ferrocenyl] ligand [2-(*N,N*-Dimethylaminomethyl)ferrocenyl] as a ligand towards mercury, 149
- ¹⁵N-NMR spectroscopy**
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177
- Nortaylorione**
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- Nucleophilic addition**
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, 84
- Nucleophilic attack**
Reactivity of acyclic (pentadienyl)iron(1+) cations with weak carbon nucleophiles, 5
- Olefin metathesis**
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, 157
- Open transition state model**
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans*–*cis* stereoselection, 57
- Organic halides**
Highly reactive σ -organonickel complexes in electrocatalytic processes, 185
- σ -Organonickel complexes**
Highly reactive σ -organonickel complexes in electrocatalytic processes, 185
- Oxidative carbonylation**
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, 11
- oxides**
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, 253
- para*-Phenyl-2-imidazolium phosphine**
Phosphines with 2-imidazolium and *para*-phenyl-2-imidazolium moieties — synthesis and application in two-phase catalysis, 177

- Phenol
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, 11
- Phosphinidene complexes
Triphosphane formation from the terminal zirconium phosphinidene complex $[\text{Cp}_2\text{Zr}=\text{PDmp}(\text{PMe}_3)]$ (Dmp = 2,6-Mes₂C₆H₃) and crystal structure of DmpP(PPh₃)₂, 193
- Phosphorus
Triphosphane formation from the terminal zirconium phosphinidene complex $[\text{Cp}_2\text{Zr}=\text{PDmp}(\text{PMe}_3)]$ (Dmp = 2,6-Mes₂C₆H₃) and crystal structure of DmpP(PPh₃)₂, 193
- Platinum
Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinumacyclophanes, 244
- Platinum complexes
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, 266
- P ligands
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinumacyclophanes, 244
- P ligands
Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
- Podocarpic acid
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, 84
- Polyoxaplatinaferrocenophanes
Preparation, properties, and reactions of metal-containing heterocycles: Part CV. Synthesis and structure of polyoxadiphosphaplatinaferrocenophanes, 266
- η^1 -Propargyl
Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodicyclopent-3-ene-2-one complexes, 44
- Protecting groups
Triformylferrocenes, novel modules for organometallic scaffolds, 132
- pyrolysis
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, 253
- Regioselective
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5- η)-1-R-4-methoxycyclohexadienyl]iron(1+) hexafluorophosphate(1–) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh₃)] and tricarbonyl[methyl(2,3,4,5- η)-2-carbomethoxy-2-(4-methoxy-1-(1'-methylene)cyclohexadien-1-yl)-ethanoate]iron(0), 88
- Rhodiacyclopent-3-ene-2-one
Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodicyclopent-3-ene-2-one complexes, 44
- Rhodium carbenoids
Rhodium-catalyzed cyclopropanations of allylsilanes and allylstannanes: the role of the silyl/stannyl group in *trans-cis* tereoselection, 57
- Rhodium complexes
Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodicyclopent-3-ene-2-one complexes, 44
- Salens
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
- Silver
Monomeric, dimeric and polymeric $[\text{Cp}_2\text{MoH}_2]$ complexes with Ag–S bonds, 169
- Spectroscopic studies
Synthesis, crystal structures and spectroscopic studies of diorganotin derivatives with mefenamic acid. Crystal and molecular structures of 1,2:3,4-di- μ_2 -2-[(2,3-dimethylphenyl)amino]benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-methyltin(IV)] and 1,2:3,4-di- μ_2 -2-[-[(2,3-dimethylphenyl)amino]benzoato-*O,O*-1,3-bis-2-[-[(2,3-dimethylphenyl)amino]benzoato-*O*-1,2,4:2,3,4-di- μ_3 -oxo-tetrakis[di-*n*-butyltin(IV)]], 205
- Stereoselective
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5- η)-1-R-4-methoxycyclohexadienyl]iron(1+) hexafluorophosphate(1–) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh₃)] and tricarbonyl[methyl(2,3,4,5- η)-2-carbomethoxy-2-(4-methoxy-1-(1'-methylene)cyclohexadien-1-yl)-ethanoate]iron(0), 88
- Stereospecific annulation reactions
Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, 23
- Structure
Synthesis and structure of the chromiumcarbonyl complexed phenyl allene, 198
- Structures
Synthesis, characterization and reactivity of tetracyclopentadienyl-niobium(IV), a precursor to organometallic derivatives of niobium(IV), 275
- Substituted tetralins
Cationic cyclizations of (diene)iron tricarbonyl complexes with pendant alkenes and arenes, 23
- Supramolecular chemistry
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinumacyclophanes, 244
- Synergistic effect
A new efficient Pd-catalyzed synthesis of diphenyl carbonate with heteropolyacid as a cocatalyst, 11
- Tautomerism
Diazadioxadecalin and salen podands and macrocycles within dynamic combinatorial virtual libraries: structure, prototropy, complexation and enantioselective catalysis, 67
- Taylorione
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- Thio ligands
Monomeric, dimeric and polymeric $[\text{Cp}_2\text{MoH}_2]$ complexes with Ag–S bonds, 169
- Tricarbonyliron
Regio- and stereoselectivity in long-range asymmetric induction controlled by carbonyliron groups: crystal structures of dicarbonyl-L-[(1,2,3,4,5- η)-1-R-4-methoxycyclohexadienyl]-

- iron(1+) hexafluorophosphate(1-) [(R = isopropenyl, L = CO), (R = 1-styryl, L = CO), (R = 1-prop-1-enyl, L = PPh₃)] and tricarbonyl[methyl(2,3,4,5-η)-2-carbomethoxy-2-(4-methoxy-1-(1'-methylene)cyclohexadien-1-yl)ethanoate]iron(0), 88
- Triphosphane**
Triphosphane formation from the terminal zirconium phosphinidene complex [Cp₂Zr=PDmp(PMe₃)] (Dmp = 2,6-Me₂C₆H₃) and crystal structure of DmpP(PPh₂)₂, 193
- Tritium**
Behaviour of monocomplexed 1,4-diyne in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
- Tungsten**
Isolation of a diketone species that is allylically bound to tungsten, and its relationship to a tungsten η²-ketone complex, 215
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, 157
- Tungsten(0) complexes**
Molecular modeling of the olefin metathesis by tungsten(0) carbene complexes, 157
- Vinyl esters**
Behaviour of monocomplexed 1,4-diyne in the Khand reaction and use of ethylene equivalent techniques in a convenient route to tritium-labelled methyl jasmonate, 118
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- Vinyl ethers**
The utility of vinyl ethers and vinyl esters in the Khand reaction. The value of vinyl esters as ethylene equivalents and a modified synthesis of (+)-taylorione as an example, 104
- Water-soluble complexes**
Preparation, properties, and reactions of metal-containing heterocycles: Part CVI. Three-dimensional water-soluble platinum-cyclophanes, 244
- White phosphorus**
Highly reactive σ-organonickel complexes in electrocatalytic processes, 185
- X-ray structure**
Reactions of Rh(SbPh₃)₃(CO)X (X = Cl, Br) with organic propargyl compounds. Synthesis, structure and reactivity of rhodicyclopent-3-ene-2-one complexes, 44
Single and double nucleophilic addition to methylated podocarpic acid coordinated to manganese tricarbonyl, 84
- X-Ray structure analysis**
Chiral chelate phosphanes: XI. Application of cyclopentane-based C₂ chiral bis(phosphane) ligands C₅H₈(PR₂)₂ to Pt–Sn-catalyzed styrene hydroformylation, 221
- zinc**
New heterometallic copper zinc alkoxides: synthesis, structure properties and pyrolysis to Cu/ZnO composites, 253