

Subject Index of Volume 633

Acetylide

- Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114

Alkylidyne

- 47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51

Alkyne

- Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
- β -Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5 -pyranyl- and η^5 -oxocycloheptadienyl-Mn(CO)₃ complexes, 162
- Die Beständigkeit von $(\eta^5\text{-C}_5\text{H}_4\text{R})_2\text{Ti}(\text{C}\equiv\text{CR}')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Ti}(\text{C}\equiv\text{CSiMe}_3)_2$, 71

Arene ruthenium

- Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Azophenol ligands

- Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Benzotriazole

- Synthesis and structure of $[(\text{C}_5\text{H}_5)\text{Fe}(\text{C}_5\text{H}_4\text{PS}_2\text{OCH}_2\text{C}_6\text{H}_4\text{N}_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85

Binuclear

- Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66

Bis(diphenylphosphine)amine complexes

- Synthesis of transition-metal complexes with heterodifunctional ligands derived of NH(PPh₂)₂. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_3)\text{RhCl}\{\eta^2\text{-P,Se-Ph}_2\text{PNP(Se)Ph}_2\}]\text{CH}_2\text{Cl}_2$, 182

Boroxine rings

- Ring strain in boroxine rings: computational and experimental considerations, 149

Butadi-1,3-yne

- Die Beständigkeit von $(\eta^5\text{-C}_5\text{H}_4\text{R})_2\text{Ti}(\text{C}\equiv\text{CR}')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Ti}(\text{C}\equiv\text{CSiMe}_3)_2$, 71

Cadmium

- Synthesis, crystal and molecular structures of pyridine adducts of

the zinc and cadmium bis-1,2,4-triphospholyl complexes $[\text{M}(\eta^1\text{-P}_3\text{C}_2\text{Bu}_2)_2(\text{NC}_5\text{H}_5)_n]$ (M = Zn, *n* = 2; M = Cd, *n* = 3), 143

1-Carbamoyl-4,5-dihydropyrazole

- The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β -enones, 137

Carbonyl

- Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_2\text{Me}_3\text{-}i)\text{Mo}\{(\text{CH}_2)_n\text{X}\}]$ (*n* = 3, 4; *i* = 0–3; X = Br, I) and $[\{\eta^5\text{-C}_5(\text{CH}_3)_5\}(\text{CO})_3\text{Mo}\{(\text{CH}_2)_n\text{X}\}]$ (*n* = 3, 4; X = Br, I) and the crystal structures of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}\{(\text{CH}_2)_5\text{I}\}]$, $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}\{(\text{CH}_2)_3\text{Br}\}]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_3)\text{Mo}\{(\text{CH}_2)_3\text{I}\}]$, 39

- Solid state structure of $\text{P}(o\text{-CF}_3\text{Ph})_3$ substituted $\text{Rh}_2(\text{CO})_4(\mu\text{-Cl})_2$. Formation of dimeric $[\text{Rh}_2(\text{CO})_3(\mu\text{-Cl})_2\{\text{P}(o\text{-CF}_3\text{Ph})_3\}]_2$, 69

Carbonyl compounds

- Reactions of lithium silenolates with benzophenone, 131

Carboxylates

- Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7

Catalysis

- Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173

- Synthesis, crystal structure and catalytic properties of (*p*-cymene)ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Cd NMR

- Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[\text{M}(\eta^1\text{-P}_3\text{C}_2\text{Bu}_2)_2(\text{NC}_5\text{H}_5)_n]$ (M = Zn, *n* = 2; M = Cd, *n* = 3), 143

Clusters

- $[\text{Cp}_2\text{MoH}_2]$ –silver complexes with pseudohalide ligands, 1

Complex

- Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66

Complexes

- Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[\text{M}(\eta^1\text{-P}_3\text{C}_2\text{Bu}_2)_2(\text{NC}_5\text{H}_5)_n]$ (M = Zn, *n* = 2; M = Cd, *n* = 3), 143

Crystalline polymorphism

- Polymorphism and metal–metal interactions on $[\text{Rh}(\text{Cl})(\text{CO})_2(\text{Hpz}^R)]$ complexes, 91

Crystal structure

- Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66

- Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
- Crystal structures
- Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
- [Cp₂MoH₂]-silver complexes with pseudohalide ligands, 1
- β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η⁵-pyranyl- and η⁵-oxocycloheptadienyl-Mn(CO)₃ complexes, 162
- Solid state structure of P(*o*-(CF₃)Ph)₃ substituted Rh₂(CO)₄(μ-Cl)₂. Formation of dimeric [Rh₂(CO)₃(μ-Cl)₂{P(*o*-(CF₃)Ph)₃}₂], 69
- Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
- Cyclometallation
- β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η⁵-pyranyl- and η⁵-oxocycloheptadienyl-Mn(CO)₃ complexes, 162
- Cyclopentadienyl
- Preparation and properties of the haloalkyl compounds [(η⁵-C₅H₅)(CO)₂(PPh₃Me_{3-i})Mo{(CH₂)_nX}] (*n* = 3, 4; *i* = 0–3; X = Br, I) and [{η⁵-C₅(CH₃)₅}(CO)₃Mo{(CH₂)_nX}] (*n* = 3, 4; X = Br, I) and the crystal structures of [(η⁵-C₅H₅)(CO)₃W{(CH₂)₅I}], [(η⁵-C₅H₅)(CO)₃W{(CH₂)₃Br}] and [(η⁵-C₅H₅)(CO)₂(PPh₃)Mo{(CH₂)₃I}], 39
- Cyclotetrasiloxane
- Synthese des Cyclotetrasiloxans [(Me)(C₆H₄CH₂NMe₂-2)-SiO]₄ und dessen strukturanalytische Untersuchung, 157
- DFT analysis
- Ring strain in boroxine rings: computational and experimental considerations, 149
- 5-[(*E*)-2-(Aryl)-1-diazenyl]-2-hydroxybenzoic acids
- Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
- Electrochemical oxidation
- 47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
- Electrochemistry
- Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
- Electron transfer
- 47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
- Enolate
- Reactions of lithium silenolates with benzophenone, 131
- Exchange
- A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
- Ferrocene
- Synthesis and structure of [(C₅H₅)Fe(C₅H₄PS₂OCH₂C₆H₄N₃)⁻, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
- The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β-enones, 137
- Fluxional
- Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes [M(η¹-P₃C₂Bu₂)(NC₅H₅)_n] (M = Zn, *n* = 2; M = Cd, *n* = 3), 143
- Gold
- Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
- Haloalkyl ligand
- Preparation and properties of the haloalkyl compounds [(η⁵-C₅H₅)(CO)₂(PPh₃Me_{3-i})Mo{(CH₂)_nX}] (*n* = 3, 4; *i* = 0–3; X = Br, I) and [{η⁵-C₅(CH₃)₅}(CO)₃Mo{(CH₂)_nX}] (*n* = 3, 4; X = Br, I) and the crystal structures of [(η⁵-C₅H₅)(CO)₃W{(CH₂)₅I}], [(η⁵-C₅H₅)(CO)₃W{(CH₂)₃Br}] and [(η⁵-C₅H₅)(CO)₂(PPh₃)Mo{(CH₂)₃I}], 39
- Hyperpolarizability
- Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
- Hypervalent
- Synthese des Cyclotetrasiloxans [(Me)(C₆H₄CH₂NMe₂-2)-SiO]₄ und dessen strukturanalytische Untersuchung, 157
- Intermolecular coupling
- Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18
- Iridium
- Synthesis of transition-metal complexes with heterodifunctional ligands derived of NH(PPh₂)₂. Crystal structure of [(η⁵-C₅Me₅)RhCl{η²-*P*,*Se*-Ph₂PNP(Se)Ph₂}-CH₂Cl₂], 182
- Long chain-substituted pyrazoles
- Polymorphism and metal–metal interactions on [Rh(Cl)(CO)₂(Hpz^R)] complexes, 91
- Manganese
- β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η⁵-pyranyl- and η⁵-oxocycloheptadienyl-Mn(CO)₃ complexes, 162
- Metallacycle
- β-Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η⁵-pyranyl- and η⁵-oxocycloheptadienyl-Mn(CO)₃ complexes, 162
- Molybdenum
- Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
- [Cp₂MoH₂]-silver complexes with pseudohalide ligands, 1
- Preparation and properties of the haloalkyl compounds [(η⁵-C₅H₅)(CO)₂(PPh₃Me_{3-i})Mo{(CH₂)_nX}] (*n* = 3, 4; *i* = 0–3; X = Br, I) and [{η⁵-C₅(CH₃)₅}(CO)₃Mo{(CH₂)_nX}] (*n* = 3, 4; X = Br, I) and the crystal structures of [(η⁵-C₅H₅)(CO)₃W{(CH₂)₅I}], [(η⁵-C₅H₅)(CO)₃W{(CH₂)₃Br}] and [(η⁵-C₅H₅)(CO)₂(PPh₃)Mo{(CH₂)₃I}], 39
- Monochalcogenide complexes
- Synthesis of transition-metal complexes with heterodifunctional ligands derived of NH(PPh₂)₂. Crystal structure of [(η⁵-C₅Me₅)RhCl{η²-*P*,*Se*-Ph₂PNP(Se)Ph₂}-CH₂Cl₂], 182
- Mössbauer
- Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7

- Nickel**
 Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
- NMR**
 Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
- NMR spectra**
 Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
- One-dimensional stacking**
 Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2-(Hpz^R)]$ complexes, 91
- Organodiplatinum(II)**
 Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
- Organodiplatinum(IV)**
 Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
- Organotin**
 Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7
- Organotin adduct**
 A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
- Oxygen insertion**
 Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79
- Palladacycles**
 Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
- Phosphane**
 Solid state structure of $P(o-(CF_3)Ph)_3$ substituted $Rh_2(CO)_4-(\mu-Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu-Cl)_2\{P(o-(CF_3)Ph)_3\}]_2$, 69
 Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyldiphenylphosphane, 66
- Phosphide**
 Addition of diphenylphosphine to molybdenum alkynyl complexes, 125
- Phosphonodithioates**
 Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
- Platinum**
 Unsymmetrical organodiplatinum(II) and organodiplatinum(IV) complexes containing bis(diphenylphosphino)methane as bridging ligand: general approaches for synthesis and characterization by multinuclear NMR studies, 105
- Pseudohalide ligands**
 $[Cp_2MoH_2]$ –silver complexes with pseudohalide ligands, 1
- Pyrylium salts**
 β -Cyclomanganated 1,5-diphenylpenta-1,4-dien-3-ones and their reactions with alkynes: routes to η^5 -pyranyl- and η^5 -oxocycloheptadienyl– $Mn(CO)_3$ complexes, 162
- Recyclable catalyst**
 Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
- Reductive elimination**
 Die Beständigkeit von $(\eta^5-C_5H_4R)_2Ti(C\equiv CR)_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5-C_5H_5)(\eta^5-C_5H_4SiMe_3)Ti(C\equiv CSiMe_3)_2$, 71
- Rhodium**
 Solid state structure of $P(o-(CF_3)Ph)_3$ substituted $Rh_2(CO)_4-(\mu-Cl)_2$. Formation of dimeric $[Rh_2(CO)_3(\mu-Cl)_2\{P(o-(CF_3)Ph)_3\}]_2$, 69
 Synthesis and structure of $[(C_5H_5)Fe(C_5H_4PS_2OCH_2C_6H_4N_3)]^-$, a new phosphonodithioate derivative, and its coordination chemistry with rhodium(I) and nickel(II), 85
 Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5-C_5Me_5)RhCl\{\eta^2-P,Se-Ph_2PNP(Se)Ph_2\}]CH_2Cl_2$, 182
- Rhodium–pyrazol complexes**
 Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2-(Hpz^R)]$ complexes, 91
- Ring strain**
 Ring strain in boroxine rings: computational and experimental considerations, 149
- Ruthenium**
 47-Electron organometallic clusters derived by chemical and electrochemical oxidation of trihydrido(alkylidyne)triruthenium clusters: II. Disproportionation mechanism for decomposition, 51
 Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114
 Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27
 Synthesis of transition-metal complexes with heterodifunctional ligands derived of $NH(PPh_2)_2$. Crystal structure of $[(\eta^5-C_5Me_5)RhCl\{\eta^2-P,Se-Ph_2PNP(Se)Ph_2\}]CH_2Cl_2$, 182
- Semicarbazide**
 The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β -enones, 137
- Silica supported**
 Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
- Silicon**
 Synthese des Cyclotetrasiloxans $[(Me)(C_6H_4CH_2NMe_2-2)-SiO]_4$ und dessen strukturanalytische Untersuchung, 157
- Silver**
 $[Cp_2MoH_2]$ –silver complexes with pseudohalide ligands, 1
- Silyllithium**
 Reactions of lithium silenolates with benzophenone, 131
- Sn-119-P-31 coupling constant**
 A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33
- Suzuki reaction**
 Silica-supported imine palladacycles—recyclable catalysts for the Suzuki reaction?, 173
- Thermochromism**
 Polymorphism and metal–metal interactions on $[Rh(Cl)(CO)_2-(Hpz^R)]$ complexes, 91

1-Thiocarbamoyl-4,5-dihydropyrazole

The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β -enones, 137

Thiosemicarbazide

The reactions of semicarbazide and thiosemicarbazide with ferrocenyl-substituted α,β -enones, 137

Tin-119 chemical shift

A Tin-119 NMR investigation of phosphine and phosphine oxide adducts of organotin chlorides, 33

Titanacyclopentadiene

Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18

Titanacyclopentene

Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18

Titanocene

Die Beständigkeit von $(\eta^5\text{-C}_5\text{H}_4\text{R})_2\text{Ti}(\text{C}\equiv\text{CR}')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Ti}(\text{C}\equiv\text{CSiMe}_3)_2$, 71

Titanocene–ethylene complex

Preparation and reactions of monocyclic bis(cyclopentadienyl)-titanacyclopentenes and -pentadienes, 18

Transfer hydrogenation

Synthesis, crystal structure and catalytic properties of (*p*-cymene)-ruthenium(II) azophenol complexes: azophenyl to azophenol conversion by oxygen insertion to a ruthenium–carbon bond, 79

Triphospholyl

Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[\text{M}(\eta^1\text{-P}_3\text{C}'_2\text{Bu}_2)_2(\text{NC}_5\text{H}_5)_n]$ ($\text{M} = \text{Zn}$, $n = 2$; $\text{M} = \text{Cd}$, $n = 3$), 143

Tungsten

Preparation and properties of the halogenoalkyl compounds $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_i\text{Me}_{3-i})\text{Mo}\{(\text{CH}_2)_n\text{X}\}]$ ($n = 3, 4$; $i = 0\text{--}3$; $\text{X} = \text{Br}, \text{I}$) and $[(\eta^5\text{-C}_5(\text{CH}_3)_5)(\text{CO})_3\text{Mo}\{(\text{CH}_2)_n\text{X}\}]$ ($n = 3, 4$; $\text{X} = \text{Br}, \text{I}$) and the crystal structures of $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}\{(\text{CH}_2)_5\text{I}\}]$, $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_3\text{W}\{(\text{CH}_2)_3\text{Br}\}]$ and $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{PPh}_3)\text{Mo}\{(\text{CH}_2)_3\text{I}\}]$, 39

Synthesis, crystal and molecular structure of a binuclear, double-bridged hexacarbonyl tungsten derivative of 4-pyridyl-diphenylphosphane, 66

Vinylidene

Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114

Water-soluble carbene complex

Synthesis of a water-soluble carbene complex and its use as catalyst for the synthesis of 2,3-dimethylfuran, 27

X-ray

Synthesis and characterization of triorganotin(IV) complexes of 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoic acids. Crystal and molecular structures of a series of triphenyltin 5-[(*E*)-2-(aryl)-1-diazenyl]-2-hydroxybenzoates (aryl = phenyl, 2-methylphenyl, 3-methylphenyl and 4-methoxyphenyl), 7

X-ray structure

Organometallic complexes for nonlinear optics: Part 23. Quadratic and cubic hyperpolarizabilities of acetylide and vinylidene complexes derived from protected and free formylphenylacetylenes, 114

X-ray structure analysis

Die Beständigkeit von $(\eta^5\text{-C}_5\text{H}_4\text{R})_2\text{Ti}(\text{C}\equiv\text{CR}')_2$ in Abhängigkeit von den elektronischen Eigenschaften der Cyclopentadienyl-Liganden. Die Festkörperstruktur von $(\eta^5\text{-C}_5\text{H}_5)(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{Ti}(\text{C}\equiv\text{CSiMe}_3)_2$, 71

Synthese des Cyclotetrasiloxans $[(\text{Me})(\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2\text{-2})\text{-SiO}]_4$ und dessen strukturanalytische Untersuchung, 157

Zinc

Synthesis, crystal and molecular structures of pyridine adducts of the zinc and cadmium bis-1,2,4-triphospholyl complexes $[\text{M}(\eta^1\text{-P}_3\text{C}'_2\text{Bu}_2)_2(\text{NC}_5\text{H}_5)_n]$ ($\text{M} = \text{Zn}$, $n = 2$; $\text{M} = \text{Cd}$, $n = 3$), 143