

Subject Index of Volume 642

- Ab initio
Silanones and metasilicates from negatively charged $\equiv\text{SiO}^{(-)}$ and $\equiv\text{SiO}_2^{(2-)}$ precursors. Theoretical study, 163
- Acetylide
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Acyl
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- Alkyne
Reactions of acylferrate anion $[\text{CH}_3\text{COFe}(\text{CO})_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[\text{NEt}_4][\text{IFe}(\text{CO})_3(\text{COCPh})_2]$, 107
- Allenes
Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
- β -Amino acids
 β -Ferrocenyl- β -amino alcohols: a new class of central chiral ferrocene derivatives, 212
- β -Amino alcohols
 β -Ferrocenyl- β -amino alcohols: a new class of central chiral ferrocene derivatives, 212
- ansa*-Carbon chain
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- Arene complex
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl-alkene complexes is thwarted by competitive arene or amine coordination or by β -hydride elimination, 120
- Asymmetric imidodiphosphinato ligands
Solution and solid state structural investigations of organotin(IV) compounds containing asymmetric imidodiphosphinato ligands. X-ray structures of $\text{R}'_2\text{Sn}[(\text{OPMe}_2)(\text{OPPh}_2)\text{N}]_2$ ($\text{R}' = \text{Me}, \text{Bu}^n, \text{Ph}$), 71
- Asymmetric synthesis
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145
 β -Ferrocenyl- β -amino alcohols: a new class of central chiral ferrocene derivatives, 212
- Boratabenzene ligands
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275
- Boron and compounds
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145
- Bridging ligand
Synthesis and spectroscopic characterisation of compounds with formula $[\{\text{Fe}_2(\text{SPh})_2(\text{CO})_5\}\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\{\text{Fe}(\text{CO})_4\}]$ and $[\{\text{Fe}_2(\text{SPh})_2(\text{CO})_5\}_2\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2]$ ($n = 3, 4$ and 6), 40
- Bridging ligands
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-C}_{10}\text{H}_{14})\text{RuCl}(\text{bppz})]\text{BF}_4$, 48
- Butane-1,3-diol
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- Caesium
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208
- Carbanion rearrangements
Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
- Carbenes
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
- Carboethoxy
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- Carbonyl
Reactions of acylferrate anion $[\text{CH}_3\text{COFe}(\text{CO})_4]^-$ with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[\text{NEt}_4][\text{IFe}(\text{CO})_3(\text{COCPh})_2]$, 107
- Carbonyl abstraction
Carbonyl abstraction reactions of $\text{Cp}^*\text{Mo}(\text{PMe}_3)_3\text{H}$ with CO_2 , $(\text{CH}_2\text{O})_n$, HCO_2H , and MeOH : the synthesis of $\text{Cp}^*\text{Mo}(\text{PMe}_3)_2(\text{CO})\text{H}$ and the catalytic decarboxylation of formic acid, 9
- Carboranes
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[\text{7},10\text{-C}_2\text{B}_{10}\text{H}_{13}]^-$, 16
- Carboxylation
Carboxylation of 3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene with CO_2 in the presence of AlCl_3 , 143
- Catalytic decarboxylation
Carbonyl abstraction reactions of $\text{Cp}^*\text{Mo}(\text{PMe}_3)_3\text{H}$ with CO_2 , $(\text{CH}_2\text{O})_n$, HCO_2H , and MeOH : the synthesis of $\text{Cp}^*\text{Mo}(\text{PMe}_3)_2(\text{CO})\text{H}$ and the catalytic decarboxylation of formic acid, 9
- Chromium
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156
- Cluster
Phosphorus–hydrogen bond cleavage on a Ph_2PH -substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227

- The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-C}_2\text{B}_{10}\text{H}_{13}]^-$, 16
- Cobalt**
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
 Phosphorus–hydrogen bond cleavage on a Ph_2PH -substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Cobalt alkyne complexes**
 Alkaloid *N*-oxide promoted asymmetric cobalt-mediated Pauson–Khand reaction, 131
- Complexes**
 Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- Coumarin**
 Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $\text{Mo}(\text{CO})_4(7\text{-isocyanocoumarin})_2$ complexes. X-ray crystal structure of $\text{Mo}(\text{CO})_4(7\text{-isociano-4-trifluoromethylcoumarin})_2$, 97
- Crystal structure**
 Reaction of ketenylidetriphenylphosphorane, $\text{Ph}_3\text{PC}=\text{C}=\text{O}$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
- Crystal structures**
 Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[\text{PtMe}\{1\text{-}(2'\text{-ClC}_6\text{H}_4\text{-CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$ and $[\text{PtMe}\{2\text{-}(2'\text{-ClC}_6\text{H}_4\text{CH}_2\text{-NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$, 171
 Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- [8 + 2] Cycloaddition
 [8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene- $\text{Fe}(\text{CO})_3$: synthesis of tricarbonyl[(2,3,4,5- η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
- Cycloheptatriene $\text{Fe}(\text{CO})_3$**
 [8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene- $\text{Fe}(\text{CO})_3$: synthesis of tricarbonyl[(2,3,4,5- η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
- cyclo*-Hexaarsane
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
- cyclo*-Hexaphosphane
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
- Cyclometallation**
 Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[\text{PtMe}\{1\text{-}(2'\text{-ClC}_6\text{H}_4\text{-CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$ and $[\text{PtMe}\{2\text{-}(2'\text{-ClC}_6\text{H}_4\text{CH}_2\text{-NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$, 171
- Cyclopalladation**
 Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- Cyclopentadienide**
 The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- Cyclopentadienyl**
 Vibrational spectroscopic and force field studies of $(\eta^5\text{-Cp})\text{ML}_3$ -type complexes ($\text{M} = \text{Mn, Re}$; $\text{L} = \text{CO, O}$), 246
- Cyclopropanation of olefins**
 Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
- Diazo compounds**
 Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
- Diethylaluminum chloride**
 Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156
- Dilithiumorganic compounds**
 Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
- Dimeric C_5 intermediate mechanism**
 A novel mechanism for the fluxional behaviour of $[\text{Pd}(\eta^2\text{-tetramethylethylenetetra-carboxylate})(2\text{-methylthiomethylpyridine})]$, 58
- Dinuclear**
 Reactions of acylferrate anion $[\text{CH}_3\text{COFe}(\text{CO})_4]^-$ with methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of $[\text{NEt}_4][\text{IFe}(\text{CO})_3(\text{COCPh})_2]$, 107
- 1,1'-Diphosphaferrocene**
 Carboxylation of 3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene with CO_2 in the presence of AlCl_3 , 143
- Diphosphine**
 Synthesis and spectroscopic characterisation of compounds with formula $\{[\text{Fe}_2(\text{SPh})_2(\text{CO})_5]\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\{\text{Fe}(\text{CO})_4\}\}$ and $\{[\text{Fe}_2(\text{SPh})_2(\text{CO})_5\}_2\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}$ ($n = 3, 4$ and 6), 40
- Disiloxane-1,3-diamido**
 Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156
- Disulphide**
 Synthesis and spectroscopic characterisation of compounds with formula $\{[\text{Fe}_2(\text{SPh})_2(\text{CO})_5]\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\{\text{Fe}(\text{CO})_4\}\}$ and $\{[\text{Fe}_2(\text{SPh})_2(\text{CO})_5\}_2\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}$ ($n = 3, 4$ and 6), 40
- Dithioalkoxycarbonylphosphine**
 Phosphorus–hydrogen bond cleavage on a Ph_2PH -substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Dynamic NMR**
 A novel mechanism for the fluxional behaviour of $[\text{Pd}(\eta^2\text{-tetramethylethylenetetra-carboxylate})(2\text{-methylthiomethylpyridine})]$, 58
- EL device**
 Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
- Electrochemistry**
 Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Electronic effects**
 Silanones and metasilicates from negatively charged $=\text{SiO}^{(-)}$ and $=\text{SiO}_2^{(-)}$ precursors. Theoretical study, 163
- Electron-transport**
 Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
- Electrophilic substitution**
 Carboxylation of 3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene with CO_2 in the presence of AlCl_3 , 143
- ESR spectroscopy**
 Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- Ethylene polymerization**
 Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization, 156

- ⁵⁷Fe Mössbauer spectroscopy
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203
- Ferrocenes
β-Ferrocenyl-β-amino alcohols: a new class of central chiral ferrocene derivatives, 212
- Formyl
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- Fragmentation
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
- Gold
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Group 6 metal carbonyl complex
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179
- 1*H*-Cyclohept[*a*]azuleneFe(CO)₃
[8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-Fe(CO)₃: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80
- β-Hydride elimination
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120
- Hydrogenation
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds, 145
- Hydrolysis
Reaction of ketenylidetriphenylphosphorane, Ph₃PC=C=O, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
- Hydroxyferrocene
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- Hyperpolarizability
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Imidodiphosphinato ligands
Phenylantimony(III) derivatives of tetraphenyldichalcogenoimidodiphosphinic acids. Crystal and molecular structure of PhSb[(XPPH₂)(SPPH₂)N]₂ (X = O, S), 113
- Indenyl ligands
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (R-Ind)₂ZrCl₂/MAO catalysts, 195
- Insertion reactions
Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
- Iodine
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of [7,10-C₂B₁₀H₁₃][−], 16
- Iron
cyclo-Hexaphosphane versus *cyclo*-hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton, 237
Phosphorus–hydrogen bond cleavage on a Ph₂PH-substituted μ₃-thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Reactions of acylferrate anion [CH₃COFe(CO)₄][−] with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of [NEt₄][Fe(CO)₃(COCPh)₂], 107
Synthesis and spectroscopic characterisation of compounds with formula [{Fe₂(SPh)₂(CO)₅}Ph₂P(CH₂)_{*n*}PPh₂{Fe(CO)₄}] and [{Fe₂(SPh)₂(CO)₅}₂Ph₂P(CH₂)_{*n*}PPh₂] (*n* = 3, 4 and 6), 40
- Isocyanide
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and Mo(CO)₄(7-isocyanocoumarin)₂ complexes. X-ray crystal structure of Mo(CO)₄(7-isocyano-4-trifluoromethylcoumarin)₂, 97
- Ketenes
Reaction of ketenylidetriphenylphosphorane, Ph₃PC=C=O, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
- Ketenylidetriphenylphosphorane
Reaction of ketenylidetriphenylphosphorane, Ph₃PC=C=O, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
- Lithium dust
Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
- Magnesium
The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of [7,10-C₂B₁₀H₁₃][−], 16
- Manganese
Vibrational spectroscopic and force field studies of (η⁵-Cp)ML₃-type complexes (M = Mn, Re; L = CO, O), 246
- Metal atom vibrational amplitudes
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203
- Metal chlorides
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- Metalocene
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β-hydride elimination, 120
- Metalloenes
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (R-Ind)₂ZrCl₂/MAO catalysts, 195
- Metallo-ligands
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of [(η⁶-C₁₀H₁₄)RuCl(bppz)]BF₄, 48
- Metasilicates
Silanones and metasilicates from negatively charged =SiO^(−) and =SiO₂^(−) precursors. Theoretical study, 163
- Methylaluminumoxane
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275
- Molybdenum
Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and Mo(CO)₄(7-isocyanocoumarin)₂ complexes. X-ray crystal structure of Mo(CO)₄(7-isocyano-4-trifluoromethylcoumarin)₂, 97

- Mössbauer
 Synthesis and spectroscopic characterisation of compounds with formula $[\{\text{Fe}_2(\text{SPh})_2(\text{CO})_3\}\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\{\text{Fe}(\text{CO})_4\}]$ and $[\{\text{Fe}_2(\text{SPh})_2(\text{CO})_5\}_2\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2]$ ($n = 3, 4$ and 6), 40
- Naphthyl imines
 Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[\text{PtMe}\{1-(2\text{-ClC}_6\text{H}_4\text{CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$ and $[\text{PtMe}\{2-(2\text{-ClC}_6\text{H}_4\text{CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$, 171
- Nido
 The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-C}_2\text{B}_{10}\text{H}_{13}]^-$, 16
- Nonlinear optics
 Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Norcaradiene
 $[8 + 2]$ Cycloaddition of 8-oxoheptafulvene with cycloheptatriene- $\text{Fe}(\text{CO})_3$: synthesis of tricarbonyl $[(2,3,4,5\text{-}\eta)\text{-}11\text{-acetoxy-}1H\text{-cyclohept}[a]\text{azulene}]$ iron, 80
- Octamethylferrocenylmethanol (^{57}Fe)
 Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol, 203
- Organotin(IV)
 Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179
- Organotin(IV) compounds
 Solution and solid state structural investigations of organotin(IV) compounds containing asymmetric imidodiphosphinato ligands. X-ray structures of $\text{R}'_2\text{Sn}[(\text{OPMe}_2)(\text{OPPh}_2)\text{N}]_2$ ($\text{R} = \text{Me}, \text{Bu}^n, \text{Ph}$), 71
- Oxidative addition
 The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of $[7,10\text{-C}_2\text{B}_{10}\text{H}_{13}]^-$, 16
- Oxo complexes
 Vibrational spectroscopic and force field studies of $(\eta^5\text{-Cp})\text{ML}_3$ -type complexes ($\text{M} = \text{Mn}, \text{Re}$; $\text{L} = \text{CO}, \text{O}$), 246
- 8-Oxoheptafulvene
 $[8 + 2]$ Cycloaddition of 8-oxoheptafulvene with cycloheptatriene- $\text{Fe}(\text{CO})_3$: synthesis of tricarbonyl $[(2,3,4,5\text{-}\eta)\text{-}11\text{-acetoxy-}1H\text{-cyclohept}[a]\text{azulene}]$ iron, 80
- Palladium–olefin complex
 A novel mechanism for the fluxional behaviour of $[\text{Pd}(\eta^2\text{-tetramethylethylenetetra-carboxylate})(2\text{-methylthiomethylpyridine})]$, 58
- Pauson–Khand reaction
 Alkaloid *N*-oxide promoted asymmetric cobalt-mediated Pauson–Khand reaction, 131
- Permethyltitanocene
 Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- Phenylantimony(III) compounds
 Phenylantimony(III) derivatives of tetraphenyldichalcogenoimidodiphosphinic acids. Crystal and molecular structure of $\text{PhSb}[(\text{XPPH}_2)(\text{SPPH}_2)\text{N}]_2$ ($\text{X} = \text{O}, \text{S}$), 113
- Phosphanide
 Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208
- Phosphido
 Phosphorus–hydrogen bond cleavage on a Ph_2PH -substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Phosphites
 Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- Phosphole
 Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208
- Phosphorus ylides
 Reaction of ketenylidetriphenylphosphorane, $\text{Ph}_3\text{PC}=\text{C}=\text{O}$, with water: formation of methyltriphenylphosphonium hydrogencarbonate, 64
- Photochemistry
 Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and $\text{Mo}(\text{CO})_4(7\text{-isocyanocoumarin})_2$ complexes. X-ray crystal structure of $\text{Mo}(\text{CO})_4(7\text{-isocyano-}4\text{-trifluoromethylcoumarin})_2$, 97
- Planar chirality
 Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- Platinum
 Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of $[\text{PtMe}\{1-(2\text{-ClC}_6\text{H}_4\text{CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$ and $[\text{PtMe}\{2-(2\text{-ClC}_6\text{H}_4\text{CH}_2\text{NCH})\text{C}_{10}\text{H}_6\}\text{PPh}_3]$, 171
- Platinum complexes
 Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes, 32
- Polyazine ligands
 Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-C}_{10}\text{H}_{14})\text{RuCl}(\text{bppz})]\text{BF}_4$, 48
- Polymerization
 Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (*R*-Ind) $_2\text{ZrCl}_2/\text{MAO}$ catalysts, 195
 Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275
- Polysilanes
 Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
- Poly(triazol-1-yl)alkane
 Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179
- 1-[8-(Quinolythio)methyl]silatrane
 Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- (8-Quinolythiomethyl)trimethoxysilane
 Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- (8-Quinolythiomethyl)trimethylsilane
 Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- Reductive metalation
 Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal, 1
- Rhenium
 Vibrational spectroscopic and force field studies of $(\eta^5\text{-Cp})\text{ML}_3$ -type complexes ($\text{M} = \text{Mn}, \text{Re}$; $\text{L} = \text{CO}, \text{O}$), 246

- Rubidium**
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid, 208
- Ruthenium**
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes, 259
- Ruthenium arene complexes**
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-C}_{10}\text{H}_{14})\text{RuCl}(\text{bppz})]\text{BF}_4$, 48
- Secondary interactions**
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from *o*-C₆H₄(CH₂TeMe)₂ and PhMeTe, 186
- Silanolates**
Silanones and metasilicates from negatively charged $\equiv\text{SiO}^{(-)}$ and $\equiv\text{SiO}_2^{(2-)}$ precursors. Theoretical study, 163
- Silanols**
Silanones and metasilicates from negatively charged $\equiv\text{SiO}^{(-)}$ and $\equiv\text{SiO}_2^{(2-)}$ precursors. Theoretical study, 163
- Silanones**
Silanones and metasilicates from negatively charged $\equiv\text{SiO}^{(-)}$ and $\equiv\text{SiO}_2^{(2-)}$ precursors. Theoretical study, 163
- Silole**
Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices, 137
- Siloxides**
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
- Steric effects**
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (R-Ind)₂ZrCl₂/MAO catalysts, 195
- Sulfur inversion mechanism**
A novel mechanism for the fluxional behaviour of $[\text{Pd}(\eta^2\text{-tetramethylethylenetetra-carboxylate})(2\text{-methylthiomethylpyridine})]$, 58
- Supramolecules**
Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of $[(\eta^6\text{-C}_{10}\text{H}_{14})\text{RuCl}(\text{bppz})]\text{BF}_4$, 48
- Synthesis**
Carbonyl abstraction reactions of Cp*Mo(PMe₃)₃H with CO₂, (CH₂O)_{*n*}, HCO₂H, and MeOH: the synthesis of Cp*Mo(PMe₃)₂(CO)H and the catalytic decarboxylation of formic acid, 9
- Tellurium**
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from *o*-C₆H₄(CH₂TeMe)₂ and PhMeTe, 186
- Telluronium**
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from *o*-C₆H₄(CH₂TeMe)₂ and PhMeTe, 186
- Thallium**
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- Thiophosphine**
Phosphorus–hydrogen bond cleavage on a Ph₂PH-substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Thiophosphinomethane**
Phosphorus–hydrogen bond cleavage on a Ph₂PH-substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands, 227
- Titanium**
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- Titanocene**
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic *ansa*-chains, 148
- Transition metals**
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
- Tricyclo[8.5.0.0^{3,9}]pentadeca-3,5,7,11,13-pentaene-2-one [8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatriene-Fe(CO)₃: synthesis of tricarbonyl[(2,3,4,5- η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron, 80**
- UV spectra**
Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes, 91
- Vibrational spectroscopy**
Vibrational spectroscopic and force field studies of ($\eta^5\text{-Cp}$)ML₃-type complexes (M = Mn, Re; L = CO, O), 246
- Vilsmeier**
The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds, 268
- X-ray crystal structure**
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers, 179
- X-ray diffraction**
Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity, 20
- X-ray molecular structure**
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene, 191
- X-ray structures**
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from *o*-C₆H₄(CH₂TeMe)₂ and PhMeTe, 186
- Zirconium**
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (R-Ind)₂ZrCl₂/MAO catalysts, 195
- Zirconium cation**
Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β -hydride elimination, 120
- Zirconium complexes**
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization, 275