

Contents of Volume 642

Regular Papers

- Polyolithiumorganic compounds: Part 28. The reaction of allene and alkyl substituted allenes with lithium metal
A. Maercker, A. Tatai, B. Grebe, U. Girreser. 1
- Carbonyl abstraction reactions of Cp*Mo(PMe₃)₃H with CO₂, (CH₂O)_n, HCO₂H, and MeOH: the synthesis of Cp*Mo(PMe₃)₂(CO)H and the catalytic decarboxylation of formic acid
J.H. Shin, D.G. Churchill, G. Parkin. 9
- The B–I activation in *o*-carborane clusters: their fate towards B–H. Easy synthesis of [7,10-C₂B₁₀H₁₃][−]
C. Viñas, G. Barberà, F. Teixidor 16
- Cobalt(II) and iron(II) tris(trimethylsilyl)siloxides: synthesis, structure and reactivity
T.A. Chesnokova, E.V. Zhezlova, A.N. Kornev, Y.V. Fedotova, L.N. Zakharov, G.K. Fukin, Y.A. Kursky, T.G. Mushtina, G.A. Domrachev. 20
- Catalytic transformations of diazo compounds promoted by platinum(0) and dicationic platinum(II) complexes
R. Bertani, M. Biasiolo, K. Darini, R.A. Michelin, M. Mozzon, F. Visentin, L. Zanutto 32
- Synthesis and spectroscopic characterisation of compounds with formula [{Fe₂(SPh)₂(CO)₅}Ph₂P(CH₂)_nPPh₂{Fe(CO)₄}] and [{Fe₂(SPh)₂(CO)₅}₂Ph₂P(CH₂)_nPPh₂] (*n* = 3, 4 and 6)
R. Hourihane, G. Gray, T. Spalding, T. Deeney 40
- Stable mononuclear and binuclear ruthenium(II) arene complexes with multiple N-donor poly-pyridyl ligands: synthesis, spectroscopic and structural characterization. Single crystal X-ray structure of [(η⁶-C₁₀H₁₄)RuCl(bppz)]BF₄
A. Singh, N. Singh, D.S. Pandey 48
- A novel mechanism for the fluxional behaviour of [Pd(η²-tetramethylethylenetetra-carboxylate)(2-methylthiomethylpyridine)]
L. Canovese, V. Lucchini, C. Santo, F. Visentin, A. Zambon. 58
- Reaction of ketenylidetriphenylphosphorane, Ph₃PC=C=O, with water: formation of methyltriphenylphosphonium hydrogencarbonate
F. Benetollo, R. Bertani, P. Ganis, G. Pace, L. Pandolfo, L. Zanutto. 64
- Solution and solid state structural investigations of organotin(IV) compounds containing asymmetric imidodiphosphinato ligands. X-ray structures of R'₂Sn[(OPMe₂)(OPPh₂)N]₂ (R = Me, Buⁿ, Ph)
C. Silvestru, R. Rösler, A. Silvestru, J.E. Drake 71
- [8 + 2] Cycloaddition of 8-oxoheptafulvene with cycloheptatrieneFe(CO)₃: synthesis of tricarbonyl[(2,3,4,5-η)-11-acetoxy-1*H*-cyclohept[*a*]azulene]iron
N. Morita, R. Yokoyama, T. Asao, M. Kurita, S. Kikuchi, S. Ito. 80
- Synthesis and UV spectra of 8-mercaptoquinoline organosilicon derivatives and their metal halides complexes
M.G. Voronkov, N.F. Chernov, O.M. Trofimova, N.N. Chipanina, L.V. Sherstyannikova, V.K. Turchaninov 91
- Metal–coumarin complexes: synthesis and characterization of 7-isocyanocoumarin ligands and Mo(CO)₄(7-isocyanocoumarin)₂ complexes. X-ray crystal structure of Mo(CO)₄(7-isociano-4-trifluoromethylcoumarin)₂
D.A. Freedman, I. Keresztes, A.L. Asbury 97
- Reactions of acylferrate anion [CH₃COFe(CO)₄][−] with methyl methyl iodide and acetylenes. Synthesis of mono- and dinuclear alkenyl ketone iron complexes. X-ray structure of [NEt₄][Fe(CO)₃(COCPh₂)]
A. Elarraoui, J. Ros, R. Yáñez, X. Solans, M. Font-Bardia 107
- Phenylantimony(III) derivatives of tetraphenyldichalcogenoimidodiphosphinic acids. Crystal and molecular structure of PhSb-[(XPPPh₂)(SPPPh₂)N]₂ (X = O, S)
I. Ghesner, L. Opris, G. Balazs, H.J. Breunig, J.E. Drake, A. Silvestru, C. Silvestru 113

Observation of non-chelated bis(pentamethylcyclopentadienyl)zirconium-alkyl–alkene complexes is thwarted by competitive arene or amine coordination or by β -hydride elimination C.P. Casey, D.W. Carpenetti II	120
Alkaloid <i>N</i> -oxide promoted asymmetric cobalt-mediated Pauson–Khand reaction V. Derdau, S. Laschat	131
Synthesis of novel bithiophene derivatives with an organosilanylene bridge, and their applications to electron-transporting materials in EL devices J. Ohshita, H. Kai, T. Sumida, A. Kunai, A. Adachi, K. Sakamaki, K. Okita	137
Carboxylation of 3,3',4,4'-tetramethyl-1,1'-diphosphaferrocene with CO ₂ in the presence of AlCl ₃ A. Klys, J. Zakrzewski	143
Asymmetric hydrogenation of 1-phenylethenylboronic acid and esters for the synthesis of chiral organoboron compounds M. Ueda, A. Saitoh, N. Miyaura	145
Solid-state structures of persubstituted titanocene chlorides bridged with long aliphatic <i>ansa</i> -chains M. Horáček, P. Štěpnička, K. Fejfarová, R. Gyepes, I. Cisařová, J. Kubišta, K. Mach	148
Chromium complexes coordinated with chelating disiloxane-1,3-diamido ligands as catalyst precursors for ethylene polymerization H. Ikeda, T. Monoi, Y. Nakayama, H. Yasuda	156
Silanones and metasilicates from negatively charged $=\text{SiO}^{(-)}$ and $=\text{SiO}_2^{(2-)}$ precursors. Theoretical study M. Cypryk, J. Chojnowski	163
Regioselective activation of C–H bonds of naphthyl imines at platinum(II). Crystal structures of [PtMe{1-(2'-C ₁₀ H ₄ CH ₂ NCH)C ₁₀ H ₆ }PPh ₃] and [PtMe{2-(2'-C ₁₀ H ₄ CH ₂ NCH)C ₁₀ H ₆ }PPh ₃] M. Crespo, M. Font-Bardía, S. Pérez, X. Solans	171
Synthesis and reactivity of Group 6 metal carbonyl complexes containing bis(triazol-1-yl)methane: linkage coordination polymers L.-F. Tang, Z.-H. Wang, J.-F. Chai, X.-B. Leng, J.-T. Wang, H.-G. Wang	179
Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from <i>o</i> -C ₆ H ₄ (CH ₂ TeMe) ₂ and PhMeTe N.J. Hill, W. Levason, G. Reid, A.J. Ward	186
Hydroxyferrocene as a prochiral analog of phenols: cyclopalladation of a mixed phosphite ester of hydroxyferrocene L.L. Troitskaya, S.T. Ovseenko, Y.L. Slovokhotov, I.S. Neretin, V.I. Sokolov	191
Zirconium bis-indenyl compounds. The influence of substituents on the ethene polymerization behavior of 1- and 2-substituted (R-Ind) ₂ ZrCl ₂ /MAO catalysts N.E. Grimmer, N.J. Coville, C.B. de Koning	195
Metal atom motion, vibrational anisotropy and hydrogen bonding effects in octamethylferrocenylmethanol R.H. Herber, I. Nowik, T. Asthalter, E. Reichel, H. Schottenberger	203
Synthesis of heavier alkali metal phospholides. Crystal structure of caesium 2,3,4,5-tetramethylphospholide, an ionic solid F. Nief, L. Ricard	208
β -Ferrocenyl- β -amino alcohols: a new class of central chiral ferrocene derivatives M. Catasús, A. Bueno, A. Moyano, M.A. Maestro, J. Mahía	212
Phosphorus–hydrogen bond cleavage on a Ph ₂ PH-substituted μ_3 -thioxo dicobalt–iron cluster as a route to bridging phosphido and thiophosphine ligands J.D. King, M.J. Mays, C.-Y. Mo, G.A. Solan, G. Conole, M. McPartlin	227
<i>cyclo</i> -Hexaphosphane versus <i>cyclo</i> -hexaarsane fragmentation on a sulphur-capped mixed-metal dicobalt–iron skeleton R.M. De Silva, M.J. Mays, P.R. Raithby, G.A. Solan	237
Vibrational spectroscopic and force field studies of (η^5 -Cp)ML ₃ -type complexes (M = Mn, Re; L = CO, O) É. Bencze, J. Mink, C. Németh, W.A. Herrmann, B.V. Lokshin, F.E. Kühn	246
Organometallic complexes for nonlinear optics: Part 25. Quadratic and cubic hyperpolarizabilities of some dipolar and quadrupolar gold and ruthenium complexes S.K. Hurst, M.P. Cifuentes, A.M. McDonagh, M.G. Humphrey, M. Samoc, B. Luther-Davies, I. Asselberghs, A. Persoons	259

Notes

The synthesis and characterization of 1-formyl-2-acylcyclopentadienylthallium compounds M.T. Blankenbuehler, J.P. Selegue	268
Zirconocene compounds derived from boratastilbene, 4-boratastyrylstilbene, and 1,4-bis(boratastyryl)benzene and their reactivities to the ethylene polymerization B.Y. Lee, G.C. Bazan.	275
Erratum	280
Book Reviews	281
Author Index of Volume 642	285
Subject Index of Volume 642	287
Contents of Volume 642	293