

Subject Index of Volume 645

Acetaldazine

Structural studies of the $C_4H_8N_2Fe_2(CO)_6$ complex obtained by cyclization of acetaldazine in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of μ -1,2-(1,2-diaza-3-methylcyclopentane)diyl-bis(tricarbonyliron), 274

4-Acyl-5-pyrazolones

Organotin(IV) derivatives of novel β -diketones: Part V. Synthesis and characterization of di- and triorganotin(IV) derivatives of 4-acyl-5-pyrazolones modified in position 3 of the pyrazole. Crystal structure of (1,3-diphenyl-4-benzoyl-pyrazolon-5-ato)triphenyltin(IV), 134

Alkenylsilanes

Ruthenium-catalyzed hydrosilylation of terminal alkynes: stereodivergent synthesis of (*E*)- and (*Z*)-alkenylsilanes, 192

4-Alkoxy-4'-stilbazole

Angular (*cis*-stilbazole) geometry in octahedral dimethylidihalidoplatinum(IV) complexes: potential as metallomesogens and X-ray structure of $[PtMe_2I_2(NC_5H_4CH=CHC_6H_4OC_7H_{15})_2]$, 206

Alkylation

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Alkyl lithium

Reactions of bulky alkyl lithium reagents with a phosphaaalkyne ($P=Cu^f$): synthesis and structural characterisation of a mixed valent phosphorus cage compound, $P^{III}\{\mu-C(H)-(Bu^f)\}_2\{\mu-C(H)(SiMe_3)Si(Me)_2C(H)_2\}P^V=C(SiMe_3)_2$, and a phosphaaalkenyl-substituted η^3 -azaallyl-lithium complex, $[Li(tmeda)\{C(SiMe_3)(2-NC_5H_3Me-6)[P=C(Bu^f)(SiMe_3)]\}]$, 256

Alkynes

Hydrosilylation of alkynes catalyzed by platinum on carbon, 1

Ruthenium-catalyzed hydrosilylation of terminal alkynes: stereodivergent synthesis of (*E*)- and (*Z*)-alkenylsilanes, 192

Allyl ligand

Investigations on the trigonal twist process in the pseudooctahedral complexes $[MX(CO)_2(P-P)(\eta^3-R)]$ ($M = Mo$ or W ; $X = halide$ or pseudohalide; $P-P = bidentate$ P -donor ligand; $R = cycloheptatrienyl$, cyclohexenyl or cyclooctenyl), 218

Anionic complex

Convenient preparation of $Li[(\eta^5-C_5Me_5)M(CO)_2]$ ($M = Ru, Fe$) by the reaction of $(\eta^5-C_5Me_5)M(CO)_2H$ with *n*-BuLi, 201

Ansa-Lanthanoidocene

Synthesis and crystal structure of one carbon-atom bridged lutetium complex $[Ph_2C(Flu)(Cp)]LuN(TMS)_2$ and catalytic activity for polymerization of polar monomers, 82

Arylferrocenylphenyl amines

Synthesis of ferrocenylphenyl derivatives including biphenylferrocenes, arylferrocenylphenyl ethers and arylferrocenylphenyl amines, 65

Arylferrocenylphenyl ethers

Synthesis of ferrocenylphenyl derivatives including biphenylferrocenes, arylferrocenylphenyl ethers and arylferrocenylphenyl amines, 65

Aryl halides

Pd-benzothiazole carbene catalysed carbonylation of aryl halides in ionic liquids, 152

Aryllead

Detection of aryllead(IV) carboxylates and their solvent adducts by ESI-mass spectrometry, 176

Assignment of ¹H-NMR signals

Structural studies of the $C_4H_8N_2Fe_2(CO)_6$ complex obtained by cyclization of acetaldazine in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of μ -1,2-(1,2-diaza-3-methylcyclopentane)diyl-bis(tricarbonyliron), 274

Azines

Structural studies of the $C_4H_8N_2Fe_2(CO)_6$ complex obtained by cyclization of acetaldazine in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of μ -1,2-(1,2-diaza-3-methylcyclopentane)diyl-bis(tricarbonyliron), 274

Biphenylferrocenes

Synthesis of ferrocenylphenyl derivatives including biphenylferrocenes, arylferrocenylphenyl ethers and arylferrocenylphenyl amines, 65

Biphenyl substituents

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed $P-C$ and $C-C$ coupling reactions, 14

Bis(2-diphenylphosphinoethyl)methylamine

Synthesis of cobalt(II) and iron(II) complexes with the ligand bis(2-diphenylphosphinoethyl)methylamine and their catalytic action on ethylene oligomerization. X-ray crystal structure of $[CoCl_2\{CH_3N(CH_2CH_2PPh_2)_2\}]$, 127

Bis(tricarbonyliron)

Structural studies of the $C_4H_8N_2Fe_2(CO)_6$ complex obtained by cyclization of acetaldazine in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of μ -1,2-(1,2-diaza-3-methylcyclopentane)diyl-bis(tricarbonyliron), 274

Boron tribromide

Intramolecular cyclization of benzyl-substituted cyclopentadienyl titanium dichlorides promoted by boron tribromide, 59

Bromopentacarbonylmanganese

A mixed-valence dimanganese complex synthesized from the $[Ph_2P(O)NP(O)Ph_2]^-$ anion with $[BrMn(CO)_5]$, 54

Cage compound

Reactions of bulky alkyl lithium reagents with a phosphaaalkyne ($P=Cu^f$): synthesis and structural characterisation of a mixed valent phosphorus cage compound, $P^{III}\{\mu-C(H)-(Bu^f)\}_2\{\mu-C(H)(SiMe_3)Si(Me)_2C(H)_2\}P^V=C(SiMe_3)_2$, and a phosphaaalkenyl-substituted η^3 -azaallyl-lithium complex, $[Li(tmeda)\{C(SiMe_3)(2-NC_5H_3Me-6)[P=C(Bu^f)(SiMe_3)]\}]$, 256

Calculations by ab initio density-functional method

Generation of $[1,2-(CH_2)_2C_5Me_5MC_5Me_4CH_2-1']^3+$ ($M = Ru, Os$) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Carbonylation

Pd–benzothiazole carbene catalysed carbonylation of aryl halides in ionic liquids, 152

Carboxylates

Detection of aryllead(IV) carboxylates and their solvent adducts by ESI-mass spectrometry, 176

Catalyst

Hydrosilylation of alkynes catalyzed by platinum on carbon, 1

Catalyzed reaction

Platinum- and nickel-catalyzed reactions of 1,2-dimethyl-1,2-diphenyl-1,2-disilacyclopentane with alkynes, 47

C–H activation

Palladium(II) induced preferential activation of the $\sigma(\text{C}_{\text{sp}^3}\text{–H})$ versus the $\sigma(\text{C}_{\text{sp}^2, \text{ferrocene}}\text{–H})$ bond of $(S_C)\text{–}[(\eta^5\text{–C}_5\text{H}_5)\text{Fe}\{(\eta^5\text{–C}_5\text{H}_4)\text{–CH=N–CH}(\text{CO}_2\text{Me})\text{CH}_2\text{–CH}_2\text{–SMe}\}]$, 146

Chiral

Doubly cyclopalladated pyridazines: chiral liquid crystals, 246

Chromium

Synthesis of 2-pyridylidene or (2-furyl)carbene–chromium complexes from conjugated enyne carbonyl compounds with $\text{Cr}(\text{CO})_5(\text{THF})$, 228

Cluster

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

Cobalt

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

Cobalt and iron complexes

Synthesis of cobalt(II) and iron(II) complexes with the ligand bis(2-diphenylphosphinoethyl)methylamine and their catalytic action on ethylene oligomerization. X-ray crystal structure of $[\text{CoCl}_2\{\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\}]$, 127

Colloids

Hydrosilylation of alkynes catalyzed by platinum on carbon, 1

Complementary X-ray-NMR study

Structural studies of the $\text{C}_4\text{H}_8\text{N}_2\text{Fe}_2(\text{CO})_6$ complex obtained by cyclization of acetaldehyde in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of $\mu\text{–}1,2\text{–}(1,2\text{-diazia-3-methylcyclopentane})\text{diyl-bis}(\text{tricarboxyliron})$, 274

Conformational analysis

Structural studies of the $\text{C}_4\text{H}_8\text{N}_2\text{Fe}_2(\text{CO})_6$ complex obtained by cyclization of acetaldehyde in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of $\mu\text{–}1,2\text{–}(1,2\text{-diazia-3-methylcyclopentane})\text{diyl-bis}(\text{tricarboxyliron})$, 274

Consecutive reactions

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed P–C and C–C coupling reactions, 14

Crystal structure

Angular (*cis*-stilbazole) geometry in octahedral dimethyl-dihalidoplatinum(IV) complexes: potential as metallomesogens and X-ray structure of $[\text{PtMe}_2\text{I}_2(\text{NC}_5\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{OC}_7\text{H}_{15})_2]$, 206

Reactions of bulky alkyl lithium reagents with a phosphalkyne (P=Cbu): synthesis and structural characterisation of a mixed valent phosphorus cage compound, $\text{P}^{\text{III}}\{\mu\text{–C}(\text{H})\text{–}(\text{Bu}')\}_2\{\mu\text{–C}(\text{H})(\text{SiMe}_3)\text{Si}(\text{Me})_2\text{C}(\text{H})_2\}\text{P}^{\text{V}}\text{=C}(\text{SiMe}_3)_2$, and a phosphalkenyl-substituted $\eta^3\text{-azaallyl-lithium}$ complex, $[\text{Li}(\text{tmeda})\{\text{C}(\text{SiMe}_3)(2\text{-NC}_5\text{H}_3\text{Me-6})\text{P}=\text{C}(\text{Bu}')(\text{SiMe}_3)\}]$, 256

Synthesis and crystal structure of one carbon-atom bridged lutetium complex $[\text{Ph}_2\text{C}(\text{Flu})(\text{Cp})]\text{LuN}(\text{TMS})_2$ and catalytic activity for polymerization of polar monomers, 82

Crystal structures

Organotin(IV) derivatives of novel β -diketones: Part V. Synthesis and characterization of di- and triorganotin(IV) derivatives of 4-acyl-5-pyrazolones modified in position 3 of the pyrazole. Crystal structure of (1,3-diphenyl-4-benzoyl-pyrazolon-5-ato)triphenyltin(IV), 134

Study of the *o*-carboranyl fragment as an uncommon substituent.

Crystal structures of $[\text{PdClMe}(1,2\text{-(PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})\text{]}\cdot\text{CH}_2\text{Cl}_2$ and $[\text{PdClMe}(1,2\text{-(P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 39

Synthesis and crystal structures of new complexes of di- and tribenzyltin *N*-ethyl and *N*-benzyl-2-amino cyclopent-1-ene-1-carbodithioates, 105

Synthesis, microbiological study and X-ray structural characterization of a tri-*n*-butylstannyln-2[4(diethylamino)aryloxy]-benzenecarboxylate, 33

Cyclodimers

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Cycloheptatrienyl

Investigations on the trigonal twist process in the pseudooctahedral complexes $[\text{MX}(\text{CO})_2(\text{P–P})(\eta^3\text{-R})]$ (M = Mo or W; X = halide or pseudohalide; P–P = bidentate P-donor ligand; R = cycloheptatrienyl, cyclohexenyl or cyclooctenyl), 218

Cyclopalladated

Doubly cyclopalladated pyridazines: chiral liquid crystals, 246

Cyclopentadienyl complexes

Preparation and properties of dinuclear bis[dicarbonyl(cyclopentadienyl)]diiron(II) complexes with S–S coupled, dimerized sulfur-rich dithiolate ligands, 94

Cyclopropane

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Deprotonation

Convenient preparation of $\text{Li}[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2]$ (M = Ru, Fe) by the reaction of $(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2\text{H}$ with *n*-BuLi, 201

$\mu\text{–}1,2\text{–}(1,2\text{-Diazia-3-methylcyclopentane})\text{diyl-bis}(\text{tricarboxyliron})$
Structural studies of the $\text{C}_4\text{H}_8\text{N}_2\text{Fe}_2(\text{CO})_6$ complex obtained by cyclization of acetaldehyde in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of $\mu\text{–}1,2\text{–}(1,2\text{-diazia-3-methylcyclopentane})\text{diyl-bis}(\text{tricarboxyliron})$, 274

Dications

Generation of $[1,2\text{-(CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2\text{-}1]^3+$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Dichalcogenoimidodiphosphate anions

A mixed-valence dimanganese complex synthesized from the $[\text{Ph}_2\text{P}(\text{O})\text{NP}(\text{O})\text{Ph}_2]^-$ anion with $[\text{BrMn}(\text{CO})_5]$, 54

Diels–Alder adducts

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Diimine

The formation and polymerization behavior of Ni(II) α -diimine complexes using various aluminum activators, 158

Dinuclear

Synthesis, structure and polymerization catalytic properties of doubly bridged bis(cyclopentadienyl) dinuclear titanium and zirconium complexes, 212

Dinuclear complexes

Syntheses and structures of dimethylamino-bridged bis(silylene)ruthenium and -osmium complexes, 235

Diphosphine

Study of the *o*-carboranyl fragment as an uncommon substituent. Crystal structures of $[\text{PdClMe}(1,2\text{-(PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})\text{]}\cdot\text{CH}_2\text{Cl}_2$ and $[\text{PdClMe}(1,2\text{-(P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 39

Disilacyclopentane

Platinum- and nickel-catalyzed reactions of 1,2-dimethyl-1,2-diphenyl-1,2-disilacyclopentane with alkynes, 47

Dithiocarboxylato ligands

Synthesis and crystal structures of new complexes of di- and tribenzyltin *N*-ethyl and *N*-benzyl-2-amino cyclopent-1-ene-1-carbodithioates, 105

Dithiolate complexes

Preparation and properties of dinuclear bis[dicarbonyl(cyclopentadienyl)]diiron(II) complexes with S–S coupled, dimerized sulfur-rich dithiolate ligands, 94

Doubly bridged

Synthesis, structure and polymerization catalytic properties of doubly bridged bis(cyclopentadienyl) dinuclear titanium and zirconium complexes, 212

ESI

Detection of aryllead(IV) carboxylates and their solvent adducts by ESI-mass spectrometry, 176

Ethylene oligomerization

Synthesis of cobalt(II) and iron(II) complexes with the ligand bis(2-diphenylphosphinoethyl)methylamine and their catalytic action on ethylene oligomerization. X-ray crystal structure of $[\text{CoCl}_2\{\text{CH}_3\text{N}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\}]$, 127

Ferrocene

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Synthesis and luminescence properties of novel ferrocene–naphthalimides dyads, 168

Ferrocene containing polymers

Synthesis of conjugated polymers with ferrocene units as pendants or as end-groups, 27

Ferrocenylalkenes

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Fluxionality

Investigations on the trigonal twist process in the pseudooctahedral complexes $[\text{MX}(\text{CO})_2(\text{P}-\text{P})(\eta^3\text{-R})]$ ($\text{M} = \text{Mo}$ or W ; $\text{X} = \text{halide}$ or pseudohalide; $\text{P}-\text{P} = \text{bidentate P-donor ligand}$; $\text{R} = \text{cycloheptatrienyl}$, cyclohexenyl or cyclooctenyl), 218

Fulvalene

Dinuclear zirconium complexes containing the fulvalene ligand. Synthesis and reactivity, 112

Functionalized chiral phosphines

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed P–C and C–C coupling reactions, 14

Furylcarbene

Synthesis of 2-pyranylidene or (2-furyl)carbene–chromium complexes from conjugated enyne carbonyl compounds with $\text{Cr}(\text{CO})_5(\text{THF})$, 228

Generation of trications

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^3+$ ($\text{M} = \text{Ru}$, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Germyl complex

Convenient preparation of $\text{Li}[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2]$ ($\text{M} = \text{Ru}$, Fe) by the reaction of $(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2\text{H}$ with *n*-BuLi, 201

Halogen exchange

Intramolecular cyclization of benzyl-substituted cyclopentadienyl titanium dichlorides promoted by boron tribromide, 59

Hydrosilylation

Hydrosilylation of alkynes catalyzed by platinum on carbon, 1
Ruthenium-catalyzed hydrosilylation of terminal alkynes: stereodivergent synthesis of (*E*)- and (*Z*)-alkenylsilanes, 192

Imidotetraphenyldiphosphinic acid

A mixed-valence dimanganese complex synthesized from the $[\text{Ph}_2\text{P}(\text{O})\text{NP}(\text{O})\text{Ph}_2]^-$ anion with $[\text{BrMn}(\text{CO})_5]$, 54

Intramolecular cyclization

Intramolecular cyclization of benzyl-substituted cyclopentadienyl titanium dichlorides promoted by boron tribromide, 59

Ionic liquids

Pd–benzothiazole carbene catalysed carbonylation of aryl halides in ionic liquids, 152

IR

Organotin(IV) derivatives of novel β -diketones: Part V. Synthesis and characterization of di- and triorganotin(IV) derivatives of 4-acyl-5-pyrazolones modified in position 3 of the pyrazole. Crystal structure of (1,3-diphenyl-4-benzoyl-pyrazolone-5-ato)triphenyltin(IV), 134

Iron

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

Palladium(II) induced preferential activation of the $\sigma(\text{C}_{\text{sp}^3}\text{-H})$ versus the $\sigma(\text{C}_{\text{sp}^2, \text{ferrocene}}\text{-H})$ bond of $(S_C)-[(\eta^5\text{-C}_5\text{H}_5)\text{-Fe}\{(\eta^5\text{-C}_5\text{H}_4)\text{-CH=N-CH}(\text{CO}_2\text{Me})\text{CH}_2\text{-CH}_2\text{-SMe}\}]$, 146

Iron complexes

Structural studies of the $\text{C}_4\text{H}_8\text{N}_2\text{Fe}_2(\text{CO})_6$ complex obtained by cyclization of acetaldehyde in the presence of dodecacarbonyl-triiron: investigations by X-ray diffraction and NMR of μ -1,2-(1,2-diaza-3-methylcyclopentane)diyl-bis(tricarbonyliron), 274

Iron(II) complexes

Preparation and properties of dinuclear bis[dicarbonyl(cyclopentadienyl)]diiron(II) complexes with S–S coupled, dimerized sulfur-rich dithiolate ligands, 94

Isomer

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

Linear dimers

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Liquid crystal

Doubly cyclopalladated pyridazines: chiral liquid crystals, 246

Luminescent properties

Synthesis and luminescence properties of novel ferrocene–naphthalimides dyads, 168

Lutetium

Synthesis and crystal structure of one carbon-atom bridged lutetium complex $[\text{Ph}_2\text{C}(\text{Flu})(\text{Cp})]\text{LuN}(\text{TMS})_2$ and catalytic activity for polymerization of polar monomers, 82

Mass spectrometry

Detection of aryllead(IV) carboxylates and their solvent adducts by ESI-mass spectrometry, 176

Mesogenic

Doubly cyclopalladated pyridazines: chiral liquid crystals, 246

Metallocene

Synthesis, structures and polymerization catalytic properties of germyl-bridged bis(cyclopentadienyl) metallocenes, 262

Metallomesogen

Angular (*cis*-stilbazole) geometry in octahedral dimethyldihalidoplatinum(IV) complexes: potential as metallomesogens and X-ray structure of $[\text{PtMe}_2\text{I}_2(\text{NC}_5\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{OC}_7\text{H}_{15})_2]$, 206

Metallonium cations

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^3+$ ($\text{M} = \text{Ru}$, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Metathesis polymerisation

Synthesis of conjugated polymers with ferrocene units as pendants or as end-groups, 27

Methylmercury

Organomercury derivatives of the 2,4,6-trimercaptotriazine (H_3TMT). X-ray crystal structure of $(\text{HgMe})_3(\text{TMT})$, 101

Molybdenum

Investigations on the trigonal twist process in the pseudooctahedral complexes $[\text{MX}(\text{CO})_2(\text{P}-\text{P})(\eta^3\text{-R})]$ ($\text{M} = \text{Mo}$ or W ; $\text{X} = \text{halide}$ or pseudohalide; $\text{P}-\text{P} = \text{bidentate P-donor ligand}$; $\text{R} = \text{cycloheptatrienyl}$, cyclohexenyl or cyclooctenyl), 218

Monocations

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^3+$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Naphthalimide

Synthesis and luminescence properties of novel ferrocene–naphthalimides dyads, 168

Nickel

Platinum- and nickel-catalyzed reactions of 1,2-dimethyl-1,2-diphenyl-1,2-disilacyclopentane with alkynes, 47

The formation and polymerization behavior of Ni(II) α -diimine complexes using various aluminum activators, 158

NMR

Organotin(IV) derivatives of novel β -diketones: Part V. Synthesis and characterization of di- and triorganotin(IV) derivatives of 4-acyl-5-pyrazolones modified in position 3 of the pyrazole. Crystal structure of (1,3-diphenyl-4-benzoyl-pyrazolon-5-ato)triphenyltin(IV), 134

Triorganoantimony(V) complexes with internally functionalized oximes: synthetic, spectroscopic and structural aspects of $[\text{R}_3\text{Sb}(\text{Br})\text{L}]$, $[\text{R}_3\text{Sb}(\text{OH})\text{L}]$ and $[\text{R}_3\text{SbL}_2]$, crystal and molecular structures of $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{O}\}_2]$, $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{S}\}_2]$, $2\text{-OC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$ and $2\text{-SC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$, 118

NMR-spectra

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^3+$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

o-Carboranes

Study of the *o*-carboranyl fragment as an uncommon substituent. Crystal structures of $[\text{PdClMe}(1,2\text{-}(\text{PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})\cdot\text{CH}_2\text{Cl}_2]$ and $[\text{PdClMe}(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 39

Organotin(IV) compounds

Synthesis and crystal structures of new complexes of di- and tribenzyltin *N*-ethyl and *N*-benzyl-2-amino cyclopent-1-ene-1-carbodithioates, 105

Osmium

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^3+$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Syntheses and structures of dimethylamino-bridged bis(silylene)ruthenium and -osmium complexes, 235

Oxidation

Preparation and properties of dinuclear bis[dicarbonyl(cyclopentadienyl)]diron(II) complexes with S–S coupled, dimerized sulfur-rich dithiolate ligands, 94

Oximes

Triorganoantimony(V) complexes with internally functionalized oximes: synthetic, spectroscopic and structural aspects of $[\text{R}_3\text{Sb}(\text{Br})\text{L}]$, $[\text{R}_3\text{Sb}(\text{OH})\text{L}]$ and $[\text{R}_3\text{SbL}_2]$, crystal and molecular structures of $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{O}\}_2]$, $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{S}\}_2]$, $2\text{-OC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$ and $2\text{-SC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$, 118

Palladium

Palladium(II) induced preferential activation of the $\sigma(\text{C}_{\text{sp}^3}\text{-H})$ versus the $\sigma(\text{C}_{\text{sp}^2}, \text{ferrocene}\text{-H})$ bond of $(S_C)\text{-}[(\eta^5\text{-C}_5\text{H}_5)\text{-Fe}\{\eta^5\text{-C}_5\text{H}_4\}\text{-CH}=\text{N-CH}(\text{CO}_2\text{Me})\text{CH}_2\text{-CH}_2\text{-SMe}]$, 146

Palladium–carbene complexes

Pd–benzothiazole carbene catalyzed carbonylation of aryl halides in ionic liquids, 152

Palladium(II)

Study of the *o*-carboranyl fragment as an uncommon substituent. Crystal structures of $[\text{PdClMe}(1,2\text{-}(\text{PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})\cdot\text{CH}_2\text{Cl}_2]$ and $[\text{PdClMe}(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 39

Pd-catalyzed P–C and C–C coupling

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed P–C and C–C coupling reactions, 14

Phosphaalkenyl

Reactions of bulky alkyl lithium reagents with a phosphaalkyne (P=C^{Bu'}): synthesis and structural characterisation of a mixed valent phosphorus cage compound, $\text{P}^{\text{III}}\{\mu\text{-C}(\text{H})\text{-}(\text{Bu}')\}_2\{\mu\text{-C}(\text{H})(\text{SiMe}_3)\text{Si}(\text{Me})_2\text{C}(\text{H})_2\}\text{P}^{\text{V}}=\text{C}(\text{SiMe}_3)_2$, and a phosphaalkenyl-substituted η^3 -azaallyl-lithium complex, $[\text{Li}(\text{tmeda})\{\text{C}(\text{SiMe}_3)(2\text{-NC}_5\text{H}_3\text{Me-6})\}[\text{P}=\text{C}(\text{Bu}')(\text{SiMe}_3)]]$, 256

Phosphaalkyne

Reactions of bulky alkyl lithium reagents with a phosphaalkyne (P=C^{Bu'}): synthesis and structural characterisation of a mixed valent phosphorus cage compound, $\text{P}^{\text{III}}\{\mu\text{-C}(\text{H})\text{-}(\text{Bu}')\}_2\{\mu\text{-C}(\text{H})(\text{SiMe}_3)\text{Si}(\text{Me})_2\text{C}(\text{H})_2\}\text{P}^{\text{V}}=\text{C}(\text{SiMe}_3)_2$, and a phosphaalkenyl-substituted η^3 -azaallyl-lithium complex, $[\text{Li}(\text{tmeda})\{\text{C}(\text{SiMe}_3)(2\text{-NC}_5\text{H}_3\text{Me-6})\}[\text{P}=\text{C}(\text{Bu}')(\text{SiMe}_3)]]$, 256

Phosphine ligand synthesis

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed P–C and C–C coupling reactions, 14

Platinum

Platinum- and nickel-catalyzed reactions of 1,2-dimethyl-1,2-diphenyl-1,2-disilacyclopentane with alkynes, 47

Platinum(IV)

Angular (*cis*-stilbazole) geometry in octahedral dimethyl-dihalidoplatinum(IV) complexes: potential as metallomesogens and X-ray structure of $[\text{PtMe}_2\text{I}_2(\text{NC}_5\text{H}_4\text{CH}=\text{CHC}_6\text{H}_4\text{OC}_7\text{H}_{15})_2]$, 206

³¹P-NMR

Study of the *o*-carboranyl fragment as an uncommon substituent. Crystal structures of $[\text{PdClMe}(1,2\text{-}(\text{PPh}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})\cdot\text{CH}_2\text{Cl}_2]$ and $[\text{PdClMe}(1,2\text{-}(\text{P}^i\text{Pr}_2)_2\text{-}1,2\text{-C}_2\text{B}_{10}\text{H}_{10})]$, 39

Polyethylene

The formation and polymerization behavior of Ni(II) α -diimine complexes using various aluminum activators, 158

Polyhedral

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

Poly(lactone)

Synthesis and crystal structure of one carbon-atom bridged lutetium complex $[\text{Ph}_2\text{C}(\text{Flu})(\text{Cp})]\text{LuN}(\text{TMS})_2$ and catalytic activity for polymerization of polar monomers, 82

Polymerization

Synthesis, structure and polymerization catalytic properties of doubly bridged bis(cyclopentadienyl) dinuclear titanium and zirconium complexes, 212

Synthesis, structures and polymerization catalytic properties of germyl-bridged bis(cyclopentadienyl) metallocenes, 262

Poly(MMA)

Synthesis and crystal structure of one carbon-atom bridged lutetium complex $[\text{Ph}_2\text{C}(\text{Flu})(\text{Cp})]\text{LuN}(\text{TMS})_2$ and catalytic activity for polymerization of polar monomers, 82

Polypropylene

The formation and polymerization behavior of Ni(II) α -diimine complexes using various aluminum activators, 158

Pyranlydene

Synthesis of 2-pyranlydene or (2-furyl)carbene–chromium complexes from conjugated enyne carbonyl compounds with $\text{Cr}(\text{CO})_5(\text{THF})$, 228

Pyridazines

Doubly cyclopalladated pyridazines: chiral liquid crystals, 246

Retrocyclization

Retrocyclization reactions of *gem*-dibromo(ferrocenyl)cyclopropanes, 183

Ruthenium

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^{3+}$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Syntheses and structures of dimethylamino-bridged bis(silylene)-ruthenium and -osmium complexes, 235

Ruthenium catalysts

Ruthenium-catalyzed hydrosilylation of terminal alkynes: stereodivergent synthesis of (*E*)- and (*Z*)-alkenylsilanes, 192

Salt-elimination

Convenient preparation of $\text{Li}[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2]$ (M = Ru, Fe) by the reaction of $(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2\text{H}$ with *n*-BuLi, 201

Silanes

Hydrosilylation of alkynes catalyzed by platinum on carbon, 1

Silyl complex

Convenient preparation of $\text{Li}[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2]$ (M = Ru, Fe) by the reaction of $(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\text{CO})_2\text{H}$ with *n*-BuLi, 201

Silylene complexes

Syntheses and structures of dimethylamino-bridged bis(silylene)ruthenium and -osmium complexes, 235

Stereodivergent synthesis

Ruthenium-catalyzed hydrosilylation of terminal alkynes: stereodivergent synthesis of (*E*)- and (*Z*)-alkenylsilanes, 192

Structure–activity

Synthesis, microbiological study and X-ray structural characterization of a tri-*n*-butylstannyl-2[4(diethylamino)aryloxy]benzenecarboxylate, 33

Synthesis

Synthesis and luminescence properties of novel ferrocene–naphthalimides dyads, 168

Tin complexes

Synthesis and crystal structures of new complexes of di- and tribenzyltin *N*-ethyl and *N*-benzyl-2-amino cyclopent-1-ene-1-carbodithioates, 105

Titanium

Synthesis, structure and polymerization catalytic properties of doubly bridged bis(cyclopentadienyl) dinuclear titanium and zirconium complexes, 212

Titanocene

Synthesis, structures and polymerization catalytic properties of germyl-bridged bis(cyclopentadienyl) metallocenes, 262

Titanoxacycle

Intramolecular cyclization of benzyl-substituted cyclopentadienyl titanium dichlorides promoted by boron tribromide, 59

Trialkylantimony(V)

Triorganoantimony(V) complexes with internally functionalized oximes: synthetic, spectroscopic and structural aspects of $[\text{R}_3\text{Sb}(\text{Br})\text{L}]$, $[\text{R}_3\text{Sb}(\text{OH})\text{L}]$ and $[\text{R}_3\text{SbL}_2]$, crystal and molecular structures of $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{O}\}_2]$, $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{S}\}_2]$, 2- $\text{OC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$ and 2- $\text{SC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$, 118

Tributyltin analogs

Synthesis, microbiological study and X-ray structural characterization of a tri-*n*-butylstannyl-2[4(diethylamino)aryloxy]benzenecarboxylate, 33

Trications

Generation of $[1,2-(\text{CH}_2)_2\text{C}_5\text{Me}_3\text{MC}_5\text{Me}_4\text{CH}_2-1]^{3+}$ (M = Ru, Os) trications and determination of their structures by comparing NMR-spectra with density-functional method calculations, 87

Trigonal twist process

Investigations on the trigonal twist process in the pseudooctahedral complexes $[\text{MX}(\text{CO})_2(\text{P}-\text{P})(\eta^3\text{-R})]$ (M = Mo or W; X = halide or pseudohalide; P–P = bidentate P-donor ligand; R = cycloheptatrienyl, cyclohexenyl or cyclooctenyl), 218

2,4,6-Trimercaptotriazine

Organomercury derivatives of the 2,4,6-trimercaptotriazine (H_3TMT). X-ray crystal structure of $(\text{HgMe})_3(\text{TMT})$, 101

Triorgano stannyl

Synthesis, microbiological study and X-ray structural characterization of a tri-*n*-butylstannyl-2[4(diethylamino)aryloxy]benzenecarboxylate, 33

Triorganotin complexes

Organotin(IV) derivatives of novel β -diketones: Part V. Synthesis and characterization of di- and triorganotin(IV) derivatives of 4-acyl-5-pyrazolones modified in position 3 of the pyrazole. Crystal structure of (1,3-diphenyl-4-benzoyl-pyrazolon-5-ato)triphenyltin(IV), 134

Tungsten hexacarbonyl

Synthesis of conjugated polymers with ferrocene units as pendants or as end-groups, 27

Vinylidene

Synthesis of 2-pyranylidene or (2-furyl)carbene–chromium complexes from conjugated enyne carbonyl compounds with $\text{Cr}(\text{CO})_5(\text{THF})$, 228

X-ray

Triorganoantimony(V) complexes with internally functionalized oximes: synthetic, spectroscopic and structural aspects of $[\text{R}_3\text{Sb}(\text{Br})\text{L}]$, $[\text{R}_3\text{Sb}(\text{OH})\text{L}]$ and $[\text{R}_3\text{SbL}_2]$, crystal and molecular structures of $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{O}\}_2]$, $[\text{Me}_3\text{Sb}\{\text{ON}=\text{C}(\text{Me})\text{C}_4\text{H}_3\text{S}\}_2]$, 2- $\text{OC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$ and 2- $\text{SC}_4\text{H}_3\text{C}(\text{Me})=\text{NOH}$, 118

X-ray analysis

A mixed-valence dimanganese complex synthesized from the $[\text{Ph}_2\text{P}(\text{O})\text{NP}(\text{O})\text{Ph}_2]^-$ anion with $[\text{BrMn}(\text{CO})_5]$, 54

X-ray crystal structure

Preparation and properties of dinuclear bis[dicarbonyl(cyclopentadienyl)]diiron(II) complexes with S–S coupled, dimerized sulfur-rich dithiolate ligands, 94

X-ray crystal structures

Syntheses and structures of dimethylamino-bridged bis(silylene)-ruthenium and -osmium complexes, 235

X-ray structure

A structural isomer of the $[\text{CoFe}_3(\text{CO})_{13}]^-$ anion, 281

X-ray structure.

Organomercury derivatives of the 2,4,6-trimercaptotriazine (H_3TMT). X-ray crystal structure of $(\text{HgMe})_3(\text{TMT})$, 101

X-ray structures

Water soluble phosphines: Part XV. Syntheses of multiply functionalized and chiral phosphine ligands by Pd-catalyzed P–C and C–C coupling reactions, 14

Zirconium

Dinuclear zirconium complexes containing the fulvalene ligand. Synthesis and reactivity, 112

Synthesis, structure and polymerization catalytic properties of doubly bridged bis(cyclopentadienyl) dinuclear titanium and zirconium complexes, 212

Zirconocene

Synthesis, structures and polymerization catalytic properties of germyl-bridged bis(cyclopentadienyl) metallocenes, 262