

Subject Index of Volume 646

Ab initio calculations

Very strong anionic homoaromaticity in (*deloc*-1,3,4)-1-sila-3,4-diboracyclopentane-1-ides, the importance of the energy of the reference system for homoaromatic stabilization energies, 262

Acetylenes

Synthesis and reactivity of P-acetylenic (silylamino)phosphines, 223

Acrylate

Enantioselective synthesis of phosphinyl peptidomimetics via an asymmetric Michael reaction of phosphinic acids with acrylate derivatives, 212

Activation parameters

Syntheses, structure, and Berry pseudorotation of ruthenium-, iron-, and cobalt-phosphorane complexes, 204

Acyclic

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Aldehyde trimethylsilylcyanation

P(MeNMCH₂CH₂)₃N: an effective catalyst for trimethylsilylcyanation of aldehydes and ketones, 161

Alkene analogues

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Alkynes

Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [¹J(¹¹⁹Sn, ¹³C)], 125

Alkynyliodonium salt

1,3-Dipolar cycloaddition of alkynyliodonium salts with a nitrile oxide. Synthesis and reactivity of isoxazolyliodonium salts, 196

Aluminate

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Aluminum

Imido analogs of aluminophosphates: syntheses and X-ray structures of {LiAl[OP(N^tBu)₂(NH^tBu)]₂}₂ and the mono- and di-methylaluminum complexes of the anions [OP(N^tBu)_x(NH^tBu)_{3-x}]^{x-} (x = 1, 2), 107

Ambident anions

Metalated 1,3-azaphospholes: synthesis of lithium-1,3-benzazaphospholides and reactivity towards organoelement and organometal halides, 113

Aminophosphine catalyst

P(MeNMCH₂CH₂)₃N: an effective catalyst for trimethylsilylcyanation of aldehydes and ketones, 161

Aminotin compounds

Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [¹J(¹¹⁹Sn, ¹³C)], 125

Anions

Very strong anionic homoaromaticity in (*deloc*-1,3,4)-1-sila-3,4-diboracyclopentane-1-ides, the importance of the energy of the reference system for homoaromatic stabilization energies, 262

Asymmetric Michael reaction

Enantioselective synthesis of phosphinyl peptidomimetics via an asymmetric Michael reaction of phosphinic acids with acrylate derivatives, 212

Azayldiide

Lithium phosphonium azayldiides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94

Berry pseudorotation

Syntheses, structure, and Berry pseudorotation of ruthenium-, iron-, and cobalt-phosphorane complexes, 204

Bicyclic phosphazane

P(MeNMCH₂CH₂)₃N: an effective catalyst for trimethylsilylcyanation of aldehydes and ketones, 161

Bisphosphine

Synthesis of 1,2-bis[(diorgano)phosphino]ethanes via Michaelis–Arbuzov type rearrangements, 230

Bis(sulfinylamido)

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Bis(trifluoromethane)sulfonimide

Bis(trifluoromethane)sulfonimide initiated ring-opening polymerization of octamethylcyclotetrasiloxane, 171

α,ω-Bis(trimethylsilyl)-polydimethylsiloxanes

Bis(trifluoromethane)sulfonimide initiated ring-opening polymerization of octamethylcyclotetrasiloxane, 171

Boron

Very strong anionic homoaromaticity in (*deloc*-1,3,4)-1-sila-3,4-diboracyclopentane-1-ides, the importance of the energy of the reference system for homoaromatic stabilization energies, 262

Bromide

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Bromination

Synthesis of 2H-1,2-oxaphosphorin 2-oxides, 153

Cage bonding

Heteroboranes of the p-block elements, 21

¹³C- and ²⁹Si-NMR

Regio- and stereoselective addition of sterically hindered silylboranes to terminal alkynes, 179

Carbene analogues

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Catalysis

Transformations of organosilanes by Pt(II) complexes with hemilabile P,N-chelating ligands, 53

Chelating ligands

Synthesis of 1,2-bis[(diorgano)phosphino]ethanes via Michaelis–Arbuzov type rearrangements, 230

Chiral auxiliary

Enantioselective synthesis of phosphinyl peptidomimetics via an asymmetric Michael reaction of phosphinic acids with acrylate derivatives, 212

Chloride

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Chloro

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

CO₂ insertion

Organoaluminum chemistry with low valent aluminum — recent developments, 4

Coordination

Lithium phosphonium azayliides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94

Coordination number

The coordination number–photophysical properties relationship of trianthylylphosphorus compounds: doubly locked fluorescence of anthryl groups, 277

Crystal structure

Octakis[(2,2,6,6-tetramethylpiperidino)methyl]octasilsesquioxane: synthesis and crystal structure analysis of a new aminoorganyl-functionalized octasilsesquioxane, 200

Crystal structures

New synthetic approach and structural characterization of the chloroalkylstannanes (Cl–CH₂)_nSnCl_{4–n} (*n* = 2, 4) and the hydrolysis product [(ClCH₂)₂Sn(Cl)–O–Sn(Cl)(CH₂Cl)₂]₂, 138

Tetrakis[lithium-*tert*-butyl(di-*tert*-butylfluorosilyl)amide]

-dilithium oxide, (tBu₂SiF–NLi^tBu)₄Li₂O — a Li₆O⁴⁺-cluster, 134

Cyclic phosphite systems

Photo-Arbuzov rearrangements of cyclic phosphite systems, 239

Cyclization

Synthesis of heterocycles by cyclization of unsaturated organolithiums: a review, 59

Cyclometallation

A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255

Cyclopentadienes

Cp*GaCl₂ and Cp*₂GaCl (Cp* = η¹-C₅Me₅) as starting materials for novel Group 13 element complexes, 247

Dehydrobromination

Synthesis of 2H-1,2-oxaphosphorin 2-oxides, 153

Desulfurisation

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Diazomethane

New synthetic approach and structural characterization of the chloroalkylstannanes (Cl–CH₂)_nSnCl_{4–n} (*n* = 2, 4) and the hydrolysis product [(ClCH₂)₂Sn(Cl)–O–Sn(Cl)(CH₂Cl)₂]₂, 138

Dicoordinate phosphorus

Phosphametalloenes: from discovery to applications, 15

Diene analogues

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Diphosphene

A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255

1,3-Dipolar cycloaddition

1,3-Dipolar cycloaddition of alkynyliodonium salts with a nitrile oxide. Synthesis and reactivity of isoxazolyliodonium salts, 196

Distannoxanes

New synthetic approach and structural characterization of the chloroalkylstannanes (Cl–CH₂)_nSnCl_{4–n} (*n* = 2, 4) and the hydrolysis product [(ClCH₂)₂Sn(Cl)–O–Sn(Cl)(CH₂Cl)₂]₂, 138

Ditellurium

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

1,2-Dithia-3,4,5-triazolium

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Electron pair

Heteroboranes of the p-block elements, 21

Exchange reactions

Transformations of organosilanes by Pt(II) complexes with hemilabile P,N-chelating ligands, 53

Ferrate

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Fluorescence

First siloxane tethered paracyclophane, 167

Fluorescence spectra

The coordination number–photophysical properties relationship of trianthylylphosphorus compounds: doubly locked fluorescence of anthryl groups, 277

Fluoride

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Fluoro

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Gallanate

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Gallium

Cp*GaCl₂ and Cp*₂GaCl (Cp* = η¹-C₅Me₅) as starting materials for novel Group 13 element complexes, 247

Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, [M(η⁵-P₃C₂Bu₂)], M = Ga, Tl, 191

Gallium NMR

Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, [M(η⁵-P₃C₂Bu₂)], M = Ga, Tl, 191

Germanium

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Group 13 metals

Chemical applications of topology and group theory. Part 36. Deltahedral and fused deltahedral organometallic gallium and indium clusters, 146

α-Halogenoalkylstannanes

New synthetic approach and structural characterization of the chloroalkylstannanes (Cl–CH₂)_nSnCl_{4–n} (*n* = 2, 4) and the hydrolysis product [(ClCH₂)₂Sn(Cl)–O–Sn(Cl)(CH₂Cl)₂]₂, 138

Heteroboranes

Heteroboranes of the p-block elements, 21

Heterocycles

Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [$^1J(^{119}\text{Sn}, ^{13}\text{C})$], 125

Synthesis of heterocycles by cyclization of unsaturated organolithiums: a review, 59

Heterocyclic

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Heteronuclear coupling constants

Regio- and stereoselective addition of sterically hindered silyboranes to terminal alkynes, 179

Homoaromaticity

Very strong anionic homoaromaticity in (*deloc*-1,3,4)-1-sila-3,4-diboracyclopentane-1-ides, the importance of the energy of the reference system for homoaromatic stabilization energies, 262

Homogeneous catalysis

Phosphametalocenes: from discovery to applications, 15

Synthesis of 1,2-bis[(diorgano)phosphino]ethanes via Michaelis–Arbuzov type rearrangements, 230

2*H*-1,2-Oxaphosphorin 2-oxide

Synthesis of 2*H*-1,2-oxaphosphorin 2-oxides, 153

Hydrolysis

Tetrakis[lithium-*tert*-butyl(di-*tert*-butylfluorosilyl)amide]

-dilithium oxide, ($^t\text{Bu}_2\text{SiF}-\text{NLi}^t\text{Bu}$)₄Li₂O—a Li₆O⁴⁺-cluster, 134

Hypercoordinate silicon

P(MeNMCH₂CH₂)₃N: an effective catalyst for trimethylsilylcyanation of aldehydes and ketones, 161

Hypervalent bonds

Syntheses, structure, and Berry pseudorotation of ruthenium-, iron-, and cobalt-phosphorane complexes, 204

Imido derivatives

Imido analogs of aluminophosphates: syntheses and X-ray structures of {LiAl[OP(N^{*t*}Bu)₂(NH^{*t*}Bu)]₂}₂ and the mono- and di-methylaluminum complexes of the anions [OP(N^{*t*}Bu)_{*x*}(NH^{*t*}Bu)_{3-*x*}]^{*x*-} (*x* = 1, 2), 107

Indium

Cp*GaCl₂ and Cp*₂GaCl (Cp* = η¹-C₅Me₅) as starting materials for novel Group 13 element complexes, 247

Intermediates

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Interpretation

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Intramolecular carbolithiation

Synthesis of heterocycles by cyclization of unsaturated organolithiums: a review, 59

Isoxazolyliodonium salt

1,3-Dipolar cycloaddition of alkynyliodonium salts with a nitrile oxide. Synthesis and reactivity of isoxazolyliodonium salts, 196

Ketone trimethylsilylcyanation

P(MeNMCH₂CH₂)₃N: an effective catalyst for trimethylsilylcyanation of aldehydes and ketones, 161

Lead

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Lithium aluminumhydride

Reaction pathways towards 1,1,2,2-tetra^{*t*}butyldistannanes, 271

Lithium benzazaphospholides

Metalated 1,3-azaphospholes: synthesis of lithium-1,3-benzazaphospholides and reactivity towards organoelement and organometal halides, 113

Lithium-(fluorosilyl)amide

Tetrakis[lithium-*tert*-butyl(di-*tert*-butylfluorosilyl)amide]

-dilithium oxide, ($^t\text{Bu}_2\text{SiF}-\text{NLi}^t\text{Bu}$)₄Li₂O—a Li₆O⁴⁺-cluster, 134

Low-coordinate phosphorus

Metalated 1,3-azaphospholes: synthesis of lithium-1,3-benzazaphospholides and reactivity towards organoelement and organometal halides, 113

Low valent Group 13 elements

Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, [M(η⁵-P₃C₂Bu₂)]₂, M = Ga, Tl, 191

Magnesium

A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255

Metallaboranes

Heteroboranes of the p-block elements, 21

Metallaphosphorane

Syntheses, structure, and Berry pseudorotation of ruthenium-, iron-, and cobalt-phosphorane complexes, 204

Metallophosphines

Metalated 1,3-azaphospholes: synthesis of lithium-1,3-benzazaphospholides and reactivity towards organoelement and organometal halides, 113

meta-Terphenyl

A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255

Metathesis

Cp*GaCl₂ and Cp*₂GaCl (Cp* = η¹-C₅Me₅) as starting materials for novel Group 13 element complexes, 247

Michaelis–Arbuzov rearrangements

Synthesis of 1,2-bis[(diorgano)phosphino]ethanes via Michaelis–Arbuzov type rearrangements, 230

Monomeric, dimeric and tetrameric forms

Organoaluminum chemistry with low valent aluminum — recent developments, 4

Multinuclear

Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [$^1J(^{119}\text{Sn}, ^{13}\text{C})$], 125

Multiple bonding

Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39

Multistep reactions

Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80

Nitrile

Lithium phosphonium azayliides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94

Nitrile oxide

1,3-Dipolar cycloaddition of alkynyliodonium salts with a nitrile oxide. Synthesis and reactivity of isoxazolyliodonium salts, 196

NMR

Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [$^1J(^{119}\text{Sn}, ^{13}\text{C})$], 125

- $N[Te(X)NSN]_3$, X = F, Cl
Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Octamethylcyclotrisiloxane
Bis(trifluoromethane)sulfonimide initiated ring-opening polymerization of octamethylcyclotetrasiloxane, 171
- Octasilsesquioxane
Octakis[2,2,6,6-tetramethylpiperidino)methyl]octasilsesquioxane: synthesis and crystal structure analysis of a new aminoorganyl-functionalized octasilsesquioxane, 200
- μ_6 -OLi₆ coordination
Tetrakis[lithium-*tert*-butyl(di-*tert*-butylfluorosilyl)amide]
-dilithium oxide, (^tBu₂SiF-NLi^tBu)₄Li₂O—a Li₆O⁴⁺-cluster, 134
- Organo Al(I) and (II)
Organoaluminum chemistry with low valent aluminum — recent developments, 4
- Organoboranes
Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [¹J(¹¹⁹Sn, ¹³C)], 125
- 1,1-Organoboration
Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [¹J(¹¹⁹Sn, ¹³C)], 125
- Organolithiums
Synthesis of heterocycles by cyclization of unsaturated organolithiums: a review, 59
- Organometallic clusters
Chemical applications of topology and group theory. Part 36. Deltahedral and fused deltahedral organometallic gallium and indium clusters, 146
- Organosilicon chemistry
The quest for triplet ground state silylenes, 68
- Organosilyboranes
Regio- and stereoselective addition of sterically hindered silyboranes to terminal alkynes, 179
- Organotin
Novel organotin halides. Organometallic substituted stannoles and alkene derivatives with tin–chlorine and tin–bromine bonds—exceptionally small magnitude of coupling constants [¹J(¹¹⁹Sn, ¹³C)], 125
- P-acetylenic
Synthesis and reactivity of P-acetylenic (silylamino)phosphines, 223
- Palladium catalyst
Regio- and stereoselective addition of sterically hindered silyboranes to terminal alkynes, 179
- Paracyclophanes
First siloxane tethered paracyclophane, 167
- Paramagnetic species
Phosphametalloenes: from discovery to applications, 15
- p-Block elements
Heteroboranes of the p-block elements, 21
- Pentacoordinate silicon
Octakis[2,2,6,6-tetramethylpiperidino)methyl]octasilsesquioxane: synthesis and crystal structure analysis of a new aminoorganyl-functionalized octasilsesquioxane, 200
- Phosphametalloene
Phosphametalloenes: from discovery to applications, 15
- Phosphate
Imido analogs of aluminophosphates: syntheses and X-ray structures of {LiAl[OP(N^tBu)₂(NH^tBu)]₂}₂ and the mono- and di-methylaluminum complexes of the anions [OP(N^tBu)_x(NH^tBu)_{3-x}]^{x-} (x = 1, 2), 107
- Phosphines
Synthesis and reactivity of P-acetylenic (silylamino)phosphines, 223
- Phosphinic acid
Enantioselective synthesis of phosphinyl peptidomimetics via an asymmetric Michael reaction of phosphinic acids with acrylate derivatives, 212
- Phosphinidene
A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255
- Phosphinimine
Lithium phosphonium azayldiides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94
- Phosphinyl peptidomimetics
Enantioselective synthesis of phosphinyl peptidomimetics via an asymmetric Michael reaction of phosphinic acids with acrylate derivatives, 212
- Phosphonium
Lithium phosphonium azayldiides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94
- Phosphoranimines
Synthesis and reactivity of P-acetylenic (silylamino)phosphines, 223
- Phosphorus
A role for free phosphinidenes in the reaction of magnesium and sterically encumbered ArPCl₂ in solution at room temperature, 255
The coordination number–photophysical properties relationship of trianthrylphosphorus compounds: doubly locked fluorescence of anthryl groups, 277
- Phosphorus heterocycles
Metalated 1,3-azaphospholes: synthesis of lithium-1,3-benzazaphospholides and reactivity towards organoelement and organometal halides, 113
Synthesis of 2H-1,2-oxaphosphorin 2-oxides, 153
- Phosphorylated tyrosine
Photo-Arbusov rearrangements of cyclic phosphite systems, 239
- Photo-Arbusov
Photo-Arbusov rearrangements of cyclic phosphite systems, 239
- Photochemistry
The quest for triplet ground state silylenes, 68
- Platinum
Transformations of organosilanes by Pt(II) complexes with hemilabile P,N-chelating ligands, 53
- Polymerization
Bis(trifluoromethane)sulfonimide initiated ring-opening polymerization of octamethylcyclotetrasiloxane, 171
Bis(trifluoromethane)sulfonimide initiated ring-opening polymerization of octamethylcyclotetrasiloxane, 171
- Reaction mechanisms
The quest for triplet ground state silylenes, 68
- Reaction pathways
Reaction pathways towards 1,1,2,2-tetra^tbutyldistannanes, 271
- Reactions
Organoaluminum chemistry with low valent aluminum — recent developments, 4
- Reaction steps
Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Reactivity
Lithium phosphonium azayldiides R₃P=NLi. Applications in organic synthesis and coordination chemistry, 94

- Silaboration
 Regio- and stereoselective addition of sterically hindered silyboranes to terminal alkynes, 179
- Silicon
 Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39
 Transformations of organosilanes by Pt(II) complexes with hemilabile P,N-chelating ligands, 53
 Very strong anionic homoaromaticity in (*deloc*-1,3,4)-1-sila-3,4-diboracyclopentane-1-ides, the importance of the energy of the reference system for homoaromatic stabilization energies, 262
- Siloxane
 First siloxane tethered paracyclophane, 167
- Silyl complexes
 Transformations of organosilanes by Pt(II) complexes with hemilabile P,N-chelating ligands, 53
- Silylene
 The quest for triplet ground state silylenes, 68
- Solid-state NMR spectroscopy
 Octakis[(2,2,6,6-tetramethylpiperidino)methyl]octasilsesquioxane: synthesis and crystal structure analysis of a new aminoorganyl-functionalized octasilsesquioxane, 200
- Stereochemistry
 Regio- and stereoselective addition of sterically hindered silyboranes to terminal alkynes, 179
- Structures
 Imido analogs of aluminophosphates: syntheses and X-ray structures of $\{\text{LiAl}[\text{OP}(\text{N}^t\text{Bu})_2(\text{NH}^t\text{Bu})_2]\}_2$ and the mono- and di-methylaluminum complexes of the anions $[\text{OP}(\text{N}^t\text{Bu})_x(\text{NH}^t\text{Bu})_{3-x}]^{x-}$ ($x = 1, 2$), 107
 Organoaluminum chemistry with low valent aluminum — recent developments, 4
- Sulfurdiimidato
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Syntheses
 Organoaluminum chemistry with low valent aluminum — recent developments, 4
- Synthesis
 Synthesis of 2H-1,2-oxaphosphorin 2-oxides, 153
- Tellurate
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- TelluriumIV
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- 1,1,2,2-Tetrabutylstannanes
 Reaction pathways towards 1,1,2,2-tetra^tbutylstannanes, 271
- Thallium
 Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, $[\text{M}(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2^t)]$, M = Ga, Tl, 191
- Thiatelluranitrogen-chemistry
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Tin
 New synthetic approach and structural characterization of the chloroalkylstannanes $(\text{Cl-CH}_2)_n \text{SnCl}_{4-n}$ ($n = 2, 4$) and the hydrolysis product $[(\text{ClCH}_2)_2\text{Sn}(\text{Cl})\text{-O-Sn}(\text{Cl})(\text{CH}_2\text{Cl})_2]_2$, 138
 Some recent advances in the chemistry of silicon and its homologues in low coordination states, 39
- Topology
 Chemical applications of topology and group theory. Part 36. Deltahedral and fused deltahedral organometallic gallium and indium clusters, 146
- Transannulation
 $\text{P}(\text{MeNMCH}_2\text{CH}_2)_3\text{N}$: an effective catalyst for trimethylsilycylation of aldehydes and ketones, 161
- Transition metal
 Cp^*GaCl_2 and Cp^*GaCl ($\text{Cp}^* = \eta^1\text{-C}_5\text{Me}_5$) as starting materials for novel Group 13 element complexes, 247
- Trifluoroacetate
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Trifluoromethylsulfonate
 Acyclic and heterocyclic tellurathianitrogen compounds: a review on recent publications, 80
- Triphospholyl ligands
 Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, $[\text{M}(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2^t)]$, M = Ga, Tl, 191
- Triplet ground state
 The quest for triplet ground state silylenes, 68
- UV spectrum
 First siloxane tethered paracyclophane, 167
- UV-vis absorption spectra
 The coordination number–photophysical properties relationship of trianthrylphosphorus compounds: doubly locked fluorescence of anthryl groups, 277
- X-ray crystallography
 Synthesis and structural characterisation of the 3,5-di-*tert*-butyl-1,2,4-triphospholyl complexes of monovalent gallium and thallium, $[\text{M}(\eta^5\text{-P}_3\text{C}_2\text{Bu}_2^t)]$, M = Ga, Tl, 191
- X-ray diffraction
 Imido analogs of aluminophosphates: syntheses and X-ray structures of $\{\text{LiAl}[\text{OP}(\text{N}^t\text{Bu})_2(\text{NH}^t\text{Bu})_2]\}_2$ and the mono- and di-methylaluminum complexes of the anions $[\text{OP}(\text{N}^t\text{Bu})_x(\text{NH}^t\text{Bu})_{3-x}]^{x-}$ ($x = 1, 2$), 107
- X-ray structure
 First siloxane tethered paracyclophane, 167
- Zwitterionic pentacoordinate silicate
 Octakis[(2,2,6,6-tetramethylpiperidino)methyl]octasilsesquioxane: synthesis and crystal structure analysis of a new aminoorganyl-functionalized octasilsesquioxane, 200