

## Subject Index of Volume 647

- Actinide**  
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
- Activation small molecule**  
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180
- Alkoxides**  
Organolanthanide chemistry in the gas phase, 216
- Alkylisocyanates**  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
- Alkyl (meth)acrylate**  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
- Alkynylsilane**  
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225
- Allyl complexes**  
Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
- Amides**  
Aspects of non-classical organolanthanide chemistry, 71
- Amido**  
Towards f and d electron interactions in amido metal complexes, 12
- Amido-cyclopentadienyl ligand**  
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158
- Aminopyridinato**  
Towards f and d electron interactions in amido metal complexes, 12
- Arene complexes**  
Organolanthanide chemistry in the gas phase, 216
- Aryloxiide**  
New N- and O-donor ligand environments in organoscandium chemistry, 145  
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
- Aryloxo**  
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50
- Asymmetric monoacylation**  
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
- Binaphthol**  
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151
- Binaphtholate ancillary ligands**  
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
- Bis(pentafluorophenyl)mercury**  
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50
- Bis(phosphinimino)methanides**  
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123
- Bis(silyl)alkene**  
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225
- 3-Butenylcyclopentadiene**  
Synthesis, characterization and application of organolanthanide complexes (CH<sub>2</sub>=CHCH<sub>2</sub>CH<sub>2</sub>C<sub>5</sub>H<sub>4</sub>)<sub>2</sub>L<sub>n</sub>-Cl·2THF (L<sub>n</sub> = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts, 105
- Catalysis**  
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151  
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225  
Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28
- C–H bond activation**  
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158
- Copolymerisation**  
Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
- Crown ether**  
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
- Cyanohydrin**  
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151
- Cyclooctatetraene**  
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl]-(tetrahydrofuran)neodymium, 139
- Cyclopentadienyl**  
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50  
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123
- Cyclopentadienyls**  
Aspects of non-classical organolanthanide chemistry, 71

## Deoxygenation

Organolanthanides  $R\text{LnX}$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21

## Desymmetrisation

Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205

## DFT

DFT studies of some structures and reactions of lanthanides complexes, 190

## Dianionic ligands

Organolanthanides  $R\text{LnX}$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21

## Diene

Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167

 $\beta$ -Diketiminates

Aspects of non-classical organolanthanide chemistry, 71

## Dinitrogen complexes

The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2

## Divalent lanthanides

Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61

## Donor functionalized Cp and Ind ligand

Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100

## Enantioselective synthesis

Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151

## Ethylene

Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128

## Fluorenyl cyclopentadienyl

Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with  $C_s$ - or  $C_1$ -symmetry, 114

## FT-ICR/MS

Organolanthanide chemistry in the gas phase, 216

## Gas phase

Organolanthanide chemistry in the gas phase, 216

## Half-sandwich complex

A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand  $[\text{C}_5\text{H}_4\text{CH}_2\text{CH}(\text{O})\text{CH}_2\text{OBu}^\eta]^{2-}$ : synthesis, self-assembly of a tetranuclear cubane-like framework  $\{[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\mu^3\text{-}\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{Yb}\}_4$  and oxidative alkylation by  $\text{Me}_2\text{Hg}$  to the Yb(III) derivative  $[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{YbMe}(\text{THF})$ , 94

## Half-sandwich complexes

Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158

## Heterobimetallic

Towards f and d electron interactions in amido metal complexes, 12

## Heterocycles

Metalation of aromatic heterocycles by yttrium alkyl complexes

that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158

## Heteroleptic complexes

$[(\text{Tp}^{\text{t-Bu,Me}})\text{Yb}(\mu\text{-H})_2]$ : a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

## Hydride

$[(\text{Tp}^{\text{t-Bu,Me}})\text{Yb}(\mu\text{-H})_2]$ : a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

## Hydrosilylation

Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225

## Hydrotris(pyrazolyl)borate

$[(\text{Tp}^{\text{t-Bu,Me}})\text{Yb}(\mu\text{-H})_2]$ : a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

## Insertion

Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28

## Intramolecular coordination

Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100

## Lactones

Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128

## Lanthanide

Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50

Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151

DFT studies of some structures and reactions of lanthanides complexes, 190

Intramolecular coordination of Ln–O and Ln–N bonds in some new substituted lanthanocene complexes, 100

Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167

Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with  $C_s$ - or  $C_1$ -symmetry, 114

The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2

## Lanthanide complexes

Aspects of non-classical organolanthanide chemistry, 71

## Lanthanide ions

Organolanthanide chemistry in the gas phase, 216

## Lanthanides

A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand  $[\text{C}_5\text{H}_4\text{CH}_2\text{CH}(\text{O})\text{CH}_2\text{OBu}^\eta]^{2-}$ : synthesis, self-assembly of a tetranuclear cubane-like framework  $\{[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\mu^3\text{-}\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{Yb}\}_4$  and oxidative alkylation by  $\text{Me}_2\text{Hg}$  to the Yb(III) derivative  $[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{YbMe}(\text{THF})$ , 94

Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123

Synthesis, characterization and application of organolanthanide complexes  $(\text{CH}_2=\text{CHCH}_2\text{CH}_2\text{C}_5\text{H}_4)_2\text{Ln}-\text{Cl}\cdot 2\text{THF}$  (Ln = Sm, Y, Dy, Er) as methyl methacrylate (MMA) polymerization catalysts, 105

$[(\text{Tp}^{\text{t-Bu,Me}})\text{Yb}(\mu\text{-H})_2]$ : a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84

- Lanthanocene  
Synthesis, structural characterization and catalytic behavior of one-atom bridged fluorenyl cyclopentadienyl lanthanocene complexes with  $C_s$ - or  $C_1$ -symmetry, 114
- Lanthanum  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Ligand modeling  
DFT studies of some structures and reactions of lanthanides complexes, 190
- Lutetium  
Organolanthanides  $RL_nX$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
- Macrocyclic  
New N- and O-donor ligand environments in organoscandium chemistry, 145
- Metallocene complex  
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
- Metallocenes  
Organolanthanide chemistry in the gas phase, 216  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Metal–metal bonds  
Organolanthanide chemistry in the gas phase, 216
- Mixed ligands  
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
- MMA  
Synthesis, characterization and application of organolanthanide complexes ( $CH_2=CHCH_2CH_2C_5H_4$ ) $_2Ln-Cl \cdot 2THF$  ( $L_n = Sm, Y, Dy, Er$ ) as methyl methacrylate (MMA) polymerization catalysts, 105
- Molecules  
DFT studies of some structures and reactions of lanthanides complexes, 190
- Monodentate-anion ligand  
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
- Neodymium  
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl] (tetrahydrofuran)neodymium, 139
- N ligands  
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123
- NMR spectra  
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
- Olefin  
Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
- Olefins  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
- Orbital  
DFT studies of some structures and reactions of lanthanides complexes, 190
- Organoimides  
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50
- Organolanthanide  
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225  
Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28
- Organolanthanides  
Organolanthanides  $RL_nX$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
- Organolanthanoid complex  
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180
- Organometallic  
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
- Organoyttrium  
Hydrosilylation of alkynylsilanes utilizing organolanthanide and Group 3 metallocene complexes, 225
- Pentafluorophenyl  
Bis(pentafluorophenyl)mercury—a versatile synthon in organo-, organooxo-, and organoamido-lanthanoid chemistry, 50
- Pentamethylcyclopentadienyl  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Phosphole  
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl]-(tetrahydrofuran)neodymium, 139
- Polyamide  
New N- and O-donor ligand environments in organoscandium chemistry, 145
- Polydentate Schiff base  
Intramolecular coordination of  $L_n-O$  and  $L_n-N$  bonds in some new substituted lanthanocene complexes, 100
- Polymerisation  
Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167
- Polymerization  
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128  
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180  
Synthesis, characterization and application of organolanthanide complexes ( $CH_2=CHCH_2CH_2C_5H_4$ ) $_2Ln-Cl \cdot 2THF$  ( $L_n = Sm, Y, Dy, Er$ ) as methyl methacrylate (MMA) polymerization catalysts, 105
- Pybox  
Defining effective chiral binding sites at lanthanides—highly enantioselective reagents and catalysts from binaphtholate and pybox ligands, 151
- Rare-earth-metal complex  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
- Reactivity  
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180
- Redox transmetalation  
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand  $[C_5H_4CH_2CH(O)CH_2OBU^m]^{2-}$ : synthesis, self-assembly of a tetranuclear cubane-like framework  $\{[(\eta^5-C_5H_4)CH_2CH(\mu^3:\eta^1-O)CH_2OBU^m]Yb\}_4$  and oxidative

- alkylation by  $\text{Me}_2\text{Hg}$  to the Yb(III) derivative  $[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{YbMe}(\text{THF})$ , 94
- Reduction**  
Lanthanide(II) complexes bearing mixed linked and unlinked methylcyclopentadienyl–monodentate-anionic ligands, 61
- Review**  
Insertions into lanthanide–ligand bonds in organolanthanide chemistry, 28
- Samarium**  
Non-hindered ansamarocenes, versatile catalysts for diene/olefin/polar monomer copolymerisations. What is really the active species?, 167  
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245  
Synthesis of mixed phospholyl/cyclooctatetraenyl–lanthanide complexes. Crystal and molecular structure of (cyclooctatetraenyl)[3,4-dimethyl-2,5-bis(trimethylsilyl)-phospholyl] (tetrahydrofuran)neodymium, 139
- Scandium**  
New N- and O-donor ligand environments in organoscandium chemistry, 145  
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245  
 $\beta$ -SiH monoagostic interactions  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Silsesquioxanes**  
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245
- Silylamide route**  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Sm(III) Lewis acid**  
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
- Sterically induced reduction**  
The expansion of divalent organolanthanide reduction chemistry via new molecular divalent complexes and sterically induced reduction reactivity of trivalent complexes, 2
- Structure**  
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
- Styrene**  
Organo-rare-earth-metal initiated living polymerizations of polar and nonpolar monomers, 128
- Sulfur biphenolate**  
Symmetric and asymmetric samarium alkoxide derivatives of bridging sulfur biphenolate and binaphtholate ligands; synthetic, structural, and catalytic studies, 205
- Synthesis**  
Synthesis and reactivity of organolanthanoid complexes containing N and S ligands, 180
- tert-Butoxides**  
Aspects of non-classical organolanthanide chemistry, 71
- Tetramethylcyclopentadienyl**  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Tetraphenylcyclopentadienyl**  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236
- Tridentate cyclopentadienyl ligand**  
A new half-sandwich Yb(II) complex with the tridentate cyclopentadienyl ligand  $[\text{C}_5\text{H}_4\text{CH}_2\text{CH}(\text{O})\text{CH}_2\text{OBu}^\eta]^{2-}$ : synthesis, self-assembly of a tetranuclear cubane-like framework  $\{[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\mu^3\text{-}\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{Yb}\}_4$  and oxidative alkylation by  $\text{Me}_2\text{Hg}$  to the Yb(III) derivative  $[(\eta^5\text{-C}_5\text{H}_4)\text{CH}_2\text{CH}(\eta^1\text{-O})\text{CH}_2\text{OBu}^\eta]\text{YbMe}(\text{THF})$ , 94
- X-ray**  
New N- and O-donor ligand environments in organoscandium chemistry, 145
- X-ray structure**  
Silsesquioxane chemistry. Part 10. Silsesquioxane silanolate complexes of samarium and scandium, 245
- Ytterbium**  
Organolanthanides  $\text{RLnX}$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21
- Ytterbium(II)**  
 $[(\text{Tp}^{\text{t-Bu,Me}})\text{Yb}(\mu\text{-H})_2]$ : a fecund precursor to a host of divalent, hydrotris(pyrazolyl)borate supported f-element complexes, 84
- Ytterbium(II) amides**  
Ytterbium(II) amides and crown ethers: addition versus amide substitution, 198
- Yttrium**  
Cyclopentadienyl complexes of yttrium and the lanthanides with bis(phosphinimino)methanides, 123  
Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation, 158  
Organolanthanides  $\text{RLnX}$  (R is alkyl, aryl, X is halogen) and lanthanide complexes with aromatic hydrocarbon dianions: synthesis, structure, and reactivity, 21  
 $\beta$ -SiH agostic bonding in sterically crowded lanthanidocene silylamide complexes, 236