

Subject Index of Volume 648

- Ab initio calculations
Quantum chemical studies on elementary fragments of three-coordinated methylaluminoxanes, 49
The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270
- Acid anhydrides
Rhodium-catalyzed coupling of sodium tetraphenylborate with acid anhydrides in the presence or absence of norbornene, 297
- Agostic
Synthesis and structural characterisation of 'solvent-free' lithium–calcium hexamethyldisilazide, $[\text{Li}\{\mu\text{-N}(\text{SiMe}_3)_2\}_2\text{Ca}\{\text{N}(\text{SiMe}_3)_2\}]$, exhibiting a double ration of agostic $\text{H}_3\text{C}\cdots\text{Li}$ and $\text{H}_3\text{C}\cdots\text{Ca}$ intramolecular interactions, 288
- Aldehydes
Reaction of $[\text{RhCl}(\text{CO})_2]_2$ or $[\text{RhCl}(\text{COD})]_2$ with *o*-(diphenylphosphino)benzaldehyde. Formation of hemiaminals in the subsequent reaction with dihydrazones, 149
- Alkyl groups
Synthesis and characterization of fluoroalkyldistannoxanes, 246
- Alkynyl-bridged trinuclear magnesium compound
Synthesis, characterization and crystal structures of alkyl-, alkynyl-, alkoxy- and halo-magnesium amides, 176
- Aluminoxanes
Quantum chemical studies on elementary fragments of three-coordinated methylaluminoxanes, 49
- Amide
Synthesis and structural characterisation of 'solvent-free' lithium–calcium hexamethyldisilazide, $[\text{Li}\{\mu\text{-N}(\text{SiMe}_3)_2\}_2\text{Ca}\{\text{N}(\text{SiMe}_3)_2\}]$, exhibiting a double ration of agostic $\text{H}_3\text{C}\cdots\text{Li}$ and $\text{H}_3\text{C}\cdots\text{Ca}$ intramolecular interactions, 288
- Amino sugar
Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81
- Antimony
Oxidation of tetraaryldistibanes: syntheses and crystal structures of diarylantimony oxides and peroxides, $(\text{R}_2\text{Sb})_2\text{O}$, $(\text{R}_2\text{Sb})_4\text{O}_6$ and $(\text{R}_2\text{SbO})_4(\text{O}_2)_2$ ($\text{R} = \text{Ph}$, *o*-Tol, *p*-Tol), 209
Silicon-lead chalcogenides of the types $\text{Me}_4\text{Si}_2(\text{E})_2\text{PbPh}_2$ and $\text{Ph}_2\text{Pb}(\text{E})_2\text{Si}_2\text{Me}_2(\text{E})_2\text{PbPh}_2$ ($\text{E} = \text{S}$, Se) and related compounds containing tin and antimony, 220
Syntheses and crystal structures of a covalent trialkylantimony hydroxo bromide and related trialkylantimony(V) halides, 33
- Barium
Synthesis and characterization of monomeric Ba and Sr complexes with malonate and Lewis base ligands, 214
- 1,4-Benzenedicuprates
One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109
- 1,1'-Bi-2-naphtholate
Synthesis and structure of a chromium(III) complex coordinated by 1,1'-Bi-2-naphtholate ligands and its catalytic activity for ethylene polymerization, 226
- Bioconjugate
Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81
- Bromine
Syntheses and crystal structures of a covalent trialkylantimony hydroxo bromide and related trialkylantimony(V) halides, 33
- Bromoallenes
One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109
- 1,4-Butanededicuprates
One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109
- Calcium
Synthesis and structural characterisation of 'solvent-free' lithium–calcium hexamethyldisilazide, $[\text{Li}\{\mu\text{-N}(\text{SiMe}_3)_2\}_2\text{Ca}\{\text{N}(\text{SiMe}_3)_2\}]$, exhibiting a double ration of agostic $\text{H}_3\text{C}\cdots\text{Li}$ and $\text{H}_3\text{C}\cdots\text{Ca}$ intramolecular interactions, 288
- Carbonyl
Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193
- Carbonyl complexes
Intramolecular interactions in 2,6-pyridylacetylenes and their $\text{Co}_2(\text{CO})_4\text{dppm}$ complexes, 251
- Carbyne
Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93
- Catalysis
Synthesis of novel metallocyclic zirconocene complexes from ω -alkenyl-functionalized zirconocene dichloride complexes and their use in the α -olefin polymerization, 134
- Chiral
Chiral trialkoxysilanols derived from terpene alcohols. Molecular structures of tris([(1*S*)-endo]-(–)-bornoxy)silanol and tetrais(–)-menthoxy)silane, 188
- Chiral α,ω -diynes
One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109
- Chloroketene
Reaction of $(\eta^4\text{-cycloheptatriene})\text{Fe}(\text{CO})_3$ with haloketenes: structure and reactivity of the cycloadducts, 164
- Chromium
Synthesis and structure of a chromium(III) complex coordinated by 1,1'-Bi-2-naphtholate ligands and its catalytic activity for ethylene polymerization, 226
- Cobalt
New complexes with M–Si–O or M–Si–S linkages ($\text{M} = \text{Fe}$ or Co), 237

Cobaltocenium

The synthesis and complexation of a cobaltocenium-based redox-active cryptand containing the phenanthroline unit, 8

Copper

One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109

Coupling reactions

One pot stereoselective synthesis of chiral α,ω -diynes from bromoallenes and organobis(heterocuprates), 109

'Cp₂Ti'-containing complex

Synthesis and characterization of Cp₂Ti-containing organometallics via in situ oxidative-addition of 'Cp₂Ti' intermediate. Crystal structures of (1-C₁₀H₇S)₂TiCp₂, [(η^5 -C₅H₅)Fe(η^5 -C₅H₄CH₂S)]₂TiCp₂ and [η^2 -OC(Ph)=C(Ph)O]TiCp₂, 119

Cross-coupling

Rhodium-catalyzed coupling of sodium tetraphenylborate with acid anhydrides in the presence or absence of norbornene, 297

Crystal structures

Synthesis and characterization of Cp₂Ti-containing organometallics via in situ oxidative-addition of 'Cp₂Ti' intermediate. Crystal structures of (1-C₁₀H₇S)₂TiCp₂, [(η^5 -C₅H₅)Fe(η^5 -C₅H₄CH₂S)]₂TiCp₂ and [η^2 -OC(Ph)=C(Ph)O]TiCp₂, 119

Cyclic dinuclear structures

Structures of Pt₂(CH₃)₄(S(CH₃)₂)₂ and [PtPh₂(S(CH₃)₂)_n] (*n* = 2, 3), 302

Cyclic trinuclear structures

Structures of Pt₂(CH₃)₄(S(CH₃)₂)₂ and [PtPh₂(S(CH₃)₂)_n] (*n* = 2, 3), 302

Cyclic voltammetry

Synthesis and characterization of Cp₂Ti-containing organometallics via in situ oxidative-addition of 'Cp₂Ti' intermediate. Crystal structures of (1-C₁₀H₇S)₂TiCp₂, [(η^5 -C₅H₅)Fe(η^5 -C₅H₄CH₂S)]₂TiCp₂ and [η^2 -OC(Ph)=C(Ph)O]TiCp₂, 119

Cyclization

Synthesis of novel metallacyclic zirconocene complexes from ω -alkenyl-functionalized zirconocene dichloride complexes and their use in the α -olefin polymerization, 134

[2 + 2] Cycloaddition

Reaction of (η^4 -cycloheptatriene)Fe(CO)₃ with haloketenes: structure and reactivity of the cycloadducts, 164

Cycloaddition reaction

1,4-Diaza-1,3-diene (DAD) complexes of early transition metals. Synthesis and structural characterization of (*t*-Bu-DAD)ZrCl(μ -Cl)₃Zr(*t*-Bu-DAD)(THF) and its reaction with benzophenone, 87

Cycloheptatriene

Reaction of (η^4 -cycloheptatriene)Fe(CO)₃ with haloketenes: structure and reactivity of the cycloadducts, 164

(η^4 -Cycloheptatriene)Fe(CO)₃

Reaction of (η^4 -cycloheptatriene)Fe(CO)₃ with haloketenes: structure and reactivity of the cycloadducts, 164

Cyclometallation

5-Methylquinoxaline as a versatile mono-, bi- and tridentate ligand in Palladium(II) chemistry. Crystal structures of *trans*-[Pd(OAc)₂(N1-C₈H₅N₂Me-5)₂] and [Pd(OAc)(C,N4-CH₂C₈H₅N₂-5)(PPh₃)], 62

Density functional calculations

A theoretical analysis of [M(tmtaa)] and [M(acacen)] fragments employed in the organometallic chemistry of early transition metals, 14

Density functional study

On the mechanism of olefin polymerisation with titanium β -diketonato complexes. A model density functional study, 126

DFT-calculations, Matrix isolation

A theoretical study of the reaction products created by irradiation

of the carbonyl iron silyl complexes Cp(CO)₂FeSiH₂Me and Cp(CO)₂FeCH₂SiH₃, 155

Dialkyl dithiocarbamates

Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193

1,4-Diaza-1,3-diene

1,4-Diaza-1,3-diene (DAD) complexes of early transition metals. Synthesis and structural characterization of (*t*-Bu-DAD)ZrCl(μ -Cl)₃Zr(*t*-Bu-DAD)(THF) and its reaction with benzophenone, 87

Dibenzotetramethyltetraaza[14]annulene dianion ([tmtaa]²⁻)

A theoretical analysis of [M(tmtaa)] and [M(acacen)] fragments employed in the organometallic chemistry of early transition metals, 14

2,5-dichloro-1,4-dicyanamidobenzene

Synthetic, spectral, electrochemical and structural aspects of some Ru(II) arene complexes with some novel bridging ligands, 27

Dichloroketene

Reaction of (η^4 -cycloheptatriene)Fe(CO)₃ with haloketenes: structure and reactivity of the cycloadducts, 164

1,4-dicyanamidobenzene

Synthetic, spectral, electrochemical and structural aspects of some Ru(II) arene complexes with some novel bridging ligands, 27

Diimine ligands

New bis(imino)pyridine-iron(II)- and cobalt(II)-based catalysts: synthesis, characterization and activity towards polymerization of ethylene, 55

2,5-dimethyl-1,4-dicyanamidobenzene

Synthetic, spectral, electrochemical and structural aspects of some Ru(II) arene complexes with some novel bridging ligands, 27

Diphosphine

Synthesis of 2,4,6-tris(trifluoromethyl)phenyl complexes of gold and thallium, 1

Dynamic process

Synthesis and properties of homoannularly- and heteroannularly carbonyl-bridged binuclear ruthenocene derivatives, 72

Early transition metal complexes

A theoretical analysis of [M(tmtaa)] and [M(acacen)] fragments employed in the organometallic chemistry of early transition metals, 14

Electrochemistry

Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81

Electronic effects

Quantum chemical studies on elementary fragments of three-coordinated methylaluminoxanes, 49

Ethylene polymerization

Synthesis and structure of a chromium(III) complex coordinated by 1,1'-Bi-2-naphtholate ligands and its catalytic activity for ethylene polymerization, 226

Synthesis of novel metallacyclic zirconocene complexes from ω -alkenyl-functionalized zirconocene dichloride complexes and their use in the α -olefin polymerization, 134

Ethylnylpyridyls

Intramolecular interactions in 2,6-pyridylacetylenes and their Co₂(CO)₄dppm complexes, 251

Ferrocene

Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81

- Ferrocenyl
Intramolecular interactions in 2,6-pyridylacetylenes and their $\text{Co}_2(\text{CO})_4\text{dppm}$ complexes, 251
- Fluoride
Observation of inter- and intramolecular C–H...F hydrogen bonding in Gingras' salt: $[\eta\text{-Bu}_4\text{N}]^+[\text{Ph}_3\text{SnF}_2]^-$, 204
- Fluoroalkyldistannoxanes
Synthesis and characterization of fluoroalkyldistannoxanes, 246
- Fluoroaryl
Synthesis of 2,4,6-tris(trifluoromethyl)phenyl complexes of gold and thallium, 1
- FT-IR and Raman spectroscopy
A theoretical study of the reaction products created by irradiation of the carbonyl iron silyl complexes $\text{Cp}(\text{CO})_2\text{FeSiH}_2\text{Me}$ and $\text{Cp}(\text{CO})_2\text{FeCH}_2\text{SiH}_3$, 155
- Glucosamine
Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81
- Gold
Synthesis of 2,4,6-tris(trifluoromethyl)phenyl complexes of gold and thallium, 1
- Group 4 transition metal
Synthesis of Group 4 transition-metal complexes bearing a secondary phosphine pendant cyclopentadienyl ligand, 231
- Halide ligands
Photosubstitution of the halide ligands (X^-) in $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{X}$, 293
- Hauser base
Synthesis, characterization and crystal structures of alkyl-, alkynyl-, alkoxy- and halo-magnesium amides, 176
- Hemiaminals
Reaction of $[\text{RhCl}(\text{CO})_2]_2$ or $[\text{RhCl}(\text{COD})]_2$ with *o*-(diphenylphosphino)benzaldehyde. Formation of hemiaminals in the subsequent reaction with dihydrazones, 149
- Heterodiene
1,4-Diaza-1,3-diene (DAD) complexes of early transition metals. Synthesis and structural characterization of $(t\text{-Bu-DAD})\text{ZrCl}(\mu\text{-Cl})_3\text{Zr}(t\text{-Bu-DAD})(\text{THF})$ and its reaction with benzophenone, 87
- Heteroleptic magnesium amides
Synthesis, characterization and crystal structures of alkyl-, alkynyl-, alkoxy- and halo-magnesium amides, 176
- Heterometallic
Synthesis and structural characterisation of 'solvent-free' lithium–calcium hexamethyldisilazide, $[\text{Li}\{\mu\text{-N}(\text{SiMe}_3)_2\}_2\text{Ca}\{\text{N}(\text{SiMe}_3)_2\}]$, exhibiting a double ration of agostic $\text{H}_3\text{C}\cdots\text{Li}$ and $\text{H}_3\text{C}\cdots\text{Ca}$ intramolecular interactions, 288
- High pressure
Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93
- Hydridotris(1-pyrazolyl)borate
Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193
- Hypercoordination
Observation of inter- and intramolecular C–H...F hydrogen bonding in Gingras' salt: $[\eta\text{-Bu}_4\text{N}]^+[\text{Ph}_3\text{SnF}_2]^-$, 204
- Hypervalency
Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280
- Imidato ligands
Photosubstitution of the halide ligands (X^-) in $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{X}$, 293
- Indacen-4,8-dione
Synthesis and properties of homoannularly- and heteroannularly carbonyl-bridged binuclear ruthenocene derivatives, 72
- Infrared
Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93
- Intramolecular interactions
Intramolecular interactions in 2,6-pyridylacetylenes and their $\text{Co}_2(\text{CO})_4\text{dppm}$ complexes, 251
Synthesis and structural characterisation of 'solvent-free' lithium–calcium hexamethyldisilazide, $[\text{Li}\{\mu\text{-N}(\text{SiMe}_3)_2\}_2\text{Ca}\{\text{N}(\text{SiMe}_3)_2\}]$, exhibiting a double ration of agostic $\text{H}_3\text{C}\cdots\text{Li}$ and $\text{H}_3\text{C}\cdots\text{Ca}$ intramolecular interactions, 288
- Iodine
Syntheses and crystal structures of a covalent trialkylantimony hydroxo bromide and related trialkylantimony(V) halides, 33
- Iron
New complexes with M–Si–O or M–Si–S linkages (M = Fe or Co), 237
- Iron(II)- and cobalt(II)-complexes
New bis(imino)pyridine-iron(II)- and cobalt(II)-based catalysts: synthesis, characterization and activity towards polymerization of ethylene, 55
- Isocyanide
Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93
- Isocyanides
Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193
- Linear and branched polyethylene
New bis(imino)pyridine-iron(II)- and cobalt(II)-based catalysts: synthesis, characterization and activity towards polymerization of ethylene, 55
- Malonate
Synthesis and characterization of monomeric Ba and Sr complexes with malonate and Lewis base ligands, 214
- Metallacycles
Synthesis of novel metallacyclic zirconocene complexes from ω -alkenyl-functionalized zirconocene dichloride complexes and their use in the α -olefin polymerization, 134
- Metallo-ligands
Synthetic, spectral and structural aspects of some mono- and binuclear (homo/hetero) Ru(II) hydrido carbonyl complexes, 39
- Methylaluminumoxane
New bis(imino)pyridine-iron(II)- and cobalt(II)-based catalysts: synthesis, characterization and activity towards polymerization of ethylene, 55
- Methylquinoxaline
5-Methylquinoxaline as a versatile mono-, bi- and tridentate ligand in Palladium(II) chemistry. Crystal structures of *trans*- $[\text{Pd}(\text{OAc})_2(\text{N}1\text{-C}_8\text{H}_5\text{N}_2\text{Me-5})_2]$ and $[\text{Pd}(\text{OAc})(\text{C},\text{N}4\text{-CH}_2\text{C}_8\text{H}_5\text{N}_2\text{-5})(\text{PPh}_3)]$, 62
- Molybdenocene
The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270
- Molybdenum
The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270
Tripodal triphos $\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}$ complexes of molybdenum(II) and tungsten(II). Reactions of $[\text{M}_2(\text{CO})_3\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\text{-P},\text{P}'\}]$ (M = Mo or W) with molybdenum(II) and tungsten(II) complexes, 99

NMR spectroscopy

Silicon-lead chalcogenides of the types $\text{Me}_4\text{Si}_2(\text{E})_2\text{PbPh}_2$ and $\text{Ph}_2\text{Pb}(\text{E})_2\text{Si}_2\text{Me}_2(\text{E})_2\text{PbPh}_2$ ($\text{E} = \text{S}, \text{Se}$) and related compounds containing tin and antimony, 220

N,N'-dicyano 4-4'-diaminobiphenyl

Synthetic, spectral, electrochemical and structural aspects of some Ru(II) arene complexes with some novel bridging ligands, 27

N,N'-ethylenebis(acetylacetonato)dianion Schiff base ($[\text{aca-cen}]^{2-}$)

A theoretical analysis of $[\text{M}(\text{tmtaa})]$ and $[\text{M}(\text{acacen})]$ fragments employed in the organometallic chemistry of early transition metals, 14

Nucleoside

Synthesis and electrochemistry of 5-ferrocene-glucosamide, 5-ferrocene-glucosamide phosphate and 5-ferrocene-amido-5-adenosine in aqueous solution, 81

Olefin polymerisation

On the mechanism of olefin polymerisation with titanium β -diketonato complexes. A model density functional study, 126

Organoboron compounds

Rhodium-catalyzed coupling of sodium tetraphenylborate with acid anhydrides in the presence or absence of norbornene, 297

Organoplatinum compounds

Structures of $\text{Pt}_2(\text{CH}_3)_4(\text{S}(\text{CH}_3)_2)_2$ and $[\text{PtPh}_2(\text{S}(\text{CH}_3)_2)]_n$ ($n = 2, 3$), 302

Organotin

Observation of inter- and intramolecular C–H...F hydrogen bonding in Gingras' salt: $[\text{n-Bu}_4\text{N}]^+ [\text{Ph}_3\text{SnF}_2]^-$, 204

Oxidative-addition

Reaction of $[\text{RhCl}(\text{CO})_2]_2$ or $[\text{RhCl}(\text{COD})]_2$ with *o*-(diphenylphosphino)benzaldehyde. Formation of hemiaminals in the subsequent reaction with dihydrazones, 149

Oxygen

Oxidation of tetraaryldistibanes: syntheses and crystal structures of diarylantimony oxides and peroxides, $(\text{R}_2\text{Sb})_2\text{O}$, $(\text{R}_2\text{Sb})_4\text{O}_6$ and $(\text{R}_2\text{SbO})_4(\text{O}_2)_2$ ($\text{R} = \text{Ph}, o\text{-Tol}, p\text{-Tol}$), 209

Palladium

5-Methylquinoxaline as a versatile mono-, bi- and tridentate ligand in Palladium(II) chemistry. Crystal structures of *trans*- $[\text{Pd}(\text{OAc})_2(\text{N}1\text{-C}_8\text{H}_5\text{N}_2\text{Me-5})_2]$ and $[\text{Pd}(\text{OAc})(\text{C},\text{N}4\text{-CH}_2\text{C}_8\text{H}_5\text{N}_2\text{-5})(\text{PPh}_3)]$, 62

Partition coefficients

Synthesis and characterization of fluoroalkyldistannoxanes, 246

Pentacoordinated

Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280

Peroxides

Oxidation of tetraaryldistibanes: syntheses and crystal structures of diarylantimony oxides and peroxides, $(\text{R}_2\text{Sb})_2\text{O}$, $(\text{R}_2\text{Sb})_4\text{O}_6$ and $(\text{R}_2\text{SbO})_4(\text{O}_2)_2$ ($\text{R} = \text{Ph}, o\text{-Tol}, p\text{-Tol}$), 209

Phenanthroline unit

The synthesis and complexation of a cobaltocenium-based redox-active cryptand containing the phenanthroline unit, 8

Phosphine pendant cyclopentadienyl ligand

Synthesis of Group 4 transition-metal complexes bearing a secondary phosphine pendant cyclopentadienyl ligand, 231

Photochemistry

A theoretical study of the reaction products created by irradiation of the carbonyl iron silyl complexes $\text{Cp}(\text{CO})_2\text{FeSiH}_2\text{Me}$ and $\text{Cp}(\text{CO})_2\text{FeCH}_2\text{SiH}_3$, 155

Photosubstitution

Photosubstitution of the halide ligands (X^-) in $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)\text{X}$, 293

Polymerization catalysts

New bis(imino)pyridine-iron(II)- and cobalt(II)-based catalysts: synthesis, characterization and activity towards polymerization of ethylene, 55

Poly-pyridyl ligands

Synthetic, spectral and structural aspects of some mono- and binuclear (homo/hetero) Ru(II) hydrido carbonyl complexes, 39

Precursor

Synthesis and characterization of monomeric Ba and Sr complexes with malonate and Lewis base ligands, 214

Protonation

Synthesis and properties of homoannularly- and heteroannularly carbonyl-bridged binuclear ruthenocene derivatives, 72

Pyridinediols

Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280

Raman

Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93

Redox

Intramolecular interactions in 2,6-pyridylacetylenes and their $\text{Co}_2(\text{CO})_4\text{dppm}$ complexes, 251

Redox-active cryptand

The synthesis and complexation of a cobaltocenium-based redox-active cryptand containing the phenanthroline unit, 8

Rhodium catalyst

Rhodium-catalyzed coupling of sodium tetraphenylborate with acid anhydrides in the presence or absence of norbornene, 297

Rhodium complexes

Reaction of $[\text{RhCl}(\text{CO})_2]_2$ or $[\text{RhCl}(\text{COD})]_2$ with *o*-(diphenylphosphino)benzaldehyde. Formation of hemiaminals in the subsequent reaction with dihydrazones, 149

Ring slippage

The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270

Ruthenium

Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193

Ruthenium arene complexes

Synthetic, spectral, electrochemical and structural aspects of some Ru(II) arene complexes with some novel bridging ligands, 27

Ruthenocenophane

Synthesis and properties of homoannularly- and heteroannularly carbonyl-bridged binuclear ruthenocene derivatives, 72

Secondary phosphine

Synthesis of Group 4 transition-metal complexes bearing a secondary phosphine pendant cyclopentadienyl ligand, 231

Silicon-lead chalcogenides

Silicon-lead chalcogenides of the types $\text{Me}_4\text{Si}_2(\text{E})_2\text{PbPh}_2$ and $\text{Ph}_2\text{Pb}(\text{E})_2\text{Si}_2\text{Me}_2(\text{E})_2\text{PbPh}_2$ ($\text{E} = \text{S}, \text{Se}$) and related compounds containing tin and antimony, 220

Siloxane

Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280

Siloxane complex

New complexes with M–Si–O or M–Si–S linkages ($\text{M} = \text{Fe}$ or Co), 237

Silylene

New complexes with M–Si–O or M–Si–S linkages ($\text{M} = \text{Fe}$ or Co), 237

Silyl metal complexes, agostic interaction

A theoretical study of the reaction products created by irradiation of the carbonyl iron silyl complexes $\text{Cp}(\text{CO})_2\text{FeSiH}_2\text{Me}$ and $\text{Cp}(\text{CO})_2\text{FeCH}_2\text{SiH}_3$, 155

²⁹Si-NMR

Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280

¹¹⁹Sn MAS-NMR

Observation of inter- and intramolecular C–H⋯F hydrogen bonding in Gingras' salt: $[\eta\text{-Bu}_4\text{N}]^+[\text{Ph}_3\text{SnF}_2]^-$, 204

Stability

Quantum chemical studies on elementary fragments of three-coordinated methylaluminoxanes, 49

Strontium

Synthesis and characterization of monomeric Ba and Sr complexes with malonate and Lewis base ligands, 214

Structure elucidation

Quantum chemical studies on elementary fragments of three-coordinated methylaluminoxanes, 49

Substituted indenyl complexes

The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270

Sulfide complex

Synthesis of Group 4 transition-metal complexes bearing a secondary phosphine pendant cyclopentadienyl ligand, 231

Supramolecules

Synthetic, spectral and structural aspects of some mono- and binuclear (homo/hetero) Ru(II) hydrido carbonyl complexes, 39

Synthon

Synthetic, spectral and structural aspects of some mono- and binuclear (homo/hetero) Ru(II) hydrido carbonyl complexes, 39

Terpenes

Chiral trialkoxysilanols derived from terpene alcohols. Molecular structures of tris([(1*S*)-endo]-(–)-bornoxy)silanol and tetrakis((–)-menthoxy)silane, 188

Thallium

Synthesis of 2,4,6-tris(trifluoromethyl)phenyl complexes of gold and thallium, 1

Thia-siloxane

New complexes with M–Si–O or M–Si–S linkages (M = Fe or Co), 237

Thiolates

Synthesis and X-ray structures of hydridotris(1-pyrazolyl)borate carbonyl complexes of ruthenium, 193

Tin

Silicon-lead chalcogenides of the types $\text{Me}_4\text{Si}_2(\text{E})_2\text{PbPh}_2$ and $\text{Ph}_2\text{Pb}(\text{E})_2\text{Si}_2\text{Me}_2(\text{E})_2\text{PbPh}_2$ (E = S, Se) and related compounds containing tin and antimony, 220

Titanaheterocyclic complex

Synthesis and characterization of Cp_2Ti -containing organometallics via in situ oxidative-addition of 'Cp₂Ti' intermediate. Crystal structures of $(1\text{-C}_{10}\text{H}_7\text{S})_2\text{TiCp}_2$, $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{CH}_2\text{S})_2\text{TiCp}_2$ and $[\eta^2\text{-OC}(\text{Ph})=\text{C}(\text{Ph})\text{O}]\text{TiCp}_2$, 119

Titanium β-diketonato complexes

On the mechanism of olefin polymerisation with titanium β-diketonato complexes. A model density functional study, 126

Trialkoxysilanols

Chiral trialkoxysilanols derived from terpene alcohols. Molecular structures of tris([(1*S*)-endo]-(–)-bornoxy)silanol and tetrakis((–)-menthoxy)silane, 188

Trimethylsilyl group

The effect of trimethylsilyl substituents on the ring-slippage of bis-indenyl-molybdenocene derivatives, 270

Triphos

Tripodal triphos $\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}$ complexes of molybdenum(II) and tungsten(II). Reactions of $[\text{Ml}_2(\text{CO})_3\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\text{-}P,P'\}]$ (M = Mo or W) with molybdenum(II) and tungsten(II) complexes, 99

Tripodal ligand

Tripodal triphos $\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}$ complexes of molybdenum(II) and tungsten(II). Reactions of $[\text{Ml}_2(\text{CO})_3\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\text{-}P,P'\}]$ (M = Mo or W) with molybdenum(II) and tungsten(II) complexes, 99

Tungsten

Raman and infrared spectra and pressure tuning Raman and infrared spectra of multinuclear metal carbyne complexes, 93

Tripodal triphos $\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\}$ complexes of molybdenum(II) and tungsten(II). Reactions of $[\text{Ml}_2(\text{CO})_3\{\text{MeC}(\text{CH}_2\text{PPh}_2)_3\text{-}P,P'\}]$ (M = Mo or W) with molybdenum(II) and tungsten(II) complexes, 99

X-ray diffraction

5-Methylquinoxaline as a versatile mono-, bi- and tridentate ligand in Palladium(II) chemistry. Crystal structures of *trans*- $[\text{Pd}(\text{OAc})_2(\text{N}1\text{-C}_8\text{H}_5\text{N}_2\text{Me-5})_2]$ and $[\text{Pd}(\text{OAc})(\text{C},\text{N}4\text{-CH}_2\text{C}_8\text{H}_5\text{N}_2\text{-5})(\text{PPh}_3)]$, 62

Multinuclear NMR and X-ray diffraction study of pentacoordinated siloxane structures derived of pyridine diols, 280

Oxidation of tetraaryldistibanes: syntheses and crystal structures of diarylantimony oxides and peroxides, $(\text{R}_2\text{Sb})_2\text{O}$, $(\text{R}_2\text{Sb})_4\text{O}_6$ and $(\text{R}_2\text{SbO})_4(\text{O}_2)_2$ (R = Ph, *o*-Tol, *p*-Tol), 209

X-ray structure

Syntheses and crystal structures of a covalent trialkylantimony hydroxo bromide and related trialkylantimony(V) halides, 33

X-ray structures

Observation of inter- and intramolecular C–H⋯F hydrogen bonding in Gingras' salt: $[\eta\text{-Bu}_4\text{N}]^+[\text{Ph}_3\text{SnF}_2]^-$, 204

Zirconium complexes

1,4-Diaza-1,3-diene (DAD) complexes of early transition metals. Synthesis and structural characterization of (*t*-Bu-DAD)ZrCl(μ-Cl)₃Zr(*t*-Bu-DAD)(THF) and its reaction with benzophenone, 87

Zirconocene complexes

Synthesis of novel metallacyclic zirconocene complexes from ω-alkenyl-functionalized zirconocene dichloride complexes and their use in the α-olefin polymerization, 134