



ELSEVIER

Journal of Organometallic Chemistry 656 (2002) 309–314

Journal
of Organo
metallic
Chemistry

www.elsevier.com/locate/jorgchem

Subject Index of Volume 656

- Acetylacetonato–
New insights into the reactivity of the tantalocene hydride $Cp_2^*TaH_3$ ($Cp^* = \eta^5\text{-}i\text{-BuC}_5\text{H}_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S,N* chelating ligands, 139
- Air-stable ligands
'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
- Alkali metals
Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
- Alkylidene-furanone
Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Alkynes
Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
- Aluminium hydride
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
- Amides
Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
- 2-Aminobenzenethiolato–
New insights into the reactivity of the tantalocene hydride $Cp_2^*TaH_3$ ($Cp^* = \eta^5\text{-}i\text{-BuC}_5\text{H}_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S,N* chelating ligands, 139
- [2+2] and [3+2] Cycloadditions
Bis(η^5 -cyclopentadienyl)- and bis(η^5 -indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
- ansa*-Metallocene complexes
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[Zr\{Me_2Ge(\eta^5\text{-}C_5Me_4)_2\}Cl_2]$ and $[M\{Me_2Ge(\eta^5\text{-}C_5Me_4)(\eta^5\text{-}C_5H_4)\}Cl_2]$ ($M = Zr, Hf$), 129
- Antimony
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb...N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
- Arylnitriles
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
- Arylselenocarboxamides
Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
- Asymmetric
Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
- ATP
Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
- Bimetallic nickel complexes
Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
- Biphenylene
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- 1,3-Bisfunctionalised ferrocene
Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49
- Bis(η^5 -indenyl)zirconium complexes
Bis(η^5 -cyclopentadienyl)- and bis(η^5 -indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
- Bis(trimethylsilyl)ethyne complexes
Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Bond dissociation enthalpy
Electrochemistry of $Ru_2Cp_2'(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-H})$ bond dissociation enthalpies, 181
- Boron
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
- Bridging hydride
Electrochemistry of $Ru_2Cp_2'(CO)_4$ and $Ru_2Cp_2(CO)_3(PMe_3)$ and the estimation of $Ru_2(\mu\text{-H})$ bond dissociation enthalpies, 181
- Carbene
Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
- Carbon chain bridged metals
Carbon chain bridged metals: a theoretical approach. Odd chains, 156
- Carbonyl
Synthesis and characterisation of derivatives of $[HfR_4(CO)_{10}(\mu\text{-PPh}_2)]$ with mono and diphosphines; X-ray molecular structures of $[HfR_4(CO)_8(PPh_3)_2(\mu\text{-PPh}_2)]$ and $[HfR_4(CO)_8\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}(\mu\text{-PPh}_2)]$ ($n = 1$ and 4), 188
- Carbonyl complexes
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
- Carboxylato–
New insights into the reactivity of the tantalocene hydride $Cp_2^*TaH_3$ ($Cp^* = \eta^5\text{-}i\text{-BuC}_5\text{H}_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S,N* chelating ligands, 139
- Catalysis
Oxidation of olefins by palladium(II). 18. Effect of reaction

- conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
- Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
- Chiral ligands
- Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Chlorohydrins
- Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168
- Cluster
- Synthesis and characterisation of derivatives of $[\text{HfIr}_4(\text{CO})_{10}(\mu\text{-PPh}_2)]$ with mono and diphosphines; X-ray molecular structures of $[\text{HfIr}_4(\text{CO})_8(\text{PPh}_3)_2(\mu\text{-PPh}_2)]$ and $[\text{HfIr}_4(\text{CO})_8\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}(\mu\text{-PPh}_2)]$ ($n = 1$ and 4), 188
- Cobaloxime η^1 -allyl complexes
- Reactions of cobaloxime η^1 -allyl complexes with electron deficient alkenes, 217
- Cobalt carbonyls
- The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{-C}(\mu_4\text{-C})]$, 57
- Coupling
- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Crystal structure
- The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{-C}(\mu_4\text{-C})]$, 57
- Crystal structures
- Isolation and structural characterisation of two sterically crowded diphosphanes, 43
- New insights into the reactivity of the tantalocene hydride $\text{Cp}'_2\text{TaH}_3$ ($\text{Cp}' = \eta^5\text{-}^i\text{BuC}_5\text{H}_4$). Synthesis and characterisation of cationic $\text{Ta}(\text{V})$ complexes with 0,0 and *S,N* chelating ligands, 139
- Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
- Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Cumulenyl versus polyynyl/carbyne valence structure
- Carbon chain bridged metals: a theoretical approach. Odd chains, 156
- Cyclic voltammetry
- Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
- Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
- Cyclobutenedione
- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Cyclodextrins
- Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β -cyclodextrin, 281
- Cyclometallation
- Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
- Cyclopentadienyl compounds
- Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49
- Cyclopentenedione
- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Density functional calculations
- Carbon chain bridged metals: a theoretical approach. Odd chains, 156
- Density function theory
- Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- 3,5-Diaryl-1,2,4-selenadiazoles
- Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274
- Diethyleneglycol–dimethylether
- Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
- Dihydrogenphosphate
- Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
- Dipropargylamines
- The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{-C}(\mu_4\text{-C})]$, 57
- Disilanes
- Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
- Dithiolato Schiff base
- Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262
- Electrochemical sensing
- Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
- Electrochemistry
- Electrochemistry of $\text{Ru}_2\text{Cp}'_2(\text{CO})_4$ and $\text{Ru}_2\text{Cp}'_2(\text{CO})_3(\text{PMe}_3)$ and the estimation of $\text{Ru}_2(\mu\text{-H})$ bond dissociation enthalpies, 181
- Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Electron deficient alkenes
- Reactions of cobaloxime η^1 -allyl complexes with electron deficient alkenes, 217
- ESR
- Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
- ESR spectra
- Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Far-FTIR spectroscopy
- Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146
- Ferrocene
- Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116

- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
- Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Ferrocene derivatives
- Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β -cyclodextrin, 281
- Ferrocenes
- Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
- Ferrocenyl carbene
- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Ferrocenyl group
- 'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120
- Fischer carbene
- Coupling of ferrocenyl chromium carbene complex with cyclobutenediones, 11
- Fluorenyl
- Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures, 89
- Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
- Functionalized polypyrrole
- Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule, 116
- Germanium
- Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ (M = Zr, Hf), 129
- Group 14 derivatives
- Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds, 49
- Hafnium
- Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ (M = Zr, Hf), 129
- ^1H and ^{13}C high-resolution and CP MAS-NMR spectroscopy
- Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- Haptotropic rearrangements
- Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- Heterocyclic organic molecules
- The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{C}(\mu_4\text{-C})]$, 57
- Hindered naphthyl rotation
- Rhodium complexes of 3,4-di(β -naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
- Homogeneous catalysis
- Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ (M = Zr, Hf), 129
- Hypervalent silicon
- Mechanistic studies on the reactions of trimethylsilyl anion and trimethylstannyl anion ions with haloarenes in hexamethylphosphoramide, 108
- Imidazoline
- Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Imine
- Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
- Inclusion compounds
- Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β -cyclodextrin, 281
- Indenyl
- Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
- Indium halide
- Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203
- Insertion
- Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270
- Ion-molecule
- Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
- Iridium
- Synthesis and characterisation of derivatives of $[\text{HIr}_4(\text{CO})_{10}(\mu\text{-PPh}_2)]$ with mono and diphosphines; X-ray molecular structures of $[\text{HIr}_4(\text{CO})_8(\text{PPh}_3)_2(\mu\text{-PPh}_2)]$ and $[\text{HIr}_4(\text{CO})_8\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}(\mu\text{-PPh}_2)]$ ($n = 1$ and 4), 188
- Isodicyclopentadienyl ligand
- Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Isomerisation
- Synthesis and characterisation of derivatives of $[\text{HIr}_4(\text{CO})_{10}(\mu\text{-PPh}_2)]$ with mono and diphosphines; X-ray molecular structures of $[\text{HIr}_4(\text{CO})_8(\text{PPh}_3)_2(\mu\text{-PPh}_2)]$ and $[\text{HIr}_4(\text{CO})_8\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}(\mu\text{-PPh}_2)]$ ($n = 1$ and 4), 188
- Ketimides
- Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63
- Kinetics
- Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- Lewis acid
- The rearrangement of 3-vinylcyclobutene derivatives promoted by metallic Lewis acids, 299
- Lewis base adducts
- Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β -cyclodextrin, 281
- Manganese
- Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270

Mass spectrometry

Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry, 262

Methylenecyclopropane

Bis(η^5 -cyclopentadienyl)- and bis(η^5 -indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288

Methyltrioxorhenium

Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with β -cyclodextrin, 281

MoNiFeS clusters

Syntheses and structural characterization of transition metal tetrahedral clusters (η^5 - RC_5H_4)(CO) $_8$ MoRu $_2$ H(μ_3 -S) and [(η^5 - RC_5H_4)(CO) $_4$ MoRu(μ_3 -S)] $_2$ generated by isolobal reactions, 228

MoRu $_2$ S clusters

Syntheses and structural characterization of transition metal tetrahedral clusters (η^5 - RC_5H_4)(CO) $_8$ MoRu $_2$ H(μ_3 -S) and [(η^5 - RC_5H_4)(CO) $_4$ MoRu(μ_3 -S)] $_2$ generated by isolobal reactions, 228

Mo $_2$ Ru $_2$ S $_2$ clusters

Syntheses and structural characterization of transition metal tetrahedral clusters (η^5 - RC_5H_4)(CO) $_8$ MoRu $_2$ H(μ_3 -S) and [(η^5 - RC_5H_4)(CO) $_4$ MoRu(μ_3 -S)] $_2$ generated by isolobal reactions, 228

N-donor

Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides, 203

Niobium

Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of [Zr{Me $_2$ Ge(η^5 -C $_5$ Me $_4$) $_2$ }Cl $_2$] and [M{Me $_2$ Ge(η^5 -C $_5$ Me $_4$)(η^5 -C $_5$ H $_4$)}Cl $_2$] (M = Zr, Hf), 129

Nitrogen heterocycles

Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes, 270

Nitrosyl complexes

One step substitution of NO and Cl by a metal-S-C-N-ring in CpCr(NO) $_2$ Cl: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π -C $_5$ H $_5$; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177

NMR multinuclear

Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97

NMR spectra

Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81

NO-complexes of chromium

One step substitution of NO and Cl by a metal-S-C-N-ring in CpCr(NO) $_2$ Cl: synthesis and molecular structure of CpCr(NO)'DMPYS' (Cp = π -C $_5$ H $_5$; DMPYS = 4,6-dimethylpyrimidine-2-thiolato), 177

Nucleophilic substitution

Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb...N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234

Odd carbon bridges

Carbon chain bridged metals: a theoretical approach. Odd chains, 156

Olefins

Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168

Optical resolution

Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb...N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234

Organoboration

Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97

Palladium

Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199

Palladium complexes

Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb...N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234

Palladium(II)

Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis, 168

Palladium(II) complexes

Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide, 274

Pentaarylcyclopentadienyliron dicarbonyl bromide complexes

Preparation and characterization of substituted pentaarylcyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings, 146

Phosphine

Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199

Phosphines

Synthesis and characterisation of derivatives of [Hf $_4$ (CO) $_{10}$ (μ -PPh $_2$)] with mono and diphosphines; X-ray molecular structures of [Hf $_4$ (CO) $_8$ (PPh $_3$) $_2$ (μ -PPh $_2$)] and [Hf $_4$ (CO) $_8$ (Ph $_2$ P(CH $_2$) $_n$ PPh $_2$)(μ -PPh $_2$)] (n = 1 and 4), 188

P-ligands

Isolation and structural characterisation of two sterically crowded diphosphanes, 43

Polymerization

Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199

Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63

P–P bond

Isolation and structural characterisation of two sterically crowded diphosphanes, 43

Primary arsine

'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120

Primary phosphine

'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group, 120

Pyridine ligands

Reactions of cobaloxime η^1 -allyl complexes with electron deficient alkenes, 217

Pyridine-2-thiolato complexes

New insights into the reactivity of the tantalocene hydride Cp $_2$ TaH $_3$ (Cp' = η^5 - t -BuC $_5$ H $_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S,N* chelating ligands, 139

Quantum chemical calculations

Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and

- thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- Radiochemistry**
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
- Radiochromatography**
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
- Reaction intermediates**
The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{-C}(\mu_4\text{-C})]$, 57
- Rearrangement reaction**
The rearrangement of 3-vinylcyclobutene derivatives promoted by metallic Lewis acids, 299
- Reduction**
Isolation and structural characterisation of two sterically crowded diphosphanes, 43
- Rhenium(I)**
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
- Rhodium–acetylacetonate dimers**
Rhodium complexes of 3,4-di(β -naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
- Ruthenium**
Electrochemistry of $\text{Ru}_2\text{Cp}_2'(\text{CO})_4$ and $\text{Ru}_2\text{Cp}_2(\text{CO})_3(\text{PMe}_3)$ and the estimation of $\text{Ru}_2(\mu\text{-H})$ bond dissociation enthalpies, 181
- Sb-Chiral compounds**
Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb \cdots N interaction and their separation into optically pure compounds via *ortho*-palladated benzylamine complexes, 234
- Sensor**
Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors, 211
- Silanes**
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
- Silylium cations**
Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol, 258
- $\text{S}_{\text{RN}}1$ reaction, HME reaction**
Mechanistic studies on the reactions of trimethylsilylanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108
- Substitution in nitrosyl complexes**
One step substitution of NO and Cl by a metal-S-C-N-ring in $\text{CpCr}(\text{NO})_2\text{Cl}$: synthesis and molecular structure of $\text{CpCr}(\text{NO})\text{'DMPYS'}$ ($\text{Cp} = \pi\text{-C}_5\text{H}_5$; $\text{DMPYS} = 4,6\text{-dimethylpyrimidine-2-thiolato}$), 177
- Synthesis**
Syntheses and structural characterization of transition metal tetrahedral clusters $(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_8\text{MoRu}_2\text{H}(\mu_3\text{-S})$ and $[(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_4\text{MoRu}(\mu_3\text{-S})]_2$ generated by isolobal reactions, 228
- Tantalocene hydrides**
New insights into the reactivity of the tantalocene hydride $\text{Cp}_2'\text{TaH}_3$ ($\text{Cp}' = \eta^5\text{-}^i\text{BuC}_5\text{H}_4$). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and *S,N* chelating ligands, 139
- Template effect**
The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$. Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{-C}(\mu_4\text{-C})]$, 57
- Thiolato complexes of chromium**
One step substitution of NO and Cl by a metal-S-C-N-ring in $\text{CpCr}(\text{NO})_2\text{Cl}$: synthesis and molecular structure of $\text{CpCr}(\text{NO})\text{'DMPYS'}$ ($\text{Cp} = \pi\text{-C}_5\text{H}_5$; $\text{DMPYS} = 4,6\text{-dimethylpyrimidine-2-thiolato}$), 177
- Thiosemicarbazone**
Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands, 1
- Titanium**
Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ ($\text{M} = \text{Zr}, \text{Hf}$), 129
Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Titanocene(II) and zirconocene(II) complexes**
Bis(η^5 -cyclopentadienyl)- and bis(η^5 -indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling, 288
- Tricarbonyl chromium complexes**
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- Trimethylsilylanide ions**
Mechanistic studies on the reactions of trimethylsilylanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108
- Trimethylsilylisodicyclopentadienyl ligand**
Syntheses and properties of some *exo,exo*-bis(isodicyclopentadienyl)titanium low-valent complexes, 81
- Trimethylstannylide ions**
Mechanistic studies on the reactions of trimethylsilylanide and trimethylstannylide ions with haloarenes in hexamethylphosphoramide, 108
- Variable-temperature NMR**
Rhodium complexes of 3,4-di(β -naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
- Vinyl ether**
Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers, 199
- X-ray**
Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration, 97
Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon, 71
- X-ray crystallography**
Rhodium complexes of 3,4-di(β -naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation, 243
- X-ray structure analysis**
Chromium tricarbonyl complexes with biphenylene as η^6 ligand: synthesis, structure, dynamic behaviour in solid state and thermal η^6, η^6 -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies, 27
- X-ray structures**
Syntheses and structural characterization of transition metal tetrahedral clusters $(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_8\text{MoRu}_2\text{H}(\mu_3\text{-S})$ and $[(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_4\text{MoRu}(\mu_3\text{-S})]_2$ generated by isolobal reactions, 228

Zirconium

Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged *ansa* ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-}$

$\text{C}_5\text{H}_4)\}\text{Cl}_2]$ (M = Zr, Hf), 129

Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity, 63