



ELSEVIER

Journal of Organometallic Chemistry 656 (2002) 315–317

Journal  
of Organo  
metallic  
Chemistry

www.elsevier.com/locate/jorganchem

## Contents of Volume 656

|   |     |
|---|-----|
| Reaction of bromopentacarbonylrhenium(I) with ferrocenylcarbaldehyde thiosemicarbazones: the first X-ray diffraction studies of metal carbonyl complexes containing bidentate thiosemicarbazone ligands<br>R. Carballo, J.S. Casas, E. García-Martínez, G. Pereiras-Gabián, A. Sánchez, J. Sordo, E.M. Vázquez-López, J.C. Garcia-Monteagudo, U. Abram . . . . .  | 1   |
| Coupling of ferrocenyl chromium carbene complex with cyclobutenediones<br>M. Zora, B. Yucel, N. Bekir Peynircioglu . . . . .  | 11  |
| Zur Elektronenstruktur metallorganischer Komplexe der f-Elemente LII. Magnetochemische, optische und magnetooptische Charakterisierung von $(\eta^5\text{-Cp})_3\text{Tm}\cdot\text{THF}$<br>H.-D. Amberger, H. Reddmann, S. Jank, L. Zhang, N.M. Edelstein . . . . .   | 18  |
| Chromium tricarbonyl complexes with biphenylene as $\eta^6$ ligand: synthesis, structure, dynamic behaviour in solid state and thermal $\eta^6, \eta^6$ -haptotropic rearrangements. Experimental (NMR) and theoretical (DFT) studies<br>Y. Oprunenko, I. Gloriov, K. Lyssenko, S. Malyugina, D. Mityuk, V. Mstislavsky, H. Günther, G. von Firks, M. Ebener . . . . .  | 27  |
| Isolation and structural characterisation of two sterically crowded diphosphanes<br>S. Blair, K. Izod, R. Taylor, W. Clegg . . . . .  | 43  |
| Synthesis and reactivity of Group 14 substituted amino-functionalised cyclopentadienyl compounds<br>S. Bradley, M.M. Corradi, K.D. Camm, S.J. Furtado, P.C. McGowan, R. Mumtaz, M. Thornton-Pett . . . . .  | 49  |
| The reaction of $\text{Co}_2(\text{CO})_8$ and $\text{Co}_4(\text{CO})_{12}$ with the dipropargylamine $[(\text{HC}\equiv\text{CCMe}_2)_2\text{NMe}]$ . Synthesis and crystal structure of the complex $\text{Co}_4(\text{CO})_{10}(\mu\text{-CO})[\text{H}_2\text{C}=\text{CC}(\text{Me})_2\text{N}(\text{Me})\text{C}(\text{Me}_2)\text{C}(\mu_4\text{-C})]$<br>M. Costa, G. Gervasio, D. Marabello, E. Sappa . . . . . | 57  |
| Synthesis of zirconocene amides and ketimides and an investigation into their ethylene polymerization activity<br>K.W. Henderson, A. Hind, A.R. Kennedy, A.E. McKeown, R.E. Mulvey . . . . .  | 63  |
| Silyl derivatives of ferrocene with pending indenyl or fluorenyl substituents at silicon<br>M. Herberhold, A. Ayazi, W. Milius, B. Wrackmeyer . . . . .   | 71  |
| Syntheses and properties of some <i>exo,exo</i> -bis(isodicyclopentadienyl)titanium low-valent complexes<br>M. Horáček, P. Štěpnička, S. Gentil, K. Fejfarová, J. Kubišta, N. Pirió, P. Meunier, F. Gallou, L.A. Paquette, K. Mach . . . . .  | 81  |
| Novel fluorenyl alkali metal DIGLYME complexes: synthesis and solid state structures<br>S. Neander, J. Körnich, F. Olbrich . . . . .  | 89  |
| Hexa(1-alkynyl)disilanes. Synthesis, structure and 1,1-ethylboration<br>B. Wrackmeyer, W. Milius, A. Badshah . . . . .  | 97  |
| $\text{W}(\text{CO})_5$ -Pyridine- $\pi$ -acceptor complexes: synthesis, structure and electronic absorption spectra<br>A. Hameed, A. Rybarczyk-Pirek, J. Zakrzewski . . . . .  | 102 |
| Mechanistic studies on the reactions of trimethylsilyl anion and trimethylstannyl anion with haloarenes in hexamethylphosphoramide<br>A. Postigo, S.E. Vaillard, R.A. Rossi . . . . .   | 108 |
| Amplification upon polymerization of the electrochemical anion sensing properties of an amidoferrocene monoreceptor molecule<br>O. Reynes, T. Gulon, J.-C. Moutet, G. Royal, E. Saint-Aman . . . . .  | 116 |
| 'User-friendly' primary phosphines and an arsine: synthesis and characterization of new air-stable ligands incorporating the ferrocenyl group<br>W. Henderson, S.R. Alley . . . . .   | 120 |

|   |     |
|---|-----|
| Niobium, titanium, zirconium and hafnium complexes incorporating germanium bridged <i>ansa</i> ligands. X-Ray crystal structures of $[\text{Zr}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)_2\}\text{Cl}_2]$ and $[\text{M}\{\text{Me}_2\text{Ge}(\eta^5\text{-C}_5\text{Me}_4)(\eta^5\text{-C}_5\text{H}_4)\}\text{Cl}_2]$ (M = Zr, Hf)<br>C. Alonso-Moreno, A. Antiñolo, I. López-Solera, A. Otero, S. Prashar, A.M. Rodríguez, E. Villaseñor | 129 |
| New insights into the reactivity of the tantalocene hydride $\text{Cp}_2'\text{TaH}_3$ ( $\text{Cp}' = \eta^5\text{-}^i\text{BuC}_5\text{H}_4$ ). Synthesis and characterisation of cationic Ta(V) complexes with 0,0 and <i>S,N</i> chelating ligands<br>O. Blacque, M.M. Kubicki, J.-C. Leblanc, A. Sadorge, P. Sauvageot, C. Moïse   | 139 |
| Preparation and characterization of substituted pentaaryl cyclopentadienyliron dicarbonyl bromide complexes containing methyl or fluorine substituents on the arene rings<br>J.-Y. Thépot, C. Lapinte   | 146 |
| Carbon chain bridged metals: a theoretical approach. Odd chains<br>P. Belanzoni, N. Re, A. Sgamellotti  | 156 |
| Oxidation of olefins by palladium(II). 18. Effect of reaction conditions, substrate structure and chiral ligand on the bimetallic palladium(II) catalyzed asymmetric chlorohydrin synthesis<br>A.K. El-Qisairi, H.A. Qaseer, P.M. Henry   | 168 |
| One step substitution of NO and Cl by a metal-S-C-N-ring in $\text{CpCr}(\text{NO})_2\text{Cl}$ : synthesis and molecular structure of $\text{CpCr}(\text{NO})_2\text{DMPYS}$ ' ( $\text{Cp} = \pi\text{-C}_5\text{H}_5$ ; $\text{DMPYS} = 4,6\text{-dimethyl-pyrimidine-2-thiolato}$ )<br>G.M. de Oliveira, G.A. Casagrande, R.M. Fernandes Jr., E. Faoro, E.S. Lang, P. Mayer   | 177 |
| Electrochemistry of $\text{Ru}_2\text{Cp}_2'(\text{CO})_4$ and $\text{Ru}_2\text{Cp}_2(\text{CO})_3(\text{PMe}_3)$ and the estimation of $\text{Ru}_2(\mu\text{-H})$ bond dissociation enthalpies<br>K.M. Rourke, C. Nataro   | 181 |
| Synthesis and characterisation of derivatives of $[\text{HfIr}_4(\text{CO})_{10}(\mu\text{-PPh}_2)]$ with mono and diphosphines; X-ray molecular structures of $[\text{HfIr}_4(\text{CO})_8(\text{PPh}_3)_2(\mu\text{-PPh}_2)]$ and $[\text{HfIr}_4(\text{CO})_8\{\text{Ph}_2\text{P}(\text{CH}_2)_n\text{PPh}_2\}(\mu\text{-PPh}_2)]$ ( $n = 1$ and $4$ )<br>C.M. Ziglio, M.D. Vargas, D. Braga, F. Grepioni, J.F. Nixon                               | 188 |
| Ligand effect on the cationic palladium complexes in polymerization of vinyl ethers<br>Y.-C. Chen, K.R. Reddy, S.-T. Liu  | 199 |
| Structural and spectroscopic studies of carbene and N-donor ligand complexes of Group 13 hydrides and halides<br>R.J. Baker, A.J. Davies, C. Jones, M. Kloth  | 203 |
| Synthesis of novel chiral bis(ferrocenyl) ligands and their use as voltammetric metal cation sensors<br>O.B. Sutcliffe, M.R. Bryce, A.S. Batsanov   | 211 |
| Reactions of cobaloxime $\eta^1\text{-allyl}$ complexes with electron deficient alkenes<br>D.R. Lantero, M.E. Welker  | 217 |
| Syntheses and structural characterization of transition metal tetrahedral clusters $(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_8\text{MoRu}_2\text{H}(\mu_3\text{-S})$ and $[(\eta^5\text{-RC}_5\text{H}_4)(\text{CO})_4\text{MoRu}(\mu_3\text{-S})]_2$ generated by isolobal reactions<br>L.-C. Song, G.-H. Zeng, Q.-M. Hu, H.-W. Cheng, H.-T. Fan  | 228 |
| Synthesis of Sb-chiral organoantimony compounds having intramolecular Sb...N interaction and their separation into optically pure compounds via <i>ortho</i> -palladated benzylamine complexes<br>S. Okajima, S. Yasuie, N. Kakusawa, A. Osada, K. Yamaguchi, H. Seki, J. Kurita  | 234 |
| Rhodium complexes of 3,4-di( $\beta$ -naphthyl)-2,5-diarylcyclopentadienone: indirect detection of slowed naphthyl rotation<br>L.E. Harrington, J.F. Britten, D.W. Hughes, A.D. Bain, J.-Y. Thépot, M.J. McGlinchey   | 243 |
| Radiochemical study of the gas phase reaction of nucleogenic diethylsilylium ions with methanol and butanol<br>T.A. Kochina, D.V. Vrazhnov, I.S. Ignatyev   | 258 |
| Bimetallic nickel complexes with bridging dithiolato Schiff base ligands: synthesis, mass spectral characterisation and electrochemistry<br>R.M. Moutloali, F.A. Nevondo, J. Darkwa, E.I. Iwuoha, W. Henderson  | 262 |
| Coupling reactions of manganese(I) cyclometallated compounds derived from heterocyclic N-donor ligands with alkynes<br>A. Suárez, F. Faraldo, J.M. Vila, H. Adams, A. Fernández, M. López-Torres, J.J. Fernández  | 270 |
| Palladium-catalyzed formation of 3,5-diaryl-1,2,4-selenadiazoles from arylselenocarboxamide<br>A.Z. Al-Rubaie, L.Z. Yousif, A.J.H. Al-Hamad   | 274 |
| Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with $\beta$ -cyclodextrin<br>L. Cunha-Silva, I.S. Gonçalves, M. Pillinger, W.-M. Xue, J. Rocha, J.J.C. Teixeira-Dias, F.E. Kühn  | 281 |

|  |     |
|--|-----|
| Bis( $\eta^5$ -cyclopentadienyl)- and bis( $\eta^5$ -indenyl)metallacycles of titanium and zirconium from methylenecyclopropanes by oxidative coupling<br>P. Binger, P. Müller, S. Podubrin, S. Albus, C. Krüger . . . . . | 288 |
| The rearrangement of 3-vinylcyclobutene derivatives promoted by metallic Lewis acids<br>M.A. Lovchik, A.R. Pinhas . . . . .  | 299 |
| <b>Corrigendum</b>   |     |
| Corrigendum to: “ $\beta$ -Ferrocenyl- $\beta$ -amino alcohols: a new class of central chiral ferrocene derivatives” [JOM 642 (2002) 212–226]<br>M. Catasús, A. Bueno, A. Moyano, M.A. Maestro, J. Mahía . . . . .         | 304 |
| <b>Book review</b>   |     |
| Phosphorus–Carbon Heterocyclic Chemistry: The Rise of A New Domain: Edited by F. Mathey, Elsevier, Amsterdam, 2001.<br>J.F. Nixon . . . . .  | 305 |
| Author Index of Volume 656 . . . . .   | 307 |
| Subject Index of Volume 656 . . . . .  | 309 |
| Contents of Volume 656 . . . . .   | 315 |