



ELSEVIER

Journal of Organometallic Chemistry 662 (2002) 195–198

Journal
of Organo
metallic
Chemistry

www.elsevier.com/locate/jorgchem

Subject Index of Volume 662

- Aldimines**
Direct synthesis of unsaturated β -amino acids, 172
- Alkene isomerisation**
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
- Alkylammonium tetraphenylborates**
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species [HPd(dppe)₂][BPh₄], 112
- Alkylidenediphosphorylation**
Synthesis of P-chiral enephosphonic acid derivatives, 83
- Allyl ether in catalysis**
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
- Allyl transfer**
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species [HPd(dppe)₂][BPh₄], 112
- Aluminium**
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
- Amidinate**
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
- Amidinate ligands**
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 144
- Amidine**
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
- Bidentate ligands**
Theoretical studies on the β -hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
- Bimetallic**
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
- Bipyridyl**
Carbonyl derivatives of iron(0) from the reaction of FeR₂(bipy)₂ (R = Me, Et) with carbon monoxide, 137
- Bis-oxazoline-ruthenium complexes**
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
- Bisoxazolines**
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
- Bond dissociation enthalpy**
On the transferability of Ir–I bond enthalpies between [Ir(μ -S^tBu)(I)₂(CO)₂]₂ and *trans*-[Ir(X)(I)₂(CO)(PPh₃)₂] (X = F, Cl, Br, I) complexes, 105
- ϵ -Caprolactone**
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 144
- Carbonyl**
Carbonyl derivatives of iron(0) from the reaction of FeR₂(bipy)₂ (R = Me, Et) with carbon monoxide, 137
- Chiral enephosphorylated derivatives**
Synthesis of P-chiral enephosphonic acid derivatives, 83
- Chlorosilane**
Interactions of chloromethylsilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of [TDAE]⁺ [Si₃Me₂Cl₇]⁻, 14
- Chromium**
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dpbb ligands. Crystal structure of *fac*-Mo(CO)₃(dpbb)(CH₃CN), 51
- Claisen rearrangement**
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
- Complexes**
Carbonyl derivatives of iron(0) from the reaction of FeR₂(bipy)₂ (R = Me, Et) with carbon monoxide, 137
- Cp*iridium complexes**
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
- Cp*rhodium complexes**
Cp*rhodium and iridium complexes with bisoxazolines: synthesis, fluxionality and applications as asymmetric catalysts for Diels–Alder reactions, 43
- Cp* substituent**
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
- Crystal structure**
Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 144
- Crystal structures**
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dpbb ligands. Crystal structure of *fac*-Mo(CO)₃(dpbb)(CH₃CN), 51
Synthesis and molecular structure of the nitride (L_{OEt})Mo(N)Cl₂ [L_{OEt} = (η -C₅H₅)Co{P(O)(OEt)₂}₃], 59
- Cyclopalladation**
Regioselective palladation of 2-oxazolinylnyl-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

- Decamethylsilicocene
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
- Density functional theory
On the transferability of Ir–I bond enthalpies between $[\text{Ir}(\mu\text{-S}'\text{Bu})(\text{I})_2(\text{CO})_2]_2$ and *trans*- $[\text{Ir}(\text{X})(\text{I})_2(\text{CO})(\text{PPh}_3)_2]$ (X = F, Cl, Br, I) complexes, 105
- Dihydroxydisilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatanacyclopentanes, 1
- Diphosphorylated carbanions
Synthesis of P-chiral enephosphonic acid derivatives, 83
- Disilane
Interactions of chloromethylsilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[\text{TDAE}]^+ [\text{Si}_3\text{Me}_2\text{Cl}_7]^-$, 14
- Disorder
Synthesis and molecular structure of the nitride $(\text{L}_{\text{OEt}})\text{Mo}(\text{N})\text{Cl}_2$ $[\text{L}_{\text{OEt}} = (\eta\text{-C}_5\text{H}_5)\text{Co}\{\text{P}(\text{O})(\text{OEt})_2\}_3]$, 59
- Dithiolato metalloligands
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(\text{PPh}_3)_2\text{Pt}(\mu\text{-S}(\text{CH}_2)_2\text{S})\text{RhCl}(\eta^5\text{-C}_5\text{H}_5)]\text{BF}_4$, 188
- dppb Ligand
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*- $\text{Mo}(\text{CO})_3(\text{dppb})(\text{CH}_3\text{CN})$, 51
- Electrocatalytic reduction
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
- Epoxy alcohols
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
- Ethylene oligomerisation
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α -diphenylphosphino-ketoinines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
- Fluorinating hybrid reagents
Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77
- [70]Fullerene
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*- $\text{Mo}(\text{CO})_3(\text{dppb})(\text{CH}_3\text{CN})$, 51
- Functionalized isocyanide
Synthesis, coordination and reactivity of 2-(trimethylsilyloxy-methyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70
- Heterobimetallic complexes
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(\text{PPh}_3)_2\text{Pt}(\mu\text{-S}(\text{CH}_2)_2\text{S})\text{RhCl}(\eta^5\text{-C}_5\text{H}_5)]\text{BF}_4$, 188
- Hexasilanes
Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatanacyclopentanes, 1
- Horner reaction
Synthesis of P-chiral enephosphonic acid derivatives, 83
- β -Hydrogen elimination
Theoretical studies on the β -hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120
- Hypercoordination
Interactions of chloromethylsilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[\text{TDAE}]^+ [\text{Si}_3\text{Me}_2\text{Cl}_7]^-$, 14
- Imidazolium salt
Synthesis of bis-oxazoline-ruthenium(II)-arene complexes. Combined catalytic isomerisation and Claisen rearrangement of bis-allyl ether, 63
- Iminium tetraphenylborates
Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[\text{HPd}(\text{dppe})_2][\text{BPh}_4]$, 112
- Insertion reactions
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
- π -Interaction
Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34
- Iridium
New half-sandwich heterobimetallic CpMPt (M = Rh, Ir) dithiolato bridged complexes. X-ray structure of $[(\text{PPh}_3)_2\text{Pt}(\mu\text{-S}(\text{CH}_2)_2\text{S})\text{RhCl}(\eta^5\text{-C}_5\text{H}_5)]\text{BF}_4$, 188
- Iridium complexes
On the transferability of Ir–I bond enthalpies between $[\text{Ir}(\mu\text{-S}'\text{Bu})(\text{I})_2(\text{CO})_2]_2$ and *trans*- $[\text{Ir}(\text{X})(\text{I})_2(\text{CO})(\text{PPh}_3)_2]$ (X = F, Cl, Br, I) complexes, 105
- Iron
Carbonyl derivatives of iron(0) from the reaction of $\text{FeR}_2(\text{bipy})_2$ (R = Me, Et) with carbon monoxide, 137
- Ligands
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a ‘four-legged piano-stool’ structure containing mixed-halide ligands, 130
- Linked
A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178
- Lithium enolates
Direct synthesis of unsaturated β -amino acids, 172
- Mediator
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
- Methyl complexes
Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α -diphenylphosphino-ketoinines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150
- Mixed-halide
Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a ‘four-legged piano-stool’ structure containing mixed-halide ligands, 130
- Modified electrode
Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9
- Molybdenum
Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*- $\text{Mo}(\text{CO})_3(\text{dppb})(\text{CH}_3\text{CN})$, 51
- Synthesis and molecular structure of the nitride $(\text{L}_{\text{OEt}})\text{Mo}(\text{N})\text{Cl}_2$ $[\text{L}_{\text{OEt}} = (\eta\text{-C}_5\text{H}_5)\text{Co}\{\text{P}(\text{O})(\text{OEt})_2\}_3]$, 59

Mono-*O*-phenylation

A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $\text{BiPh}_3(\text{OAc})_2$, 98

N-Heterocyclic carbene complexes

Synthesis, coordination and reactivity of 2-(trimethylsilyloxy-methyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70

Nickel

Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α -diphenylphosphino-ketoinimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150

Ni(II) tetraazamacrocyclic complexes

Electrocatalytic reduction of aldehydes and ketones on nickel(II) tetraazamacrocyclic complex-modified graphite felt electrode, 9

Nitride

Synthesis and molecular structure of the nitride $(\text{L}_{\text{OEt}})\text{Mo}(\text{N})\text{Cl}_2$ [$\text{L}_{\text{OEt}} = (\eta\text{-C}_5\text{H}_5)\text{Co}\{\text{P}(\text{O})(\text{OEt})_2\}_3$], 59

Organobismuth

A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $\text{BiPh}_3(\text{OAc})_2$, 98

Organolanthanides

Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 144

Palladacycles

Regioselective palladation of 2-oxazolinyll-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Palladium

Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α -diphenylphosphino-ketoinimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150

Palladium and platinum alkoxide complexes

Theoretical studies on the β -hydrogen elimination reactions of palladium and platinum alkoxide complexes containing bidentate ligands, 120

Paracyclophanes

Regioselective palladation of 2-oxazolinyll-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Pd-allyl complexes

Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[\text{HPd}(\text{dppe})_2][\text{BPh}_4]$, 112

Pd-hydrido complexes

Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[\text{HPd}(\text{dppe})_2][\text{BPh}_4]$, 112

Phosphino ketoinimines

Synthesis, characterisation and catalytic activity of Pd(II) and Ni(II) complexes with new cyclic α -diphenylphosphino-ketoinimines. Crystal structure of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclopentylidene)aniline and of 2,6-diisopropyl-*N*-(2-diphenylphosphino-cyclohexylidene)aniline, 150

Planar chirality

Regioselective palladation of 2-oxazolinyll-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Platinum

New half-sandwich heterobimetallic CpMPt ($\text{M} = \text{Rh}, \text{Ir}$) dithiolato bridged complexes. X-ray structure of $[(\text{PPh}_3)_2\text{Pt}(\mu\text{-S}(\text{CH}_2)_2\text{S})\text{RhCl}(\eta^5\text{-C}_5\text{H}_5)]\text{BF}_4$, 188

 ^{31}P -NMR study

Synthesis of P-chiral enephosphonic acid derivatives, 83

Polymerization

Synthesis, characterization of homoleptic lanthanide amidinate complexes and their catalytic activity for the ring-opening polymerization of ϵ -caprolactone, 144

Propellers

A structural and mechanistic investigation of the mono-*O*-phenylation of diols with $\text{BiPh}_3(\text{OAc})_2$, 98

Proton transfer

Reactivity of ammonium and iminium tetraphenylborates towards Pd(0)-complexes: selective allyl or proton transfer to Pd(0). Evidence of formation of the species $[\text{HPd}(\text{dppe})_2][\text{BPh}_4]$, 112

Regioselective fluorination

Regioselective, stereospecific, and chemoselective fluorination of epoxy alcohols: development of fluorinating hybrid reagents, associated with Lewis acid metal fluoride/ammonium hydrogen fluoride, 77

Regioselective palladation

Regioselective palladation of 2-oxazolinyll-[2.2]paracyclophanes. Synthesis of planar-chiral phosphines, 23

Rhenium

Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130

Rhodium

New half-sandwich heterobimetallic CpMPt ($\text{M} = \text{Rh}, \text{Ir}$) dithiolato bridged complexes. X-ray structure of $[(\text{PPh}_3)_2\text{Pt}(\mu\text{-S}(\text{CH}_2)_2\text{S})\text{RhCl}(\eta^5\text{-C}_5\text{H}_5)]\text{BF}_4$, 188

Silicon

Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatanacyclopentanes, 1

Interactions of chloromethylidisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[\text{TDAE}]^+ [\text{Si}_3\text{Me}_2\text{Cl}_7]^-$, 14

Silylated

A new class of linked-bis(*N,N'*-dialkylamidinate) ligand: applications in the synthesis of bimetallic aluminium complexes, 178

Silyl-transition metal complexes

Zur Insertion von Decamethylsilicocen in Nickel- und Gold-Chlor-Bindungen, 34

Structures

Carbonyl derivatives of iron(0) from the reaction of $\text{FeR}_2(\text{bipy})_2$ ($\text{R} = \text{Me}, \text{Et}$) with carbon monoxide, 137

TDAE

Interactions of chloromethylidisilanes with tetrakis(dimethylamino)ethylene (TDAE), formation of $[\text{TDAE}]^+ [\text{Si}_3\text{Me}_2\text{Cl}_7]^-$, 14

Tetramethylfulvene

Reactions of the tetramethylfulvene ligand coordinated to rhenium with hydrohalic acids and halogens: synthesis of dicarbonyl complexes with a 'four-legged piano-stool' structure containing mixed-halide ligands, 130

Thermochemistry

On the transferability of Ir–I bond enthalpies between $[\text{Ir}(\mu\text{-S}'\text{Bu})(\text{I})_2(\text{CO})_2]_2$ and *trans*- $[\text{Ir}(\text{X})(\text{I})_2(\text{CO})(\text{PPh}_3)_2]$ ($\text{X} = \text{F}, \text{Cl}, \text{Br}, \text{I}$) complexes, 105

Titanacycles

Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatanacyclopentanes, 1

Titanium

Dihydroxyoligosilanes as novel ligands in coordination chemistry—first synthesis of 2,5-dioxa-3,4-disilatanacyclopentanes, 1

Transition metal complexes

Synthesis, coordination and reactivity of 2-(trimethylsilyloxy-methyl)phenyl- and 2-(hydroxymethyl)phenyl isocyanides, 70

Trimethylsilyl butenoates

Direct synthesis of unsaturated β -amino acids, 172

Tungsten

Synthesis and characterization of Group 6 transition-metal [70]fullerene derivatives containing dppb ligands. Crystal structure of *fac*-Mo(CO)₃(dppb)(CH₃CN), 51

Zinc bromide

Direct synthesis of unsaturated β -amino acids, 172