

Contents of Volume 663

Special Issue: Dedicated to Professor Pascual Royo

Preface

- T. Cuenca, J. Vicente 1
- Adaptable coordination modes of conjugated 1,3-diene: uniqueness of *s-trans* coordination
K. Mashima, A. Nakamura 5
- Zirconocene mediated cyclization and isomerization of 1,3,6-heptatriene
Z. Xi, G. Gao, M. Kitora, T. Takahashi 13
- Lithiophenylalkyllithiums: new dilithium reagents having both sp^2 - and sp^3 -hybridised remote carbanionic centres
M. Yus, D.J. Ramón, I. Gómez 21
- Neutral and cationic (η^6 -arene)-ruthenium(II) complexes containing the iminophosphorane–phosphine ligand $Ph_2PCH_2P(=N-p-C_5F_4N)Ph_2$: influence of the arene ring in catalytic transfer hydrogenation of cyclohexanone
V. Cadierno, P. Crochet, J. García-Álvarez, S.E. García-Garrido, J. Gimén 32
- The first anionic arenediethynylgold(I) complexes
J. Vicente, M.T. Chicote, M.D. Abrisqueta, M.M. Alvarez-Falcón 40
- Cross-coupling reactions with boronic acids in water catalysed by oxime-derived palladacycles
L. Botella, C. Nájera 46
- Mechanisms of Sn-to-Zr cyclopentadienyl transfer in the formation of Me_2Si -bridged zirconocenes from sila-stanna-tetrahydro-s-indacenes
M. Hüttenhofer, A. Weeber, H.-H. Brintzinger 58
- Synthesis, structure and catalytic activity of new iminophenolato complexes of scandium and yttrium
A. Lara-Sanchez, A. Rodriguez, D.L. Hughes, M. Schormann, M. Bochmann 63
- Synthesis and X-ray structures of (biphenoxide)Ti species: four and five coordinate complexes that crystallize as mixtures of diastereomers
T.J. Davis, P.J. Carroll, P.J. Walsh 70
- Mono-indenyl and cyclopentadienyl derivatives of molybdenum(IV) with a 16 valence-electron configuration
C.C. Romão, B. Royo 78
- Theoretical analysis of bis(ethylene) complexes of molybdenum and tungsten
D. Río, G. Schubert, I. Pápai, A. Galindo 83
- Why propene is not polymerized by $(Cp^*_2YH)_2$: reactions of yttrium alkyl complexes with alkenes produce allyl and vinyl yttrium complexes
C.P. Casey, J.A. Tunge, M.A. Fagan 91
- Synthesis of Group 10 polyfluorothiolate mono- and bi-nuclear complexes. Crystal structures of $[Ni(SC_6HF_4)_2(dppe)]$, $[(dppe)Ni(\mu-SC_6HF_4)_2Pd(C_6F_5)_2]$ and $[(dppe)Ni(\mu-SC_6F_5)_2Pd(C_6F_5)_2]$
M.A. Usón, J.M. Llanos 98
- Structural and dynamic studies in solution of anionic dinuclear azolato-bridged palladium(II) complexes
R. de la Cruz, P. Espinet, A.M. Gallego, J.M. Martín-Alvarez, J.M. Martínez-Illarduya 108
- A study of the coordination ability of 2,5-di(2-pyridyl)phospholes on Ru centres
A. Caballero, F.A. Jalón, B.R. Manzano, M. Sauthier, L. Toupet, R. Réau 118
- Reaction of $Cp^*RuCl(PPh_3)_2$ with dioxygen and formation of a neutral complex $Cp^*RuCl(O_2)(PPh_3)$
J. Román Torres-Lubián, M. Esther Sánchez-Castro, P. Juárez-Saavedra, J. Hernández-Martínez, B. Gordillo-Román, M. Angeles Paz-Sandoval 127

Synthesis and crystal structures of thermally stable titanocenes L. Lukešová, M. Horáček, P. Štěpnička, K. Fejfarová, R. Gyepes, I. Císařová, J. Kubišta, K. Mach	134
Proton induced coupling reactions in dinuclear σ -alkynyl- μ -methylene-rhodium complexes A. Castro, P.M. Maitlis, M.L. Turner, B.E. Mann, H. Adams	145
Ruthenium hydrides bearing SbPh_3 and AsPh_3 ligands: characterization of the bis(dihydrogen) complexes $[\text{Cp}^*\text{Ru}(\text{H}_2)_2(\text{EPh}_3)]^+$ ($\text{Cp}^* = \text{C}_5\text{Me}_5$; $\text{E} = \text{Sb}, \text{As}$) H. Aneetha, M. Jiménez Tenorio, M.C. Puerta, P. Valerga	151
Dialkyl titanium complexes that contain a sulfur-linked bis(phenolato) ligand: The structure of an olefin polymerization catalyst precursor S. Fokken, F. Reichwald, T.P. Spaniol, J. Okuda	158
Mono- and di-nuclear complexes of <i>ortho</i> -palladated and -platinated 4,4'-dimethylazobenzene with bis(diphenylphosphino)methane. More data on <i>transphobia</i> J. Vicente, A. Arcas, D. Bautista, M.C. Ramírez de Arellano	164
Hydrazonide titanium derivatives: Synthesis, characterization and catalytic activity in olefin polymerization. Molecular structure of $[\text{Ti}(\eta^5\text{-C}_3\text{H}_4\text{SiMe}_3\text{Cl}(\mu\text{-N}_2\text{CPh}_2))_2]$ V. Taberner, T. Cuenca, E. Herdtweck	173
New optically active 'constrained-geometry' cyclopentadienyl-phosphine ligands and their metal complexes S. Ciruelos, A. Doppiu, U. Englert, A. Salzer	183
Structural characterization of Group 4 transition metal halide bis-Arduengo carbene complexes MCl_4L_2 : X-ray crystal structure analyses and DFT calculations M. Niehues, G. Kehr, G. Erker, B. Wibbeling, R. Fröhlich, O. Blacque, H. Berke	192
New ruthenium(II) complexes containing the chiral ligand (4 <i>S</i>)-2-[(<i>S</i> _p)-2-(diphenylphosphino)ferrocenyl]-4-(methylethyl)oxazoline (FcPN). X-ray structures of <i>mer-trans</i> - $[\text{RuCl}_2(\text{dppm})(\text{FcPN})]$ (dppm = bis(diphenylphosphino)methane) and <i>cis</i> - $[\text{RuCl}_2(\text{CO})(\text{py})(\text{FcPN})]$ J. Gimeno, E. Lastra, C. Madrigal, C. Graiff, A. Tiripicchio	204
Mass spectrometry of polystyrene and polypropene ruthenium complexes. A new tool for polymer characterization E. Royo, H.-H. Brintzinger	213
Synthesis and characterisation of the <i>exo-nido</i> molybdacarborane complex $\text{Mo}(\eta\text{-C}_3\text{H}_5)(\text{CO})_2(7,8\text{-}\mu\text{-SCH}_2\text{CH}_2\text{S-7,8-nido-C}_2\text{B}_9\text{H}_{10})$. Strong B–H–Mo 3-centre bonding G. Barberà, C. Viñas, F. Teixidor, G.M. Rosair, A.J. Welch	221
Carbonyl substitution chemistry of neutral and cationic triruthenium cluster complexes derived from 1,1-dimethylhydrazine. Incorporation of two and three phosphane ligands J.A. Cabeza, I. del Río, S. García-Granda, L. Martínez-Méndez, V. Riera	227
Allenylidene-ruthenium-arene precatalyst for ring opening metathesis polymerisation (ROMP) R. Castarlenas, D. Sémeril, A.F. Noels, A. Demonceau, P.H. Dixneuf	235
C–Br versus C–H bond activation in palladium(II) cyclopalladated compounds. Crystal and molecular structure of $[\text{Pd}\{\text{C}_6\text{H}_4\text{C}(\text{H})=\text{NCy}\}(\text{Me})(\text{MeCOCHCOMe})]$ J.M. Vila, T. Pereira, J.M. Ortigueira, A. Amoedo, M. Graña, G. Alberdi, M. López-Torres, A. Fernández	239
The activation of C–H bonds in internal alkenes and dienes by $\{\text{NiCp}\}$ species formed in the reaction of nickelocene with alkali metals A. Pietrzykowski, P. Buchalski, S. Pasynkiewicz, J. Lipkowski	249
Preparation of Ti(IV), Zr(IV) and Sn(IV) metal alkyls containing the $(\text{Pr}^i\text{O})_3\text{SiCH}_2$ fragment D. Cauzzi, C. Graiff, M. Marazzi, G. Predieri, A. Tiripicchio	256
Synthesis and structures of crystalline bis(trimethylsilyl)methanido complexes of potassium, calcium and ytterbium P.B. Hitchcock, A.V. Khvostov, M.F. Lappert	263
Half-sandwich molybdenum(III) compounds containing diazadiene ligands and their use in the controlled radical polymerization of styrene F. Stoffelbach, R. Polí, P. Richard	269
Cyclopalladation of Schiff bases from phenylalanine and 2-phenylglycine J. Albert, J. Magali Cadena, A. González, J. Granell, X. Solans, M. Font-Bardia	277
A luminescent Pt_3Pb cluster with three $\text{Pt(II)} \rightarrow \text{Pb(II)}$ bonds I. Ara, L.R. Falvello, J. Forniés, J. Gomez-Cordón, E. Lalinde, R.I. Merino, I. Usón	284

Four- five- and six-co-ordinated pentafluorophenylthallium(III) complexes. Crystal structures of $[\text{Tl}(\text{C}_6\text{F}_5)_3(\text{OPPh}_3)]$, $[\text{Tl}(\text{C}_6\text{F}_5)_2\text{Cl}(\text{OPPh}_3)_2]$ and $[\text{Tl}(\text{C}_6\text{F}_5)_2(\text{OdppmO})_2][\text{Tl}(\text{C}_6\text{F}_5)_2\text{Cl}_2]$ A. Mendiá, E. Cerrada, E.J. Fernandez, A. Laguna, M. Laguna	289
Author Index of Volume 663	297
Subject Index of Volume 663	299
Contents of Volume 663	305