



ELSEVIER

Available online at www.sciencedirect.com

SCIENCE @ DIRECT®

Journal of Organometallic Chemistry 665 (2003) 261–265

Journal
of Organo
metallic
Chemistry

www.elsevier.com/locate/jorgchem

Subject Index of Volume 665

Acetylacetone

Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69

Acetylides

Chalcogen–acetylide interaction and unusual reactivity of coordinated acetylide with water: synthesis and characterisation of $[(\eta^5\text{-C}_5\text{R}_5)\text{Fe}_3(\text{CO})_6(\mu_3\text{-E})(\mu_3\text{-ECCH}_2\text{R}^1)]$ (R = H, Me; R¹ = Ph, Fc; E = S, Se) and $[(\eta^5\text{-C}_5\text{R}_5)\text{MoFe}_2(\text{CO})_6(\mu_3\text{-S})(\mu\text{-SCCH}_2\text{Ph})]$ (R = H, Me), 226

Alkene-polymerisation

Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135

Alkylation

1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23

Alkynes

Photoactivated hydrosilylation reaction of alkynes, 1

Allylic alkylation

Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

Allylic amination

Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

Amido-phosphines

Synthesis, structural characterisation and reactivity of molybdenum half-sandwich complexes containing keto- and amido-phosphines, 15

Antimony

Synthesis and molecular structure of $[(\text{C}_5\text{Me}_5)_3\text{Co}_3(\mu_3\text{-S})(\mu_3\text{-SbS}_4\text{I})]$, a tricobalt complex with the tripodal $\psi\text{-SbS}_4$ -ligand, 214

As ligands

Cyclometallated complexes of Pd(II) with heterobidentate P, As and P, N coordinating ligands, 87

Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal and molecular structures of $[\{\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Cl})\}_2(\mu\text{-Ph}_2\text{PRPPPh}_2)]$ (R = CH₂CH₂, Fe(C₅H₄)₂), $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-}P,P)]$ $[\text{PF}_6]$ and $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=N(Cy)-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2\text{-}P,As)]$ $[\text{PF}_6]$, 76

Asymmetric catalysis

Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

1-aza-3-Phosphaallyl ligand

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of $[\text{M}\{\text{P(Ph)C(Ph)NSiMe}_2\text{Bu}^t\}(\text{L})_2]$ (M = Li, L = THF; M = K, L = Et₂O), $[\text{Sn}\{\text{P(Ph)C(Ph)NSiMe}_2\text{Bu}^t\}_2]$ and $[\text{P(Ph)C(Ph)=NSiMe}_2\text{Bu}^t]_2$, 205

Biphasic catalysis

One ponytail will do: new partially fluorinated phosphines with applications in fluorosolv biphasic solvent systems, 65

Bis(diphenylphosphino)methylamine complexes

Bis(diphenylphosphino)methylamine as chelate ligand in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhCl}\{\eta^2\text{-}P,P'\text{-}(\text{PPh}_2)_2\text{NMe}\}] \text{BF}_4$, 7

Carbonyl

Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107

Carbonylation

DFT-studies of *cis*- and *trans*- $[\text{Rh}(\text{CO})_2\text{X}_2]^+$ (X = PH₃, PF₃, PCl₃, PBr₃, PI₃ or P(CH₃)₃) and oxidative addition of CH₃I to them, 150

Carboxyls

Dirhodium(II) dicarboxylato complexes containing carbonyl and C-bonded methoxycarbonyl ligands, 156

Carboxylates

Dirhodium(II) dicarboxylato complexes containing carbonyl and C-bonded methoxycarbonyl ligands, 156

Catalysis

DFT-studies of *cis*- and *trans*- $[\text{Rh}(\text{CO})_2\text{X}_2]^+$ (X = PH₃, PF₃, PCl₃, PBr₃, PI₃ or P(CH₃)₃) and oxidative addition of CH₃I to them, 150

Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135

Synthesis and crystal structures of novel β -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene, 237

Catalytic hydrogenation

Supported organometallic complexes: Part XXXV. Synthesis, characterization, and catalytic application of a new family of diamine(diphosphine)ruthenium(II) complexes, 176

Chalcogen

Chalcogen–acetylide interaction and unusual reactivity of coordinated acetylide with water: synthesis and characterisation of $[(\eta^5\text{-C}_5\text{R}_5)\text{Fe}_3(\text{CO})_6(\mu_3\text{-E})(\mu_3\text{-ECCH}_2\text{R}^1)]$ (R = H, Me; R¹ = Ph, Fc; E = S, Se) and $[(\eta^5\text{-C}_5\text{R}_5)\text{MoFe}_2(\text{CO})_6(\mu_3\text{-S})(\mu\text{-SCCH}_2\text{Ph})]$ (R = H, Me), 226

Chromium

Reactivity and crystal structures of the first dithiocarbamate chromium(0) and dithiophosphate tungsten(0) complexes: crystal structures of $[\text{Et}_4\text{N}][\text{Cr}(\eta^2\text{-S}_2\text{CNC}_5\text{H}_{10})(\text{CO})_4]$ and $[\text{Et}_4\text{N}][\text{W}\{\eta^2\text{-S}_2\text{P(OEt)}_2(\text{CO})_4\}]$, 114

Cluster

Isonitrile substitution reactions of $\text{Co}_4(\mu_4\text{-SiR})_2(\text{CO})_{11}$ clusters and the structure of $\text{Co}_4(\mu_4\text{-SiC}_6\text{H}_4\text{OMe})_2(\text{CO})_7(\text{XyNC})_4$, 95

Cobalt

Synthesis and molecular structure of $[(\text{C}_5\text{Me}_5)_3\text{Co}_3(\mu_3\text{-S})(\mu_3\text{-SbS}_4\text{I})]$, a tricobalt complex with the tripodal $\psi\text{-SbS}_4$ -ligand, 214

Complexes

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of

- $[M\{\overline{P(Ph)C(Ph)NSiMe_2Bu'}\}(L)_2]$ ($M = Li$, $L = THF$; $M = K$, $L = Et_2O$), $[Sn\{P(Ph)C(Ph)NSiMe_2Bu'\}_2]$ and $[P(Ph)C(Ph) = NSiMe_2Bu']_2$, 205
- Copper**
1,2,4-Triphospholyl gold(I) and copper(I) complexes: synthesis, crystal and molecular structures of $[Cu(PMe_3)_2(\mu-P_3C_2Bu_2)(\mu-I)Cu(PMe_3)_2]$, $[Cu(PMe_3)_2(\mu-P_3C_2Bu_2)_2Cu(PMe_3)_2]$ and $[Au(\eta^1-P_3C_2Bu_2)[Au(PEt_3)_2]$, 101
- Crystal structure**
Chalcogen–acetylide interaction and unusual reactivity of coordinated acetylide with water: synthesis and characterisation of $[(\eta^5-C_5R_5)Fe_3(CO)_6(\mu_3-E)(\mu_3-ECCH_2R^1)]$ ($R = H$, Me ; $R^1 = Ph$, Fc ; $E = S$, Se) and $[(\eta^5-C_5R_5)MoFe_2(CO)_6(\mu_3-S)(\mu-SCCH_2Ph)]$ ($R = H$, Me), 226
- Crystal structure determination**
Isonitrile substitution reactions of $Co_4(\mu_4-SiR)_2(CO)_{11}$ clusters and the structure of $Co_4(\mu_4-SiC_6H_4OMe)_2(CO)_7(XyNC)_4$, 95
- Crystal structures**
Bis(diphenylphosphino)methylamine as chelate ligand in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structure of $[(\eta^5-C_5Me_5)RhCl\{\eta^2-P,P'-(PPh_2)_2NMe\}]BF_4$, 7
- Reactivity and crystal structures of the first dithiocarbamate chromium(0) and dithiophosphate tungsten(0) complexes: crystal structures of $[Et_4N][Cr(\eta^2-S_2CNC_5H_{10})(CO)_4]$ and $[Et_4N][W\{\eta^2-S_2P(OEt)_2(CO)_4\}]$, 114
- Supported organometallic complexes: Part XXXV. Synthesis, characterization, and catalytic application of a new family of diamine(diphosphine)ruthenium(II) complexes, 176
- Synthesis and crystal structures of novel β -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene, 237
- Synthesis, NMR and structural studies of cluster derivatives derived from reactions of 1,2,3-triphenyl-1,2,3-triphosphaindan with $[Os_3(CO)_{10}(\mu-H)_2]$, 218
- C–S bond cleavage**
Double bond migration in *S*-allyl systems catalysed by $[RuClH(CO)(PPh_3)_3]$, 167
- Cyclic voltammetry**
The $[Cp(CO)_2Fe]$ (Fp) group as a donor in donor/acceptor substituted disilanes: synthesis, structure and electronic properties of $Fp-Si_2Me_4-C_6H_4CH=C(CN)_2$, 186
- Cycloaddition**
[4+2]Cycloadditions of organometallic-substituted siloles with dimethyl acetylenedicarboxylate and tetracyanoethylene, 196
- [4+2]-Cycloadduct
1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23
- Cyclopentadienyl**
Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135
- Cyclopentadienyliron**
A disulfide-bridged manganese carbonyl anion: synthesis, structure and reactivity of $[Mn_3(CO)_{10}(\mu_3-S_2)]^-$, 43
- Cyclopropane**
1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23
- Cyclopropene**
1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23
- Cyclopropyl cation**
1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23
- Density functional theory**
DFT-studies of *cis*- and *trans*- $[Rh(CO)_2X_2]^+$ ($X = PH_3$, PF_3 , PCl_3 , PBr_3 , PI_3 or $P(CH_3)_3$) and oxidative addition of CH_3I to them, 150
- Diamine ligands**
Supported organometallic complexes: Part XXXV. Synthesis, characterization, and catalytic application of a new family of diamine(diphosphine)ruthenium(II) complexes, 176
- Diethyl azodicarboxylate**
Studies on the catalysis of the reaction of organotin phenoxides with diethyl azodicarboxylate by lithium perchlorate, 233
- Diethyldithiophosphato ligand**
Reactivity and crystal structures of the first dithiocarbamate chromium(0) and dithiophosphate tungsten(0) complexes: crystal structures of $[Et_4N][Cr(\eta^2-S_2CNC_5H_{10})(CO)_4]$ and $[Et_4N][W\{\eta^2-S_2P(OEt)_2(CO)_4\}]$, 114
- β -Diketiminato**
Synthesis and crystal structures of novel β -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene, 237
- Diphos ligand**
Supported organometallic complexes: Part XXXV. Synthesis, characterization, and catalytic application of a new family of diamine(diphosphine)ruthenium(II) complexes, 176
- Diphosphazane complexes**
Bis(diphenylphosphino)methylamine as chelate ligand in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structure of $[(\eta^5-C_5Me_5)RhCl\{\eta^2-P,P'-(PPh_2)_2NMe\}]BF_4$, 7
- Diphosphine**
Air- and moisture-stable cationic (diphosphine)palladium(II) complexes as hydroamination catalysts: X-ray crystal structures of two $[(diphosphine)Pd(NCMe)(OH_2)]^{2+}[OTf]_2^-$ complexes, 250
- Disproportionation**
Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246
- Disulfido ligand**
A disulfide-bridged manganese carbonyl anion: synthesis, structure and reactivity of $[Mn_3(CO)_{10}(\mu_3-S_2)]^-$, 43
- Dithiocarbamate ligand**
Reactivity and crystal structures of the first dithiocarbamate chromium(0) and dithiophosphate tungsten(0) complexes: crystal structures of $[Et_4N][Cr(\eta^2-S_2CNC_5H_{10})(CO)_4]$ and $[Et_4N][W\{\eta^2-S_2P(OEt)_2(CO)_4\}]$, 114
- EL device**
Synthesis of organosilanylene–pentathienylene alternating polymers and their application to the hole-transporting materials in double-layer electroluminescent devices, 29
- Electrochemistry**
Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107
- Electrospray mass spectrometry**
Isonitrile substitution reactions of $Co_4(\mu_4-SiR)_2(CO)_{11}$ clusters and the structure of $Co_4(\mu_4-SiC_6H_4OMe)_2(CO)_7(XyNC)_4$, 95
- Enamino carbonyl compounds**
Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69
- Ethyl acetoacetate**
Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69
- E*-/*Z*-isomerization**
Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69
- Ferrocene**
1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23
Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

Ferrocene derivatives of azoles

Simple route to ferrocenyl(alkyl)imidazoles, 13

Ferrocenomesogens

The synthesis and liquid crystal behaviour of monosubstituted ferrocenomesogens, 48

 α -Ferrocenylalkylation

Simple route to ferrocenyl(alkyl)imidazoles, 13

Ferrocenyldihydropyrazole

Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69

Fe–Si bond

The $[\text{Cp}(\text{CO})_2\text{Fe}]$ (Fp) group as a donor in donor/acceptor substituted disilanes: synthesis, structure and electronic properties of $\text{Fp-Si}_2\text{Me}_4\text{-C}_6\text{H}_4\text{CH=C}(\text{CN})_2$, 186

Fluorine chemistry

One ponytail will do: new partially fluorinated phosphines with applications in fluorous biphasic solvent systems, 65

Gold

1,2,4-Triphospholyl gold(I) and copper(I) complexes: synthesis, crystal and molecular structures of $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)(\mu\text{-I})\text{Cu}(\text{PMe}_3)_2]$, $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)_2\text{Cu}(\text{PMe}_3)_2]$ and $[\text{Au}(\eta^1\text{-P}_3\text{C}_2^t\text{Bu}_2)_2][\text{Au}(\text{PEt}_3)_2]$, 101

Grignard

Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds, 127

Half-sandwich compounds

Synthesis, structural characterisation and reactivity of molybdenum half-sandwich complexes containing keto- and amido-phosphines, 15

Hole-transport

Synthesis of organosilanylene–pentathienylene alternating polymers and their application to the hole-transporting materials in double-layer electroluminescent devices, 29

Hydrazone

Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

Hydroamination

Air- and moisture-stable cationic (diphosphine)palladium(II) complexes as hydroamination catalysts: X-ray crystal structures of two $[(\text{diphosphine})\text{Pd}(\text{NCMe})(\text{OH}_2)]^{2+}[\text{OTf}]_2^-$ complexes, 250

Hypervalent silicon complexes

Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246

Imidazole

Simple route to ferrocenyl(alkyl)imidazoles, 13

Iridium

Bis(diphenylphosphino)methylamine as chelate ligand in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhCl}\{\eta^2\text{-P}, \text{P}'\text{-}(\text{PPh}_2)_2\text{NMe}\}]\text{BF}_4$, 7

Isomerisation

Double bond migration in *S*-allyl systems catalysed by $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$, 167

Isonitrile

Isonitrile substitution reactions of $\text{Co}_4(\mu_4\text{-SiR})_2(\text{CO})_{11}$ clusters and the structure of $\text{Co}_4(\mu_4\text{-SiC}_6\text{H}_4\text{OMe})_2(\text{CO})_7(\text{XyNC})_4$, 95

Keto-phosphines

Synthesis, structural characterisation and reactivity of molybdenum half-sandwich complexes containing keto- and amido-phosphines, 15

Lanthanoid complexes

Synthesis and structural study of a lithium complex of 6-methyl-2-(trimethylsilylamino)pyridine and its use in the formation of some lanthanoid complexes, 33

Liquid crystals

The synthesis and liquid crystal behaviour of monosubstituted ferrocenomesogens, 48

Lithium

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of $[\text{M}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}(\text{L})_2]$ ($\text{M} = \text{Li}$, $\text{L} = \text{THF}$; $\text{M} = \text{K}$, $\text{L} = \text{Et}_2\text{O}$), $[\text{Sn}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}_2]$ and $[\text{P}(\text{Ph})\text{C}(\text{Ph})\text{-NSiMe}_2\text{Bu}^t]$, 205

Lithium complexes

Synthesis and structural study of a lithium complex of 6-methyl-2-(trimethylsilylamino)pyridine and its use in the formation of some lanthanoid complexes, 33

Lithium perchlorate

Studies on the catalysis of the reaction of organotin phenoxides with diethyl azodicarboxylate by lithium perchlorate, 233

Low coordination

Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds, 127

Main group

Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds, 127

Manganese carbonyl

A disulfide-bridged manganese carbonyl anion: synthesis, structure and reactivity of $[\text{Mn}_3(\text{CO})_{10}(\mu_3\text{-S}_2)]^-$, 43

Metallation

Cyclometallated complexes of Pd(II) with heterobidentate P, As and P, N coordinating ligands, 87

Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal and molecular structures of $[\{\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{NCy-C}2,\text{N}\}(\text{Cl})\}_2(\mu\text{-Ph}_2\text{PRPPH}_2)]$ ($\text{R} = \text{CH}_2\text{CH}_2$, $\text{Fe}(\text{C}_5\text{H}_4)_2$), $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{NCy-C}2,\text{N}\}(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-P}, \text{P})][\text{PF}_6]$ and $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{N}(\text{Cy})\text{-C}2,\text{N}\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2\text{-P}, \text{As})][\text{PF}_6]$, 76

Mixed ligands

Synthesis and molecular structure of $[(\text{C}_5\text{Me}_5)_3\text{Co}_3(\mu_3\text{-S})(\mu_3\text{-SbS}_4\text{I})]$, a tricobalt complex with the tripodal $\psi\text{-SbS}_4$ -ligand, 214

Mixed-metal

Chalcogen–acetylide interaction and unusual reactivity of coordinated acetylide with water: synthesis and characterisation of $[(\eta^5\text{-C}_5\text{R}_5)\text{Fe}_3(\text{CO})_6(\mu_3\text{-E})(\mu_3\text{-ECCH}_2\text{R}^1)]$ ($\text{R} = \text{H}$, Me ; $\text{R}^1 = \text{Ph}$, Fc ; $\text{E} = \text{S}$, Se) and $[(\eta^5\text{-C}_5\text{R}_5)\text{MoFe}_2(\text{CO})_6(\mu_3\text{-S})(\mu\text{-SCCH}_2\text{Ph})]$ ($\text{R} = \text{H}$, Me), 226

Molybdenum

Synthesis, structural characterisation and reactivity of molybdenum half-sandwich complexes containing keto- and amido-phosphines, 15

Multinuclear

$[4+2]$ Cycloadditions of organometallic-substituted siloles with dimethyl acetylenedicarboxylate and tetracyanoethylene, 196

Nematic phases

The synthesis and liquid crystal behaviour of monosubstituted ferrocenomesogens, 48

NMR

$[4+2]$ Cycloadditions of organometallic-substituted siloles with dimethyl acetylenedicarboxylate and tetracyanoethylene, 196

Dirhodium(II) dicarboxylate complexes containing carbonyl and C-bonded methoxycarbonyl ligands, 156

N,N'-Carbonyldiimidazole

Simple route to ferrocenyl(alkyl)imidazoles, 13

Oligoethylene glycol ethers

Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246

Oligothiophylene

Synthesis of organosilanylene–pentathiophylene alternating polymers and their application to the hole-transporting materials in double-layer electroluminescent devices, 29

Organosilicon polymer

Synthesis of organosilanylene–pentathiophylene alternating polymers and their application to the hole-transporting materials in double-layer electroluminescent devices, 29

Organotin phenoxides

Studies on the catalysis of the reaction of organotin phenoxides with diethyl azodicarboxylate by lithium perchlorate, 233

Osmium cluster

Synthesis, NMR and structural studies of cluster derivatives derived from reactions of 1,2,3-triphenyl-1,2,3-triphosphaindan with $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})_2]$, 218

Oxidative addition

DFT-studies of *cis*- and *trans*- $[\text{Rh}(\text{CO})_2\text{X}_2]^+$ ($\text{X} = \text{PH}_3, \text{PF}_3, \text{PCl}_3, \text{PBr}_3, \text{PI}_3$ or $\text{P}(\text{CH}_3)_3$) and oxidative addition of CH_3I to them, 150

Palladium

Air- and moisture-stable cationic (diphosphine)palladium(II) complexes as hydroamination catalysts: X-ray crystal structures of two [(diphosphine) $\text{Pd}(\text{NCMe})(\text{OH}_2)_2]^+[\text{OTf}]_2^-$ complexes, 250

Cyclometallated complexes of Pd(II) with heterobidentate P, As and P, N coordinating ligands, 87

Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal and molecular structures of $[\{\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Cl})\}_2(\mu\text{-Ph}_2\text{PRPPPh}_2)]$ ($\text{R} = \text{CH}_2\text{CH}_2, \text{Fe}(\text{C}_3\text{H}_4)_2$), $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-}P,P)]$ $[\text{PF}_6]$ and $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=N(Cy)-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2\text{-}P,As)]$ $[\text{PF}_6]$, 76

Palladium-catalyzed asymmetric allylic substitution using planar chiral hydrazone ligands, 122

Phenoxy-imine

Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135

Phosphavinyl

Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds, 127

Phosphine

DFT-studies of *cis*- and *trans*- $[\text{Rh}(\text{CO})_2\text{X}_2]^+$ ($\text{X} = \text{PH}_3, \text{PF}_3, \text{PCl}_3, \text{PBr}_3, \text{PI}_3$ or $\text{P}(\text{CH}_3)_3$) and oxidative addition of CH_3I to them, 150

Phosphines

Cyclometallated complexes of Pd(II) with heterobidentate P, As and P, N coordinating ligands, 87

Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal and molecular structures of $[\{\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Cl})\}_2(\mu\text{-Ph}_2\text{PRPPPh}_2)]$ ($\text{R} = \text{CH}_2\text{CH}_2, \text{Fe}(\text{C}_3\text{H}_4)_2$), $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=NCy-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-}P,P)]$ $[\text{PF}_6]$ and $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C(H)=N(Cy)-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2\text{-}P,As)]$ $[\text{PF}_6]$, 76

One ponytail will do: new partially fluorinated phosphines with applications in fluorous biphasic solvent systems, 65

Phosphorus

Reactions of a phosphavinyl Grignard reagent with main group mono-halide compounds, 127

Photoactivated hydrosilylation

Photoactivated hydrosilylation reaction of alkynes, 1

Platinum(II) bis(acetylacetonato)

Photoactivated hydrosilylation reaction of alkynes, 1

P,N ligands

Cyclometallated complexes of Pd(II) with heterobidentate P, As and P, N coordinating ligands, 87

³¹P-NMR

Synthesis, NMR and structural studies of cluster derivatives derived from reactions of 1,2,3-triphenyl-1,2,3-triphosphaindan with $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})_2]$, 218

Polypyridyl complexes

Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107

Potassium

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of $[\text{M}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}'\}(\text{L})_2]$ ($\text{M} = \text{Li}, \text{L} = \text{THF}; \text{M} = \text{K}, \text{L} = \text{Et}_2\text{O}$), $[\text{Sn}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}'\}_2]$ and $[\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}'_2]$, 205

Protonation

1-Ferrocenylcyclopropene and 1-ferrocenylcyclopropyl cation, 23

Regulation of electron property

Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107

Rhodium

Bis(diphenylphosphino)methylamine as chelate ligand in pentamethylcyclopentadienylrhodium(III) and iridium(III) complexes. Crystal structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{RhCl}\{\eta^2\text{-}P,P'\text{-}(\text{PPh}_2)_2\text{NMe}\}]\text{BF}_4$, 7

DFT-studies of *cis*- and *trans*- $[\text{Rh}(\text{CO})_2\text{X}_2]^+$ ($\text{X} = \text{PH}_3, \text{PF}_3, \text{PCl}_3, \text{PBr}_3, \text{PI}_3$ or $\text{P}(\text{CH}_3)_3$) and oxidative addition of CH_3I to them, 150

Rhodium complexes

One ponytail will do: new partially fluorinated phosphines with applications in fluorous biphasic solvent systems, 65

Rhodium(II) complexes

Dirhodium(II) dicarboxylate complexes containing carbonyl and C-bonded methoxycarbonyl ligands, 156

Ruthenium

Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107

Ruthenium complexes

Double bond migration in *S*-allyl systems catalysed by $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$, 167

Ruthenium(II) complexes

Supported organometallic complexes: Part XXXV. Synthesis, characterization, and catalytic application of a new family of diamine(diphosphine)ruthenium(II) complexes, 176

S-allyl compounds

Double bond migration in *S*-allyl systems catalysed by $[\text{RuClH}(\text{CO})(\text{PPh}_3)_3]$, 167

Silane

Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246

Siloles

$[4+2]$ Cycloadditions of organometallic-substituted siloles with dimethyl acetylenedicarboxylate and tetracyanoethylene, 196

Silyl bridge

The $[\text{Cp}(\text{CO})_2\text{Fe}]$ (Fp) group as a donor in donor/acceptor substituted disilanes: synthesis, structure and electronic properties of $\text{Fp-Si}_2\text{Me}_4\text{-C}_6\text{H}_4\text{CH=C}(\text{CN})_2$, 186

Structures

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of $[\text{M}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}(\text{L})_2]$ ($\text{M} = \text{Li}$, $\text{L} = \text{THF}$; $\text{M} = \text{K}$, $\text{L} = \text{Et}_2\text{O}$), $[\text{Sn}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}_2]$ and $[\text{P}(\text{Ph})\text{C}(\text{Ph})=\text{NSiMe}_2\text{Bu}^t]_2$, 205

1,2,4-Triphospholyl gold(I) and copper(I) complexes: synthesis, crystal and molecular structures of $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)(\mu\text{-I})\text{Cu}(\text{PMe}_3)_2]$, $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)_2\text{Cu}(\text{PMe}_3)_2]$ and $[\text{Au}(\eta^1\text{-P}_3\text{C}_2^t\text{Bu}_2)]_2[\text{Au}(\text{PEt}_3)_2]$, 101

Sulfur

A disulfide-bridged manganese carbonyl anion: synthesis, structure and reactivity of $[\text{Mn}_3(\text{CO})_{10}(\mu_3\text{-S}_2)]^-$, 43

Synthesis and molecular structure of $[(\text{C}_5\text{Me}_5)_3\text{Co}_3(\mu_3\text{-S})(\mu_3\text{-SbS}_4\text{I})]$, a tricobalt complex with the tripodal $\psi\text{-SbS}_4$ -ligand, 214

Synthesis and structural study

Synthesis and structural study of a lithium complex of 6-methyl-2-(trimethylsilylamino)pyridine and its use in the formation of some lanthanoid complexes, 33

Tetraethoxysilane

Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246

Tin

Synthesis and reactions of 1-*t*-butyldimethylsilyl-2,3-diphenyl-1-aza-3-phosphaallyl lithium and potassium. Crystal structures of $[\text{M}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}(\text{L})_2]$ ($\text{M} = \text{Li}$, $\text{L} = \text{THF}$; $\text{M} = \text{K}$, $\text{L} = \text{Et}_2\text{O}$), $[\text{Sn}\{\text{P}(\text{Ph})\text{C}(\text{Ph})\text{NSiMe}_2\text{Bu}^t\}_2]$ and $[\text{P}(\text{Ph})\text{C}(\text{Ph})=\text{NSiMe}_2\text{Bu}^t]_2$, 205

Titanium

Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135

Transition metal

Synthesis and crystal structures of novel β -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene, 237

Triethoxysilane

Catalysis of triethoxysilane disproportionation with oligoethylene glycol ethers, 246

Triphosphaindan

Synthesis, NMR and structural studies of cluster derivatives derived

from reactions of 1,2,3-triphenyl-1,2,3-triphosphaindan with $[\text{Os}_3(\text{CO})_{10}(\mu\text{-H})_2]$, 218

Triphospholyl

1,2,4-Triphospholyl gold(I) and copper(I) complexes: synthesis, crystal and molecular structures of $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)(\mu\text{-I})\text{Cu}(\text{PMe}_3)_2]$, $[\text{Cu}(\text{PMe}_3)_2(\mu\text{-P}_3\text{C}_2^t\text{Bu}_2)_2\text{Cu}(\text{PMe}_3)_2]$ and $[\text{Au}(\eta^1\text{-P}_3\text{C}_2^t\text{Bu}_2)]_2[\text{Au}(\text{PEt}_3)_2]$, 101

Tungsten

Reactivity and crystal structures of the first dithiocarbamate chromium(0) and dithiophosphate tungsten(0) complexes: crystal structures of $[\text{Et}_4\text{N}][\text{Cr}(\eta^2\text{-S}_2\text{CNC}_5\text{H}_{10})(\text{CO})_4]$ and $[\text{Et}_4\text{N}][\text{W}\{\eta^2\text{-S}_2\text{P}(\text{OEt})_2(\text{CO})_4\}]$, 114

UV absorption

The $[\text{Cp}(\text{CO})_2\text{Fe}]$ (Fp) group as a donor in donor/acceptor substituted disilanes: synthesis, structure and electronic properties of $\text{Fp-Si}_2\text{Me}_4\text{-C}_6\text{H}_4\text{CH=C}(\text{CN})_2$, 186

X-ray

$[4+2]$ Cycloadditions of organometallic-substituted siloles with dimethyl acetylenedicarboxylate and tetracyanoethylene, 196

Dirhodium(II) dicarboxylato complexes containing carbonyl and C-bonded methoxycarbonyl ligands, 156

X-ray diffraction

Functionalized cyclopalladated compounds with bidentate Group 15 donor atom ligands: the crystal and molecular structures of $[\{\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{NCy-C}2,N\}(\text{Cl})\}_2(\mu\text{-Ph}_2\text{PRPPH}_2)]$ ($\text{R} = \text{CH}_2\text{CH}_2$, $\text{Fe}(\text{C}_5\text{H}_4)_2$), $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{NCy-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{PPh}_2\text{-P,P})][\text{PF}_6]$ and $[\text{Pd}\{5\text{-(COH)C}_6\text{H}_3\text{C}(\text{H})=\text{N}(\text{Cy})\text{-C}2,N\}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{AsPh}_2\text{-P,As})][\text{PF}_6]$, 76

X-ray diffraction analysis

Polycyclic ferrocenyl-4,5-dihydropyrazoles in nucleophilic reactions with β -dicarbonyl compounds, 69

X-ray structures

Regulation of electron donating ability to metal center: isolation and characterization of ruthenium carbonyl complexes with *N,N*- and/or *N,O*-donor polypyridyl ligands, 107

Zirconium

Monocyclopentadienyl phenoxy-imine and phenoxy-amine complexes of titanium and zirconium and their application as catalysts for 1-alkene polymerisation, 135

Synthesis and crystal structures of novel β -diketiminato-lithium, iron, cobalt, nickel, zirconium complexes and their catalytical behaviors in polymerization of ethylene, 237