

Subject Index of Volume 670

Acetylide

- 1,4-Diynes from alkynyl–propargyl coupling reactions, 151
- Luminescent properties of carbon-rich starburst gold(I) acetylide complexes. Crystal structure of [TEE][Au(PCy₃)₄] ([TEE]H₄ = tetraethynylethene), 11
- Macrocyclic gold(I) complexes and [2]catenanes containing carbonyl functionalized diacetylide ligands, 27
- Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
- Organometallic complexes for nonlinear optics: Part 32: Synthesis, optical spectroscopy and theoretical studies of some osmium alkynyl complexes, 248
- Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235
- Synthesis and characterization of trimetallic complexes with a borazine core, 243
- Synthesis of ruthenium acetylides: new building blocks for molecular electronics, 37

Acetylides

- Reactivity of metal acetylides with chalcogen-bridged metal carbonyl cluster in presence of free alkyne molecule: synthesis and characterisation of [(η⁵-C₅Me₅)MFe₃(μ₃-S){(μ₃-C(H)=C(R)S)(CO)₆(μ₃-CCPh)}] (R = Ph, *n*-Bu and M = W, Mo) and [(η⁵-C₅Me₅)MFe₃(μ₃-S){(μ₃-C(Fc)=C(H)S)(CO)₇(μ₃-CCPh)}] (M = W, Mo), 144
- Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108

Alkyne

- A simple synthesis of tetraethynylethenes and representative molecular structures of some dicobalt derivatives, 178

Alkyne complexes

- Et₂SiH₂ assisted the selective dimerization of terminal alkynes catalyzed by Cp₂*UMe₂, 97

Alkynes complexes

- 1,4-Diynes from alkynyl–propargyl coupling reactions, 151

Alkynyl

- η¹-Alkynyl and vinylidene transition metal complexes: 10. Reaction of the metal-acetylide [(η⁵-C₅H₅)(CO)(NO)W–C≡C–C(CH₃)₃Li] with 1,2-diiodoethane as electrophile and with various nucleophiles, 66
- Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45
- Homo-dinuclear σ-alkynyl complexes: past, present and opportunities, 188
- Synthesis and reactivity of alkynyl niobocene complexes, 123
- Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoylnyl complexes and their homo- and hetero-metallic binuclear complexes, 205
- Synthesis, structures and photophysics of novel luminescent platinum–copper complexes, 221
- Titanocene and zirconocene σ-alkynyl complexes in C–C single bond coupling and cleavage reactions, 84

Alkynyl complexes

- New ferrocenyl heterometallic complexes of 2,7-diethynylfluoren-9-one, 17

σ-Alkynyl complexes

- Synthesis of indenyl-ruthenium(II) σ-alkynyl complexes via nucleophilic addition of (1*R*)-(+) and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η⁵-C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75

Allenylidene complexes

- Long-lived higher excited state luminescence from new ruthenium(II)–allenylidene complexes, 137
- Synthesis of indenyl-ruthenium(II) σ-alkynyl complexes via nucleophilic addition of (1*R*)-(+) and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η⁵-C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75

Argentophilicity

- Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235

Aryl halides

- Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108

Bimetallic complexes

- Synthesis of ruthenium acetylides: new building blocks for molecular electronics, 37

Borazine

- Synthesis and characterization of trimetallic complexes with a borazine core, 243

Bridging ligand

- Synthesis of ruthenium acetylides: new building blocks for molecular electronics, 37

Camphor

- Synthesis of indenyl-ruthenium(II) σ-alkynyl complexes via nucleophilic addition of (1*R*)-(+) and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η⁵-C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75

Capped clusters

- A new approach to the synthesis of carbon chains capped by metal clusters, 170

Carbon chains

- A new approach to the synthesis of carbon chains capped by metal clusters, 170

Catalysis

- Et₂SiH₂ assisted the selective dimerization of terminal alkynes catalyzed by Cp₂*UMe₂, 97

[2]Catenane

- Macrocyclic gold(I) complexes and [2]catenanes containing carbonyl functionalized diacetylide ligands, 27

- C–C cleavage
Titanocene and zirconocene σ -alkynyl complexes in C–C single bond coupling and cleavage reactions, 84
- C–C coupling
Titanocene and zirconocene σ -alkynyl complexes in C–C single bond coupling and cleavage reactions, 84
- C₁₀ chains
A new approach to the synthesis of carbon chains capped by metal clusters, 170
- Cluster
Synthesis, structures and photophysics of novel luminescent platinum–copper complexes, 221
- Cluster compounds
Cluster compounds containing a linear carbon chain derived from polyynediyl and polyynyl complexes, $\text{Fp}^*-(\text{C}\equiv\text{C})_n-\text{X}$ [X = Fp^* , H; $\text{Fp}^* = \text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2$], 2
- Cobalt carbonyl complexes
A simple synthesis of tetraethynylethenes and representative molecular structures of some dicobalt derivatives, 178
- Cobalt clusters
A new approach to the synthesis of carbon chains capped by metal clusters, 170
- Copper
Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45
Synthesis, structures and photophysics of novel luminescent platinum–copper complexes, 221
- Cross-conjugation
Luminescent properties of carbon-rich starburst gold(I) acetylide complexes. Crystal structure of [TEE][Au(PCy₃)₄] ([TEE]H₄ = tetraethynylethene), 11
- Crystal structures
Reactivity of metal acetylides with chalcogen-bridged metal carbonyl cluster in presence of free alkyne molecule: synthesis and characterisation of $[(\eta^5\text{-C}_5\text{Me}_5)\text{MFe}_3(\mu_3\text{-S})\{(\mu_3\text{-C}(\text{H})=\text{C}(\text{R})\text{S})\}(\text{CO})_6(\mu_3\text{-CCPh})]$ (R = Ph, *n*-Bu and M = W, Mo) and $[(\eta^5\text{-C}_5\text{Me}_5)\text{MFe}_3(\mu_3\text{-S})\{(\mu_3\text{-C}(\text{Fc})=\text{C}(\text{H})\text{S})\}(\text{CO})_7(\mu_3\text{-CCPh})]$ (M = W, Mo), 144
- Density functional theory
Organometallic complexes for nonlinear optics: Part 32: Synthesis, optical spectroscopy and theoretical studies of some osmium alkynyl complexes, 248
- Difluoroacetate
Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235
- Dimerization of alkynes
Et₂SiH₂ assisted the selective dimerization of terminal alkynes catalyzed by Cp₂U₂Me₂, 97
- Dinuclear
Homo-dinuclear σ -alkynyl complexes: past, present and opportunities, 188
- 1,4-Diynes
1,4-Diynes from alkynyl–propargyl coupling reactions, 151
- Double salt
Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235
- Electrochemistry
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoynyl complexes and their homo- and hetero-metallic binuclear complexes, 205
- Electrophilic and nucleophilic reactions
 η^1 -Alkynyl and vinylidene transition metal complexes: 10. Reaction of the metal-acetylide $[(\eta^5\text{-C}_5\text{H}_5)(\text{CO})(\text{NO})\text{W}-\text{C}\equiv\text{C}-\text{C}(\text{CH}_3)_2]\text{Li}$ with 1,2-diiodoethane as electrophile and with various nucleophiles, 66
- Ethyne-1,2-diyl
Reactions of metalloalkynes VII. Protonation of ruthenium ethyne-1,2-diyl complexes, 198
- Ferrocene
New ferrocenyl heterometallic complexes of 2,7-diethynylfluoren-9-one, 17
- Fluorescence
Luminescent properties of carbon-rich starburst gold(I) acetylide complexes. Crystal structure of [TEE][Au(PCy₃)₄] ([TEE]H₄ = tetraethynylethene), 11
- Gold
Luminescent properties of carbon-rich starburst gold(I) acetylide complexes. Crystal structure of [TEE][Au(PCy₃)₄] ([TEE]H₄ = tetraethynylethene), 11
Macrocyclic gold(I) complexes and [2]catenanes containing carbonyl functionalized diacetylide ligands, 27
New ferrocenyl heterometallic complexes of 2,7-diethynylfluoren-9-one, 17
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
- Hammett
Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108
- Heterometallic
Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45
- Heterometallic clusters
Reactivity of metal acetylides with chalcogen-bridged metal carbonyl cluster in presence of free alkyne molecule: synthesis and characterisation of $[(\eta^5\text{-C}_5\text{Me}_5)\text{MFe}_3(\mu_3\text{-S})\{(\mu_3\text{-C}(\text{H})=\text{C}(\text{R})\text{S})\}(\text{CO})_6(\mu_3\text{-CCPh})]$ (R = Ph, *n*-Bu and M = W, Mo) and $[(\eta^5\text{-C}_5\text{Me}_5)\text{MFe}_3(\mu_3\text{-S})\{(\mu_3\text{-C}(\text{Fc})=\text{C}(\text{H})\text{S})\}(\text{CO})_7(\mu_3\text{-CCPh})]$ (M = W, Mo), 144
- Hydride
Synthesis and characterization of trimetallic complexes with a borazine core, 243
- Hyperpolarizability
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
- Imido
Synthesis and reactivity of alkynyl niobocene complexes, 123
- Iminophosphine
Palladium–iminophosphine-catalyzed homocoupling of alkynylstannanes and other organostannanes using allyl acetate or air as an oxidant, 132
- Indenyl
Synthesis of indenyl-ruthenium(II) σ -alkynyl complexes via nucleophilic addition of (1*R*)-(+) and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)($\eta^5\text{-C}_9\text{H}_7$)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75
- Iron
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56

- Linear carbon chain
Cluster compounds containing a linear carbon chain derived from polyynediyl and polyynyl complexes, $\text{Fp}^*-(\text{C}\equiv\text{C})_n-\text{X}$ [$\text{X} = \text{Fp}^*, \text{H}$; $\text{Fp}^* = \text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2$], 2
- Luminescence
Long-lived higher excited state luminescence from new ruthenium(II)–allenylidene complexes, 137
Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoynyl complexes and their homo- and hetero-metallic binuclear complexes, 205
Synthesis, structures and photophysics of novel luminescent platinum–copper complexes, 221
- Macrocyclic
Macrocyclic gold(I) complexes and [2]catenanes containing carbonyl functionalized diacetylide ligands, 27
- Mercury
New ferrocenyl heterometallic complexes of 2,7-diethynylfluoren-9-one, 17
- Metallaynes
Homo-dinuclear σ -alkynyl complexes: past, present and opportunities, 188
- Metallo-ligand
Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoynyl complexes and their homo- and hetero-metallic binuclear complexes, 205
- Metal–metal bonding
Homo-dinuclear σ -alkynyl complexes: past, present and opportunities, 188
- Metal-to-ligand charge transfer (MLCT) transition
Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoynyl complexes and their homo- and hetero-metallic binuclear complexes, 205
- Molecular wires
Homo-dinuclear σ -alkynyl complexes: past, present and opportunities, 188
- Niobocene
Synthesis and reactivity of alkynyl niobocene complexes, 123
- Nonlinear optics
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
- Oligomerization of alkynes
 Et_2SiH_2 assisted the selective dimerization of terminal alkynes catalyzed by $\text{Cp}_2^*\text{UMe}_2$, 97
- Oligometallic
Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45
- Optical spectroscopy
Organometallic complexes for nonlinear optics: Part 32: Synthesis, optical spectroscopy and theoretical studies of some osmium alkynyl complexes, 248
- Organoactinide
 Et_2SiH_2 assisted the selective dimerization of terminal alkynes catalyzed by $\text{Cp}_2^*\text{UMe}_2$, 97
- Organoiron
Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108
- Organostannane
Palladium–iminophosphine-catalyzed homocoupling of alkynylstannanes and other organostannanes using allyl acetate or air as an oxidant, 132
- Osmium
Organometallic complexes for nonlinear optics: Part 32: Synthesis, optical spectroscopy and theoretical studies of some osmium alkynyl complexes, 248
- Oxidative homocoupling
Palladium–iminophosphine-catalyzed homocoupling of alkynylstannanes and other organostannanes using allyl acetate or air as an oxidant, 132
- Palladium
Palladium–iminophosphine-catalyzed homocoupling of alkynylstannanes and other organostannanes using allyl acetate or air as an oxidant, 132
- Phosphorescence
Luminescent properties of carbon-rich starburst gold(I) acetylide complexes. Crystal structure of [TEE][Au(PCy₃)₄] ([TEE]H₄ = tetraethynylethane), 11
- Photophysics
Long-lived higher excited state luminescence from new ruthenium(II)–allenylidene complexes, 137
- Platinum
Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45
New ferrocenyl heterometallic complexes of 2,7-diethynylfluoren-9-one, 17
Synthesis, structures and photophysics of novel luminescent platinum–copper complexes, 221
- Polyynediyl complexes
Cluster compounds containing a linear carbon chain derived from polyynediyl and polyynyl complexes, $\text{Fp}^*-(\text{C}\equiv\text{C})_n-\text{X}$ [$\text{X} = \text{Fp}^*, \text{H}$; $\text{Fp}^* = \text{Fe}(\eta^5\text{-C}_5\text{Me}_5)(\text{CO})_2$], 2
- Poly-yne
Synthesis of ruthenium acetylides: new building blocks for molecular electronics, 37
- Propargylation
1,4-Diyne from alkynyl–propargyl coupling reactions, 151
- Protonation
Reactions of metalloalkynes VII. Protonation of ruthenium ethyne-1,2-diyl complexes, 198
Synthesis and reactivity of alkynyl niobocene complexes, 123
- Redox-active
Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108
- Resonance Raman
Long-lived higher excited state luminescence from new ruthenium(II)–allenylidene complexes, 137
- Rhenium(I)
Synthesis, electrochemistry and structural characterization of luminescent rhenium(I) monoynyl complexes and their homo- and hetero-metallic binuclear complexes, 205
- Ruthenium
Organometallic complexes for nonlinear optics: Part 31. Cubic hyperpolarizabilities of ferrocenyl-linked gold and ruthenium complexes, 56
Reactions of metalloalkynes VII. Protonation of ruthenium ethyne-1,2-diyl complexes, 198
Synthesis and characterization of trimetallic complexes with a borazine core, 243
Synthesis of indenyl-ruthenium(II) σ -alkynyl complexes via nucleophilic addition of (1*R*)-(+) and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η^5 -C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75
- Ruthenium complexes
Synthesis of ruthenium acetylides: new building blocks for molecular electronics, 37

Ruthenium(II)

Long-lived higher excited state luminescence from new ruthenium(II)–allenylidene complexes, 137

Self-assembly

Macrocyclic gold(I) complexes and [2]catenanes containing carbonyl functionalized diacetylide ligands, 27

Silane

Et_2SiH_2 assisted the selective dimerization of terminal alkynes catalyzed by $\text{Cp}_2^*\text{UMe}_2$, 97

Silver

Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45

Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235

Skipped diynes

1,4-Diynes from alkynyl–propargyl coupling reactions, 151

Spectroelectrochemistry

Organometallic complexes for nonlinear optics: Part 32: Synthesis, optical spectroscopy and theoretical studies of some osmium alkynyl complexes, 248

Synthesis

Versatile reactions of a *para*-bromophenylacetylide iron(II) derivative and X-ray structure of the fluoro analogue. Synthesis of new redox-active organoiron(II) synthons, 108

Terminal alkynes

Synthesis of indenyl-ruthenium(II) σ -alkynyl complexes via nucleophilic addition of (1*R*)-(+)- and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η^5 -C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75

Tetraethynylethene

A simple synthesis of tetraethynylethenes and representative molecular structures of some dicobalt derivatives, 178

Titanocene

Titanocene and zirconocene σ -alkynyl complexes in C–C single bond coupling and cleavage reactions, 84

Triflate

Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235

Trifluoroacetate

Structural varieties in double salts of silver acetylide containing ancillary anions and terminal ligands, 235

Tungsten

η^1 -Alkynyl and vinylidene transition metal complexes: 10. Reaction of the metal-acetylide [(η^5 -C₅H₅)(CO)(NO)W–C≡C–C(CH₃)₃Li with 1,2-diiodoethane as electrophile and with various nucleophiles, 66

 π -Tweezer

Heterobimetallic platinum–copper and platinum–silver transition metal complexes based on *cis*-[Pt](C≡CPh)₂: an overview, 45

Vinylidene

η^1 -Alkynyl and vinylidene transition metal complexes: 10. Reaction of the metal-acetylide [(η^5 -C₅H₅)(CO)(NO)W–C≡C–C(CH₃)₃Li with 1,2-diiodoethane as electrophile and with various nucleophiles, 66

Synthesis and reactivity of alkynyl niobocene complexes, 123

Vinylidene complexes

Synthesis of indenyl-ruthenium(II) σ -alkynyl complexes via nucleophilic addition of (1*R*)-(+)- and (1*S*)-(–)-camphor enolates on the allenylidene group of [Ru(=C=C=CPh₂)(η^5 -C₉H₇)(PPh₃)₂][PF₆]: Efficient synthesis of novel optically pure vinylidene derivatives, 75

Zirconocene

Titanocene and zirconocene σ -alkynyl complexes in C–C single bond coupling and cleavage reactions, 84